

Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys
Métaux et Alliages
Metalle und Legierungen

Ceramics
Céramiques
Keramiken

Polymers
Polymères
Polymere

Composites
Composites
Verbundwerkstoffe



Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England

Tel: +44 1480 424 800
or +44 1480 424 800
Fax: +44 1480 424 900
or +44 1480 424 900

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA

Tel: 1-800-821-2870 (USA and Canada)
or +1 724 695 7060
Fax: 1-800-283-2020 (USA and Canada)
or +1 724 695 7063

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France

Tel : 0800 917 241 (numéro vert)
or +44 1480 424 813
Fax : 0800 917 313 (numéro vert)
or +44 1480 424 900

Goodfellow GmbH

Am Alstertwiete 3
D-20099 Hamburg
Germany

Tel: 0800 1000 579 (freecall)
or +44 1480 424 810
Fax: 0800 1000 580 (freecall)
or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070

The People's Republic of China
Tel: 00 86 21 6112 1560

Standard Price List for Silver

CONTENTS

Introduction	4
Product Descriptions	5
Hazards Information	10
General Information	11
Order information	12
Company Details	15
Conditions of Sale	16
Metal	20
INDEX	49

Introduction

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at www.goodfellow.com.

Materials

Metals and Alloys

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

Ceramics

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit www.goodfellow-ceramics.com for further information.

Polymers

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

Compounds & Intermetallics

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

Composites

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

Glasses

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

Product Descriptions



Bar

A straight length of rectangular, square or oval section material.

Tolerances

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



Bolt

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

Tolerances

See item



Chopped Fibre

Fibres cut into short lengths called cut, staple or chopped fibre.

Tolerances

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



Crucible

A vessel in which other materials may be heated or melted, usually at high temperatures.

Tolerances

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



Fabric

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

Tolerances

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



Fibre

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

Tolerances

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



Film

A non-metallic sheet material with a thickness < 0.5mm.

Tolerances

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



Flake

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

Tolerances

Dimensions shown are nominal

Product Descriptions



Foam

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



Foil

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

Tolerances

Thickness:	< 0.010mm	± 25%
	0.01-0.05mm	± 15%
	> 0.050mm	± 10%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



Granule

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

Tolerances

Dimensions shown are nominal



Honeycomb

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



Insulated Wire

A single or multiple flexible strand of metal or alloy with an insulating sheath.

Tolerances

Wire diameter:	± 10%
Length:	+ 5% / -1%
Insulation thickness:	Nominal values only



Laminate

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

Tolerances

Thickness:	± 10%
Size (linear dimension):	≤ 100mm ± 1mm
	> 100mm + 2% / -1%



Lump

A solid piece of material with no defined shape.

Tolerances

Dimensions shown are nominal



Mesh

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal.

Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

Tolerances

Thickness:	woven:	± 10%
	electroformed:	± 20%
Wire diameter:	± 10%	
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%

Product Descriptions



Metallised Film

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

Tolerances

Thickness: $\pm 10\%$
 Size (linear dimension): $< 100\text{mm}$ $\pm 1\text{mm}$
 $\geq 100\text{mm}$ $+2\% / -1\%$



Microfoil

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Microleaf

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Monofilament

A single strand of a non-metallic material.

Tolerances

Diameter: $\pm 20\%$
 Length: $+5\% / -1\%$



Non-Woven Fabric

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

Tolerances

Size (linear dimension): $< 100\text{mm}$ $\pm 5\text{mm}$
 $> 100\text{mm}$ $\pm 5\%$



Nut

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

Tolerances

See item



Powder

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

Tolerances

Dimensions shown are nominal

Product Descriptions



Rod

A straight length of circular section material.

Tolerances

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



Sheet

Flat material with a thickness > 0.5mm.

Tolerances

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



Single Crystal

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

Tolerances

Orientation:	± 3°
Size:	Sizes shown are nominal



Sphere

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

Tolerances

Diameter (standard):	± 5%
Diameter (precision):	see item



Sputtering Target

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

Tolerances

Thickness:	± 0.5mm
Size:	± 0.5mm



Tube

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

Tolerances

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:		± 10%
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



Washer

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

Tolerances

See item

Product Descriptions



Wire

A single or multiple flexible strand of pure metal or alloy.

Tolerances

Wire diameter: $\pm 10\%$
Length: $+5\% / -1\%$

Hazards Information

HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

HAZARD SYMBOLS



C

Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

Extremely flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

General Information

Analyses

Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of 10^{-9} atm-cm³.s⁻¹.

Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

Order information

General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Delivery

Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

Despatch

Orders will normally be despatched within 48 hours of receipt.

Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

Order information

Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

VAT

VAT number: GB 212 8527 79

UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

Order information

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at www.goodfellow.com or www.goodfellowusa.com.

Company Details

Company Structure

The Goodfellow Group consists of five companies:

Goodfellow Cambridge Limited

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

Goodfellow Corporation

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

Goodfellow GmbH

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

Goodfellow SARL

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England
Registered in England and Wales no. 1188162
VAT registration GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA
A Pennsylvania corporation
EIN 23-2557381

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France
Registered in Lille : RCS : B 381 486 836
Siren : 381486836
Numéro de TVA Intracommunitaire :
FR 06 381 486 836

Goodfellow GmbH

Am Alstertwiete 3
D-20099 Hamburg
Germany
Registered in Friedberg (Hessen) No. HRB 1309
Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070
The People's Republic of China

Conditions of Sale

1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in

Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER

Conditions of Sale

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

Silver

Ag

Silver was known to ancient civilisations.

Silver is a soft, malleable metal with a characteristic sheen. It has the highest thermal and electrical conductivities of all metals. It is generally found uncombined, or in the sulphide or arsenide ores from which it can be recovered as a cyanide complex which is subsequently reduced to the metal, in aqueous solution, by the use of zinc. The pure metal is stable to water and oxygen but is attacked in air by sulphur bearing compounds to form the characteristic black layer of silver sulphide. It is soluble in sulphuric and nitric acids.

Some silver salts are sensitive to light (e.g. AgI, AgCl and AgBr) and are of fundamental importance to photography. Other applications and industries in which silver is used include the manufacture of jewellery (both as the pure metal and as a constituent of various alloys), the electrical industry (e.g. in the manufacture of contacts) and for the silvering of glass.

Atomic Properties

Atomic number	47
Atomic radius - Goldschmidt	0.144 nm
Atomic weight	107.8682 amu
Crystal structure	Face centred cubic
Electronic structure	Kr 4d ¹⁰ 5s ¹
Photo-electric work function	4.7 eV
Thermal neutron absorption cross-section	63.8 Barns
Valences shown	1, 2

Natural isotope distribution

Mass No.	%
107	51.83
109	48.17

Ionisation potential

No.	eV
1	7.58
2	21.5
3	34.8

Physical Properties

Boiling point	2212 C
Density @20C	10.5 g cm ⁻³
Melting point	961.9 C

Electrical Properties

Electrical resistivity @20C	1.63 µOhmcm
Temperature coefficient @0-100C	0.0041 K ⁻¹
Thermal emf against Pt (cold 0C - hot 100C)	+0.74 mV

Thermal Properties

Coefficient of thermal expansion @0-100C	19.1 x10 ⁻⁶ K ⁻¹
Latent heat of evaporation	2390 J g ⁻¹
Latent heat of fusion	103 J g ⁻¹
Specific heat @25C	237 J K ⁻¹ kg ⁻¹
Thermal conductivity @0-100C	429 W m ⁻¹ K ⁻¹

Mechanical Properties

Material condition	Soft	Hard	Polycrystalline
Bulk modulus			103.6 GPa
Hardness - Vickers	25	95	
Izod toughness	5 J m ⁻¹		
Poisson's ratio			0.367
Tensile modulus			82.7 GPa
Tensile strength	172	330	MPa



Microfoil

CONTRACT COATING of customers' own components or assemblies is available to special order.

AG004500

Thickness.....	0.1µm	Area density.....	110µg.cm ⁻²
Purity.....	99.95 + %	Support.....	Permanent Mylar 3.5µm

Web Code

502-728-592
133-148-448

Disc diam.

Quantity	
1 disc	2discs
10 mm	GBP 193.00
25 mm	GBP 285.00
5discs	10discs
10 mm	GBP 262.00
25 mm	GBP 400.00
10 mm	GBP 469.00
25 mm	GBP 745.00
10 mm	GBP 745.00
25 mm	GBP 1205.00

Typical Analysis : Starting Material : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.
 This item is normally made to order for delivery within 4-5 weeks.

AG004600

Thickness.....	0.25µm	Area density.....	262.3µg.cm ⁻²
Purity.....	99.95 + %	Support.....	Permanent Mylar 3.5µm

Web Code

499-815-288
613-831-689

Disc diam.

Quantity	
1 disc	2discs
10 mm	GBP 213.00
25 mm	GBP 319.00
5discs	10discs
10 mm	GBP 293.00
25 mm	GBP 452.00
10 mm	GBP 531.00
25 mm	GBP 849.00
10 mm	GBP 849.00
25 mm	GBP 1378.00

Typical Analysis : Starting Material : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.
 This item is normally made to order for delivery within 4-5 weeks.

AG004700

Thickness.....	0.5µm	Area density.....	522.6µg.cm ⁻²
Purity.....	99.95 + %	Support.....	Permanent Mylar 3.5µm

Web Code

010-399-808
497-143-426

Disc diam.

Quantity	
1 disc	2discs
10 mm	GBP 227.00
25 mm	GBP 342.00
5discs	10discs
10 mm	GBP 314.00
25 mm	GBP 486.00
10 mm	GBP 573.00
25 mm	GBP 918.00
10 mm	GBP 918.00
25 mm	GBP 1493.00

Typical Analysis : Starting Material : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.
 This item is normally made to order for delivery within 4-5 weeks.

AG004850

Thickness.....	1.0µm	Area density.....	1098µg.cm ⁻²
Purity.....	99.95%	Support.....	Permanent Mylar 3.5µm

Web Code

071-947-970
186-307-277

Disc diam.

Quantity	
1 disc	2discs
10 mm	GBP 262.00
25 mm	GBP 400.00
5discs	10discs
10 mm	GBP 365.00
25 mm	GBP 573.00
10 mm	GBP 676.00
25 mm	GBP 1090.00
10 mm	GBP 1090.00
25 mm	GBP 1781.00

Typical Analysis : Starting Material : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.
 This item is normally made to order for delivery within 4-5 weeks.

Silver

Ag



Foil

AG000080 Thickness **0.00075mm** Purity..... **99.97%**
 Support..... **Temporary Acrylic**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
258-839-381	25 x 25 mm	GBP 254.00	GBP 332.00	GBP 493.00
016-910-070	50 x 50 mm	GBP 427.00	GBP 576.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000090 Thickness **0.001mm** Purity..... **99.97%**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
802-171-091	25 x 25 mm	GBP 244.00	GBP 318.00	GBP 471.00
864-405-528	50 x 50 mm	GBP 407.00	GBP 548.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000100 Thickness **0.002mm** Purity..... **99.97%**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
600-993-073	25 x 25 mm	GBP 235.00	GBP 305.00	GBP 450.00
503-665-161	50 x 50 mm	GBP 389.00	GBP 522.00	
748-227-888	100 x 100 mm	GBP 938.00		

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000110 Thickness **0.0025mm** Purity..... **99.97%**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
063-757-647	25 x 25 mm	GBP 226.00	GBP 292.00	GBP 429.00
819-778-884	50 x 50 mm	GBP 370.00	GBP 497.00	
456-816-661	100 x 100 mm	GBP 900.00		

Discs		Quantity		
Web Code	Diameter	10 discs	20 discs	50 discs
810-663-268	4 mm	GBP 258.00	GBP 316.00	GBP 453.00
332-905-799	6 mm	GBP 299.00	GBP 374.00	GBP 547.00
613-216-216	8 mm	GBP 341.00	GBP 433.00	GBP 642.00
652-025-998	10 mm	GBP 382.00	GBP 492.00	GBP 741.00
503-247-453	15 mm	GBP 484.00	GBP 637.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000215 Thickness **0.003mm** Purity..... **99.9%**

Sizes LT		Quantity					
Web Code	Size	1pc	2pcs	5pcs	10pcs	20pcs	
417-513-013	25 x 25 mm	GBP 163.00	GBP 192.00	GBP 253.00	GBP 325.00	GBP 434.00	
207-078-044	50 x 50 mm	GBP 227.00	GBP 283.00	GBP 396.00	GBP 528.00	GBP 721.00	
860-002-847	100 x 100 mm	GBP 356.00	GBP 465.00	GBP 683.00	GBP 986.00		
240-315-838	150 x 150 mm	GBP 484.00	GBP 646.00	GBP 1081.00			

Coil		Quantity	
Web Code	Length	1 Reel	
550-973-987	0.2 m	GBP 594.00	
871-743-228	0.5 m	GBP 853.00	

Discs		Quantity		
Web Code	Diameter	10 discs	20 discs	50 discs
987-773-450	4 mm	GBP 229.00	GBP 276.00	GBP 384.00
471-677-462	6 mm	GBP 249.00	GBP 303.00	GBP 427.00
959-685-681	8 mm	GBP 268.00	GBP 331.00	GBP 471.00
960-711-041	10 mm	GBP 288.00	GBP 359.00	GBP 515.00
088-875-840	15 mm	GBP 336.00	GBP 427.00	GBP 624.00
109-484-843	25 mm	GBP 434.00	GBP 565.00	GBP 842.00
685-612-208	50 mm	GBP 678.00	GBP 911.00	

Typical Analysis : Al 1, Au 20, Bi 1, Ca 3, Cd 20, Cr <1, Cu 500, Fe 7, Mg 1, Mn <1, Na 1, Ni 10, Pb 50, Si <1, Sn 3.

Metal – Silver

Silver

Ag



Foil

AG000120

Thickness 0.004mm

Purity..... 99.97%

Sizes LT
Web Code

147-837-113
 557-363-762
 987-685-476
 263-977-826

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 208.00	GBP 266.00	GBP 389.00	GBP 583.00
50 x 50 mm	GBP 334.00	GBP 461.00	GBP 1039.00	
100 x 100 mm	GBP 827.00	GBP 1579.00		
150 x 150 mm	GBP 1759.00			

Discs

Web Code

639-281-543
 910-194-262
 774-286-045
 785-757-325
 219-666-000
 458-262-183

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 248.00	GBP 301.00	GBP 430.00
6 mm	GBP 284.00	GBP 352.00	GBP 512.00
8 mm	GBP 320.00	GBP 404.00	GBP 596.00
10 mm	GBP 357.00	GBP 456.00	GBP 699.00
15 mm	GBP 446.00	GBP 583.00	GBP 1218.00
25 mm	GBP 699.00	GBP 1244.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000130

Thickness 0.005mm

Purity..... 99.97%

Sizes LT
Web Code

119-458-752
 907-520-034
 557-261-958
 927-717-812

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 199.00	GBP 254.00	GBP 369.00	GBP 561.00
50 x 50 mm	GBP 316.00	GBP 442.00	GBP 993.00	
100 x 100 mm	GBP 791.00	GBP 1506.00		
150 x 150 mm	GBP 1677.00			

Discs

Web Code

930-460-689
 307-587-446
 448-433-402
 054-183-126
 772-889-895
 611-234-961

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 244.00	GBP 294.00	GBP 419.00
6 mm	GBP 277.00	GBP 342.00	GBP 496.00
8 mm	GBP 310.00	GBP 390.00	GBP 574.00
10 mm	GBP 344.00	GBP 439.00	GBP 678.00
15 mm	GBP 427.00	GBP 561.00	GBP 1172.00
25 mm	GBP 674.00		

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000140

Thickness 0.006mm

Purity..... 99.97%

Sizes LT
Web Code

734-933-321
 059-853-009
 166-765-567
 294-929-058

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 190.00	GBP 242.00	GBP 350.00	GBP 538.00
50 x 50 mm	GBP 299.00	GBP 424.00	GBP 948.00	
100 x 100 mm	GBP 754.00	GBP 1433.00		
150 x 150 mm	GBP 1595.00			

Discs

Web Code

641-738-431
 217-307-116
 163-398-004
 424-750-911
 093-874-013
 734-260-793

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 239.00	GBP 288.00	GBP 409.00
6 mm	GBP 270.00	GBP 332.00	GBP 480.00
8 mm	GBP 301.00	GBP 376.00	GBP 552.00
10 mm	GBP 332.00	GBP 422.00	GBP 657.00
15 mm	GBP 409.00	GBP 543.00	GBP 1126.00
25 mm	GBP 648.00	GBP 1142.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000150

Thickness 0.007mm

Purity..... 99.97%

Sizes LT
Web Code

326-746-972
 501-955-169
 413-606-998
 160-919-067

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 189.00	GBP 240.00	GBP 348.00	GBP 530.00
50 x 50 mm	GBP 297.00	GBP 418.00	GBP 932.00	
100 x 100 mm	GBP 741.00	GBP 1408.00		
150 x 150 mm	GBP 1566.00			

Discs

Web Code

097-423-503
 177-942-772
 242-841-457
 355-181-693
 397-706-464
 713-307-674

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 238.00	GBP 287.00	GBP 407.00
6 mm	GBP 269.00	GBP 331.00	GBP 478.00
8 mm	GBP 300.00	GBP 375.00	GBP 549.00
10 mm	GBP 331.00	GBP 420.00	GBP 650.00
15 mm	GBP 407.00	GBP 536.00	GBP 1109.00
25 mm	GBP 639.00	GBP 1125.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

Metal – Silver

Silver

Ag



Foil

AG000218 Thickness 0.008mm

Purity..... 99.95+%

Sizes LT

Web Code

034-965-855
 380-461-463
 541-573-509

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 144.00	GBP 166.00	GBP 210.00	GBP 262.00	GBP 340.00
50 x 50 mm	GBP 192.00	GBP 234.00	GBP 317.00	GBP 414.00	GBP 555.00
100 x 100 mm	GBP 288.00	GBP 370.00	GBP 532.00	GBP 718.00	

Coil

Web Code

014-097-239
 168-664-894
 063-151-280

Length	Quantity	
	1 Reel	
0.2 m	GBP 392.00	
0.5 m	GBP 550.00	
1 m	GBP 729.00	

Discs

Web Code

425-127-340
 957-684-097
 357-240-566
 256-007-773
 724-697-271
 527-673-445
 238-369-906

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 205.00	GBP 235.00	GBP 306.00
6 mm	GBP 220.00	GBP 256.00	GBP 338.00
8 mm	GBP 234.00	GBP 277.00	GBP 371.00
10 mm	GBP 249.00	GBP 298.00	GBP 404.00
15 mm	GBP 286.00	GBP 349.00	GBP 486.00
25 mm	GBP 359.00	GBP 453.00	GBP 649.00
50 mm	GBP 542.00	GBP 712.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000160 Thickness 0.008mm

Purity..... 99.97%

NLT Sizes

Web Code

451-684-310
 411-587-065
 827-533-759
 835-332-156

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 182.00	GBP 230.00	GBP 332.00	GBP 516.00
50 x 50 mm	GBP 283.00	GBP 407.00	GBP 905.00	
100 x 100 mm	GBP 720.00	GBP 1365.00		
150 x 150 mm	GBP 1518.00			

Sizes LT

Web Code

157-082-361

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 200.00	GBP 253.00	GBP 365.00	GBP 568.00

Discs

Web Code

183-311-414
 913-930-057
 241-258-573
 157-324-021
 665-507-105
 188-389-748

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 234.00	GBP 281.00	GBP 398.00
6 mm	GBP 263.00	GBP 322.00	GBP 464.00
8 mm	GBP 292.00	GBP 364.00	GBP 531.00
10 mm	GBP 321.00	GBP 405.00	GBP 638.00
15 mm	GBP 392.00	GBP 525.00	GBP 1082.00
25 mm	GBP 625.00	GBP 1095.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000170 Thickness 0.009mm

Purity..... 99.97%

NLT Sizes

Web Code

087-305-039
 964-335-883
 718-327-313
 996-173-163

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 176.00	GBP 221.00	GBP 317.00	GBP 506.00
50 x 50 mm	GBP 270.00	GBP 399.00	GBP 884.00	
100 x 100 mm	GBP 703.00	GBP 1331.00		
150 x 150 mm	GBP 1480.00			

Sizes LT

Web Code

966-878-374

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 193.00	GBP 243.00	GBP 349.00	GBP 556.00

Discs

Web Code

961-738-827
 217-353-677
 169-209-416
 151-182-531
 897-814-295
 226-785-777

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 231.00	GBP 276.00	GBP 390.00
6 mm	GBP 257.00	GBP 314.00	GBP 452.00
8 mm	GBP 284.00	GBP 353.00	GBP 515.00
10 mm	GBP 312.00	GBP 392.00	GBP 628.00
15 mm	GBP 378.00	GBP 517.00	GBP 1060.00
25 mm	GBP 613.00	GBP 1071.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

Metal – Silver

Silver

Ag



Foil

AG000220

Thickness **0.01mm**

Purity..... **99.95+%**

Sizes LT

Web Code

718-790-244
 124-735-358
 242-160-495
 607-362-153

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 143.00	GBP 164.00	GBP 208.00	GBP 259.00	GBP 336.00
50 x 50 mm	GBP 190.00	GBP 231.00	GBP 313.00	GBP 408.00	GBP 546.00
100 x 100 mm	GBP 285.00	GBP 364.00	GBP 524.00	GBP 706.00	
150 x 150 mm	GBP 379.00	GBP 497.00	GBP 734.00		

Coil

Web Code

967-224-995
 109-319-479
 516-107-772

Width 150mm

Length

0.2 m GBP 447.00
 0.5 m GBP 637.00
 1 m GBP 851.00

Quantity

Discs

Web Code

640-800-759
 100-094-601
 511-833-017
 979-126-379
 390-792-002
 849-010-684
 126-325-541

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 205.00	GBP 235.00	GBP 304.00
6 mm	GBP 219.00	GBP 255.00	GBP 336.00
8 mm	GBP 233.00	GBP 275.00	GBP 368.00
10 mm	GBP 248.00	GBP 295.00	GBP 401.00
15 mm	GBP 283.00	GBP 346.00	GBP 481.00
25 mm	GBP 355.00	GBP 447.00	GBP 641.00
50 mm	GBP 534.00	GBP 702.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000241

Thickness **0.0125mm**

Coil width **9mm**

Purity..... **99.95+%**

Coil

Web Code

803-474-066
 037-798-485
 114-814-219
 561-073-463
 582-255-187

Width 9mm

Length

0.5 m GBP 139.00
 1 m GBP 170.00
 2 m GBP 215.00
 5 m GBP 304.00
 10 m GBP 405.00

Quantity

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000240

Thickness **0.0125mm**

Purity..... **99.95+%**

NLT Sizes

Web Code

621-115-391
 497-760-149
 888-011-625

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 139.00	GBP 160.00	GBP 208.00	GBP 273.00	GBP 384.00
50 x 50 mm	GBP 174.00	GBP 211.00	GBP 289.00	GBP 387.00	GBP 544.00
100 x 100 mm	GBP 246.00	GBP 312.00	GBP 449.00	GBP 614.00	GBP 866.00

Sizes LT

Web Code

550-963-319
 829-722-773

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 152.00	GBP 176.00	GBP 229.00	GBP 301.00	GBP 422.00
50 x 50 mm	GBP 218.00	GBP 263.00	GBP 361.00	GBP 484.00	GBP 680.00

Coil

Web Code

953-526-994
 373-796-506
 724-567-238

Width 100mm

Length

0.5 m GBP 443.00
 1 m GBP 577.00
 2 m GBP 765.00

Quantity

Discs

Web Code

043-120-229
 390-032-416
 754-060-469
 257-552-170
 194-014-541
 251-815-792
 476-970-709

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 258.00	GBP 343.00	GBP 513.00
6 mm	GBP 269.00	GBP 358.00	GBP 537.00
8 mm	GBP 279.00	GBP 374.00	GBP 562.00
10 mm	GBP 290.00	GBP 389.00	GBP 586.00
15 mm	GBP 318.00	GBP 428.00	GBP 647.00
25 mm	GBP 372.00	GBP 505.00	GBP 770.00
50 mm	GBP 509.00	GBP 699.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Foil

AG000180

Thickness **0.015mm**

Purity **99.97%**

NLT Sizes

Web Code

068-112-645
 893-386-078
 584-187-924

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
50 x 50 mm	GBP 198.00	GBP 315.00	GBP 675.00	
100 x 100 mm	GBP 536.00	GBP 997.00		
150 x 150 mm	GBP 1104.00			

Sizes LT

Web Code

070-215-615
 750-948-709
 653-969-204

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 140.00	GBP 170.00	GBP 249.00	GBP 402.00
50 x 50 mm	GBP 218.00	GBP 347.00	GBP 743.00	
100 x 100 mm	GBP 670.00	GBP 1246.00		

Discs

Web Code

154-485-293
 310-650-942
 831-363-484
 920-432-445
 054-057-237
 757-154-216

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 210.00	GBP 247.00	GBP 345.00
6 mm	GBP 227.00	GBP 271.00	GBP 383.00
8 mm	GBP 244.00	GBP 295.00	GBP 438.00
10 mm	GBP 261.00	GBP 320.00	GBP 532.00
15 mm	GBP 302.00	GBP 432.00	GBP 848.00
25 mm	GBP 496.00	GBP 837.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

AG000250

Thickness **0.015mm**

Purity **99.95+%**

NLT Sizes

Web Code

127-639-319
 510-731-413
 763-508-543
 726-794-836

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 142.00	GBP 165.00	GBP 216.00	GBP 284.00	GBP 399.00
50 x 50 mm	GBP 181.00	GBP 220.00	GBP 304.00	GBP 409.00	GBP 575.00
100 x 100 mm	GBP 260.00	GBP 332.00	GBP 480.00	GBP 657.00	GBP 954.00
200 x 200 mm	GBP 417.00	GBP 554.00	GBP 859.00		

Sizes LT

Web Code

839-442-997
 393-926-797

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 156.00	GBP 181.00	GBP 238.00	GBP 313.00	GBP 439.00
50 x 50 mm	GBP 227.00	GBP 275.00	GBP 380.00	GBP 511.00	GBP 719.00

Coil

Web Code

682-260-264
 808-978-440
 326-575-424

Length	Quantity	
	1 Reel	
0.2 m	GBP 445.00	
0.5 m	GBP 632.00	
1 m	GBP 890.00	

Discs

Web Code

465-583-563
 716-027-920
 780-559-044
 527-540-928
 949-719-321
 055-751-580
 890-724-771

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 260.00	GBP 346.00	GBP 517.00
6 mm	GBP 272.00	GBP 363.00	GBP 544.00
8 mm	GBP 284.00	GBP 380.00	GBP 571.00
10 mm	GBP 296.00	GBP 396.00	GBP 598.00
15 mm	GBP 325.00	GBP 439.00	GBP 665.00
25 mm	GBP 385.00	GBP 523.00	GBP 799.00
50 mm	GBP 535.00	GBP 736.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000190

Thickness **0.02mm**

Purity **99.97%**

NLT Sizes

Web Code

606-981-223
 590-086-971

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	GBP 523.00	GBP 972.00		
150 x 150 mm	GBP 1076.00			

Sizes LT

Web Code

320-183-743
 891-104-700
 378-717-924

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 139.00	GBP 169.00	GBP 245.00	GBP 394.00
50 x 50 mm	GBP 196.00	GBP 309.00	GBP 659.00	
100 x 100 mm	GBP 576.00	GBP 1069.00		

Discs

Web Code

309-355-508
 669-447-403
 680-932-646
 116-584-830
 573-110-306
 638-799-133

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 210.00	GBP 247.00	GBP 344.00
6 mm	GBP 226.00	GBP 270.00	GBP 382.00
8 mm	GBP 243.00	GBP 294.00	GBP 433.00
10 mm	GBP 260.00	GBP 318.00	GBP 525.00
15 mm	GBP 300.00	GBP 426.00	GBP 832.00
25 mm	GBP 487.00	GBP 819.00	

Typical Analysis : Al 4, Au 8, Bi 3, Ca 40, Cd 2, Cr 20, Cu 20, Fe 60, Mg 3, Mn 5, Na 10, Ni 5, Pb 40, Si 20, Sn 1.

Metal – Silver

Silver

Ag



Foil

AG000260

Thickness **0.025mm**
 Temper **As rolled**

Purity **99.95+%**

NLT Sizes

Web Code

759-561-708
 667-264-012
 969-969-862
 848-083-788
 648-362-876

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 94.00	GBP 103.00	GBP 123.00	GBP 144.00	GBP 176.00
50 x 50 mm	GBP 111.00	GBP 126.00	GBP 160.00	GBP 196.00	GBP 250.00
100 x 100 mm	GBP 144.00	GBP 173.00	GBP 234.00	GBP 301.00	GBP 399.00
150 x 150 mm	GBP 177.00	GBP 220.00	GBP 308.00	GBP 406.00	GBP 552.00
300 x 300 mm	GBP 277.00	GBP 361.00	GBP 536.00		

Sizes LT

Web Code

704-557-205
 339-807-339
 145-023-053
 457-107-936
 163-644-597

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 98.50	GBP 108.00	GBP 129.00	GBP 151.00	GBP 185.00
50 x 50 mm	GBP 116.00	GBP 133.00	GBP 168.00	GBP 206.00	GBP 263.00
100 x 100 mm	GBP 158.00	GBP 191.00	GBP 258.00	GBP 331.00	GBP 438.00
150 x 150 mm	GBP 195.00	GBP 242.00	GBP 339.00	GBP 447.00	GBP 608.00
300 x 300 mm	GBP 332.00	GBP 433.00	GBP 644.00		

Coil

Web Code

400-176-204
 022-029-833
 753-734-219

Length	Quantity
	1 Reel
0.5 m	GBP 249.00
1 m	GBP 311.00
2 m	GBP 399.00

Discs

Web Code

216-782-512
 097-818-038
 227-250-649
 406-333-546
 791-689-668
 961-207-384
 150-924-344

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 163.00	GBP 180.00	GBP 227.00
6 mm	GBP 169.00	GBP 187.00	GBP 238.00
8 mm	GBP 174.00	GBP 195.00	GBP 249.00
10 mm	GBP 179.00	GBP 202.00	GBP 261.00
15 mm	GBP 191.00	GBP 220.00	GBP 289.00
25 mm	GBP 216.00	GBP 255.00	GBP 346.00
50 mm	GBP 280.00	GBP 345.00	GBP 488.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000266

Thickness **0.025mm**
 Temper **Annealed**

Purity **99.95+%**

NLT Sizes

Web Code

242-087-475
 998-816-452
 700-083-083

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 94.00	GBP 103.00	GBP 123.00	GBP 144.00	GBP 176.00
50 x 50 mm	GBP 111.00	GBP 126.00	GBP 160.00	GBP 196.00	
100 x 100 mm	GBP 144.00	GBP 173.00	GBP 234.00		

Sizes LT

Web Code

458-563-901
 618-683-686
 980-062-949

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 98.50	GBP 108.00	GBP 129.00	GBP 151.00	GBP 185.00
50 x 50 mm	GBP 116.00	GBP 133.00	GBP 168.00	GBP 206.00	
100 x 100 mm	GBP 158.00	GBP 191.00	GBP 258.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000270

Thickness **0.025mm**
 Temper **As rolled**

High Purity **99.99+%**

Size

Web Code

865-538-387
 192-296-874
 037-104-945
 638-119-973

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 138.00	GBP 165.00	GBP 221.00	GBP 282.00	GBP 372.00
50 x 50 mm	GBP 198.00	GBP 250.00	GBP 356.00	GBP 473.00	
100 x 100 mm	GBP 319.00	GBP 421.00	GBP 750.00		
150 x 150 mm	GBP 440.00	GBP 677.00			

Coil

Web Code

764-997-358
 624-673-869

Length	Quantity
	1 Reel
0.2 m	GBP 520.00
0.5 m	GBP 1097.00

Discs

Web Code

529-501-916
 187-746-361
 468-297-959
 537-237-852
 154-727-394
 340-915-136
 614-395-314

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 190.00	GBP 218.00	GBP 287.00
6 mm	GBP 209.00	GBP 244.00	GBP 328.00
8 mm	GBP 227.00	GBP 271.00	GBP 370.00
10 mm	GBP 246.00	GBP 297.00	GBP 413.00
15 mm	GBP 292.00	GBP 362.00	GBP 516.00
25 mm	GBP 384.00	GBP 494.00	GBP 725.00
50 mm	GBP 619.00		

Typical Analysis : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.

Silver

Ag



Foil

AG000265

Thickness **0.025mm**
 Temper **Annealed**

Purity **99.95+%**

NLT Sizes

Web Code

866-814-250
 692-771-915
 186-939-840
 766-047-448
 002-341-115

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 94.00	GBP 103.00	GBP 123.00	GBP 144.00	GBP 176.00
50 x 50 mm	GBP 111.00	GBP 126.00	GBP 160.00	GBP 196.00	GBP 250.00
100 x 100 mm	GBP 144.00	GBP 173.00	GBP 234.00	GBP 301.00	GBP 399.00
125 x 150 mm	GBP 168.00	GBP 208.00	GBP 289.00	GBP 379.00	
250 x 300 mm	GBP 259.00	GBP 337.00	GBP 492.00		

Sizes LT

Web Code

806-139-304
 634-123-107
 457-949-193
 076-163-819
 028-472-035

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 98.50	GBP 108.00	GBP 129.00	GBP 151.00	GBP 185.00
50 x 50 mm	GBP 116.00	GBP 133.00	GBP 168.00	GBP 206.00	GBP 263.00
100 x 100 mm	GBP 158.00	GBP 191.00	GBP 258.00	GBP 331.00	GBP 438.00
125 x 150 mm	GBP 193.00	GBP 239.00	GBP 332.00	GBP 435.00	
250 x 300 mm	GBP 311.00	GBP 404.00	GBP 591.00		

Coil

Web Code

647-142-151
 124-841-556
 129-459-119

Length	Quantity	
	1 Reel	
0.5 m	GBP 336.00	
1 m	GBP 433.00	
2 m	GBP 603.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000268

Thickness **0.030mm**
 Temper **Annealed**

Purity **99.95+%**

NLT Sizes

Web Code

898-368-574

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
260 x 300 mm	GBP 280.00	GBP 367.00		

Sizes LT

Web Code

735-443-620
 161-690-586
 399-654-952

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
50 x 50 mm	GBP 114.00	GBP 131.00	GBP 167.00	GBP 206.00
100 x 100 mm	GBP 150.00	GBP 182.00	GBP 248.00	
260 x 300 mm	GBP 323.00	GBP 422.00		

Coil

Web Code

119-574-183
 321-021-434
 888-538-443

Length	Quantity	
	1 Reel	
0.2 m	GBP 267.00	
0.5 m	GBP 363.00	
1 m	GBP 472.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000280

Thickness **0.035mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

799-413-360
 926-668-417
 833-551-725
 193-973-026

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 97.50	GBP 107.00	GBP 128.00	GBP 154.00	GBP 197.00
50 x 50 mm	GBP 116.00	GBP 133.00	GBP 169.00	GBP 213.00	GBP 280.00
100 x 100 mm	GBP 153.00	GBP 186.00	GBP 252.00	GBP 330.00	
150 x 150 mm	GBP 190.00	GBP 238.00	GBP 335.00	GBP 448.00	

Coil

Web Code

246-630-123
 828-770-354
 596-287-526

Length	Quantity	
	1 Reel	
0.5 m	GBP 306.00	
1 m	GBP 390.00	
2 m	GBP 510.00	

Discs

Web Code

535-942-199
 992-766-659
 095-827-457
 978-431-139
 303-888-550
 986-065-377
 258-173-627

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 170.00	GBP 197.00	GBP 273.00
6 mm	GBP 176.00	GBP 205.00	GBP 285.00
8 mm	GBP 181.00	GBP 213.00	GBP 298.00
10 mm	GBP 187.00	GBP 221.00	GBP 311.00
15 mm	GBP 201.00	GBP 241.00	GBP 342.00
25 mm	GBP 229.00	GBP 281.00	GBP 406.00
50 mm	GBP 300.00	GBP 382.00	GBP 566.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000281

Thickness **0.035mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

516-981-227

Size	Quantity		
	1pc	2pcs	5pcs
300 x 300 mm	GBP 301.00	GBP 396.00	GBP 680.00

Coil

Web Code

517-462-502
 636-312-125

Length	Quantity	
	1 Reel	
0.5 m	GBP 390.00	
1 m	GBP 510.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Silver

Ag



Foil

AG000300

Thickness **0.05mm**
 Temper **As rolled**

Purity **99.95 + %**

Size

Web Code

271-709-174
 963-646-487
 455-802-041
 975-253-562
 906-698-199

Size
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm
 150 x 300 mm

Quantity					
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 97.00	GBP 106.00	GBP 126.00	GBP 151.00	GBP 189.00
50 x 50 mm	GBP 116.00	GBP 132.00	GBP 168.00	GBP 209.00	GBP 272.00
100 x 100 mm	GBP 153.00	GBP 185.00	GBP 251.00	GBP 327.00	GBP 450.00
150 x 150 mm	GBP 190.00	GBP 238.00	GBP 334.00	GBP 480.00	
150 x 300 mm	GBP 236.00	GBP 303.00	GBP 472.00		

Discs

Web Code

420-378-938
 547-374-000
 421-758-076
 719-750-655
 968-834-530
 104-315-377
 039-423-456

Diameter
 4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm
 50 mm

Quantity			
	10 discs	20 discs	50 discs
4 mm	GBP 154.00	GBP 172.00	GBP 218.00
6 mm	GBP 159.00	GBP 178.00	GBP 228.00
8 mm	GBP 163.00	GBP 185.00	GBP 239.00
10 mm	GBP 168.00	GBP 192.00	GBP 250.00
15 mm	GBP 180.00	GBP 209.00	GBP 276.00
25 mm	GBP 204.00	GBP 242.00	GBP 329.00
50 mm	GBP 263.00	GBP 327.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000305

Thickness **0.05mm**
 Temper **Annealed**

Purity **99.95 + %**

Size

Web Code

744-471-293
 712-441-871
 969-722-169
 670-387-234

Size
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm
 300 x 300 mm

Quantity				
	1pc	2pcs	5pcs	10pcs
50 x 50 mm	GBP 116.00	GBP 132.00	GBP 168.00	GBP 209.00
100 x 100 mm	GBP 153.00	GBP 185.00	GBP 251.00	GBP 327.00
150 x 150 mm	GBP 190.00	GBP 238.00	GBP 334.00	
300 x 300 mm	GBP 302.00	GBP 396.00		

Coil

Web Code

103-069-874
 803-392-056

Width 300mm
Length
 0.5 m
 1 m

Quantity	
	1 Reel
0.5 m	GBP 391.00
1 m	GBP 620.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000320

Thickness **0.06mm**
 Temper **Annealed**

Purity **99.95 + %**

Size

Web Code

218-545-059
 519-731-399
 418-677-580
 024-566-709

Size
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm
 300 x 300 mm

Quantity				
	1pc	2pcs	5pcs	10pcs
50 x 50 mm	GBP 119.00	GBP 137.00	GBP 175.00	GBP 221.00
100 x 100 mm	GBP 160.00	GBP 195.00	GBP 267.00	GBP 350.00
150 x 150 mm	GBP 201.00	GBP 253.00	GBP 358.00	
300 x 300 mm	GBP 323.00	GBP 452.00		

Coil

Web Code

733-429-862
 158-400-310

Width 300mm
Length
 0.5 m
 1 m

Quantity	
	1 Reel
0.5 m	GBP 418.00
1 m	GBP 724.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000341

Thickness **0.075mm**
 Purity **99.95 + %**

Coil width **0.40mm**
 Temper **Annealed**

Coil

Web Code

606-919-894
 717-448-560
 942-641-950
 464-660-176
 937-253-213

Width 0.40mm
Length
 0.2 m
 0.5 m
 1 m
 2 m
 5 m

Quantity	
	1 Reel
0.2 m	GBP 102.00
0.5 m	GBP 111.00
1 m	GBP 122.00
2 m	GBP 140.00
5 m	GBP 187.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Foil

AG000340

Thickness **0.075mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

927-932-681
 991-578-549
 947-322-413
 415-311-720
 913-970-434

Size
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm
 150 x 300 mm

		Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 97.50	GBP 107.00	GBP 127.00	GBP 152.00	GBP 191.00	
50 x 50 mm	GBP 117.00	GBP 134.00	GBP 170.00	GBP 212.00	GBP 276.00	
100 x 100 mm	GBP 155.00	GBP 188.00	GBP 255.00	GBP 333.00	GBP 469.00	
150 x 150 mm	GBP 193.00	GBP 242.00	GBP 340.00	GBP 500.00		
150 x 300 mm	GBP 240.00	GBP 309.00	GBP 493.00			

Coil

Web Code

407-797-261
 974-660-913
 832-624-495

Width 150mm

Length

0.5 m
 1 m
 2 m

		Quantity
		1 Reel
0.5 m	GBP 312.00	
1 m	GBP 399.00	
2 m	GBP 648.00	

Discs

Web Code

246-310-066
 788-760-620
 595-085-912
 385-738-487
 217-305-754
 163-219-131
 402-399-292

Diameter
 4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm
 50 mm

		Quantity		
		10 discs	20 discs	50 discs
4 mm	GBP 154.00	GBP 172.00	GBP 218.00	
6 mm	GBP 159.00	GBP 179.00	GBP 229.00	
8 mm	GBP 164.00	GBP 186.00	GBP 240.00	
10 mm	GBP 169.00	GBP 193.00	GBP 251.00	
15 mm	GBP 181.00	GBP 210.00	GBP 278.00	
25 mm	GBP 205.00	GBP 244.00	GBP 333.00	
50 mm	GBP 266.00	GBP 331.00	GBP 472.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000349

Thickness **0.09mm**
 Purity **99.95+%**

Coil width **101.6mm**
 Temper **Annealed**

Coil

Web Code

256-415-145
 014-908-354
 939-737-420
 741-704-810

Width 101.6mm

Length

0.1 m
 0.2 m
 0.5 m
 1 m

		Quantity
		1 Reel
0.1 m	GBP 213.00	
0.2 m	GBP 256.00	
0.5 m	GBP 342.00	
1 m	GBP 440.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000350

Thickness **0.1mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

299-906-616
 488-336-802
 042-107-826
 805-208-471

Size
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm

		Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 111.00	GBP 124.00	GBP 151.00	GBP 184.00	GBP 235.00	
50 x 50 mm	GBP 138.00	GBP 163.00	GBP 212.00	GBP 271.00	GBP 358.00	
100 x 100 mm	GBP 193.00	GBP 240.00	GBP 335.00	GBP 444.00		
150 x 150 mm	GBP 248.00	GBP 318.00	GBP 469.00			

Coil

Web Code

757-115-280
 639-409-237

Width 150mm

Length

0.5 m
 1 m

		Quantity
		1 Reel
0.5 m	GBP 408.00	
1 m	GBP 613.00	

Discs

Web Code

934-617-004
 827-131-245
 391-411-438
 926-437-012
 804-628-648
 578-579-239
 322-404-728

Diameter
 4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm
 50 mm

		Quantity		
		10 discs	20 discs	50 discs
4 mm	GBP 164.00	GBP 185.00	GBP 235.00	
6 mm	GBP 171.00	GBP 195.00	GBP 250.00	
8 mm	GBP 178.00	GBP 205.00	GBP 266.00	
10 mm	GBP 185.00	GBP 214.00	GBP 282.00	
15 mm	GBP 202.00	GBP 239.00	GBP 321.00	
25 mm	GBP 237.00	GBP 288.00	GBP 399.00	
50 mm	GBP 324.00	GBP 412.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Foil

AG000351

Thickness **0.1mm**
 Temper **Annealed**

Purity **99.95+%**

Size

Web Code

230-067-974
 224-325-535
 425-817-181
 491-107-027
 084-572-285

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 111.00	GBP 124.00	GBP 151.00	GBP 184.00	GBP 235.00
50 x 50 mm	GBP 138.00	GBP 163.00	GBP 212.00	GBP 271.00	GBP 358.00
100 x 100 mm	GBP 193.00	GBP 240.00	GBP 335.00	GBP 444.00	
150 x 150 mm	GBP 248.00	GBP 318.00	GBP 469.00		
300 x 300 mm	GBP 413.00	GBP 691.00			

Coil

Web Code
 236-323-329

Width 300mm	Quantity	
	Length	1 Reel
0.5 m	GBP 613.00	

Discs

Web Code
 628-063-058
 754-762-451
 294-346-083
 514-111-031
 968-364-391
 142-002-434
 630-070-732

Diameter	Quantity			
	10 discs	20 discs	50 discs	100 discs
4 mm	GBP 164.00	GBP 185.00	GBP 235.00	GBP 312.00
6 mm	GBP 171.00	GBP 195.00	GBP 250.00	GBP 334.00
8 mm	GBP 178.00	GBP 205.00	GBP 266.00	GBP 356.00
10 mm	GBP 185.00	GBP 214.00	GBP 282.00	GBP 378.00
15 mm	GBP 202.00	GBP 239.00	GBP 321.00	GBP 433.00
25 mm	GBP 237.00	GBP 288.00	GBP 399.00	GBP 544.00
50 mm	GBP 324.00	GBP 412.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000400

Thickness **0.125mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

591-427-080
 928-377-171
 047-145-015
 893-125-424
 640-678-456

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 94.00	GBP 102.00	GBP 119.00	GBP 141.00	GBP 174.00
50 x 50 mm	GBP 110.00	GBP 125.00	GBP 155.00	GBP 191.00	GBP 246.00
100 x 100 mm	GBP 142.00	GBP 170.00	GBP 227.00	GBP 366.00	
150 x 150 mm	GBP 174.00	GBP 216.00	GBP 395.00		
150 x 300 mm	GBP 214.00	GBP 328.00			

Coil

Web Code
 718-137-852
 799-075-741

Width 150mm	Quantity	
	Length	1 Reel
0.5 m	GBP 310.00	
1 m	GBP 518.00	

Discs

Web Code
 084-806-068
 600-759-304
 094-914-416
 864-303-159
 037-891-087
 736-378-266
 047-278-081

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 151.00	GBP 167.00	GBP 212.00
6 mm	GBP 155.00	GBP 173.00	GBP 221.00
8 mm	GBP 159.00	GBP 179.00	GBP 231.00
10 mm	GBP 163.00	GBP 184.00	GBP 240.00
15 mm	GBP 173.00	GBP 199.00	GBP 263.00
25 mm	GBP 194.00	GBP 228.00	GBP 309.00
50 mm	GBP 245.00	GBP 302.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000401

Thickness **0.125mm**
 Temper **Annealed**

Purity **99.95+%**

Size

Web Code

168-161-815
 279-256-347
 774-052-616
 039-973-235

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 94.00	GBP 102.00	GBP 119.00	GBP 141.00	GBP 174.00
50 x 50 mm	GBP 110.00	GBP 125.00	GBP 155.00	GBP 191.00	GBP 246.00
125 x 150 mm	GBP 166.00	GBP 204.00	GBP 343.00		
150 x 250 mm	GBP 202.00	GBP 287.00			

Discs

Web Code
 735-481-648
 145-252-099
 479-116-531
 951-098-798
 401-444-418
 535-184-170
 427-018-577

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 151.00	GBP 167.00	GBP 212.00
6 mm	GBP 155.00	GBP 173.00	GBP 221.00
8 mm	GBP 159.00	GBP 179.00	GBP 231.00
10 mm	GBP 163.00	GBP 184.00	GBP 240.00
15 mm	GBP 173.00	GBP 199.00	GBP 263.00
25 mm	GBP 194.00	GBP 228.00	GBP 309.00
50 mm	GBP 245.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Foil

AG000360

Thickness **0.125mm**
 Temper **As rolled**

High Purity **99.99+%**

Size

Web Code

300-587-929
 573-496-939
 687-123-521
 890-446-789

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 139.00	GBP 158.00	GBP 198.00	GBP 245.00
50 x 50 mm	GBP 182.00	GBP 219.00	GBP 294.00	GBP 381.00
100 x 100 mm	GBP 267.00	GBP 340.00	GBP 485.00	
150 x 150 mm	GBP 353.00	GBP 461.00		

Discs

Web Code

305-849-324
 231-174-532
 896-820-030
 102-510-098
 813-760-386
 720-037-877
 004-731-494

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 184.00	GBP 209.00	GBP 265.00
6 mm	GBP 195.00	GBP 224.00	GBP 289.00
8 mm	GBP 206.00	GBP 239.00	GBP 313.00
10 mm	GBP 217.00	GBP 255.00	GBP 338.00
15 mm	GBP 244.00	GBP 293.00	GBP 399.00
25 mm	GBP 298.00	GBP 370.00	
50 mm	GBP 435.00		

Typical Analysis : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.

AG000402

Thickness **0.125mm**
 Temper **Annealed**

Purity **99.95+%**

Size

Web Code

657-938-640
 790-472-654

Size	Quantity		
	1pc	2pcs	5pcs
125 x 300 mm	GBP 202.00	GBP 287.00	GBP 602.00
250 x 300 mm	GBP 286.00	GBP 494.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000410

Thickness **0.15mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

909-755-160
 719-390-109
 923-773-457
 471-677-135

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 110.00	GBP 125.00	GBP 156.00	GBP 193.00	GBP 250.00
50 x 50 mm	GBP 142.00	GBP 170.00	GBP 227.00	GBP 294.00	GBP 393.00
100 x 100 mm	GBP 206.00	GBP 261.00	GBP 370.00	GBP 549.00	
150 x 150 mm	GBP 270.00	GBP 351.00	GBP 599.00		

Coil

Web Code

078-056-952

Width 150mm Length	Quantity
	1 Reel
0.5 m	GBP 453.00

Discs

Web Code

959-640-924
 955-123-059
 390-384-075
 798-003-962
 750-492-079
 811-500-832
 437-601-236

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 161.00	GBP 183.00	GBP 235.00
6 mm	GBP 169.00	GBP 194.00	GBP 253.00
8 mm	GBP 177.00	GBP 206.00	GBP 271.00
10 mm	GBP 185.00	GBP 217.00	GBP 289.00
15 mm	GBP 206.00	GBP 246.00	GBP 335.00
25 mm	GBP 246.00	GBP 304.00	GBP 426.00
50 mm	GBP 348.00	GBP 448.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000420

Thickness **0.20mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

744-458-138
 744-322-137
 855-200-557
 920-981-877

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 91.50	GBP 103.00	GBP 127.00	GBP 156.00
50 x 50 mm	GBP 117.00	GBP 138.00	GBP 183.00	GBP 234.00
100 x 100 mm	GBP 166.00	GBP 209.00	GBP 339.00	
150 x 150 mm	GBP 216.00	GBP 309.00		

Discs

Web Code

246-004-067
 309-986-610
 798-261-927
 277-679-753
 347-741-391
 684-035-737
 116-601-947

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 142.00	GBP 162.00	GBP 217.00
6 mm	GBP 149.00	GBP 171.00	GBP 231.00
8 mm	GBP 155.00	GBP 180.00	GBP 245.00
10 mm	GBP 161.00	GBP 189.00	GBP 260.00
15 mm	GBP 177.00	GBP 211.00	GBP 295.00
25 mm	GBP 209.00	GBP 256.00	
50 mm	GBP 289.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Silver

Ag



Foil

AG000450

Thickness **0.25mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code
 700-159-463
 519-933-221
 991-660-120
 957-514-896

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 94.50	GBP 107.00	GBP 134.00	GBP 165.00
50 x 50 mm	GBP 123.00	GBP 147.00	GBP 196.00	GBP 253.00
100 x 100 mm	GBP 178.00	GBP 225.00	GBP 406.00	
150 x 150 mm	GBP 234.00	GBP 369.00		

Discs

Web Code
 689-360-807
 170-111-784
 263-969-383
 996-173-727
 521-717-479
 214-685-739
 835-721-514

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 144.00	GBP 164.00	GBP 220.00
6 mm	GBP 151.00	GBP 174.00	GBP 236.00
8 mm	GBP 158.00	GBP 184.00	GBP 252.00
10 mm	GBP 165.00	GBP 194.00	GBP 268.00
15 mm	GBP 183.00	GBP 219.00	GBP 308.00
25 mm	GBP 218.00	GBP 270.00	
50 mm	GBP 308.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000460

Thickness **0.25mm**
 Temper **As rolled**

High Purity **99.99+%**

Size

Web Code
 465-189-035
 148-630-463
 578-810-212
 351-283-139

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	GBP 158.00	GBP 185.00	GBP 241.00	GBP 306.00	GBP 402.00
50 x 50 mm	GBP 220.00	GBP 273.00	GBP 379.00	GBP 502.00	
100 x 100 mm	GBP 344.00	GBP 448.00	GBP 724.00		
150 x 150 mm	GBP 468.00	GBP 657.00			

Discs

Web Code
 910-393-837
 799-230-551
 903-824-955
 978-117-145
 264-638-871
 079-858-634
 982-331-399

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 194.00	GBP 222.00	GBP 287.00
6 mm	GBP 210.00	GBP 245.00	GBP 322.00
8 mm	GBP 226.00	GBP 267.00	GBP 358.00
10 mm	GBP 241.00	GBP 289.00	GBP 393.00
15 mm	GBP 281.00	GBP 345.00	GBP 481.00
25 mm	GBP 360.00	GBP 457.00	GBP 659.00
50 mm	GBP 558.00	GBP 807.00	

Typical Analysis : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.

AG000451

Thickness **0.25mm**
 Temper **As rolled**

Purity **99.95+%**
 Condition **Flattened**

Size

Web Code
 053-210-237
 974-303-394
 600-834-348

Size	Quantity
	1pc
250 x 300 mm	POA
300 x 500 mm	POA
300 x 1000 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000462

Thickness **0.30mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code
 507-430-987
 914-087-326
 762-874-934

Size	Quantity		
	1pc	2pcs	5pcs
50 x 50 mm	GBP 128.00	GBP 154.00	GBP 208.00
100 x 100 mm	GBP 189.00	GBP 240.00	
150 x 150 mm	GBP 250.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000466

Thickness **0.5mm**
 Temper **As rolled**

Purity **99.95+%**

Discs

Web Code
 548-214-823

Diameter	Quantity			
	1 discs	2 discs	5 discs	10 discs
19 mm	GBP 97.50	GBP 108.00	GBP 129.00	GBP 157.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Foil

AG000465

Thickness **0.5mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code

791-424-639
 928-082-106
 010-264-694
 283-079-216

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 88.50	GBP 104.00	GBP 139.00
50 x 50 mm	GBP 117.00	GBP 144.00	GBP 254.00
100 x 100 mm	GBP 203.00	GBP 350.00	
150 x 150 mm	GBP 382.00		

Discs

Web Code

384-904-190
 113-012-531
 126-567-300
 820-918-537
 614-822-695
 852-834-007

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 174.00	GBP 227.00	GBP 287.00
6 mm	GBP 183.00	GBP 240.00	GBP 308.00
8 mm	GBP 192.00	GBP 253.00	GBP 330.00
10 mm	GBP 202.00	GBP 267.00	GBP 353.00
15 mm	GBP 224.00	GBP 298.00	GBP 453.00
25 mm	GBP 269.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000470

Thickness **0.5mm**
 Temper **As rolled**

High Purity **99.99+%**

Size

Web Code

531-309-788
 413-722-432
 715-308-269
 413-527-916

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 106.00	GBP 125.00	GBP 170.00
50 x 50 mm	GBP 137.00	GBP 169.00	GBP 315.00
100 x 100 mm	GBP 247.00	GBP 426.00	
150 x 150 mm	GBP 463.00		

Discs

Web Code

690-989-562
 373-691-320
 711-424-322
 928-048-123
 006-017-828
 752-225-476

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 199.00	GBP 237.00	GBP 344.00
6 mm	GBP 208.00	GBP 251.00	GBP 367.00
8 mm	GBP 219.00	GBP 266.00	GBP 392.00
10 mm	GBP 229.00	GBP 281.00	GBP 417.00
15 mm	GBP 253.00	GBP 316.00	GBP 547.00
25 mm	GBP 314.00		

Typical Analysis : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.

AG000467

Thickness **0.5mm**
 Temper **As rolled**

Purity **99.95+%**
 Condition **Flattened**

Size

Web Code

069-278-803
 888-683-904
 015-577-273

Size	Quantity		
	1pc	2pcs	5pcs
50 x 50 mm	GBP 124.00	GBP 154.00	GBP 299.00
100 x 100 mm	GBP 239.00	GBP 423.00	
100 x 200 mm	GBP 419.00		

Discs

Web Code

811-092-018
 583-840-202
 489-037-670
 556-277-134
 943-855-488
 120-638-443

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 176.00	GBP 230.00	GBP 292.00
6 mm	GBP 186.00	GBP 245.00	GBP 316.00
8 mm	GBP 197.00	GBP 259.00	GBP 341.00
10 mm	GBP 207.00	GBP 275.00	GBP 367.00
15 mm	GBP 232.00	GBP 311.00	
25 mm	GBP 297.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000468

Thickness **0.5mm**
 Temper **As rolled**

Purity **99.95+%**
 Condition **Flattened**

Size

Web Code

566-671-454
 453-719-107
 445-665-999

Size	Quantity
	1pc
200 x 200 mm	POA
200 x 500 mm	POA
200 x 1000 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Foil

AG000475

Thickness **1.0mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code
 522-321-168
 290-145-234
 268-155-416
 519-427-971

Size
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm

Quantity			
1pc	2pcs	5pcs	10pcs
GBP 100.00	GBP 121.00	GBP 165.00	GBP 273.00
GBP 140.00	GBP 207.00	POA	
GBP 346.00	POA		
POA			

Discs

Web Code
 928-494-171
 061-763-030
 720-380-118
 047-512-658
 939-080-656
 385-075-421

Diameter
 4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm

Quantity		
10 discs	20 discs	50 discs
GBP 182.00	GBP 238.00	GBP 305.00
GBP 195.00	GBP 256.00	GBP 336.00
GBP 208.00	GBP 276.00	GBP 369.00
GBP 221.00	GBP 295.00	GBP 437.00
GBP 253.00	GBP 366.00	GBP 658.00
GBP 381.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000480

Thickness **1.0mm**
 Temper **As rolled**

High Purity **99.99+%**

Size

Web Code
 803-188-199
 398-513-657
 814-203-421
 775-425-448

Size
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm

Quantity			
1pc	2pcs	5pcs	10pcs
GBP 119.00	GBP 144.00	GBP 208.00	GBP 328.00
GBP 163.00	GBP 254.00	GBP 531.00	
GBP 420.00	GBP 770.00		
GBP 850.00			

Discs

Web Code
 928-182-660
 022-826-336
 853-288-937
 661-113-318
 639-162-857
 895-352-790

Diameter
 4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm

Quantity		
10 discs	20 discs	50 discs
GBP 207.00	GBP 249.00	GBP 363.00
GBP 221.00	GBP 269.00	GBP 398.00
GBP 236.00	GBP 291.00	GBP 446.00
GBP 251.00	GBP 313.00	GBP 528.00
GBP 286.00	GBP 407.00	GBP 794.00
GBP 449.00		

Typical Analysis : Al 1, Au 10, Bi <1, Ca 1, Cd <1, Cr <1, Cu 5, Fe 8, Mg <1, Mn <1, Na <1, Pb 1, Pd 3, Si 2, Sn <1.

AG000501

Thickness **2.0mm**
 Temper **As rolled**

Purity **99.95+%**

Condition **Polished on 1 side**

Size

Web Code
 749-854-965
 133-620-491

Size
 25 x 25 mm
 50 x 50 mm

Quantity	
1pc	2pcs
GBP 130.00	GBP 172.00
GBP 276.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000500

Thickness **2.0mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code
 886-463-838
 807-986-754
 998-344-859
 793-112-360

Size
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm

Quantity			
1pc	2pcs	5pcs	10pcs
GBP 117.00	GBP 144.00	GBP 254.00	GBP 452.00
GBP 203.00	GBP 350.00	POA	
POA			
POA			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000530

Thickness **3mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code
 168-604-721
 075-588-921

Size
 50 x 50 mm
 100 x 100 mm

Quantity	
1pc	2pcs
GBP 275.00	POA
POA	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG000550

Thickness **6mm**
 Temper **As rolled**

Purity **99.95+%**

Size

Web Code
 633-912-487
 239-060-997

Size
 50 x 50 mm
 100 x 100 mm

Quantity	
1pc	2pcs
GBP 490.00	POA
POA	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Silver

Ag



Sputtering Target

AG009300	Thickness 3.0mm	Purity 99.99%
Size	Quantity	
Web Code	Disc diam.	1disc
573-225-486	25 mm	POA
864-826-379	50 mm	POA
547-787-190	75 mm	POA

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

AG009500	Thickness 5.0mm	Purity 99.99%
Size	Quantity	
Web Code	Disc diam.	1disc
174-891-771	31 mm	POA

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

AG009600	Thickness 6.0mm	Purity 99.99%
Size	Quantity	
Web Code	Disc diam.	1disc
655-741-648	25 mm	POA
103-292-296	50 mm	POA
940-851-290	75 mm	POA

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.



Mesh

AG008710	Nominal Aperture 0.25mm	Wire diameter 0.06mm
	Wires/inch 82x82	Open area 65%
	Type Plain weave mesh	
Size	Quantity	
Web Code	Size	1pc
853-678-745	20 x 20 mm	GBP 153.00
526-449-555	40 x 40 mm	GBP 219.00
960-337-198	80 x 80 mm	GBP 560.00
		2pcs
		GBP 193.00
		5pcs
		GBP 270.00

Typical Analysis : Al <2, Au <2, Bi <2, Cd <2, Cu 15, Fe <5, In <1, Mn <2, Ni <2, Pb <3, Sb <2, Sn <3, Zn <10.
 1m and 5m reels only.



Wire

AG005102	Diameter 0.0125mm	Purity 99.99%
	Temper Hard	
Length	Quantity	
Web Code	Length	1 Reel
481-295-095	1 m	GBP 373.00
576-820-421	5 m	GBP 716.00

Typical Analysis : Al <2, Au <2, Bi <2, Cd <2, Cu 15, Fe <5, In <1, Mn <2, Ni <2, Pb <3, Sb <2, Sn <3, Zn <10.
 1m and 5m reels only.

AG005104	Diameter 0.015mm	Purity 99.99%
	Temper Hard	
Length	Quantity	
Web Code	Length	1 Reel
630-723-128	1 m	GBP 309.00
812-683-428	5 m	GBP 574.00

Typical Analysis : Al <2, Au <2, Bi <2, Cd <2, Cu 15, Fe <5, In <1, Mn <2, Ni <2, Pb <3, Sb <2, Sn <3, Zn <10.
 1m and 5m reels only.

AG005106	Diameter 0.015mm	Purity 99.99%
	Temper Annealed	
Length	Quantity	
Web Code	Length	1 Reel
842-179-781	1 m	GBP 309.00
352-116-082	5 m	GBP 574.00

Typical Analysis : Al <2, Au <2, Bi <2, Cd <2, Cu 15, Fe <5, In <1, Mn <2, Ni <2, Pb <3, Sb <2, Sn <3, Zn <10.
 1m and 5m reels only.

Metal – Silver

Silver

Ag



Wire

AG005105	Diameter 0.025mm	Purity 99.99%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	400-124-346	1 m GBP 149.00
	894-058-488	2 m GBP 171.00
	015-547-801	5 m GBP 216.00
	943-483-788	10 m GBP 267.00
	757-309-898	20 m GBP 338.00

Typical Analysis : Al 5, Au 5, Bi 2, Cd 3, Cu 35, Fe 10, Mn 2, Ni <3, Pb <3, Sb 5, Sn 2, Zn 10.

AG005107	Diameter 0.025mm	Purity 99.99%
	Temper Annealed	
	Length	Quantity
	Web Code	Length 1 Reel
	768-706-486	1 m GBP 149.00
	736-160-368	2 m GBP 171.00
	399-621-444	5 m GBP 216.00
	735-434-408	10 m GBP 267.00
	386-940-005	20 m GBP 338.00

Typical Analysis : Al 5, Au 5, Bi 2, Cd 3, Cu 35, Fe 10, Mn 2, Ni <3, Pb <3, Sb 5, Sn 2, Zn 10.

AG005220	Diameter 0.050mm	Purity 99.99%
	Condition Gold plated wire	
	Length	Quantity
	Web Code	Length 1 Reel
	514-124-632	0.5 m GBP 160.00
	265-586-244	1 m GBP 203.00
	198-278-164	2 m GBP 267.00
	784-770-696	5 m GBP 379.00

Typical Analysis : Al 5, Au 5, Bi 2, Cd 3, Cu 35, Fe 10, Mn 2, Ni <3, Pb <3, Sb 5, Sn 2, Zn 10.

AG005110	Diameter 0.05mm	Purity 99.99%
	Temper Annealed	
	Length	Quantity
	Web Code	Length 1 Reel
	957-599-601	10 m GBP 84.00
	699-955-698	50 m GBP 107.00
	494-452-202	100 m GBP 126.00
	806-537-211	500 m GBP 228.00
	817-161-717	1000 m GBP 359.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005113	Diameter 0.075mm	Purity 99.99%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	479-762-946	5 m GBP 79.50

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005116	Diameter 0.1mm	Purity 99.99%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	481-480-508	5 m GBP 82.00
	326-497-782	10 m GBP 92.50
	122-665-353	20 m GBP 102.00
	109-457-739	100 m GBP 144.00
	046-724-257	500 m GBP 349.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005120	Diameter 0.125mm	Purity 99.99%
	Temper Annealed	
	Length	Quantity
	Web Code	Length 1 Reel
	151-579-198	5 m GBP 81.00
	296-185-237	10 m GBP 91.00
	023-152-475	20 m GBP 100.00
	423-805-466	100 m GBP 143.00
	975-678-029	500 m GBP 348.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

Metal – Silver

Silver

Ag



Wire

AG005124	Diameter 0.15mm	Purity 99.99%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	186-212-663	5 m GBP 84.00
	962-029-208	10 m GBP 95.50
	276-528-993	20 m GBP 106.00
	066-883-234	100 m GBP 156.00
	644-713-387	250 m GBP 264.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005127	Diameter 0.20mm	Purity 99.99%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	638-407-209	5 m GBP 81.50

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005140	Diameter 0.25mm	High Purity 99.997%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	921-766-017	0.5 m GBP 107.00
	220-756-578	1 m GBP 116.00
	594-563-020	5 m GBP 161.00
	926-153-406	10 m GBP 203.00
	320-381-962	25 m GBP 303.00

Typical Analysis : Ca <1, Cd <1, Cu <1, Fe 2, Mg <1, Na <1, Si 1.

AG005130	Diameter 0.25mm	Purity 99.99%
	Temper Annealed	
	Length	Quantity
	Web Code	Length 1 Reel
	267-930-189	5 m GBP 81.50
	693-428-466	10 m GBP 97.00
	769-178-752	20 m GBP 113.00
	147-346-943	50 m GBP 152.00
	408-095-179	100 m GBP 245.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005145	Diameter 0.35mm	Purity 99.99%
	Temper Annealed	
	Length	Quantity
	Web Code	Length 1 Reel
	683-764-154	5 m GBP 93.00
	824-966-838	10 m GBP 113.00
	806-343-485	20 m GBP 135.00
	699-562-183	50 m GBP 247.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005150	Diameter 0.5mm	Purity 99.99%
	Temper Annealed	
	Length	Quantity
	Web Code	Length 1 Reel
	968-137-820	1 m GBP 90.50
	978-373-859	2 m GBP 103.00
	017-233-069	5 m GBP 129.00
	548-406-522	10 m GBP 159.00
	651-924-636	20 m GBP 212.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005155	Diameter 0.8mm	Purity 99.99%
	Temper As drawn	
	Length	Quantity
	Web Code	Length 1 Reel
	778-702-015	0.5 m GBP 91.50
	684-352-316	1 m GBP 107.00
	296-735-914	2 m GBP 127.00
	544-039-509	5 m GBP 167.00
	004-942-766	10 m GBP 241.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

Metal – Silver

Silver

Ag



Wire

AG005160

Diameter **1.0mm**
 Temper **Annealed**

Purity **99.99%**

Length

Web Code
 660-397-904
 638-652-448
 831-560-817
 945-108-740
 138-597-256

Quantity

Length 1 Reel
 0.2 m GBP 83.00
 0.5 m GBP 99.50
 1 m GBP 118.00
 5 m GBP 195.00
 10 m GBP 331.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG005170

Diameter **2.0mm**
 Temper **Annealed**

Purity **99.99%**

Length

Web Code
 067-692-009
 093-089-768
 182-612-668
 106-632-196
 280-150-840

Quantity

Length 1 Reel
 0.1 m GBP 92.00
 0.2 m GBP 107.00
 0.5 m GBP 137.00
 1 m GBP 172.00
 2 m GBP 258.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.



Insulated Wire

Insulating coatings of polyurethane, polyimide and Nylon are also available.

AG005816

Conductor diameter **0.025mm**
 Purity **99.99%**

Insulation thickness **0.005mm**
 Insulation **Polyurethane**

Length

Web Code
 700-181-291
 362-058-607
 006-658-610
 982-650-667
 580-856-464

Quantity

Length 1 Reel
 2 m GBP 97.00
 5 m GBP 115.00
 10 m GBP 136.00
 20 m GBP 198.00
 50 m GBP 384.00

Typical Analysis :

AG005815

Conductor diameter **0.025mm**
 Purity **99.99%**

Insulation thickness **0.005mm**
 Insulation **Polyester**

Length

Web Code
 245-395-644
 674-453-878
 306-736-610
 342-083-886
 760-486-230

Quantity

Length 1 Reel
 2 m GBP 97.00
 5 m GBP 115.00
 10 m GBP 136.00
 20 m GBP 198.00
 50 m GBP 384.00

Typical Analysis :

AG005820

Conductor diameter **0.04mm**
 Purity **99.99%**
 Condition **Butyral bond coating 0.005 mm thick**

Insulation thickness **0.007mm**
 Insulation **Polyester**

Length

Web Code
 142-079-812
 280-245-454
 945-134-514
 207-450-190
 103-866-156

Quantity

Length 1 Reel
 2 m GBP 142.00
 5 m GBP 214.00
 10 m GBP 364.00
 20 m GBP 664.00
 50 m GBP 1562.00

Typical Analysis :

AG005825

Conductor diameter **0.05mm**
 Purity **99.99%**

Insulation thickness **0.0075mm**
 Insulation **Polyester**

Length

Web Code
 060-784-274
 598-026-663
 753-335-176
 166-893-478
 861-682-780

Quantity

Length 1 Reel
 2 m GBP 93.00
 5 m GBP 110.00
 10 m GBP 129.00
 20 m GBP 172.00
 50 m GBP 333.00

Typical Analysis :

Metal – Silver

Silver

Ag



Insulated Wire

AG005810

Conductor diameter..... **0.075mm**
 Purity..... **99.99%**

Insulation thickness..... **0.010mm**
 Insulation..... **PTFE (Polytetrafluoroethylene)**

Length

Web Code
 096-329-213
 041-150-010
 143-761-023
 970-127-738
 265-963-128

Quantity

Length 1 Reel
 1 m GBP 96.50
 2 m GBP 115.00
 5 m GBP 171.00
 10 m GBP 289.00
 20 m GBP 514.00

Typical Analysis :

AG005811

Conductor diameter..... **0.075mm**
 Purity..... **99.99%**

Insulation thickness..... **0.010mm**
 Insulation..... **Nylon**

Length

Web Code
 603-641-993
 593-052-374
 824-170-461
 810-673-942
 092-197-979

Quantity

Length 1 Reel
 1 m GBP 96.50
 2 m GBP 115.00
 5 m GBP 171.00
 10 m GBP 289.00
 20 m GBP 514.00

Typical Analysis :

AG005842

Conductor diameter..... **0.125mm**
 Purity..... **99.9%**

Insulation thickness..... **0.0125mm**
 Insulation..... **Polyimide**

Length

Web Code
 254-922-938
 488-343-115
 213-079-249
 432-201-915

Quantity

Length 1 Reel
 5 m GBP 106.00
 10 m GBP 123.00
 20 m GBP 158.00
 50 m GBP 298.00

Typical Analysis : Al 1, Au 20, Bi 1, Ca 3, Cd 20, Cr <1, Cu 500, Fe 7, Mg 1, Mn <1, Na 1, Ni 10, Pb 50, Si <1, Sn 3.

AG005840

Conductor diameter..... **0.125mm**
 Purity..... **99.99%**

Insulation thickness..... **0.0125mm**
 Insulation..... **Polyester**

Length

Web Code
 710-348-690
 793-580-023
 197-509-905
 688-747-556
 093-445-271

Quantity

Length 1 Reel
 2 m GBP 93.00
 5 m GBP 110.00
 10 m GBP 129.00
 20 m GBP 177.00
 50 m GBP 345.00

Typical Analysis :

AG005845

Conductor diameter..... **0.125mm**
 Purity..... **99.99%**

Insulation thickness..... **0.015mm**
 Insulation..... **PTFE (Polytetrafluoroethylene)**

Length

Web Code
 479-905-483
 988-178-670
 522-326-550
 290-815-722
 351-974-430

Quantity

Length 1 Reel
 2 m GBP 108.00
 5 m GBP 134.00
 10 m GBP 171.00
 20 m GBP 277.00
 50 m GBP 596.00

Typical Analysis :

AG005856

Conductor diameter..... **0.25mm**
 Purity..... **99.99%**

Insulation thickness..... **0.005mm**
 Insulation..... **Polyurethane**

Length

Web Code
 553-638-552
 753-149-323
 983-848-222
 308-044-879
 773-846-490

Quantity

Length 1 Reel
 1 m GBP 96.00
 2 m GBP 109.00
 5 m GBP 136.00
 10 m GBP 183.00
 20 m GBP 301.00

Typical Analysis :

AG005860

Conductor diameter..... **0.25mm**
 Purity..... **99.99%**

Insulation thickness..... **0.015mm**
 Insulation..... **Epoxy**

Length

Web Code
 187-116-931
 389-619-737
 702-472-680
 809-075-325
 134-422-286

Quantity

Length 1 Reel
 2 m GBP 106.00
 5 m GBP 128.00
 10 m GBP 168.00
 20 m GBP 264.00
 50 m GBP 552.00

Typical Analysis :

Metal – Silver

Silver

Ag



Insulated Wire

AG005850

Conductor diameter **0.25mm**
 Purity **99.99%**

Insulation thickness **0.023mm**
 Insulation **Polyester**

Length

Web Code
 996-805-637
 600-708-565
 088-566-581
 070-816-359
 852-048-630

Quantity	
Length	1 Reel
2 m	GBP 104.00
5 m	GBP 125.00
10 m	GBP 148.00
20 m	GBP 214.00
50 m	GBP 428.00

Typical Analysis :

AG005855

Conductor diameter **0.25mm**
 Purity **99.99%**

Insulation thickness **0.024mm**
 Insulation **PTFE (Polytetrafluoroethylene)**

Length

Web Code
 506-081-669
 260-204-931
 525-624-933
 703-115-960
 889-496-938

Quantity	
Length	1 Reel
2 m	GBP 109.00
5 m	GBP 136.00
10 m	GBP 183.00
20 m	GBP 301.00
50 m	GBP 656.00

Typical Analysis :

AG005852

Conductor diameter **0.25mm**
 Purity **99.99%**

Insulation thickness **0.025mm**
 Insulation **Polyimide**

Length

Web Code
 916-479-170
 550-344-569
 864-301-686
 294-811-503
 038-573-289

Quantity	
Length	1 Reel
1 m	GBP 101.00
2 m	GBP 114.00
5 m	GBP 141.00
10 m	GBP 189.00
20 m	GBP 308.00

Typical Analysis :



Rod

AG007902

Diameter **1.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 564-072-711
 533-456-064
 000-493-514
 138-134-114

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 99.00	GBP 114.00	GBP 150.00	GBP 178.00
200 mm	GBP 109.00	GBP 128.00	GBP 172.00	GBP 210.00
500 mm	GBP 129.00	GBP 157.00		
1000 mm	GBP 152.00	GBP 189.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007905

Diameter **1.5mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 934-961-021
 870-136-052
 767-004-718
 875-594-533

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 106.00	GBP 124.00	GBP 166.00	GBP 201.00
200 mm	GBP 119.00	GBP 143.00	GBP 196.00	GBP 248.00
500 mm	GBP 145.00	GBP 180.00	GBP 280.00	
1000 mm	GBP 175.00	GBP 228.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007910

Diameter **2.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 449-313-936
 164-243-000
 530-385-376
 298-163-981

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 108.00	GBP 132.00	GBP 184.00	GBP 252.00
200 mm	GBP 127.00	GBP 158.00	GBP 226.00	GBP 380.00
500 mm	GBP 164.00	GBP 210.00		
1000 mm	GBP 205.00	GBP 339.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007911

Diameter **2.6mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 367-439-571
 720-888-475
 926-814-664
 825-675-690

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 116.00	GBP 147.00	GBP 218.00
200 mm	GBP 135.00	GBP 173.00	
500 mm	GBP 173.00	GBP 271.00	
1000 mm	GBP 260.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Rod

AG007912

Diameter **3.0mm**
 Temper **As drawn**

High Purity **99.997%**

Size

Web Code
 297-366-922
 439-079-918
 714-670-162
 860-432-478

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 141.00	GBP 179.00	GBP 288.00
200 mm	GBP 174.00	GBP 232.00	GBP 493.00
500 mm	GBP 268.00	GBP 477.00	
1000 mm	GBP 472.00		

Typical Analysis : Ca <1, Cd <1, Cu <1, Fe 2, Mg <1, Na <1, Si 1.

AG007915

Diameter **3.5mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 955-748-867
 658-418-463
 283-561-160
 348-761-097

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 125.00	GBP 155.00	GBP 221.00
200 mm	GBP 150.00	GBP 191.00	GBP 336.00
500 mm	GBP 200.00	GBP 321.00	
1000 mm	GBP 315.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007920

Diameter **5.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 270-496-864
 812-101-696
 512-703-190
 087-889-884

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 173.00	GBP 223.00	GBP 388.00
200 mm	GBP 209.00	GBP 308.00	GBP 650.00
500 mm	GBP 347.00	GBP 623.00	
1000 mm	GBP 609.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007928

Diameter **6.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 442-757-320
 273-271-798
 073-145-994
 245-062-109

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
50 mm	GBP 160.00	GBP 205.00	GBP 320.00	GBP 548.00
100 mm	GBP 191.00	GBP 254.00	GBP 513.00	
200 mm	GBP 240.00	GBP 408.00		
500 mm	GBP 472.00			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007936

Diameter **7.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 713-771-282
 409-464-071
 708-248-763
 939-777-802

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
50 mm	GBP 168.00	GBP 217.00	GBP 364.00	POA
100 mm	GBP 203.00	GBP 288.00	POA	
200 mm	GBP 275.00	POA		
500 mm	POA			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007935

Diameter **7.0mm**
 Temper **As drawn**

High Purity **99.99%**

Size

Web Code
 596-422-860
 959-505-818
 938-225-106
 278-144-620

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
50 mm	GBP 180.00	GBP 233.00	GBP 433.00	GBP 773.00
100 mm	GBP 219.00	GBP 344.00	GBP 739.00	
200 mm	GBP 330.00	GBP 589.00		
500 mm	GBP 697.00			

Typical Analysis : Au <5, Bi 3, Cd 3, Cu 70, Fe 5, Na <1, Pb <2, Sn <5.

AG007930

Diameter **7.0mm**
 Temper **As drawn**

High Purity **99.999%**

Size

Web Code
 986-237-497
 279-676-075
 919-828-078

Length	Quantity	
	1pc	2pcs
50 mm	GBP 222.00	GBP 290.00
100 mm	GBP 276.00	GBP 453.00
200 mm	GBP 439.00	

Typical Analysis : Fe 1, Mg <1, Na <1.

Metal – Silver

Silver

Ag



Rod

AG007938

Diameter **8.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 839-346-927
 573-335-736
 135-963-077
 665-205-046

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
50 mm	GBP 180.00	GBP 233.00	GBP 435.00	GBP 779.00
100 mm	GBP 219.00	GBP 346.00	GBP 744.00	
200 mm	GBP 332.00	GBP 593.00		
500 mm	GBP 703.00			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007940

Diameter **10.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 816-328-862
 263-411-638
 010-688-470
 336-052-872

Length	Quantity		
	1pc	2pcs	5pcs
25 mm	GBP 181.00	GBP 234.00	GBP 407.00
50 mm	GBP 217.00	GBP 321.00	
100 mm	GBP 305.00	GBP 534.00	
200 mm	GBP 518.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007942

Diameter **12.7mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 720-010-889
 537-766-591
 144-316-547
 593-036-399

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
25 mm	GBP 203.00	GBP 276.00	GBP 559.00	POA
50 mm	GBP 259.00	GBP 442.00	POA	
100 mm	GBP 426.00	POA		
200 mm	POA			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007945

Diameter **16mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 784-855-295
 584-107-161
 461-061-205

Length	Quantity	
	1pc	2pcs
25 mm	GBP 232.00	GBP 377.00
50 mm	GBP 360.00	GBP 644.00
100 mm	GBP 628.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007950

Diameter **20.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 825-852-001
 231-507-195
 938-394-397

Length	Quantity
	1pc
25 mm	POA
50 mm	POA
100 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007955

Diameter **25mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 162-008-416
 188-008-617
 925-118-395

Length	Quantity
	1pc
25 mm	POA
50 mm	POA
100 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007958

Diameter **35mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 712-679-027
 736-076-215
 719-776-077

Length	Quantity
	1pc
25 mm	POA
50 mm	POA
100 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007959

Diameter **40.0mm**
 Temper **As drawn**

Purity **99.95 + %**

Size

Web Code
 748-466-839
 533-312-632
 199-378-302

Length	Quantity
	1pc
12 mm	POA
25 mm	POA
50 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Rod

AG007960

Diameter..... **50.0mm**
 Temper..... **As drawn**

Purity..... **99.95+%**

Size

Web Code
 815-790-116
 973-774-743
 721-849-232

Quantity

Length	1pc
25 mm	POA
50 mm	POA
100 mm	POA

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.



Tube

AG007050

Outside Diameter..... **0.7mm**
 Inside Diameter..... **0.3mm**
 Temper..... **As drawn**

Wall Thickness..... **0.2mm**
 Purity..... **99.95+%**

Size

Web Code
 449-580-445
 275-425-388
 884-620-974
 706-995-286

Quantity

Length	1pc	2pcs	5pcs
100 mm	GBP 158.00	GBP 190.00	GBP 298.00
200 mm	GBP 186.00	GBP 249.00	GBP 491.00
500 mm	GBP 283.00	GBP 480.00	
1000 mm	GBP 476.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007100

Outside Diameter..... **1.1mm**
 Inside Diameter..... **0.75mm**
 Temper..... **As drawn**

Wall Thickness..... **0.175mm**
 Purity..... **99.95+%**

Size

Web Code
 189-874-294
 734-283-529
 785-449-749
 181-221-165

Quantity

Length	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	GBP 154.00	GBP 185.00	GBP 277.00	GBP 461.00	GBP 827.00
200 mm	GBP 180.00	GBP 232.00	GBP 450.00	GBP 806.00	
500 mm	GBP 263.00	GBP 439.00	GBP 968.00		
1000 mm	GBP 435.00	GBP 785.00			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007130

Outside Diameter..... **1.64mm**
 Inside Diameter..... **1.09mm**
 Temper..... **As drawn**

Wall Thickness..... **0.275mm**
 Purity..... **99.95+%**

Size

Web Code
 946-630-194

Quantity

Length	5pcs	10pcs	20pcs
16.5 mm	GBP 184.00	GBP 249.00	GBP 396.00

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007150

Outside Diameter..... **1.75mm**
 Inside Diameter..... **1.55mm**
 Temper..... **As drawn**

Wall Thickness..... **0.1mm**
 Purity..... **99.95+%**

Size

Web Code
 652-638-223
 579-779-712
 472-474-204
 059-285-095

Quantity

Length	1pc	2pcs	5pcs
100 mm	GBP 153.00	GBP 183.00	GBP 272.00
200 mm	GBP 179.00	GBP 228.00	GBP 440.00
500 mm	GBP 257.00	GBP 429.00	
1000 mm	GBP 425.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007200

Outside Diameter..... **2.0mm**
 Inside Diameter..... **1.6mm**
 Temper..... **As drawn**

Wall Thickness..... **0.2mm**
 Purity..... **99.95+%**

Size

Web Code
 410-629-790
 328-712-584
 089-067-990
 133-490-660

Quantity

Length	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	GBP 154.00	GBP 184.00	GBP 270.00	GBP 443.00	GBP 789.00
200 mm	GBP 180.00	GBP 226.00	GBP 432.00	GBP 767.00	
500 mm	GBP 254.00	GBP 421.00	GBP 918.00		
1000 mm	GBP 416.00	GBP 745.00			

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007220

Outside Diameter..... **2.8mm**
 Inside Diameter..... **2.5mm**
 Temper..... **As drawn**

Wall Thickness..... **0.15mm**
 Purity..... **99.95+%**

Size

Web Code
 686-333-217
 791-652-113
 956-513-541
 564-191-172

Quantity

Length	1pc	2pcs	5pcs	10pcs
100 mm	GBP 147.00	GBP 184.00	GBP 260.00	GBP 414.00
200 mm	GBP 179.00	GBP 229.00	GBP 392.00	
500 mm	GBP 242.00	GBP 378.00		
1000 mm	GBP 374.00	GBP 682.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Metal – Silver

Silver

Ag



Tube

AG007230

Outside Diameter..... **3.5mm**
 Inside Diameter..... **3.04mm**
 Temper..... **As drawn**

Wall Thickness..... **0.23mm**
 Purity..... **99.95+%**

Size

Web Code

523-894-342
 486-795-874
 849-480-584
 185-065-949

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 133.00	GBP 163.00	GBP 228.00	GBP 309.00
200 mm	GBP 159.00	GBP 200.00	GBP 285.00	
500 mm	GBP 209.00	GBP 271.00		
1000 mm	GBP 267.00	GBP 451.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007250

Outside Diameter..... **4.65mm**
 Inside Diameter..... **4.15mm**
 Temper..... **As drawn**

Wall Thickness..... **0.25mm**
 Purity..... **99.95+%**

Size

Web Code

379-491-705
 436-470-048
 558-762-369
 845-295-584

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 139.00	GBP 172.00	GBP 241.00	GBP 327.00
200 mm	GBP 167.00	GBP 210.00	GBP 301.00	GBP 504.00
500 mm	GBP 220.00	GBP 286.00	GBP 575.00	
1000 mm	GBP 281.00	GBP 463.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007251

Outside Diameter..... **4.65mm**
 Inside Diameter..... **4.23mm**
 Temper..... **As drawn**

Wall Thickness..... **0.21mm**
 Purity..... **99.95+%**

Size

Web Code

524-466-966
 051-732-974
 866-454-142
 755-813-106

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 139.00	GBP 172.00	GBP 241.00	GBP 327.00
200 mm	GBP 167.00	GBP 210.00	GBP 301.00	GBP 504.00
500 mm	GBP 220.00	GBP 286.00	GBP 575.00	
1000 mm	GBP 281.00	GBP 463.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007260

Outside Diameter..... **5.0mm**
 Inside Diameter..... **4.5mm**
 Temper..... **As drawn**

Wall Thickness..... **0.25mm**
 Purity..... **99.95+%**

Size

Web Code

133-245-314
 655-666-608
 958-328-831
 791-106-045

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	GBP 139.00	GBP 172.00	GBP 241.00	GBP 327.00
200 mm	GBP 167.00	GBP 210.00	GBP 301.00	GBP 503.00
500 mm	GBP 220.00	GBP 286.00	GBP 574.00	
1000 mm	GBP 281.00	GBP 463.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007300

Outside Diameter..... **6.0mm**
 Inside Diameter..... **4mm**
 Temper..... **As drawn**

Wall Thickness..... **1.0mm**
 Purity..... **99.95+%**

Size

Web Code

888-251-357
 031-414-701
 926-842-903
 855-367-044

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 176.00	GBP 223.00	GBP 348.00
200 mm	GBP 209.00	GBP 270.00	GBP 546.00
500 mm	GBP 293.00	GBP 505.00	
1000 mm	GBP 491.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007325

Outside Diameter..... **7.0mm**
 Inside Diameter..... **6mm**
 Temper..... **As drawn**

Wall Thickness..... **0.5mm**
 Purity..... **99.95+%**

Size

Web Code

347-980-345
 511-661-995
 990-922-569

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 176.00	GBP 223.00	GBP 348.00
200 mm	GBP 209.00	GBP 270.00	GBP 546.00
500 mm	GBP 293.00	GBP 505.00	

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007335

Outside Diameter..... **8.0mm**
 Inside Diameter..... **5.0mm**
 Temper..... **As drawn**

Wall Thickness..... **1.5mm**
 Purity..... **99.95+%**

Size

Web Code

216-953-390
 022-971-894
 515-384-847
 678-677-678

Length	Quantity		
	1pc	2pcs	5pcs
50 mm	GBP 159.00	GBP 207.00	GBP 314.00
100 mm	GBP 186.00	GBP 269.00	GBP 503.00
200 mm	GBP 248.00	GBP 421.00	
500 mm	GBP 476.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

Silver

Ag



Tube

AG007400

Outside Diameter..... **8.0x5.0mm**
 Inside Diameter..... **6x3mm**
 Condition..... **Rectangular section**

Wall Thickness..... **1mm**
 Purity..... **99.95+%**

Size

Web Code

920-885-240
 110-651-826
 831-479-687

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 228.00	GBP 299.00	GBP 596.00
200 mm	GBP 285.00	GBP 465.00	
500 mm	GBP 541.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007350

Outside Diameter..... **10mm**
 Inside Diameter..... **8mm**
 Temper..... **As drawn**

Wall Thickness..... **1.0mm**
 Purity..... **99.95+%**

Size

Web Code

802-581-593
 779-258-199
 407-269-757
 908-723-329

Length	Quantity		
	1pc	2pcs	5pcs
50 mm	GBP 158.00	GBP 205.00	GBP 306.00
100 mm	GBP 184.00	GBP 263.00	GBP 488.00
200 mm	GBP 242.00	GBP 409.00	
500 mm	GBP 461.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.

AG007380

Outside Diameter..... **12.7mm**
 Inside Diameter..... **11.7mm**
 Temper..... **As drawn**

Wall Thickness..... **0.5mm**
 Purity..... **99.95+%**

Size

Web Code

706-318-948
 281-292-715
 398-829-765
 686-234-211

Length	Quantity		
	1pc	2pcs	5pcs
50 mm	GBP 153.00	GBP 198.00	GBP 277.00
100 mm	GBP 176.00	GBP 240.00	GBP 430.00
200 mm	GBP 219.00	GBP 362.00	
500 mm	GBP 402.00		

Typical Analysis : Cu 70, Fe 5, Na 1, Pb 1, Zn 5.



Powder

AG006030

Max. Particle size..... **2micron**

Purity..... **99.97+%**



Web Code

381-105-085
 638-127-416
 765-936-178
 742-020-503

Quantity	Weight	1 Pot
25 g	GBP 250.00	
50 g	GBP 404.00	
100 g	GBP 711.00	

Typical Analysis : Cl <20, Cu 180, Fe <20, K <1, Na 30, Pb <20.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

AG006023

Max. Particle size..... **45micron**
 Condition..... **Gas atomized**

Purity..... **99.99%**
 Condition..... **Spherical**



Web Code

191-970-079
 227-518-830
 659-708-162
 075-038-257

Quantity	Weight	1 Pot
20 g	GBP 134.00	
50 g	GBP 198.00	
100 g	GBP 303.00	

Typical Analysis : Cu <25, Fe <10, Ni <5, Pb <10, Cl <5, sulphate <10, water <4000.

May be suitable for additive manufacturing research and development purposes.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.



Lump

AG006100

Max. Lump size..... **3mm**
 Condition..... **Shot**

High Purity..... **99.999%**

Web Code

948-528-732
 566-096-572
 762-074-405

Quantity	Weight	1 Pot
20 g	GBP 333.00	
50 g	GBP 681.00	

Typical Analysis : Fe 1, Mg <1, Na <1.

Silver

Ag



Lump

AG006105 Max. Lump size **6mm** Purity..... **99.99%**
 Condition..... **Pellets**

Web Code	Quantity	Weight	1 Pot
564-774-698		20 g	GBP 167.00
051-834-129		50 g	GBP 232.00
630-752-366		100 g	GBP 389.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.
 Nominally 3.5mm diameter x 6mm length pellets.

AG006110 Max. Lump size **10mm** Purity..... **99.99%**
 Condition..... **Shot**

Web Code	Quantity	Weight	1 Pot
414-045-084		20 g	GBP 167.00
755-630-738		50 g	GBP 232.00
453-845-096		100 g	GBP 389.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.

AG006106 Max. Lump size **20mm** Purity..... **99.99%**
 Condition..... **Pellets**

Web Code	Quantity	Weight	1 Pot
583-118-626		50 g	GBP 232.00
086-521-801		100 g	GBP 389.00

Typical Analysis : Au 5, Bi 1, Cu 20, Fe 2, Mg 1, Pb 10.
 Nominally 9mm diameter x 15mm length pellets.



Sphere

AG006840 Diameter..... **0.5mm** Tolerance..... $\pm 50\mu\text{m}$
 Grade..... **Precision Sphere**

Web Code	Quantity	Spheres	1 Pot
349-438-788		20 pcs	GBP 93.50
487-204-836		50 pcs	GBP 132.00
684-418-457		100 pcs	GBP 188.00
546-178-899		200 pcs	GBP 292.00

Typical Analysis : Not applicable



Single Crystal

AG002113 Oriented..... **(100)** Diameter..... **12.7mm**
 Length..... **2mm** Purity..... **99.999%**
 Condition..... **Unpolished**

Web Code	Quantity	1pc
780-150-678		GBP POA

Typical Analysis : Not applicable

AG002118 Oriented..... **(100)** Diameter..... **12mm**
 Length..... **5mm** Purity..... **99.999%**

Web Code	Quantity	1pc
457-297-930		GBP POA

Typical Analysis : Not applicable

AG002111 Oriented..... **(100)** Thickness..... **2mm**
 Diameter..... **10mm** Purity..... **99.999%**
 Condition..... **Polished on 1 side to 1 micron**

Web Code	Quantity	1pc
614-209-918		GBP POA

Typical Analysis : Not applicable

Metal – Silver

Silver

Ag



Single Crystal

AG002110	Oriented (100) Diameter 10mm Condition Unpolished	Thickness 2mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 359-711-391			
	Typical Analysis : Not applicable			
AG002119	Oriented (100) Length 10mm	Diameter 12mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 054-033-497			
	Typical Analysis : Not applicable			
AG002114	Oriented (100) Diameter 12.7mm Condition Unpolished	Thickness 3mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 038-997-731			
	Typical Analysis : Not applicable Although this crystal is normally held in stock ready for immediate shipment it is an example of crystals which may be grown to order with a delivery forecast of 4-10 weeks.			
AG002120	Oriented (100) Length 25mm	Diameter 12mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 706-972-566			
	Typical Analysis : Not applicable			
AG002121	Oriented (100) Length 50mm	Diameter 12mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 731-481-481			
	Typical Analysis : Not applicable			
AG002151	Oriented (110) Diameter 10mm Condition Polished on 1 side to 1 micron	Thickness 2mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 533-530-878			
	Typical Analysis : Not applicable			
AG002150	Oriented (110) Diameter 10mm Condition Unpolished	Thickness 2mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 824-162-695			
	Typical Analysis : Not applicable			
AG002131	Oriented (111) Diameter 10mm Condition Polished on 1 side to 1 micron	Thickness 2mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 778-195-855			
	Typical Analysis : Not applicable			
AG002130	Oriented (111) Diameter 10mm Condition Unpolished	Thickness 2mm Purity 99.999%	Quantity	1pc GBP POA
	Web Code 846-980-729			
	Typical Analysis : Not applicable			

Metal – Silver

Silver

Ag



Single Crystal

AG002160

Oriented **(111)**
 Length **25mm**

Diameter **10mm**
 Purity **99.999%**

Quantity

Web Code
 851-173-059

1pc
 GBP POA

Typical Analysis : Not applicable
 Although this crystal is normally held in stock ready for immediate shipment it is an example of crystals which may be grown to order with a delivery forecast of 4-10 weeks.

AG002141

Oriented **(220)**
 Diameter **10mm**
 Condition **Polished on 1 side to 1 micron**

Thickness **2mm**
 Purity **99.999%**

Quantity

Web Code
 065-947-901

1pc
 GBP POA

Typical Analysis : Not applicable

AG002140

Oriented **(220)**
 Diameter **10mm**
 Condition **Unpolished**

Thickness **2mm**
 Purity **99.999%**

Quantity

Web Code
 403-933-579

1pc
 GBP POA

Typical Analysis : Not applicable

Metal – Silver

INDEX

F

Foil, Silver 21

I

Insulated Wire, Silver 38

L

Lump, Silver 45

M

Mesh, Silver 35

Microfoil, Silver 20

P

Powder, Silver 45

R

Rod, Silver 40

S

Silver (Ag) 20

Single Crystal, Silver 46

Sphere, Silver 46

Sputtering Target, Silver 35

T

Tube, Silver 43

W

Wire

.. Silver 35