

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



**Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England

Tel: +44 1480 424 800  
or +44 1480 424 800  
Fax: +44 1480 424 900  
or +44 1480 424 900

**Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

**Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

**Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

**Goodfellow (Shanghai) Trading Co., Ltd**

Room 803, Centro Build, No. 568 Hengfeng Road  
SHANGHAI  
200070

The People's Republic of China  
Tel: 00 86 21 6112 1560

# Standard Price List for Platinum

## CONTENTS

<b>Introduction</b>	<b>4</b>
<b>Product Descriptions</b>	<b>5</b>
<b>Hazards Information</b>	<b>10</b>
<b>General Information</b>	<b>11</b>
<b>Order information</b>	<b>12</b>
<b>Company Details</b>	<b>15</b>
<b>Conditions of Sale</b>	<b>16</b>
<b>Metal</b>	<b>20</b>
<b>INDEX</b>	<b>44</b>

---

## Introduction

---

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at [www.goodfellow.com](http://www.goodfellow.com).

### Materials

#### ***Metals and Alloys***

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

#### ***Ceramics***

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit [www.goodfellow-ceramics.com](http://www.goodfellow-ceramics.com) for further information.

#### ***Polymers***

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

#### ***Compounds & Intermetallics***

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

#### ***Composites***

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

#### ***Glasses***

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

**Product Descriptions**



**Bar**

A straight length of rectangular, square or oval section material.

**Tolerances**

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



**Bolt**

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.6.7M-1985



**Chopped Fibre**

Fibres cut into short lengths called cut, staple or chopped fibre.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Crucible**

A vessel in which other materials may be heated or melted, usually at high temperatures.

**Tolerances**

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



**Fabric**

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

**Tolerances**

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



**Fibre**

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Film**

A non-metallic sheet material with a thickness < 0.5mm.

**Tolerances**

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



**Flake**

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Foam**

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



**Foil**

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

**Tolerances**

Thickness: < 0.010mm ± 25%  
 0.01-0.05mm ± 15%  
 > 0.050mm ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%



**Granule**

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

**Tolerances**

Dimensions shown are nominal



**Honeycomb**

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



**Insulated Wire**

A single or multiple flexible strand of metal or alloy with an insulating sheath.

**Tolerances**

Wire diameter: ± 10%  
 Length: + 5% / -1%  
 Insulation thickness: Nominal values only



**Laminate**

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

**Tolerances**

Thickness: ± 10%  
 Size (linear dimension): ≤ 100mm ± 1mm  
 > 100mm + 2% / -1%



**Lump**

A solid piece of material with no defined shape.

**Tolerances**

Dimensions shown are nominal



**Mesh**

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

**Tolerances**

Thickness: woven: ± 10%  
 electroformed: ± 20%  
 Wire diameter: ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%

**Product Descriptions**



**Metallised Film**

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

**Tolerances**

Thickness:  $\pm 10\%$   
 Size (linear dimension): < 100mm  $\pm 1\text{mm}$   
 $\geq 100\text{mm}$   $+2\% / -1\%$



**Microfoil**

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Microleaf**

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Monofilament**

A single strand of a non-metallic material.

**Tolerances**

Diameter:  $\pm 20\%$   
 Length:  $+5\% / -1\%$



**Non-Woven Fabric**

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

**Tolerances**

Size (linear dimension): < 100mm  $\pm 5\text{mm}$   
 $> 100\text{mm}$   $\pm 5\%$



**Nut**

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.2.4.1M-1979  
 (R1995)



**Powder**

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Rod**

A straight length of circular section material.

**Tolerances**

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Sheet**

Flat material with a thickness > 0.5mm.

**Tolerances**

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



**Single Crystal**

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

**Tolerances**

Orientation:	± 3°
Size:	Sizes shown are nominal



**Sphere**

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

**Tolerances**

Diameter (standard):	± 5%
Diameter (precision):	see item



**Sputtering Target**

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

**Tolerances**

Thickness:	± 0.5mm
Size:	± 0.5mm



**Tube**

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

**Tolerances**

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
> 2mm	≤ 5mm	± 0.1mm
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:		± 10%
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Washer**

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

**Tolerances**

Ceramics:	see item
-----------	----------



## Product Descriptions



### Wire

A single or multiple flexible strand of pure metal or alloy.

#### Tolerances

Wire diameter:  $\pm 10\%$   
Length:  $+5\% / -1\%$

## Hazards Information

### HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

### HAZARD SYMBOLS



C

#### Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

#### Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

#### Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

#### Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

#### Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

#### Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

#### Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

#### Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

#### Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

#### Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

## General Information

### Analyses

#### Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

#### Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

#### High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

### Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

### Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

### Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

### Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

### Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

---

## Order information

---

### General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

### Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

### Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Delivery

#### Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

#### Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

#### Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

#### Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

### Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

### Despatch

Orders will normally be despatched within 48 hours of receipt.

### Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

### Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

### Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

### Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

### Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

---

## Order information

---

### Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

### Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

### VAT

VAT number: GB 212 8527 79

### UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

### EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

### Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

### Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

### Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

### Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

### Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

### Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

### Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

---

## Order information

---

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at [www.goodfellow.com](http://www.goodfellow.com) or [www.goodfellowusa.com](http://www.goodfellowusa.com).

---

## Company Details

---

### Company Structure

The Goodfellow Group consists of five companies:

#### ***Goodfellow Cambridge Limited***

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

#### ***Goodfellow Corporation***

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

#### ***Goodfellow GmbH***

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

#### ***Goodfellow SARL***

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

#### ***Goodfellow (Shanghai) Trading Co., Ltd***

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England  
Registered in England and Wales no. 1188162  
VAT registration GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Room 803, Centro Build, No. 568 Hengfeng Road  
SHANGHAI  
200070  
The People's Republic of China

# Conditions of Sale

## 1 GENERAL

### 1.1 In these Conditions:

#### 1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

#### 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

### 8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

### 9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

### 10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

### 11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

### 12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Conditions of Sale

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

## Platinum

Pt

Platinum was known to native South Americans before the arrival of Columbus and was introduced into Europe around 1750.

Platinum is a member of the platinum group metals and is lustrous, malleable and ductile; it has an abundance of approximately 0.001 ppm in the earth's crust. Of the group of six metals (Pt, Pd, Os, Ir, Rh and Ru), it is the most important. It is unaffected by oxygen and water and is only soluble in aqua regia or fused alkalis.

Applications for platinum are many and varied; for example, it is used to make weights and measures standards, it is used in the electronics industry for electrical contacts which might be subject to high temperatures, and it is used to manufacture electrodes which might be subject to chemical attack. A current and important use of platinum is in car exhaust catalysts, in which a ceramic honeycomb is coated with platinum. Platinum is also used to manufacture jewellery and, along with gold and silver, has its own hallmark.

### Atomic Properties

Atomic number	78
Atomic radius - Goldschmidt	0.138 nm
Atomic weight	195.08 amu
Crystal structure	Face centred cubic
Electronic structure	Xe 4f <sup>14</sup> 5d <sup>9</sup> 6s <sup>1</sup>
Photo-electric work function	5.3 eV
Thermal neutron absorption cross-section	9.0 Barns
Valences shown	1, 2, 3, 4

### Physical Properties

Boiling point	3827 C
Density @20C	21.45 g cm <sup>-3</sup>
Melting point	1772 C

### Electrical Properties

Electrical resistivity @20C	10.58 μOhmcm
Temperature coefficient @0-100C	0.00392 K <sup>-1</sup>

### Thermal Properties

Coefficient of thermal expansion @0-100C	9.0 x10 <sup>-6</sup> K <sup>-1</sup>
Latent heat of evaporation	2405 J g <sup>-1</sup>
Latent heat of fusion	101 J g <sup>-1</sup>
Specific heat @25C	133 J K <sup>-1</sup> kg <sup>-1</sup>
Thermal conductivity @0-100C	71.6 W m <sup>-1</sup> K <sup>-1</sup>

### Natural isotope distribution

Mass No.	%
190	0.01
192	0.79
194	32.90
195	33.80
196	25.30
198	7.20

### Mechanical Properties

Material condition	Soft	Hard	Polycrystalline
Bulk modulus			276 GPa
Hardness - Vickers	40	100	
Poisson's ratio			0.39
Tensile modulus			170 GPa
Tensile strength	125-150 MPa	200-300 MPa	
Yield strength	14-35 MPa	185 MPa	



## Microfoil

CONTRACT COATING of customers' own components or assemblies is available to special order.

<b>PT004500</b>	Thickness.....	<b>0.1μm</b>	Area density.....	<b>120μg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99%</b>	Support.....	<b>Permanent Mylar 3.5μm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
525-690-307	10 mm	GBP 220.00	GBP 303.00	GBP 551.00	GBP 882.00
912-089-098	25 mm	GBP 331.00	GBP 469.00	GBP 882.00	GBP 1434.00

Typical Analysis : Starting Material : Ag < 1, Au 1, Ca < 1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PT004600</b>	Thickness.....	<b>0.25μm</b>	Area density.....	<b>300μg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99%</b>	Support.....	<b>Permanent Mylar 3.5μm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
829-475-169	10 mm	GBP 245.00	GBP 340.00	GBP 625.00	GBP 1006.00
549-761-579	25 mm	GBP 372.00	GBP 530.00	GBP 1006.00	GBP 1640.00

Typical Analysis : Starting Material : Ag < 1, Au 1, Ca < 1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PT004700</b>	Thickness.....	<b>0.5μm</b>	Area density.....	<b>600μg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5μm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
517-566-554	10 mm	GBP 262.00	GBP 365.00	GBP 675.00	GBP 1089.00

Typical Analysis : Starting Material : Ag < 1, Au 1, Ca < 1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PT004800</b>	Thickness.....	<b>0.75μm</b>	Area density.....	<b>900μg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5μm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
285-042-784	10 mm	GBP 278.00	GBP 390.00	GBP 726.00	GBP 1173.00

Typical Analysis : Starting Material : Ag < 1, Au 1, Ca < 1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PT004850</b>	Thickness.....	<b>1.0μm</b>	Area density.....	<b>900μg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5μm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
423-206-306	10 mm	GBP 278.00	GBP 390.00	GBP 726.00	GBP 1173.00
294-646-674	25 mm	GBP 427.00	GBP 614.00	GBP 1173.00	GBP 1919.00

Typical Analysis : Starting Material : Ag < 1, Au 1, Ca < 1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.  
 This item is normally made to order for delivery within 4-5 weeks.

Metal - Platinum

**Platinum**

**Pt**



**Foil**

**PT000170** Thickness ..... **0.0005mm** Purity..... **99.85%**  
 Support..... **Permanent Polyester**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
541-740-126	25 x 25 mm	GBP 322.00	GBP 429.00	GBP 646.00
694-634-807	50 x 50 mm	GBP 563.00	GBP 769.00	

Typical Analysis : Ag 50, Al 80, Au 4, Bi 2, Ca 300, Co 25, Cr 5, Cu 250, Fe 300, Mg 4, Mn 25, Ni 150, Pb 25, Pd 15, Rh 10, Si 20, Ti 10, Zn 150.  
 The support for this foil cannot be removed without destroying the foil itself.

**PT000180** Thickness ..... **0.00075mm** Purity..... **99.85%**  
 Support..... **Permanent Polyester**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
399-891-768	25 x 25 mm	GBP 304.00	GBP 402.00	GBP 604.00
024-501-805	50 x 50 mm	GBP 526.00	GBP 717.00	

Typical Analysis : Ag 50, Al 80, Au 4, Bi 2, Ca 300, Co 25, Cr 5, Cu 250, Fe 300, Mg 4, Mn 25, Ni 150, Pb 25, Pd 15, Rh 10, Si 20, Ti 10, Zn 150.  
 The support for this foil cannot be removed without destroying the foil itself.

**PT000190** Thickness ..... **0.001mm** Purity..... **99.85%**  
 Support..... **Permanent Polyester**

Sizes LT		Quantity	
Web Code	Size	1pc	
494-811-523	23 x 23 mm	GBP 276.00	
389-377-078	23 x 25 mm	GBP 284.00	

Typical Analysis : Ag 50, Al 80, Au 4, Bi 2, Ca 300, Co 25, Cr 5, Cu 250, Fe 300, Mg 4, Mn 25, Ni 150, Pb 25, Pd 15, Rh 10, Si 20, Ti 10, Zn 150.  
 The support for this foil cannot be removed without destroying the foil itself.

**PT000200** Thickness ..... **0.001mm** Purity..... **99.95%**  
 Temper ..... **As rolled**

Sizes LT		Quantity	
Web Code	Size	1pc	2pcs
420-829-168	25 x 25 mm	GBP 533.00	GBP 762.00

Typical Analysis : Ag 50, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000201** Thickness ..... **0.00125mm** Purity..... **99.95%**  
 Temper ..... **As rolled**

Sizes LT		Quantity	
Web Code	Size	1pc	2pcs
744-153-607	25 x 25 mm	GBP 490.00	GBP 702.00

Typical Analysis : Ag 50, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000202** Thickness ..... **0.0015mm** Purity..... **99.95%**  
 Temper ..... **As rolled**

Sizes LT		Quantity	
Web Code	Size	1pc	2pcs
006-022-663	25 x 25 mm	GBP 361.00	GBP 452.00
123-446-773	50 x 50 mm	GBP 667.00	

Typical Analysis : Ag 50, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000203** Thickness ..... **0.002mm** Purity..... **99.95%**  
 Temper ..... **As rolled**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
661-205-332	25 x 25 mm	GBP 286.00	GBP 350.00	GBP 572.00
484-276-013	50 x 50 mm	GBP 466.00	GBP 731.00	
151-993-318	100 x 100 mm	GBP 1228.00		

Typical Analysis : Ag 50, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000206** Thickness ..... **0.0025mm** Purity..... **99.95%**  
 Temper ..... **As rolled**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
920-498-916	25 x 25 mm	GBP 250.00	GBP 310.00	GBP 521.00
334-600-843	50 x 50 mm	GBP 419.00	GBP 667.00	
367-217-626	100 x 100 mm	GBP 1133.00		

Typical Analysis : Ag 50, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**Metal – Platinum**

**Platinum**

**Pt**



**Foil**

**PT000204**

Thickness ..... **0.003mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**  
 005-489-176  
 772-704-077  
 358-415-846

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 238.00	GBP 295.00	GBP 498.00
50 x 50 mm	GBP 399.00	GBP 638.00	
100 x 100 mm	GBP 1084.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000207**

Thickness ..... **0.004mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**  
 306-845-400  
 582-654-880  
 381-228-935

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 224.00	GBP 278.00	GBP 472.00
50 x 50 mm	GBP 375.00	GBP 602.00	
100 x 100 mm	GBP 1023.00		

**Discs**

**Web Code**  
 206-999-942  
 874-999-062  
 374-882-685  
 860-331-677  
 541-458-853

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 389.00	GBP 533.00	GBP 642.00
6 mm	GBP 409.00	GBP 561.00	GBP 742.00
8 mm	GBP 429.00	GBP 612.00	GBP 890.00
10 mm	GBP 455.00	GBP 687.00	GBP 1080.00
15 mm	GBP 585.00	GBP 948.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000208**

Thickness ..... **0.005mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**NLT Sizes**

**Web Code**  
 809-319-555  
 577-623-996  
 801-649-642

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 223.00	GBP 275.00	GBP 464.00
50 x 50 mm	GBP 369.00	GBP 589.00	
100 x 100 mm	GBP 998.00		

**Sizes LT**

**Web Code**  
 401-555-334  
 394-488-736

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 245.00	GBP 303.00	GBP 510.00
50 x 50 mm	GBP 443.00	GBP 707.00	

**Discs**

**Web Code**  
 150-774-822  
 846-852-369  
 856-540-191  
 067-512-675  
 439-077-992

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 389.00	GBP 532.00	GBP 640.00
6 mm	GBP 408.00	GBP 560.00	GBP 737.00
8 mm	GBP 428.00	GBP 608.00	GBP 880.00
10 mm	GBP 452.00	GBP 681.00	GBP 1065.00
15 mm	GBP 579.00	GBP 934.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000210**

Thickness ..... **0.0075mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**  
 457-509-449  
 491-086-192  
 150-519-234  
 849-383-274

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	GBP 173.00	GBP 218.00	GBP 303.00	GBP 449.00
50 x 50 mm	GBP 265.00	GBP 356.00	GBP 768.00	
100 x 100 mm	GBP 618.00	GBP 1161.00		
150 x 150 mm	GBP 1289.00			

**Discs**

**Web Code**  
 525-914-626  
 739-325-768  
 415-724-147  
 965-513-540  
 689-198-897  
 149-861-091

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 236.00	GBP 297.00	GBP 458.00
6 mm	GBP 264.00	GBP 337.00	GBP 522.00
8 mm	GBP 292.00	GBP 378.00	GBP 586.00
10 mm	GBP 321.00	GBP 418.00	GBP 662.00
15 mm	GBP 391.00	GBP 517.00	GBP 1067.00
25 mm	GBP 586.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**Metal – Platinum**

**Platinum**

**Pt**



**Foil**

**PT000215**

Thickness ..... **0.01mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**  
 377-884-520  
 962-385-700  
 954-214-501

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 173.00	GBP 218.00	GBP 303.00
50 x 50 mm	GBP 265.00	GBP 356.00	
100 x 100 mm	GBP 618.00		

**Discs**

**Web Code**  
 804-983-916  
 700-567-384  
 615-476-325  
 295-221-014  
 593-236-198

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 236.00	GBP 297.00	GBP 458.00
6 mm	GBP 264.00	GBP 337.00	GBP 522.00
8 mm	GBP 292.00	GBP 378.00	GBP 586.00
10 mm	GBP 321.00	GBP 418.00	GBP 662.00
15 mm	GBP 391.00	GBP 517.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000220**

Thickness ..... **0.0125mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**  
 054-103-031  
 908-271-855  
 987-592-002

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 164.00	GBP 205.00	GBP 284.00
50 x 50 mm	GBP 248.00	GBP 330.00	
100 x 100 mm	GBP 569.00		

**Discs**

**Web Code**  
 568-201-570  
 025-199-176  
 149-896-415  
 737-060-587  
 132-572-223

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 229.00	GBP 288.00	GBP 445.00
6 mm	GBP 255.00	GBP 325.00	GBP 504.00
8 mm	GBP 281.00	GBP 362.00	GBP 564.00
10 mm	GBP 307.00	GBP 400.00	GBP 631.00
15 mm	GBP 372.00	GBP 491.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000228**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **0.4mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 831-722-699  
 510-591-232  
 362-800-218  
 095-988-094

Length	Quantity	
	1 Reel	
0.05 m	GBP 145.00	
0.1 m	GBP 168.00	
0.2 m	GBP 200.00	
0.5 m	GBP 264.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000233**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **.85mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 735-068-985  
 528-080-259  
 371-818-531  
 079-739-610

Length	Quantity	
	1 Reel	
0.05 m	GBP 130.00	
0.1 m	GBP 147.00	
0.2 m	GBP 171.00	
0.5 m	GBP 217.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000229**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Discs**

**Web Code**  
 664-947-957

Diameter	Quantity			
	1 discs	2 discs	5 discs	10 discs
1.2 mm	GBP 191.00	GBP 262.00	GBP 470.00	GBP 669.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000235**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **1.2mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 437-387-918  
 545-061-783  
 970-274-435  
 658-092-229

Length	Quantity	
	1 Reel	
0.05 m	GBP 138.00	
0.1 m	GBP 158.00	
0.2 m	GBP 186.00	
0.5 m	GBP 241.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**Metal – Platinum**

**Platinum**

**Pt**



**Foil**

**PT000234**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **1.6mm**  
 Temper ..... **As rolled**

**Coil**

**Width 1.6mm**

**Quantity**

**Web Code**

**Length 1 Reel**

284-134-131  
 150-872-033  
 875-062-085  
 351-233-077

0.05 m GBP 145.00  
 0.1 m GBP 168.00  
 0.2 m GBP 201.00  
 0.5 m GBP 265.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000237**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **2mm**  
 Temper ..... **As rolled**

**Coil**

**Width 2mm**

**Quantity**

**Web Code**

**Length 1 Reel**

663-477-365  
 344-097-183  
 921-073-574  
 211-695-261

0.05 m GBP 152.00  
 0.1 m GBP 177.00  
 0.2 m GBP 214.00  
 0.5 m GBP 285.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000232**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **5mm**  
 Temper ..... **As rolled**

**Coil**

**Width 5mm**

**Quantity**

**Web Code**

**Length 1 Reel**

707-079-114  
 820-544-924  
 610-534-766  
 134-202-573

0.05 m GBP 171.00  
 0.1 m GBP 205.00  
 0.2 m GBP 252.00  
 0.5 m GBP 346.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000236**

Thickness ..... **0.025mm**  
 Purity ..... **99.95%**

Coil width ..... **8mm**  
 Temper ..... **As rolled**

**Coil**

**Width 8mm**

**Quantity**

**Web Code**

**Length 1 Reel**

255-290-252  
 719-170-053  
 281-227-571  
 605-944-423

0.05 m GBP 192.00  
 0.1 m GBP 235.00  
 0.2 m GBP 295.00  
 0.5 m GBP 470.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000230**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**

183-246-607  
 058-311-204  
 800-456-707

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm

**Quantity**

	1pc	2pcs	5pcs
25 x 25 mm	GBP 168.00	GBP 220.00	POA
50 x 50 mm	GBP 279.00	POA	
100 x 100 mm	POA		

**Discs**

**Web Code**

892-103-363  
 512-915-924  
 114-488-401  
 311-058-644  
 882-325-422

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm

**Quantity**

	10 discs	20 discs	50 discs
4 mm	GBP 200.00	GBP 244.00	GBP 349.00
6 mm	GBP 235.00	GBP 296.00	GBP 433.00
8 mm	GBP 272.00	GBP 348.00	GBP 520.00
10 mm	GBP 308.00	GBP 402.00	GBP 703.00
15 mm	GBP 396.00	GBP 592.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000240**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**NLT Sizes**

**Web Code**

295-585-712  
 820-253-112  
 546-941-541

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm

**Quantity**

	1pc	2pcs	5pcs
25 x 25 mm	GBP 240.00	GBP 310.00	POA
50 x 50 mm	GBP 393.00	POA	
100 x 100 mm	POA		

**Sizes LT**

**Web Code**

021-029-484  
 810-154-651

**Size**  
 25 x 25 mm  
 50 x 50 mm

**Quantity**

	1pc	2pcs	5pcs
25 x 25 mm	GBP 264.00	GBP 341.00	POA
50 x 50 mm	GBP 471.00	POA	

**Discs**

**Web Code**

190-850-587  
 856-324-081  
 040-511-788  
 063-965-320  
 995-664-105

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm

**Quantity**

	10 discs	20 discs	50 discs
4 mm	GBP 263.00	GBP 319.00	GBP 446.00
6 mm	GBP 312.00	GBP 389.00	GBP 561.00
8 mm	GBP 362.00	GBP 461.00	GBP 705.00
10 mm	GBP 412.00	GBP 535.00	GBP 973.00
15 mm	GBP 532.00	GBP 832.00	

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.



**Platinum**

**Pt**



**Foil**

**PT000231**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Sizes LT**

**Web Code**  
 697-553-053

Size	Quantity
150 x 150 mm	1pc POA

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000242**

Thickness ..... **0.029mm**  
 Purity ..... **99.99%**

Coil width ..... **.34mm**  
 Temper ..... **Annealed**

**Coil**

**Web Code**  
 555-340-466  
 725-666-574  
 686-112-373  
 521-508-016  
 194-600-333

Width	Length	Quantity
0.34mm	0.05 m	1 Reel GBP 124.00
	0.1 m	GBP 138.00
	0.2 m	GBP 158.00
	0.5 m	GBP 198.00
	1 m	GBP 243.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**PT000227**

Thickness ..... **0.030mm**  
 Purity ..... **99.95%**

Coil width ..... **.7mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 054-329-360  
 884-813-576  
 914-114-448  
 917-780-245

Width	Length	Quantity
0.7mm	0.05 m	1 Reel GBP 130.00
	0.1 m	GBP 147.00
	0.2 m	GBP 170.00
	0.5 m	GBP 217.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000246**

Thickness ..... **0.045mm**  
 Purity ..... **99.95%**

Coil width ..... **.75mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 906-353-173  
 663-807-116  
 832-020-837  
 251-028-975

Width	Length	Quantity
0.75mm	0.05 m	1 Reel GBP 141.00
	0.1 m	GBP 162.00
	0.2 m	GBP 192.00
	0.5 m	GBP 251.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000249**

Thickness ..... **0.05mm**  
 Purity ..... **99.99%**

Coil width ..... **1mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 808-635-776  
 914-221-322  
 418-583-098  
 042-677-952

Width	Length	Quantity
1mm	0.05 m	1 Reel GBP 152.00
	0.1 m	GBP 177.00
	0.2 m	GBP 214.00
	0.5 m	GBP 285.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**PT000247**

Thickness ..... **0.05mm**  
 Purity ..... **99.95%**

Coil width ..... **5mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**  
 363-534-598  
 153-179-060  
 892-598-678

Width	Length	Quantity
5mm	0.05 m	1 Reel GBP 205.00
	0.1 m	GBP 252.00
	0.2 m	GBP 328.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000248**

Thickness ..... **0.05mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**  
 145-103-594  
 690-996-105  
 577-507-348

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	GBP 225.00	GBP 301.00	POA
50 x 50 mm	GBP 404.00	POA	
100 x 100 mm	POA		

**Discs**

**Web Code**  
 064-400-485  
 265-626-071  
 606-754-422  
 631-347-822  
 342-172-769

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	GBP 236.00	GBP 296.00	GBP 432.00
6 mm	GBP 290.00	GBP 374.00	GBP 561.00
8 mm	GBP 345.00	GBP 454.00	GBP 772.00
10 mm	GBP 402.00	GBP 537.00	GBP 1098.00
15 mm	GBP 535.00	GBP 936.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**Metal – Platinum**

**Platinum**

**Pt**



**Foil**

<b>PT000261</b>	Thickness ..... <b>0.1mm</b>	Purity..... <b>99.95%</b>
	Temper..... <b>As rolled</b>	
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
332-547-939	25 x 25 mm	GBP 295.00    GBP 410.00    POA
614-976-588	50 x 50 mm	GBP 752.00    POA
174-852-524	100 x 100 mm	POA

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

<b>PT000260</b>	Thickness ..... <b>0.1mm</b>	High Purity..... <b>99.99+%</b>
	Temper..... <b>As rolled</b>	
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
901-822-577	25 x 25 mm	GBP 323.00    GBP 499.00    POA
727-822-316	50 x 50 mm	GBP 929.00    POA
977-792-019	100 x 100 mm	POA

<b>Discs</b>	<b>Quantity</b>		
<b>Web Code</b>	<b>Diameter</b>	<b>10 discs</b>	<b>20 discs</b> <b>50 discs</b>
224-003-454	4 mm	GBP 299.00	GBP 387.00    GBP 583.00
000-425-906	6 mm	GBP 388.00	GBP 517.00    GBP 1011.00
053-241-838	8 mm	GBP 479.00	GBP 729.00    GBP 1649.00
655-230-349	10 mm	GBP 587.00	GBP 1057.00    GBP 2469.00
903-790-648	15 mm	GBP 1123.00	GBP 2131.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

<b>PT000262</b>	Thickness ..... <b>0.1mm</b>	High Purity..... <b>99.99+%</b>
	Temper..... <b>As rolled</b>	
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>
260-050-147	150 x 150 mm	POA

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

<b>PT000252</b>	Thickness ..... <b>0.125mm</b>	Coil width..... <b>2.5mm</b>
	Purity..... <b>99.99%</b>	Temper..... <b>As rolled</b>
<b>Coil</b>	<b>Width 2.5mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
137-961-071	0.05 m	GBP 188.00
121-521-240	0.1 m	GBP 241.00
584-454-339	0.2 m	GBP 352.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

<b>PT000251</b>	Thickness ..... <b>0.125mm</b>	Purity..... <b>99.95%</b>
	Temper..... <b>As rolled</b>	
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
302-593-572	25 x 25 mm	GBP 313.00    GBP 467.00    GBP 1077.00
824-194-087	50 x 50 mm	GBP 865.00    POA
024-261-832	100 x 100 mm	POA

<b>Discs</b>	<b>Quantity</b>		
<b>Web Code</b>	<b>Diameter</b>	<b>10 discs</b>	<b>20 discs</b> <b>50 discs</b>
032-728-684	4 mm	GBP 293.00	GBP 378.00    GBP 567.00
091-083-568	6 mm	GBP 377.00	GBP 502.00    GBP 951.00
385-439-467	8 mm	GBP 465.00	GBP 686.00    GBP 1541.00
179-933-681	10 mm	GBP 555.00	GBP 990.00    GBP 2301.00
491-705-736	15 mm	GBP 1050.00	GBP 1984.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

<b>PT000250</b>	Thickness ..... <b>0.125mm</b>	High Purity..... <b>99.99+%</b>
	Temper..... <b>As rolled</b>	
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
920-362-358	25 x 25 mm	GBP 344.00    GBP 568.00    POA
045-295-387	50 x 50 mm	GBP 1067.00    POA
661-919-022	100 x 100 mm	POA

<b>Discs</b>	<b>Quantity</b>		
<b>Web Code</b>	<b>Diameter</b>	<b>10 discs</b>	<b>20 discs</b> <b>50 discs</b>
484-969-776	4 mm	GBP 312.00	GBP 406.00    GBP 615.00
621-224-524	6 mm	GBP 408.00	GBP 547.00    GBP 1140.00
653-070-900	8 mm	GBP 507.00	GBP 821.00    GBP 1879.00
633-871-080	10 mm	GBP 658.00	GBP 1201.00    GBP 2828.00
233-875-318	15 mm	GBP 1280.00	GBP 2443.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

**Metal – Platinum**

**Platinum**

**Pt**



**Foil**

**PT000263**

Thickness ..... **0.15mm**  
 Purity ..... **99.99%**

Coil width ..... **.9mm**  
 Temper ..... **As rolled**

**Coil**

**Width 0.9mm**

**Quantity**

<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
294-794-381	0.05 m	GBP 156.00
001-871-635	0.1 m	GBP 196.00
343-404-084	0.2 m	GBP 256.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**PT000255**

Thickness ..... **0.15mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Quantity**

<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>
006-051-913	25 x 25 mm	GBP 338.00	GBP 548.00	GBP 1279.00	POA
297-823-129	50 x 50 mm	GBP 1026.00	POA		
112-807-106	100 x 100 mm	POA			

**Discs**

**Quantity**

<b>Web Code</b>	<b>Diameter</b>	<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>
343-235-996	4 mm	GBP 309.00	GBP 401.00	GBP 606.00
952-254-630	6 mm	GBP 402.00	GBP 538.00	GBP 1103.00
676-488-216	8 mm	GBP 499.00	GBP 794.00	GBP 1811.00
125-488-083	10 mm	GBP 637.00	GBP 1159.00	GBP 2722.00
890-711-956	15 mm	GBP 1234.00	GBP 2351.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000265**

Thickness ..... **0.2mm**  
 Purity ..... **99.95%**

Coil width ..... **5mm**  
 Temper ..... **As rolled**

**Coil**

**Width 5mm**

**Quantity**

<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
377-548-598	0.05 m	GBP 319.00
570-625-501	0.1 m	GBP 469.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000264**

Thickness ..... **0.2mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Quantity**

<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>
354-284-067	15 x 15 mm	GBP 258.00	GBP 349.00	POA
876-861-732	30 x 30 mm	GBP 557.00	POA	
973-938-439	60 x 60 mm	POA		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000272**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Quantity**

<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>
602-795-763	25 x 25 mm	GBP 454.00	POA
902-415-232	50 x 50 mm	POA	
948-090-333	100 x 100 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT000270**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Quantity**

<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>
728-197-151	25 x 25 mm	GBP 511.00	POA
024-641-293	50 x 50 mm	POA	
080-159-031	100 x 100 mm	POA	

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

**PT000271**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

High Purity ..... **99.999%**

**Size**

**Quantity**

<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>
288-026-957	25 x 25 mm	GBP 682.00	POA
374-743-315	50 x 50 mm	POA	
361-667-877	100 x 100 mm	POA	

Typical Analysis : Ag <1, Cu <3, Pd <1.

**Metal – Platinum**

**Platinum**

**Pt**



**Foil**

<b>PT000300</b>	Thickness .....	<b>0.5mm</b>	Purity .....	<b>99.95%</b>
	Temper .....	<b>As rolled</b>		
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	
	675-222-048	10 x 10 mm	POA	
	167-029-053	25 x 25 mm	POA	
	878-625-409	50 x 50 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

<b>PT000320</b>	Thickness .....	<b>1.0mm</b>	Purity .....	<b>99.95%</b>
	Temper .....	<b>As rolled</b>		
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	
	596-931-478	10 x 10 mm	POA	
	828-175-908	25 x 25 mm	POA	
	521-990-393	50 x 50 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

<b>PT000321</b>	Thickness .....	<b>1.0mm</b>	Purity .....	<b>99.95%</b>
	Temper .....	<b>As rolled</b>	Condition .....	<b>Polished on 1 side</b>
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	
	298-988-044	5 x 10 mm	POA	
	597-710-434	10 x 10 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

<b>PT000350</b>	Thickness .....	<b>2.0mm</b>	Purity .....	<b>99.95%</b>
	Temper .....	<b>As rolled</b>		
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	
	717-540-159	10 x 10 mm	POA	
	248-794-595	25 x 25 mm	POA	
	099-315-745	50 x 50 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.



**Sputtering Target**

<b>PT009100</b>	Thickness .....	<b>0.1mm</b>	Tolerance .....	<b>15%</b>
	Purity .....	<b>99.95%</b>		
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Disc diam.</b>	<b>1disc</b>	
	985-992-247	25 mm	POA	
	688-690-748	50 mm	POA	
	834-172-384	54 mm	POA	
	488-030-928	57 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

<b>PT009202</b>	Thickness .....	<b>0.2mm</b>	Purity .....	<b>99.95%</b>
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Disc diam.</b>	<b>1disc</b>	
	517-031-741	25 mm	POA	
	162-949-456	50 mm	POA	
	566-077-567	54 mm	POA	
	727-312-800	57 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

<b>PT009205</b>	Thickness .....	<b>0.5mm</b>	Purity .....	<b>99.95%</b>
	<b>Size</b>		<b>Quantity</b>	
	<b>Web Code</b>	<b>Disc diam.</b>	<b>1disc</b>	
	086-903-517	25 mm	POA	
	595-793-978	50 mm	POA	
	029-821-807	54 mm	POA	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

**Metal – Platinum**

**Platinum**

**Pt**



**Sputtering Target**

**PT009206**

Thickness ..... **1.0mm** Purity ..... **99.95%**

Size	Quantity
<b>Web Code</b>	<b>Disc diam.</b> <b>1disc</b>
560-553-154	25.4 mm POA
917-415-180	50.8 mm POA
748-107-851	76.2 mm POA

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

**PT009210**

Thickness ..... **2.0mm** Purity ..... **99.95%**

Size	Quantity
<b>Web Code</b>	<b>Disc diam.</b> <b>1disc</b>
378-151-160	25.4 mm POA
548-851-783	50.8 mm POA
654-201-193	76.2 mm POA

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.



**Mesh**

**PT008720**

Nominal Aperture ..... **0.12mm** Wire diameter ..... **0.04mm**  
 Wires/inch ..... **152** Open area ..... **56%**  
 Purity ..... **99.9%** Type ..... **Plain weave mesh**

Size	Quantity
<b>Web Code</b>	<b>Size</b> <b>1pc</b> <b>2pcs</b> <b>5pcs</b>
382-062-561	20 x 20 mm GBP 205.00 GBP 263.00 GBP 385.00
350-210-232	50 x 50 mm GBP 337.00 GBP 550.00
020-094-727	100 x 100 mm GBP 941.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.

**PT008710**

Nominal Aperture ..... **0.25mm** Wire diameter ..... **0.06mm**  
 Wires/inch ..... **82x82** Open area ..... **65%**  
 Purity ..... **99.9%** Type ..... **Plain weave mesh**

Size	Quantity
<b>Web Code</b>	<b>Size</b> <b>1pc</b> <b>2pcs</b> <b>5pcs</b>
985-469-901	20 x 20 mm GBP 209.00 GBP 268.00 GBP 394.00
183-742-386	50 x 50 mm GBP 346.00 GBP 587.00
967-797-723	100 x 100 mm GBP 1014.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.

**PT008705**

Nominal Aperture ..... **0.4mm** Wire diameter ..... **0.1mm**  
 Wires/inch ..... **52** Open area ..... **63%**  
 Purity ..... **99.9%** Type ..... **Plain weave mesh**

Size	Quantity
<b>Web Code</b>	<b>Size</b> <b>1pc</b> <b>2pcs</b> <b>5pcs</b>
512-248-138	20 x 20 mm GBP 257.00 GBP 332.00 GBP 558.00
088-167-557	50 x 50 mm GBP 576.00 GBP 1045.00
011-623-035	100 x 100 mm GBP 1921.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.



**Wire**

For high-temperature thermocouples we supply Platinum, Platinum/Rhodium alloys, Tungsten and Tungsten/Rhenium alloys.

**PT005101**

Diameter ..... **0.0006mm** Purity ..... **99.9%**  
 Condition ..... **Wollaston wire**

Length	Quantity
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>
100-409-716	0.1 m GBP 283.00
551-216-775	0.2 m GBP 357.00
902-096-842	0.5 m GBP 529.00
762-109-949	1 m GBP 953.00
263-738-099	2 m POA

Typical Analysis : Ag 25, Au 40, B 5, Bi 1, Ca 2, Cu 25, Fe 50, Ir 150, Mg 2, Mn 2, Ni 15, Pb 5, Pd 150, Rh 50, Ru 100, Sb 20, Si 3, Sn 10, Zn 5.  
 Wollaston wire, Silver coated. Overall outside diameter approx 0.05mm - 0.1mm. The weight shown is for the Platinum core only. The Silver outer sheath may be dissolved in aqueous 10% Nitric Acid.

**Metal – Platinum**

**Platinum**

**Pt**



**Wire**

**PT005102**

Diameter . . . . . **0.001mm** Purity . . . . . **99.9%**  
 Condition . . . . . **Wollaston wire**

<b>Length</b>		<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
967-250-549	0.1 m	GBP	262.00
906-323-693	0.2 m	GBP	331.00
290-460-344	0.5 m	GBP	486.00
307-539-184	1 m	GBP	878.00
442-398-446	2 m	POA	

Typical Analysis : Ag 25, Au 40, B 5, Bi 1, Ca 2, Cu 25, Fe 50, Ir 150, Mg 2, Mn 2, Ni 15, Pb 5, Pd 150, Rh 50, Ru 100, Sb 20, Si 3, Sn 10, Zn 5.  
 Wollaston wire, Silver coated. Overall outside diameter approx 0.05mm - 0.1mm. The weight shown is for the Platinum core only. The Silver outer sheath may be dissolved in aqueous 10% Nitric Acid.

**PT005103**

Diameter . . . . . **0.002mm** Purity . . . . . **99.9%**  
 Condition . . . . . **Wollaston wire**

<b>Length</b>		<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
299-811-994	0.1 m	GBP	240.00
476-490-447	0.2 m	GBP	300.00
561-305-008	0.5 m	GBP	475.00
163-137-239	1 m	GBP	856.00
392-162-146	2 m	POA	

Typical Analysis : Ag 25, Au 40, B 5, Bi 1, Ca 2, Cu 25, Fe 50, Ir 150, Mg 2, Mn 2, Ni 15, Pb 5, Pd 150, Rh 50, Ru 100, Sb 20, Si 3, Sn 10, Zn 5.  
 Wollaston wire, Silver coated. Overall outside diameter approx. 0.1 mm. The weight shown is for the Platinum core only. The Silver outer sheath may be dissolved in aqueous 10% Nitric Acid.

**PT005105**

Diameter . . . . . **0.005mm** Purity . . . . . **99.9%**  
 Condition . . . . . **Wollaston wire**

<b>Length</b>		<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
020-269-652	0.1 m	GBP	227.00
533-703-783	0.2 m	GBP	282.00
712-967-574	0.5 m	GBP	434.00
120-943-650	1 m	GBP	774.00
117-956-321	2 m	POA	

Typical Analysis : Ag 25, Au 40, B 5, Bi 1, Ca 2, Cu 25, Fe 50, Ir 150, Mg 2, Mn 2, Ni 15, Pb 5, Pd 150, Rh 50, Ru 100, Sb 20, Si 3, Sn 10, Zn 5.  
 Wollaston wire, Silver coated. Overall outside diameter approx 0.05mm - 0.1mm. The weight shown is for the Platinum core only. The Silver outer sheath may be dissolved in aqueous 10% Nitric Acid.

**PT005106**

Diameter . . . . . **0.006mm** Purity . . . . . **99.9%**  
 Condition . . . . . **Wollaston wire**

<b>Length</b>		<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
744-548-245	0.1 m	GBP	216.00
068-529-008	0.2 m	GBP	267.00
566-125-279	0.5 m	GBP	441.00
765-650-769	1 m	GBP	788.00
706-347-183	2 m	POA	

Typical Analysis : Ag 25, Au 40, B 5, Bi 1, Ca 2, Cu 25, Fe 50, Ir 150, Mg 2, Mn 2, Ni 15, Pb 5, Pd 150, Rh 50, Ru 100, Sb 20, Si 3, Sn 10, Zn 5.  
 Wollaston wire, Silver coated. Overall outside diameter approx 0.05mm - 0.1mm. The weight shown is for the Platinum core only. The Silver outer sheath may be dissolved in aqueous 10% Nitric Acid.

**PT005109**

Diameter . . . . . **0.01mm** Purity . . . . . **99.9%**  
 Condition . . . . . **Wollaston wire**

<b>Length</b>		<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
503-494-278	0.05 m	GBP	149.00
205-180-062	0.1 m	GBP	191.00
647-503-059	0.2 m	GBP	273.00
937-882-525	0.5 m	GBP	522.00

Typical Analysis : Ag 25, Au 40, B 5, Bi 1, Ca 2, Cu 25, Fe 50, Ir 150, Mg 2, Mn 2, Ni 15, Pb 5, Pd 150, Rh 50, Ru 100, Sb 20, Si 3, Sn 10, Zn 5.  
 Wollaston wire, Silver coated. Overall outside diameter approx 0.05mm - 0.1mm. The weight shown is for the Platinum core only. The Silver outer sheath may be dissolved in aqueous 10% Nitric Acid.

**PT005107**

Diameter . . . . . **0.01mm** Purity . . . . . **99.9%**  
 Temper . . . . . **Hard**

<b>Length</b>		<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
293-392-866	1 m	GBP	265.00
674-107-723	5 m	GBP	513.00
263-463-710	10 m	POA	

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.  
 1m, 5m and 10m reels only.

**Metal – Platinum**

**Platinum**

**Pt**



**Wire**

**PT005108**

Diameter ..... **0.0125mm**  
 Temper ..... **Hard**

Purity ..... **99.9%**

**Length**

**Web Code**  
 620-377-727  
 547-213-135  
 401-641-402

Quantity	
Length	1 Reel
1 m	GBP 254.00
5 m	GBP 496.00
10 m	POA

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.  
 1m, 5m and 10m reels only.

**PT005122**

Diameter ..... **0.015mm**  
 Temper ..... **Annealed**

Purity ..... **99.99%**

**Length**

**Web Code**  
 175-572-740  
 946-591-593  
 323-937-856

Quantity	
Length	1 Reel
1 m	GBP 245.00
5 m	GBP 485.00
10 m	POA

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 1m and 5m reels only.

**PT005110**

Diameter ..... **0.02mm**  
 Temper ..... **As drawn**

Purity ..... **99.9%**

**Length**

**Web Code**  
 855-498-328  
 937-291-347  
 161-423-967  
 177-987-767

Quantity	
Length	1 Reel
1 m	GBP 164.00
5 m	GBP 249.00
10 m	GBP 314.00
20 m	GBP 417.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.  
 1m and 5m reels only.

**PT005113**

Diameter ..... **0.025mm**  
 Temper ..... **Hard**

Purity ..... **99.9%**

**Length**

**Web Code**  
 673-324-165  
 689-797-951  
 224-739-417  
 237-991-344  
 092-425-685

Quantity	
Length	1 Reel
1 m	GBP 94.50
5 m	GBP 134.00
10 m	GBP 164.00
20 m	GBP 207.00
50 m	GBP 321.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.

**PT005114**

Diameter ..... **0.025mm**  
 Temper ..... **Annealed**

Purity ..... **99.99%**

Thermocouple wire ..... **May be used as one component of a Thermocouple**

**Length**

**Web Code**  
 151-452-868  
 931-610-116  
 451-264-464  
 408-055-808  
 006-981-607

Quantity	
Length	1 Reel
1 m	GBP 94.50
5 m	GBP 134.00
10 m	GBP 164.00
20 m	GBP 207.00
50 m	GBP 321.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**PT005124**

Diameter ..... **0.04mm**  
 Temper ..... **Annealed**

Purity ..... **99.99%**

Thermocouple wire ..... **May be used as one component of a Thermocouple**

**Length**

**Web Code**  
 435-832-831  
 519-810-265  
 479-100-781  
 887-595-794  
 949-473-284

Quantity	
Length	1 Reel
1 m	GBP 101.00
2 m	GBP 117.00
5 m	GBP 150.00
10 m	GBP 188.00
20 m	GBP 243.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**Metal – Platinum**

**Platinum**

**Pt**



**Wire**

**PT005116**

Diameter ..... **0.05mm**  
 Temper ..... **Annealed**

Purity ..... **99.99%**  
 Thermocouple wire ..... **May be used as one component of a Thermocouple**

**Length**

**Web Code**

599-615-947  
 951-997-441  
 999-675-618  
 959-453-940  
 931-743-182  
 467-894-197

Quantity	
Length	1 Reel
0.5 m	GBP 91.50
1 m	GBP 107.00
2 m	GBP 128.00
5 m	GBP 171.00
10 m	GBP 219.00
20 m	GBP 307.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**PT005115**

Diameter ..... **0.05mm**  
 Temper ..... **Hard**

Purity ..... **99.99%**

**Length**

**Web Code**

087-662-877  
 957-850-609  
 731-337-483  
 417-182-580  
 147-814-384  
 476-796-981

Quantity	
Length	1 Reel
0.5 m	GBP 87.50
1 m	GBP 99.50
2 m	GBP 116.00
5 m	GBP 150.00
10 m	GBP 188.00
20 m	GBP 303.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**PT005112**

Diameter ..... **0.063mm**  
 Temper ..... **Hard**

Purity ..... **99.9%**

**Length**

**Web Code**

049-732-498  
 216-555-045  
 069-386-570

Quantity	
Length	1 Reel
2 m	GBP 124.00
5 m	GBP 173.00
10 m	GBP 237.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.

**PT005123**

Diameter ..... **0.08mm**  
 Temper ..... **Hard**

Purity ..... **99.9%**

**Length**

**Web Code**

858-651-814  
 748-913-026  
 614-134-984  
 766-869-244  
 331-486-616

Quantity	
Length	1 Reel
1 m	GBP 105.00
2 m	GBP 129.00
5 m	GBP 181.00
10 m	GBP 251.00
20 m	GBP 434.00

Typical Analysis : Ag 100, Au 75, Cu 50, Fe <50, Ni <100, Pd 150, Rh <20, Si <50.

**PT005327**

Diameter ..... **0.1mm**  
 Temper ..... **Hard**

Purity ..... **99.99%**  
 Condition ..... **Straight wire**

**Size**

**Web Code**

Length

089-308-756  
 885-996-725  
 497-755-073  
 358-839-069  
 360-785-094

Quantity					
Length	1pc	2pcs	5pcs	10pcs	20pcs
			0.01684g	#100 mm#	
			0.03369g	#200 mm#	
			0.05053g	#300 mm#	
			0.07917g	#470 mm#	
			0.1583g	#940 mm#	

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**PT005127**

Diameter ..... **0.1mm**  
 Temper ..... **Hard**

Purity ..... **99.99%**

**Length**

**Web Code**

089-308-756  
 885-996-725  
 497-755-073  
 358-839-069  
 360-785-094

Quantity	
Length	1 Reel
0.2 m	GBP 76.50
0.5 m	GBP 91.00
1 m	GBP 109.00
2 m	GBP 134.00
5 m	GBP 188.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**Metal – Platinum**



**Platinum**

**Pt**



**Wire**

<b>PT005117</b>	Diameter ..... <b>0.125mm</b> Temper ..... <b>As drawn</b>	Purity ..... <b>99.95%</b>
<b>Length</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
486-767-532	0.1 m GBP 91.00	
780-412-800	0.2 m GBP 105.00	
845-948-971	0.5 m GBP 132.00	
743-619-113	1 m GBP 162.00	
952-389-397	2 m GBP 205.00	
048-670-615	5 m GBP 304.00	
Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.		
<b>PT005118</b>	Diameter ..... <b>0.125mm</b> Temper ..... <b>Annealed</b>	Purity ..... <b>99.99%</b> Thermocouple wire ..... <b>May be used as one component of a Thermocouple</b>
<b>Length</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
851-028-379	0.1 m GBP 91.00	
887-636-310	0.2 m GBP 105.00	
378-542-650	0.5 m GBP 132.00	
317-827-080	1 m GBP 162.00	
728-383-454	2 m GBP 205.00	
047-931-714	5 m GBP 304.00	
Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2. Thermocouple wire.		
<b>PT005119</b>	Diameter ..... <b>0.15mm</b> Temper ..... <b>Annealed</b>	Purity ..... <b>99.99%</b> Thermocouple wire ..... <b>May be used as one component of a Thermocouple</b>
<b>Length</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
934-134-930	0.1 m GBP 81.00	
562-339-195	0.2 m GBP 93.00	
766-871-056	0.5 m GBP 118.00	
858-875-458	1 m GBP 149.00	
359-426-329	2 m GBP 248.00	
Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2. Thermocouple wire.		
<b>PT005126</b>	Diameter ..... <b>0.175mm</b> Temper ..... <b>As drawn</b>	Purity ..... <b>99.95%</b>
<b>Length</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
785-323-192	0.05 m GBP 75.50	
552-136-573	0.1 m GBP 85.50	
360-808-610	0.2 m GBP 99.50	
456-991-154	0.5 m GBP 128.00	
455-919-813	1 m GBP 160.00	
098-537-571	2 m GBP 260.00	
Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.		
<b>PT005130</b>	Diameter ..... <b>0.20mm</b> Temper ..... <b>Annealed</b>	Purity ..... <b>99.99%</b> Thermocouple wire ..... <b>May be used as one component of a Thermocouple</b>
<b>Length</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
195-788-311	0.05 m GBP 76.00	
473-545-085	0.1 m GBP 86.50	
008-736-372	0.2 m GBP 101.00	
193-127-253	0.5 m GBP 130.00	
140-906-443	1 m GBP 163.00	
613-304-526	2 m GBP 272.00	
Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2. Thermocouple wire.		
<b>PT005121</b>	Diameter ..... <b>0.25mm</b> Temper ..... <b>Annealed</b>	Purity ..... <b>99.99%</b> Thermocouple wire ..... <b>May be used as one component of a Thermocouple</b>
<b>Length</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
033-837-045	0.1 m GBP 99.00	
498-998-417	0.2 m GBP 117.00	
374-807-988	0.5 m GBP 153.00	
850-988-645	1 m GBP 216.00	
373-580-512	2 m GBP 376.00	
Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2. Thermocouple wire.		

**Metal – Platinum**

**Platinum**

**Pt**



**Wire**

**PT005120**

Diameter ..... **0.25mm**  
 Temper ..... **Hard**

Purity ..... **99.95%**

**Length**

**Web Code**  
 036-505-548  
 358-989-245  
 563-196-996  
 399-618-625  
 952-337-109

Quantity	
Length	1 Reel
0.1 m	GBP 99.00
0.2 m	GBP 117.00
0.5 m	GBP 153.00
1 m	GBP 216.00
2 m	GBP 376.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT005140**

Diameter ..... **0.25mm**  
 Temper ..... **As drawn**

High Purity ..... **99.99+%**

**Length**

**Web Code**  
 433-416-344  
 046-253-556  
 177-039-304  
 129-920-470  
 240-058-321

Quantity	
Length	1 Reel
0.1 m	GBP 101.00
0.2 m	GBP 120.00
0.5 m	GBP 158.00
1 m	GBP 233.00
2 m	GBP 410.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

**PT005141**

Diameter ..... **0.25mm**  
 Temper ..... **As drawn**

High Purity ..... **99.998%**

**Length**

**Web Code**  
 016-929-520  
 826-838-947  
 789-436-746  
 941-512-570

Quantity	
Length	1 Reel
0.05 m	GBP 107.00
0.1 m	GBP 130.00
0.2 m	GBP 163.00
0.5 m	GBP 262.00

Typical Analysis : Al 2, Cu 2, Fe 5, Si 2, Rh 2, Zr 5.

**PT005125**

Diameter ..... **0.3mm**  
 Temper ..... **Annealed**

Purity ..... **99.99%**  
 Thermocouple wire ..... **May be used as one component of a Thermocouple**

**Length**

**Web Code**  
 279-829-741  
 801-868-891  
 233-602-404  
 200-311-966  
 038-999-315

Quantity	
Length	1 Reel
0.1 m	GBP 107.00
0.2 m	GBP 128.00
0.5 m	GBP 171.00
1 m	GBP 280.00
2 m	GBP 504.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**PT005128**

Diameter ..... **0.3mm**  
 Temper ..... **As drawn**

Purity ..... **99.99%**

**Length**

**Web Code**  
 576-383-807  
 961-879-004  
 919-875-875  
 654-986-868  
 007-161-494

Quantity	
Length	1 Reel
0.1 m	GBP 107.00
0.2 m	GBP 128.00
0.5 m	GBP 171.00
1 m	GBP 280.00
2 m	GBP 504.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**PT005143**

Diameter ..... **0.38mm**  
 Temper ..... **Annealed**

Purity ..... **99.99%**

**Length**

**Web Code**  
 507-591-632  
 188-265-882  
 013-600-003  
 325-124-963

Quantity	
Length	1 Reel
0.1 m	GBP 120.00
0.2 m	GBP 146.00
0.5 m	GBP 233.00
1 m	GBP 409.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**PT005142**

Diameter ..... **0.40mm**  
 Temper ..... **As drawn**

Purity ..... **99.99%**

**Length**

**Web Code**  
 162-493-279  
 461-447-737  
 311-651-182  
 956-399-016

Quantity	
Length	1 Reel
0.1 m	GBP 122.00
0.2 m	GBP 150.00
0.5 m	GBP 248.00
1 m	GBP 439.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
 Thermocouple wire.

**Platinum**

**Pt**



**Wire**

**PT005139** Diameter ..... **0.5mm** High Purity ..... **99.99%**  
Temper ..... **As drawn**

<b>Length</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length 1 Reel</b>
241-522-285	0.05 m GBP 141.00
477-152-283	0.1 m GBP 178.00
702-712-985	0.2 m GBP 292.00

Typical Analysis : Au 2, B 2, Ca 2, Co 2, Cr 2, Cu 2, Fe 5, Ir 2, Ni 20, Os 2, Rh 5.

**PT005146** Diameter ..... **0.5mm** Purity ..... **99.99%**  
Temper ..... **Annealed** Thermocouple wire ..... **May be used as one component of a Thermocouple**

<b>Length</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length 1 Reel</b>
759-669-467	0.05 m GBP 110.00
958-681-418	0.1 m GBP 138.00
835-183-648	0.2 m GBP 172.00
397-955-089	0.5 m GBP 345.00
744-376-565	1 m GBP 633.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
Thermocouple wire.

**PT005145** Diameter ..... **0.5mm** High Purity ..... **99.99+%**  
Temper ..... **As drawn**

<b>Length</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length 1 Reel</b>
049-748-800	0.05 m GBP 114.00
218-611-431	0.1 m GBP 142.00
326-431-549	0.2 m GBP 185.00
803-949-148	0.5 m GBP 379.00
493-642-640	1 m GBP 700.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

**PT005148** Diameter ..... **0.6mm** High Purity ..... **99.99+%**  
Temper ..... **As drawn**

<b>Length</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length 1 Reel</b>
581-985-179	0.05 m GBP 121.00
117-941-470	0.1 m GBP 153.00
483-355-199	0.2 m GBP 220.00
603-147-124	0.5 m GBP 465.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

**PT005348** Diameter ..... **0.635mm** Purity ..... **99.99%**  
Temper ..... **As drawn** Condition ..... **Straight wire**

<b>Size</b>	<b>Quantity</b>		
<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>
			<b>5pcs</b>
			0.6792g
			1.4g
			3.4g

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.

**PT005149** Diameter ..... **0.8mm** Purity ..... **99.99%**  
Temper ..... **Annealed** Thermocouple wire ..... **May be used as one component of a Thermocouple**

<b>Length</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length 1 Reel</b>
788-929-813	0.05 m GBP 142.00
616-230-644	0.1 m GBP 196.00
028-831-575	0.2 m GBP 335.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
Thermocouple wire.

**PT005156** Diameter ..... **1.0mm** Purity ..... **99.99%**  
Temper ..... **Annealed** Thermocouple wire ..... **May be used as one component of a Thermocouple**

<b>Length</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length 1 Reel</b>
432-884-878	0.05 m GBP 164.00
110-609-964	0.1 m GBP 273.00
826-249-343	0.2 m GBP 490.00

Typical Analysis : Ag <1, Au 5, Ca <1, Cu <1, Fe 5, Mg <1, Pd 10, Si 2.  
Thermocouple wire.

**Platinum**

**Pt**



**Wire**

<b>PT005150</b>	Diameter ..... <b>1.0mm</b>	Purity ..... <b>99.95%</b>
	Temper ..... <b>Hard</b>	
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	283-664-320	0.05 m GBP 164.00
	458-038-972	0.1 m GBP 273.00
	254-873-874	0.2 m GBP 490.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

<b>PT005155</b>	Diameter ..... <b>1.0mm</b>	High Purity ..... <b>99.99+%</b>
	Temper ..... <b>As drawn</b>	
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	552-311-183	0.05 m GBP 189.00
	038-889-513	0.1 m GBP 329.00
	861-190-388	0.2 m GBP 600.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

<b>PT005157</b>	Diameter ..... <b>1.0mm</b>	High Purity ..... <b>99.998%</b>
	Temper ..... <b>As drawn</b>	
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	728-975-196	0.05 m GBP 232.00
	516-199-230	0.1 m GBP 415.00
	713-826-328	0.2 m GBP 773.00

Typical Analysis : Al 2, Cu 2, Fe 5, Si 2, Rh 2, Zr 5.



**Insulated Wire**

Insulating coatings of polyurethane, polyimide and Nylon are also available.

<b>PT005805</b>	Conductor diameter ..... <b>0.015mm</b>	Insulation thickness ..... <b>0.002mm</b>
	Purity ..... <b>99.99%</b>	Insulation ..... <b>Polyimide</b>
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	407-359-198	1 m GBP 186.00
	987-404-356	5 m GBP 541.00

Typical Analysis :  
5m reels only.

<b>PT005808</b>	Conductor diameter ..... <b>0.018mm</b>	Insulation thickness ..... <b>0.002mm</b>
	Purity ..... <b>99.99%</b>	Insulation ..... <b>Polyester</b>
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	849-180-449	0.5 m GBP 119.00
	503-589-227	1 m GBP 144.00
	433-445-814	2 m GBP 209.00
	321-137-962	5 m GBP 414.00

Typical Analysis :

<b>PT005820</b>	Conductor diameter ..... <b>0.025mm</b>	Insulation thickness ..... <b>0.005mm</b>
	Purity ..... <b>99.99%</b>	Insulation ..... <b>Polyester</b>
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	392-664-224	0.5 m GBP 119.00
	083-033-304	1 m GBP 144.00
	379-164-116	2 m GBP 209.00
	395-521-722	5 m GBP 414.00

Typical Analysis :

<b>PT005821</b>	Conductor diameter ..... <b>0.025mm</b>	Insulation thickness ..... <b>0.005mm</b>
	Purity ..... <b>99.99%</b>	Insulation ..... <b>Polyimide</b>
	<b>Length</b>	<b>Quantity</b>
	<b>Web Code</b>	<b>Length 1 Reel</b>
	554-006-662	0.5 m GBP 106.00
	250-828-728	1 m GBP 127.00
	353-589-149	2 m GBP 172.00
	198-641-870	5 m GBP 329.00

Typical Analysis :

**Metal – Platinum**

**Platinum**

**Pt**



**Insulated Wire**

**PT005825**

Conductor diameter..... **0.025mm**  
 Purity..... **99.999%**

Insulation thickness..... **0.001mm**  
 Insulation..... **PTFE (Polytetrafluoroethylene)**

**Length**

**Web Code**  
 070-492-802  
 687-104-844  
 026-763-040  
 345-384-740

Quantity	
Length	1 Reel
0.2 m	GBP 135.00
0.5 m	GBP 191.00
1 m	GBP 320.00
2 m	GBP 573.00

Typical Analysis :

**PT005830**

Conductor diameter..... **0.05mm**  
 Purity..... **99.99%**

Insulation thickness..... **0.0075mm**  
 Insulation..... **Polyester**

**Length**

**Web Code**  
 677-780-949  
 722-613-122  
 326-641-137  
 830-145-344

Quantity	
Length	1 Reel
0.5 m	GBP 127.00
1 m	GBP 158.00
2 m	GBP 251.00
5 m	GBP 518.00

Typical Analysis :

**PT005835**

Conductor diameter..... **0.05mm**  
 Purity..... **99.99%**

Insulation thickness..... **0.009mm**  
 Insulation..... **PTFE (Polytetrafluoroethylene)**

**Length**

**Web Code**  
 021-551-376  
 693-921-000  
 740-125-874  
 515-725-726

Quantity	
Length	1 Reel
0.5 m	GBP 120.00
1 m	GBP 165.00
2 m	GBP 266.00
5 m	GBP 550.00

Typical Analysis :

**PT005840**

Conductor diameter..... **0.125mm**  
 Purity..... **99.99%**

Insulation thickness..... **0.014mm**  
 Insulation..... **Polyester**

**Length**

**Web Code**  
 215-462-118  
 932-772-778  
 596-595-432  
 574-431-824

Quantity	
Length	1 Reel
0.2 m	GBP 121.00
0.5 m	GBP 164.00
1 m	GBP 264.00
2 m	GBP 463.00

Typical Analysis :

**PT005810**

Conductor diameter..... **0.125mm**  
 Purity..... **99.99%**

Insulation thickness..... **0.016mm**  
 Insulation..... **PTFE (Polytetrafluoroethylene)**

**Length**

**Web Code**  
 315-910-871  
 488-862-284  
 107-777-212  
 472-153-130

Quantity	
Length	1 Reel
0.1 m	GBP 161.00
0.2 m	GBP 193.00
0.5 m	GBP 304.00
1 m	GBP 503.00

Typical Analysis :



**Rod**

**PT007910**

Diameter..... **1.0mm**

Purity..... **99.95%**

**Size**

**Web Code**  
 715-464-297  
 061-057-438  
 632-180-115  
 022-517-309

Length	Quantity		
	1pc	2pcs	5pcs
25 mm	GBP 218.00	GBP 275.00	GBP 386.00
50 mm	GBP 256.00	GBP 330.00	
100 mm	GBP 311.00	GBP 500.00	
200 mm	GBP 481.00		

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007913**

Diameter..... **1.25mm**

Purity..... **99.95%**

**Size**

**Web Code**  
 641-443-805  
 761-143-132  
 413-928-521

Length	Quantity	
	1pc	2pcs
25 mm	GBP 241.00	GBP 308.00
50 mm	GBP 289.00	GBP 422.00
100 mm	GBP 403.00	

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**Metal – Platinum**

**Platinum**

**Pt**



**Rod**

**PT007916**

Diameter ..... **1.6mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 836-628-920  
 676-472-021  
 821-242-766

Length	Quantity		
	1pc	2pcs	5pcs
25 mm	GBP 274.00	GBP 372.00	POA
50 mm	GBP 353.00	POA	
100 mm	POA		

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007920**

Diameter ..... **2.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 617-988-430  
 833-137-617  
 142-206-494

Length	Quantity		
	1pc	2pcs	5pcs
10 mm	GBP 243.00	GBP 310.00	GBP 520.00
25 mm	GBP 311.00	GBP 500.00	
50 mm	GBP 481.00		

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007921**

Diameter ..... **2.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 190-499-136

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
2 mm	GBP 142.00	GBP 177.00	GBP 232.00	GBP 347.00

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007930**

Diameter ..... **3.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 755-592-586  
 901-333-769  
 666-712-645

Length	Quantity		
	1pc	2pcs	3pcs
10 mm	GBP 302.00	GBP 465.00	POA
25 mm	GBP 526.00	POA	
50 mm	POA		

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007940**

Diameter ..... **4.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 214-721-411  
 385-647-695  
 205-951-029

Length	Quantity	
	1pc	2pcs
10 mm	GBP 410.00	POA
25 mm	POA	
50 mm	POA	

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007950**

Diameter ..... **5.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 995-034-772  
 104-632-287  
 079-030-761

Length	Quantity	
	1pc	2pcs
10 mm	GBP 602.00	POA
25 mm	POA	
50 mm	POA	

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007960**

Diameter ..... **6.35mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 055-341-085  
 721-109-556  
 908-171-958

Length	Quantity
	1pc
10 mm	POA
25 mm	POA
50 mm	POA

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**PT007961**

Diameter ..... **6.0mm**

High Purity ..... **99.99+%**

**Size**

**Web Code**  
 470-052-755

Length	Quantity
	1pc
6.5 mm	GBP 578.00

Typical Analysis : Ag <1, Au 1, Ca <1, Cu 1, Fe 3, Mg 1, Pd 1, Si 5.

**PT007981**

Diameter ..... **8.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 596-900-878  
 526-930-500

Length	Quantity
	1pc
10 mm	POA
25 mm	POA

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**Metal – Platinum**

**Platinum**

**Pt**



**Rod**

**PT007995**

Diameter . . . . . **12.0mm**

Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 092-166-712  
 455-955-580

Length	Quantity	
	1pc	POA
11 mm	POA	POA
25 mm	POA	POA

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.



**Tube**

**PT007050**

Outside Diameter . . . . . **0.29mm**  
 Inside Diameter . . . . . **0.07mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.11mm**  
 Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 350-965-532  
 870-697-187

Length	Quantity	
	1pc	2pcs
100 mm	GBP 204.00	GBP 281.00
200 mm	GBP 277.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007100**

Outside Diameter . . . . . **0.4mm**  
 Inside Diameter . . . . . **0.1mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.15mm**  
 Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 383-022-977  
 877-872-213  
 734-030-304  
 753-799-776

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 184.00	GBP 259.00	GBP 504.00
200 mm	GBP 255.00	GBP 417.00	GBP 898.00
500 mm	GBP 492.00	GBP 891.00	
1000 mm	GBP 887.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007105**

Outside Diameter . . . . . **0.40mm**  
 Inside Diameter . . . . . **0.16mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.12mm**  
 Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 434-771-178  
 885-067-823  
 434-596-568  
 396-121-028

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
50 mm	GBP 157.00	GBP 185.00	GBP 296.00	GBP 492.00
100 mm	GBP 182.00	GBP 251.00	GBP 483.00	GBP 866.00
200 mm	GBP 247.00	GBP 400.00	GBP 856.00	
500 mm	GBP 471.00	GBP 849.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007115**

Outside Diameter . . . . . **0.48mm**  
 Inside Diameter . . . . . **0.16mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.16mm**  
 Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 654-516-741

Length	Quantity		
	1pc	2pcs	5pcs
25 mm	GBP 156.00	GBP 184.00	GBP 267.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007120**

Outside Diameter . . . . . **0.5mm**  
 Inside Diameter . . . . . **0.42mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.04mm**  
 Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 479-740-566  
 967-570-371  
 946-288-528  
 271-923-599

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	GBP 173.00	GBP 223.00	GBP 412.00
200 mm	GBP 219.00	GBP 344.00	GBP 716.00
500 mm	GBP 401.00	GBP 708.00	
1000 mm	GBP 704.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007199**

Outside Diameter . . . . . **0.60mm**  
 Inside Diameter . . . . . **0.2mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.20mm**  
 Purity . . . . . **99.95%**

**Size**  
**Web Code**  
 608-638-670

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
7.3 mm	GBP 135.00	GBP 154.00	GBP 191.00	GBP 247.00	GBP 392.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**Metal – Platinum**

**Platinum**

**Pt**



**Tube**

**PT007125** Outside Diameter..... **0.6mm** Wall Thickness..... **0.05mm**  
 Inside Diameter..... **0.5mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
224-963-280	100 mm	GBP 179.00	GBP 240.00	GBP 456.00
120-410-081	200 mm	GBP 236.00	GBP 379.00	GBP 804.00
051-258-787	500 mm	GBP 445.00	GBP 796.00	
407-349-524	1000 mm	GBP 792.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007124** Outside Diameter..... **0.6mm** Wall Thickness..... **0.04mm**  
 Inside Diameter..... **0.52mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity	
		1pc	2pcs
002-406-578	30 mm	GBP 140.00	GBP 162.00
787-456-305	60 mm	GBP 158.00	
133-593-711	90 mm	GBP 172.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007150** Outside Diameter..... **0.7mm** Wall Thickness..... **0.15mm**  
 Inside Diameter..... **0.4mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity	
		1pc	2pcs
512-258-144	50 mm	GBP 220.00	GBP 344.00
918-692-275	100 mm	GBP 340.00	GBP 585.00
836-530-161	200 mm	GBP 581.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007190** Outside Diameter..... **0.95mm** Wall Thickness..... **0.175mm**  
 Inside Diameter..... **0.60mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
783-275-579	50 mm	GBP 191.00	GBP 265.00	GBP 511.00
212-505-944	100 mm	GBP 261.00	GBP 423.00	GBP 906.00
094-366-190	200 mm	GBP 419.00	GBP 740.00	
976-613-244	500 mm	GBP 894.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007200** Outside Diameter..... **1.0mm** Wall Thickness..... **0.1mm**  
 Inside Diameter..... **0.8mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
191-655-529	50 mm	GBP 179.00	GBP 224.00	GBP 407.00
868-877-937	100 mm	GBP 220.00	GBP 340.00	GBP 699.00
609-737-910	200 mm	GBP 336.00	GBP 574.00	
217-239-936	500 mm	GBP 686.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007220** Outside Diameter..... **1.2mm** Wall Thickness..... **0.1mm**  
 Inside Diameter..... **1.0mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
442-343-448	50 mm	GBP 185.00	GBP 243.00	GBP 455.00
853-991-724	100 mm	GBP 239.00	GBP 379.00	GBP 795.00
946-616-577	200 mm	GBP 375.00	GBP 651.00	
153-420-164	500 mm	GBP 782.00		

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007250** Outside Diameter..... **2.0mm** Wall Thickness..... **0.2mm**  
 Inside Diameter..... **1.6mm** Purity..... **99.95%**  
 Temper..... **As drawn**

Size Web Code	Length	Quantity	
		1pc	2pcs
262-903-130	50 mm	GBP 289.00	GBP 475.00
374-219-287	100 mm	GBP 470.00	GBP 837.00
777-406-780	200 mm	GBP 833.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**Metal – Platinum**



**Platinum**

**Pt**



**Tube**

**PT007300**

Outside Diameter . . . . . **3.0mm**  
 Inside Diameter . . . . . **2.8mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.1mm**  
 Purity . . . . . **99.95%**

**Size**

**Web Code**  
 220-185-538  
 498-125-101  
 265-642-057

Length	Quantity	
	1pc	2pcs
50 mm	GBP 260.00	GBP 414.00
100 mm	GBP 409.00	GBP 712.00
200 mm	GBP 707.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT007500**

Outside Diameter . . . . . **6mm**  
 Inside Diameter . . . . . **5.6mm**  
 Temper . . . . . **As drawn**

Wall Thickness . . . . . **0.2mm**  
 Purity . . . . . **99.95%**

**Size**

**Web Code**  
 364-153-576  
 309-850-503

Length	Quantity	
	1pc	2pcs
25 mm	GBP 347.00	GBP 587.00
50 mm	GBP 582.00	

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.



**Powder**

**PT006021**

Max. Particle size . . . . . **3.5micron**

Purity . . . . . **99.95%**



**Web Code**  
 197-616-220  
 707-034-239

Quantity		Weight	1 Pot
		1 g	GBP 229.00
		2 g	GBP 394.00

Typical Analysis : Ag 20, Al 1, Au 5, Ca 35, Cu 2, Fe 70, Ir 5, Mg 12, Pd 200, Rh 50, Si 3.

**PT006015**

Max. Particle size . . . . . **45micron**

Purity . . . . . **99.95%**



**Web Code**  
 472-410-426  
 121-238-304

Quantity		Weight	1 Pot
		1 g	GBP 219.00
		2 g	GBP 373.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.

**PT006016**

Max. Particle size . . . . . **150micron**

Purity . . . . . **99.95%**



**Web Code**  
 212-121-872  
 996-557-010

Quantity		Weight	1 Pot
		1 g	GBP 219.00
		2 g	GBP 373.00

Typical Analysis : Ag 5, Au 10, B 4, Ca 1, Cu 10, Fe 10, Ir 10, Mg 1, Na 1, Pb 1, Pd 50, Rh 10, Si 2.



**Lump**

**PT006101**

Max. Lump size . . . . . **6mm**  
 Condition . . . . . **Pellets**

Purity . . . . . **99.95%**

**Web Code**  
 150-273-979

Quantity		Weight	1 Pot
		1.6 g	POA

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.  
 Nominally 4.7mm diameter x 4.7mm length pellets.

**PT006102**

Max. Lump size . . . . . **8mm**  
 Condition . . . . . **Granular**

Purity . . . . . **99.95%**

**Web Code**  
 407-628-294

Quantity		Weight	1 Pot
		1 g	POA

Typical Analysis : Ag 40, Au 10, Cu 10, Fe 10, Pb 5, Pd 40, Rh 20, Si 20.

**Metal – Platinum**

**Platinum**

**Pt**



**Single Crystal**

<b>PT002123</b>	Oriented ..... (100) Diameter ..... 6mm Condition ..... Polished on 1 side to 1 micron	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 051-076-108		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002121</b>	Oriented ..... (100) Diameter ..... 10mm Condition ..... Polished on 1 side to 1 micron	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 302-516-308		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002120</b>	Oriented ..... (100) Diameter ..... 10mm Condition ..... Unpolished	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 765-795-543		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002125</b>	Oriented ..... (100) Length ..... 10mm	Diameter ..... 2mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 183-437-409		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002150</b>	Oriented ..... (110) Diameter ..... 6mm Condition ..... Polished on both sides to 1 micron	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 188-857-521		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002141</b>	Oriented ..... (110) Diameter ..... 10mm Condition ..... Polished on 1 side to 1 micron	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 283-357-190		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002140</b>	Oriented ..... (110) Diameter ..... 10mm Condition ..... Unpolished	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 745-521-605		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002142</b>	Oriented ..... (110) Diameter ..... 10mm Condition ..... Unpolished	Thickness ..... 2mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 095-827-237		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		
<b>PT002131</b>	Oriented ..... (111) Diameter ..... 10mm Condition ..... Polished on 1 side to 1 micron	Thickness ..... 1mm Purity ..... 99.999%
<b>Quantity</b>		
<b>Web Code</b> 959-865-249		<b>1pc</b> GBP POA
Typical Analysis : Not applicable		

**Metal – Platinum**

**Platinum**

**Pt**



**Single Crystal**

**PT002130**

Oriented ..... **(111)**  
 Diameter ..... **10mm**  
 Condition ..... **Unpolished**

Thickness ..... **1mm**  
 Purity ..... **99.999%**

**Quantity**

**Web Code**  
 835-605-741

**1pc**  
 GBP POA

Typical Analysis : Not applicable

**PT002151**

Oriented ..... **(111)**  
 Diameter ..... **10mm**  
 Condition ..... **Polished on 1 side to 1 micron**

Thickness ..... **3mm**  
 Purity ..... **99.999%**

**Quantity**

**Web Code**  
 051-316-841

**1pc**  
 GBP POA

Typical Analysis : Not applicable

**Metal – Platinum**

## INDEX

### F

Foil, Platinum 21

### I

Insulated Wire, Platinum 36

### L

Lump, Platinum 41

### M

Mesh, Platinum 29

Microfoil, Platinum 20

### P

Platinum (Pt) 20

Powder, Platinum 41

### R

Rod, Platinum 37

### S

Single Crystal, Platinum 42

Sputtering Target, Platinum 28

### T

Tube, Platinum 39

### W

Wire  
 .. Platinum 29