

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



**Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England

Tel: +44 1480 424 800  
or +44 1480 424 800  
Fax: +44 1480 424 900  
or +44 1480 424 900

**Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

**Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

**Goodfellow GmbH**

Am Alstertwiete 3  
D-20099 Hamburg  
Germany

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

**Goodfellow (Shanghai) Trading Co., Ltd**

Room 803, Centro Build, No. 568 Hengfeng Road  
SHANGHAI  
200070

The People's Republic of China  
Tel: 00 86 21 6112 1560

# Standard Price List for Tin

## CONTENTS

<b>Introduction</b>	<b>4</b>
<b>Product Descriptions</b>	<b>5</b>
<b>Hazards Information</b>	<b>10</b>
<b>General Information</b>	<b>11</b>
<b>Order information</b>	<b>12</b>
<b>Company Details</b>	<b>15</b>
<b>Conditions of Sale</b>	<b>16</b>
<b>Metal</b>	<b>20</b>
<b>INDEX</b>	<b>43</b>

---

## Introduction

---

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at [www.goodfellow.com](http://www.goodfellow.com).

### Materials

#### ***Metals and Alloys***

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

#### ***Ceramics***

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit [www.goodfellow-ceramics.com](http://www.goodfellow-ceramics.com) for further information.

#### ***Polymers***

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

#### ***Compounds & Intermetallics***

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

#### ***Composites***

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

#### ***Glasses***

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

**Product Descriptions**



**Bar**

A straight length of rectangular, square or oval section material.

**Tolerances**

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



**Bolt**

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

**Tolerances**

See item



**Chopped Fibre**

Fibres cut into short lengths called cut, staple or chopped fibre.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Crucible**

A vessel in which other materials may be heated or melted, usually at high temperatures.

**Tolerances**

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



**Fabric**

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

**Tolerances**

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



**Fibre**

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Film**

A non-metallic sheet material with a thickness < 0.5mm.

**Tolerances**

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



**Flake**

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Foam**

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



**Foil**

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

**Tolerances**

Thickness: < 0.010mm ± 25%  
 0.01-0.05mm ± 15%  
 > 0.050mm ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%



**Granule**

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

**Tolerances**

Dimensions shown are nominal



**Honeycomb**

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



**Insulated Wire**

A single or multiple flexible strand of metal or alloy with an insulating sheath.

**Tolerances**

Wire diameter: ± 10%  
 Length: + 5% / -1%  
 Insulation thickness: Nominal values only



**Laminate**

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

**Tolerances**

Thickness: ± 10%  
 Size (linear dimension): ≤ 100mm ± 1mm  
 > 100mm + 2% / -1%



**Lump**

A solid piece of material with no defined shape.

**Tolerances**

Dimensions shown are nominal



**Mesh**

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

**Tolerances**

Thickness: woven: ± 10%  
 electroformed: ± 20%  
 Wire diameter: ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%

**Product Descriptions**



**Metallised Film**

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

**Tolerances**

Thickness:  $\pm 10\%$   
 Size (linear dimension):  $< 100\text{mm}$   $\pm 1\text{mm}$   
 $\geq 100\text{mm}$   $+2\% / -1\%$



**Microfoil**

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Microleaf**

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Monofilament**

A single strand of a non-metallic material.

**Tolerances**

Diameter:  $\pm 20\%$   
 Length:  $+5\% / -1\%$



**Non-Woven Fabric**

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

**Tolerances**

Size (linear dimension):  $< 100\text{mm}$   $\pm 5\text{mm}$   
 $> 100\text{mm}$   $\pm 5\%$



**Nut**

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

**Tolerances**

See item



**Powder**

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Rod**

A straight length of circular section material.

**Tolerances**

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Sheet**

Flat material with a thickness > 0.5mm.

**Tolerances**

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



**Single Crystal**

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

**Tolerances**

Orientation:	± 3°
Size:	Sizes shown are nominal



**Sphere**

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

**Tolerances**

Diameter (standard):	± 5%
Diameter (precision):	see item



**Sputtering Target**

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

**Tolerances**

Thickness:	± 0.5mm
Size:	± 0.5mm



**Tube**

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

**Tolerances**

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:	± 10%	
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Washer**

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

**Tolerances**

See item



## Product Descriptions



### Wire

A single or multiple flexible strand of pure metal or alloy.

#### Tolerances

Wire diameter:  $\pm 10\%$   
Length:  $+ 5\% / -1\%$

## Hazards Information

### HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

### HAZARD SYMBOLS



C

#### Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

#### Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

#### Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

#### Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

#### Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

#### Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

#### Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

#### Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

#### Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

#### Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

## General Information

### Analyses

#### Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

#### Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

#### High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

### Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

### Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

### Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

### Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

### Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

---

## Order information

---

### General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

### Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

### Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Delivery

#### Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

#### Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

#### Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

#### Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

### Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

### Despatch

Orders will normally be despatched within 48 hours of receipt.

### Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

### Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

### Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

### Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

### Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

---

## Order information

---

### Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

### Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

### VAT

VAT number: GB 212 8527 79

### UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

### EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

### Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

### Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

### Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

### Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

### Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

### Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

### Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

---

## Order information

---

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at [www.goodfellow.com](http://www.goodfellow.com) or [www.goodfellowusa.com](http://www.goodfellowusa.com).

---

## Company Details

---

### Company Structure

The Goodfellow Group consists of five companies:

#### ***Goodfellow Cambridge Limited***

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

#### ***Goodfellow Corporation***

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

#### ***Goodfellow GmbH***

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

#### ***Goodfellow SARL***

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

#### ***Goodfellow (Shanghai) Trading Co., Ltd***

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England  
Registered in England and Wales no. 1188162  
VAT registration GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Alstertwiete 3  
D-20099 Hamburg  
Germany  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Room 803, Centro Build, No. 568 Hengfeng Road  
SHANGHAI  
200070  
The People's Republic of China

# Conditions of Sale

## 1 GENERAL

### 1.1 In these Conditions:

#### 1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

#### 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3
- 8 QUANTITIES INSTALMENTS AND STORAGE**
- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4
- 9 TERMS OF PAYMENT**
- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.
- 10 SUSPENSION AND CANCELLATION**
- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination
- 11 INSPECTION AND CLAIMS FOR DEFECTS**
- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods
- 12 WARRANTY**
- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Conditions of Sale

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

# Tin Sn

Tin was known and used by ancient civilisations.

Tin is a silvery white metal which is soft and pliable, and which emits the characteristic sound of "tin cry" when bent. It is a relatively common element, its abundance being 2.2 ppm in the earth's crust. Its principal ore is cassiterite, SnO<sub>2</sub>, from which the metal is obtained by reduction. Tin forms a stable oxide coating on its surface which makes it unreactive in water; however, it is soluble in both acids and alkalis, and reacts readily with halogens.

As tin has good chemical resistance, it is used as a coating of other metals to prevent corrosion, the coating of steel to produce tin plate being an important example of this application. Tin is widely used in the manufacture of soft solders where it is alloyed with other elements to produce a wide range of alloys with different characteristics. Tin is also a constituent of bronzes, pewter, certain bearing materials and fusible alloys.

### Atomic Properties

Atomic number	50
Atomic radius - Goldschmidt	0.158 nm
Atomic weight	118.69 amu
Crystal structure	Tetragonal
Electronic structure	Kr 4d <sup>10</sup> 5s <sup>2</sup> 5p <sup>2</sup>
Photo-electric work function	4.3 eV
Thermal neutron absorption cross-section	0.63 Barns
Valences shown	2, 4

Natural isotope distribution	Mass No.	%
	112	1.0
	114	0.7
	115	0.4
	116	14.7
	117	7.7
	118	24.3
	119	8.6
	120	32.4
	122	4.6
	124	5.6
Ionisation potential	No.	eV
	1	7.34
	2	14.63
	3	30.5
	4	40.7
	5	72.3

### Physical Properties

Boiling point	2270 C
Density @20C	7.28 g cm <sup>-3</sup>
Melting point	231.9 C

### Electrical Properties

Electrical resistivity @20C	12.6 μOhmcm
Temperature coefficient @0-100C	0.0046 K <sup>-1</sup>
Superconductivity critical temperature	3.722 K
Thermal emf against Pt (cold 0C - hot 100C)	+0.42 mV

### Thermal Properties

Coefficient of thermal expansion @0-100C	23.5 x 10 <sup>-6</sup> K <sup>-1</sup>
Latent heat of evaporation	2497 J g <sup>-1</sup>
Latent heat of fusion	59.6 J g <sup>-1</sup>
Specific heat @25C	213 J K <sup>-1</sup> kg <sup>-1</sup>
Thermal conductivity @0-100C	66.8 W m <sup>-1</sup> K <sup>-1</sup>

### Mechanical Properties

Material condition	Polycrystalline
Bulk modulus	58.2 GPa
Hardness - Mohs	1.5-1.8
Poisson's ratio	0.357
Tensile modulus	49.9 GPa



## Microfoil

CONTRACT COATING of customers' own components or assemblies is available to special order.

<b>SN004600</b>	Thickness..... <b>0.25μm</b>	Area density..... <b>182.5μg.cm<sup>-2</sup></b>			
	Purity..... <b>99.999%</b>	Support..... <b>Permanent Mylar 3.5μm</b>			
	<b>Quantity</b>				
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
576-040-029	10 mm	EUR 301.00	EUR 414.00	EUR 750.00	EUR 1199.00
626-251-027	25 mm	EUR 451.00	EUR 638.00	EUR 1199.00	EUR 1946.00

Typical Analysis : Starting Material : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>SN004700</b>	Thickness..... <b>0.5μm</b>	Area density..... <b>365μg.cm<sup>-2</sup></b>			
	Purity..... <b>99.999%</b>	Support..... <b>Permanent Mylar 3.5μm</b>			
	<b>Quantity</b>				
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
536-794-715	10 mm	EUR 321.00	EUR 443.00	EUR 809.00	EUR 1296.00
417-463-944	25 mm	EUR 484.00	EUR 687.00	EUR 1296.00	EUR 2109.00

Typical Analysis : Starting Material : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>SN004850</b>	Thickness..... <b>1.0μm</b>	Area density..... <b>730μg.cm<sup>-2</sup></b>			
	Purity..... <b>99.999%</b>	Support..... <b>Permanent Mylar 3.5μm</b>			
	<b>Quantity</b>				
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
883-215-292	10 mm	EUR 370.00	EUR 516.00	EUR 955.00	EUR 1540.00
237-545-395	25 mm	EUR 565.00	EUR 809.00	EUR 1540.00	EUR 2515.00

Typical Analysis : Starting Material : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.  
 This item is normally made to order for delivery within 4-5 weeks.



## Foil

<b>SN000040</b>	Thickness..... <b>0.0005mm</b>	Purity..... <b>99.75%</b>					
	Support..... <b>Temporary Acrylic</b>						
	<b>Quantity</b>						
<b>Sizes LT</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>3pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>15pcs</b>
<b>Web Code</b>							
869-426-944	25 x 25 mm	EUR 374.00	EUR 488.00	EUR 578.00	EUR 725.00	EUR 1004.00	EUR 1437.00
080-596-641	50 x 50 mm	EUR 629.00	EUR 849.00	EUR 1139.00	EUR 1825.00	EUR 3511.00	EUR 5197.00
982-719-623	100 x 100 mm	EUR 1455.00	EUR 2801.00	EUR 4146.00	EUR 6838.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**Tin**  
**Sn**



**Foil**

**SN000050**

Thickness ..... **0.001mm** Purity..... **99.75%**  
 Support..... **Temporary Acrylic**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
726-821-625	25 x 25 mm	EUR 351.00	EUR 457.00	EUR 678.00
237-622-911	50 x 50 mm	EUR 586.00	EUR 790.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000060**

Thickness ..... **0.002mm** Purity..... **99.75%**  
 Support..... **Temporary Acrylic**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
475-336-868	25 x 25 mm	EUR 337.00	EUR 438.00	EUR 648.00
546-020-524	50 x 50 mm	EUR 559.00	EUR 759.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000070**

Thickness ..... **0.0025mm** Purity..... **99.75%**  
 Support..... **Temporary Acrylic**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
823-443-159	25 x 25 mm	EUR 324.00	EUR 419.00	EUR 617.00
518-852-325	50 x 50 mm	EUR 532.00	EUR 731.00	

Discs		Quantity		
Web Code	Diameter	10 discs	20 discs	50 discs
017-091-081	4 mm	EUR 368.00	EUR 450.00	EUR 646.00
136-379-213	6 mm	EUR 427.00	EUR 534.00	EUR 782.00
047-403-203	8 mm	EUR 487.00	EUR 620.00	EUR 920.00
925-401-343	10 mm	EUR 547.00	EUR 706.00	
675-167-359	15 mm	EUR 694.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000081**

Thickness ..... **0.003mm** Purity..... **99.95%**  
 Temper..... **As rolled**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
122-744-663	25 x 25 mm	EUR 466.00	EUR 601.00	EUR 882.00
700-143-275	50 x 50 mm	EUR 759.00	EUR 1058.00	

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**SN000204**

Thickness ..... **0.004mm** High Purity ..... **99.99+%**  
 Temper..... **As rolled**

Sizes LT		Quantity	
Web Code	Size	1pc	2pcs
317-030-939	25 x 25 mm	EUR 506.00	EUR 675.00

Discs		Quantity		
Web Code	Diameter	10 discs	20 discs	50 discs
295-038-300	4 mm	EUR 558.00	EUR 782.00	
879-788-416	6 mm	EUR 677.00		
973-551-661	8 mm	EUR 796.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.

**SN000090**

Thickness ..... **0.004mm** Purity..... **99.75%**

Sizes LT		Quantity		
Web Code	Size	1pc	2pcs	5pcs
602-613-195	25 x 25 mm	EUR 297.00	EUR 382.00	EUR 559.00
475-075-976	50 x 50 mm	EUR 480.00	EUR 677.00	

Discs		Quantity		
Web Code	Diameter	10 discs	20 discs	50 discs
278-278-482	4 mm	EUR 353.00	EUR 429.00	EUR 613.00
784-804-672	6 mm	EUR 405.00	EUR 503.00	EUR 732.00
100-576-091	8 mm	EUR 457.00	EUR 578.00	EUR 854.00
572-003-858	10 mm	EUR 510.00	EUR 653.00	
500-486-582	15 mm	EUR 639.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**Metal – Tin**

**Tin**  
**Sn**



## Foil

**SN000101**

Thickness ..... **0.005mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

### Sizes LT

**Web Code**  
 247-792-016  
 294-277-562

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 411.00	EUR 542.00	EUR 835.00
50 x 50 mm	EUR 707.00	EUR 1219.00	

### Discs

**Web Code**  
 027-819-857  
 805-616-732  
 844-939-963  
 875-886-796  
 654-785-384

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 416.00	EUR 518.00	EUR 755.00
6 mm	EUR 500.00	EUR 637.00	EUR 944.00
8 mm	EUR 584.00	EUR 756.00	
10 mm	EUR 668.00	EUR 877.00	
15 mm	EUR 875.00		

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**SN000110**

Thickness ..... **0.006mm**

Purity ..... **99.75%**

### NLT Sizes

**Web Code**  
 540-064-095  
 353-058-609

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 273.00	EUR 347.00	EUR 503.00
50 x 50 mm	EUR 430.00	EUR 623.00	

### Sizes LT

**Web Code**  
 419-630-695  
 154-974-774

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 300.00	EUR 381.00	EUR 553.00
50 x 50 mm	EUR 473.00	EUR 685.00	

### Discs

**Web Code**  
 349-693-480  
 711-686-876  
 960-860-432  
 107-561-998  
 445-241-666

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 339.00	EUR 409.00	EUR 582.00
6 mm	EUR 384.00	EUR 473.00	EUR 685.00
8 mm	EUR 429.00	EUR 538.00	EUR 790.00
10 mm	EUR 475.00	EUR 603.00	
15 mm	EUR 586.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000200**

Thickness ..... **0.006mm**

Purity ..... **97.4%**

### NLT Sizes

**Web Code**  
 476-216-846  
 221-694-829  
 451-386-296  
 851-109-828

Size	Quantity					
	1pc	2pcs	5pcs	10pcs	20pcs	
50 x 50 mm	EUR 191.00	EUR 202.00	EUR 227.00	EUR 262.00	EUR 321.00	
100 x 100 mm	EUR 209.00	EUR 227.00	EUR 267.00	EUR 317.00	EUR 399.00	
150 x 150 mm	EUR 226.00	EUR 252.00	EUR 306.00	EUR 373.00	EUR 478.00	
200 x 300 mm	EUR 260.00	EUR 299.00	EUR 381.00	EUR 478.00		

### Sizes LT

**Web Code**  
 878-367-106  
 629-738-492

Size	Quantity					
	1pc	2pcs	5pcs	10pcs	20pcs	
25 x 25 mm	EUR 182.00	EUR 189.00	EUR 208.00	EUR 234.00	EUR 281.00	
50 x 50 mm	EUR 239.00	EUR 252.00	EUR 284.00	EUR 327.00	EUR 401.00	

### Coil

**Web Code**  
 222-542-966  
 300-402-328  
 862-926-031  
 601-901-636

Length	Quantity	
	1 Reel	
1 m	EUR 364.00	
2 m	EUR 430.00	
5 m	EUR 561.00	
10 m	EUR 711.00	

### Discs

**Web Code**  
 105-106-811  
 138-352-241  
 294-032-337  
 754-037-514  
 254-691-075  
 836-386-711  
 548-337-556

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 348.00	EUR 394.00	EUR 502.00
6 mm	EUR 351.00	EUR 398.00	EUR 508.00
8 mm	EUR 354.00	EUR 402.00	EUR 514.00
10 mm	EUR 357.00	EUR 405.00	EUR 520.00
15 mm	EUR 363.00	EUR 415.00	EUR 535.00
25 mm	EUR 377.00	EUR 434.00	EUR 565.00
50 mm	EUR 410.00	EUR 481.00	EUR 640.00

Typical Analysis : As 130, Bi 40, Cu 60, Fe 70, Pb 330, Sb 2.4%.  
 Prices for 200mm wide coil on request.

**Metal - Tin**

**Tin**  
**Sn**



## Foil

**SN000120**

Thickness ..... **0.007mm**

Purity ..... **99.75%**

### Sizes LT

Web Code  
786-818-319  
335-958-690

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 271.00	EUR 345.00	EUR 500.00
50 x 50 mm	EUR 427.00	EUR 613.00	

### Discs

Web Code  
937-788-135  
223-517-001  
939-629-209  
453-650-587  
706-317-489

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 338.00	EUR 408.00	EUR 580.00
6 mm	EUR 383.00	EUR 471.00	EUR 682.00
8 mm	EUR 428.00	EUR 535.00	EUR 786.00
10 mm	EUR 473.00	EUR 600.00	
15 mm	EUR 583.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000121**

Thickness ..... **0.007mm**

Purity ..... **99.95%**

Temper ..... **As rolled**

### NLT Sizes

Web Code  
531-121-581  
285-265-532

Size	Quantity	
	1pc	2pcs
25 x 25 mm	EUR 341.00	EUR 443.00
50 x 50 mm	EUR 627.00	

### Sizes LT

Web Code  
370-001-011

Size	Quantity	
	1pc	2pcs
25 x 25 mm	EUR 409.00	EUR 532.00

### Discs

Web Code  
417-974-247  
360-263-227  
423-309-562  
605-645-176

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 378.00	EUR 465.00	EUR 671.00
6 mm	EUR 443.00	EUR 558.00	
8 mm	EUR 509.00	EUR 652.00	
10 mm	EUR 575.00		

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**SN000201**

Thickness ..... **0.007mm**

Purity ..... **97.4%**

### NLT Sizes

Web Code  
206-509-571  
901-398-997  
543-136-799

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	EUR 202.00	EUR 220.00	EUR 260.00	EUR 311.00	EUR 393.00
150 x 150 mm	EUR 219.00	EUR 245.00	EUR 300.00	EUR 367.00	EUR 473.00
200 x 300 mm	EUR 253.00	EUR 293.00	EUR 375.00	EUR 473.00	

### Sizes LT

Web Code  
874-770-810  
925-957-415

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 175.00	EUR 182.00	EUR 200.00	EUR 227.00	EUR 274.00
50 x 50 mm	EUR 184.00	EUR 195.00	EUR 220.00	EUR 255.00	EUR 314.00

### Coil

Web Code  
832-322-771  
533-077-834  
457-897-554  
473-037-043

Length	Quantity	
	1 Reel	
1 m	EUR 358.00	
2 m	EUR 424.00	
5 m	EUR 557.00	
10 m	EUR 708.00	

### Discs

Web Code  
666-289-967  
286-245-631  
780-708-668  
588-587-018  
573-386-804  
673-354-978  
169-362-854

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 332.00	EUR 378.00	EUR 486.00
6 mm	EUR 335.00	EUR 382.00	EUR 492.00
8 mm	EUR 338.00	EUR 386.00	EUR 498.00
10 mm	EUR 341.00	EUR 389.00	EUR 504.00
15 mm	EUR 347.00	EUR 399.00	EUR 519.00
25 mm	EUR 361.00	EUR 418.00	EUR 549.00
50 mm	EUR 394.00	EUR 466.00	EUR 625.00

Typical Analysis : As 130, Bi 40, Cu 60, Fe 70, Pb 330, Sb 2.4%.  
 Prices for 200mm wide coil on request.

Metal - Tin

**Tin  
Sn**



**Foil**

**SN000130**

Thickness ..... **0.008mm**  
 Condition..... **Electrodeposited**

Purity..... **99.75%**

**NLT Sizes**

**Web Code**  
 654-083-624  
 095-480-285  
 677-031-043

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 261.00	EUR 330.00	EUR 477.00
50 x 50 mm	EUR 407.00	EUR 597.00	
100 x 100 mm	EUR 1062.00		

**Sizes LT**

**Web Code**  
 438-550-942  
 464-633-513

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 287.00	EUR 363.00	EUR 525.00
50 x 50 mm	EUR 447.00	EUR 657.00	

**Discs**

**Web Code**  
 349-875-515  
 734-440-916  
 805-119-268  
 639-912-441  
 989-051-242

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 333.00	EUR 400.00	EUR 567.00
6 mm	EUR 374.00	EUR 459.00	EUR 663.00
8 mm	EUR 416.00	EUR 519.00	EUR 760.00
10 mm	EUR 458.00	EUR 580.00	EUR 926.00
15 mm	EUR 561.00	EUR 765.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000131**

Thickness ..... **0.008mm**  
 Temper..... **As rolled**

Purity..... **99.75%**

**NLT Sizes**

**Web Code**  
 462-058-619  
 012-198-907  
 018-196-502

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 261.00	EUR 330.00	EUR 477.00
50 x 50 mm	EUR 407.00	EUR 597.00	
100 x 100 mm	EUR 1062.00		

**Sizes LT**

**Web Code**  
 985-884-350  
 745-489-857

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 287.00	EUR 363.00	EUR 525.00
50 x 50 mm	EUR 447.00	EUR 657.00	

**Discs**

**Web Code**  
 196-434-296  
 316-691-395  
 679-435-936  
 287-011-541  
 804-736-640

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 333.00	EUR 400.00	EUR 567.00
6 mm	EUR 374.00	EUR 459.00	EUR 663.00
8 mm	EUR 416.00	EUR 519.00	EUR 760.00
10 mm	EUR 458.00	EUR 580.00	EUR 926.00
15 mm	EUR 561.00	EUR 765.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000140**

Thickness ..... **0.009mm**

Purity..... **99.75%**

**NLT Sizes**

**Web Code**  
 071-287-610  
 050-039-635  
 793-895-236

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 251.00	EUR 317.00	EUR 455.00
50 x 50 mm	EUR 388.00	EUR 585.00	
100 x 100 mm	EUR 1036.00		

**Sizes LT**

**Web Code**  
 303-150-579  
 515-715-489

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 276.00	EUR 348.00	EUR 501.00
50 x 50 mm	EUR 426.00	EUR 643.00	

**Discs**

**Web Code**  
 942-007-022  
 750-883-901  
 860-495-807  
 561-977-725  
 247-224-568

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 327.00	EUR 392.00	EUR 555.00
6 mm	EUR 366.00	EUR 448.00	EUR 645.00
8 mm	EUR 405.00	EUR 504.00	EUR 736.00
10 mm	EUR 445.00	EUR 561.00	EUR 912.00
15 mm	EUR 541.00	EUR 752.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**Metal – Tin**



**Tin**  
**Sn**



## Foil

**SN000210**

Thickness ..... **0.009mm**

Purity ..... **97.4%**

### NLT Sizes

**Web Code**

834-375-998  
497-256-589  
611-137-430

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	EUR 187.00	EUR 202.00	EUR 234.00	EUR 275.00	EUR 341.00
150 x 150 mm	EUR 201.00	EUR 222.00	EUR 266.00	EUR 320.00	EUR 405.00
200 x 300 mm	EUR 228.00	EUR 260.00	EUR 327.00	EUR 407.00	

### Sizes LT

**Web Code**

203-297-587  
013-015-556

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 165.00	EUR 171.00	EUR 186.00	EUR 207.00	EUR 245.00
50 x 50 mm	EUR 172.00	EUR 181.00	EUR 202.00	EUR 229.00	EUR 277.00

### Coil

**Web Code**

668-609-501  
576-192-442  
024-053-604  
006-711-279  
838-905-474

Length	Quantity	
	1 Reel	
0.5 m	EUR 282.00	
1 m	EUR 320.00	
2 m	EUR 374.00	
5 m	EUR 482.00	
10 m	EUR 605.00	

### Discs

**Web Code**

923-111-854  
388-975-664  
621-961-611  
745-204-801  
150-604-512  
825-573-443  
196-683-143

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 306.00	EUR 343.00	EUR 424.00
6 mm	EUR 309.00	EUR 346.00	EUR 429.00
8 mm	EUR 311.00	EUR 349.00	EUR 433.00
10 mm	EUR 313.00	EUR 352.00	EUR 438.00
15 mm	EUR 318.00	EUR 360.00	EUR 451.00
25 mm	EUR 329.00	EUR 375.00	EUR 475.00
50 mm	EUR 357.00	EUR 414.00	EUR 536.00

Typical Analysis : As 130, Bi 40, Cu 60, Fe 70, Pb 330, Sb 2.4%.

**SN000150**

Thickness ..... **0.01mm**

Purity ..... **99.75%**

### NLT Sizes

**Web Code**

816-328-082  
144-363-346  
328-299-580

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 249.00	EUR 313.00	EUR 450.00
50 x 50 mm	EUR 383.00	EUR 569.00	
100 x 100 mm	EUR 1004.00		

### Sizes LT

**Web Code**

977-642-833  
308-445-826

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 274.00	EUR 345.00	EUR 495.00
50 x 50 mm	EUR 421.00	EUR 626.00	

### Discs

**Web Code**

846-478-296  
809-780-248  
222-532-843  
816-605-281  
075-654-074

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 326.00	EUR 390.00	EUR 552.00
6 mm	EUR 364.00	EUR 445.00	EUR 640.00
8 mm	EUR 403.00	EUR 500.00	EUR 729.00
10 mm	EUR 442.00	EUR 556.00	EUR 893.00
15 mm	EUR 536.00	EUR 736.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000212**

Thickness ..... **0.01mm**

Purity ..... **97.4%**

### Sizes LT

**Web Code**

901-147-131  
954-148-897  
461-385-968  
286-019-066  
868-363-603

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 158.00	EUR 163.00	EUR 178.00	EUR 198.00	EUR 236.00
50 x 50 mm	EUR 164.00	EUR 173.00	EUR 192.00	EUR 219.00	EUR 265.00
100 x 100 mm	EUR 178.00	EUR 192.00	EUR 222.00	EUR 261.00	EUR 324.00
150 x 150 mm	EUR 191.00	EUR 210.00	EUR 252.00	EUR 303.00	EUR 384.00
200 x 300 mm	EUR 216.00	EUR 246.00	EUR 308.00	EUR 382.00	

### Coil

**Web Code**

021-962-227  
745-285-340  
160-662-896  
082-858-782  
357-348-889

Length	Quantity	
	1 Reel	
0.5 m	EUR 269.00	
1 m	EUR 304.00	
2 m	EUR 354.00	
5 m	EUR 453.00	
10 m	EUR 567.00	

### Discs

**Web Code**

736-240-134  
030-022-417  
752-812-272  
101-536-955  
692-122-135  
515-267-394  
408-413-884

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 291.00	EUR 327.00	EUR 408.00
6 mm	EUR 293.00	EUR 330.00	EUR 413.00
8 mm	EUR 295.00	EUR 333.00	EUR 417.00
10 mm	EUR 297.00	EUR 336.00	EUR 421.00
15 mm	EUR 302.00	EUR 343.00	EUR 433.00
25 mm	EUR 312.00	EUR 357.00	EUR 455.00
50 mm	EUR 337.00	EUR 393.00	EUR 511.00

Typical Analysis : As 130, Bi 40, Cu 60, Fe 70, Pb 330, Sb 2.4%.

**Metal - Tin**

**Tin**  
**Sn**



**Foil**

**SN000160**

Thickness ..... 0.0125mm

Purity..... 99.75%

**NLT Sizes**

**Web Code**  
220-238-418  
145-263-455

Size	Quantity		
	1pc	2pcs	5pcs
50 x 50 mm	EUR 338.00	EUR 515.00	
100 x 100 mm	EUR 896.00		

**Sizes LT**

**Web Code**  
516-847-455  
565-823-768

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 227.00	EUR 282.00	EUR 400.00
50 x 50 mm	EUR 372.00	EUR 566.00	

**Discs**

**Web Code**  
117-689-243  
711-154-763  
894-341-768  
792-714-995  
089-372-210

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 314.00	EUR 373.00	EUR 524.00
6 mm	EUR 345.00	EUR 418.00	EUR 597.00
8 mm	EUR 378.00	EUR 464.00	EUR 672.00
10 mm	EUR 410.00	EUR 511.00	EUR 831.00
15 mm	EUR 489.00	EUR 681.00	

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000220**

Thickness ..... 0.0125mm

Purity..... 97.4%

**NLT Sizes**

**Web Code**  
807-686-720  
768-301-278  
419-992-047

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	EUR 169.00	EUR 182.00	EUR 210.00	EUR 247.00	EUR 305.00
150 x 150 mm	EUR 182.00	EUR 200.00	EUR 239.00	EUR 287.00	EUR 362.00
250 x 300 mm	EUR 213.00	EUR 244.00	EUR 309.00	EUR 386.00	

**Sizes LT**

**Web Code**  
996-177-096  
088-194-667  
000-226-999  
269-002-768

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 150.00	EUR 155.00	EUR 168.00	EUR 186.00	EUR 220.00
50 x 50 mm	EUR 156.00	EUR 164.00	EUR 182.00	EUR 206.00	EUR 248.00
100 x 100 mm	EUR 186.00	EUR 200.00	EUR 231.00	EUR 271.00	EUR 336.00
150 x 150 mm	EUR 218.00	EUR 240.00	EUR 287.00	EUR 344.00	EUR 434.00

**Coil**

**Web Code**  
304-175-668  
336-297-445  
037-183-910  
647-999-481  
999-930-980

Length	Quantity	
	1 Reel	
0.5 m	EUR 267.00	
1 m	EUR 305.00	
2 m	EUR 358.00	
5 m	EUR 465.00	
10 m	EUR 586.00	

**Discs**

**Web Code**  
991-372-239  
921-528-522  
191-073-349  
884-174-359  
521-795-099  
224-386-495  
048-303-311

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 271.00	EUR 303.00	EUR 379.00
6 mm	EUR 273.00	EUR 305.00	EUR 383.00
8 mm	EUR 275.00	EUR 308.00	EUR 387.00
10 mm	EUR 276.00	EUR 311.00	EUR 391.00
15 mm	EUR 281.00	EUR 318.00	EUR 402.00
25 mm	EUR 291.00	EUR 331.00	EUR 424.00
50 mm	EUR 315.00	EUR 365.00	EUR 478.00

Typical Analysis : As 130, Bi 40, Cu 60, Fe 70, Pb 330, Sb 2.4%.

**SN000170**

Thickness ..... 0.015mm

Purity..... 99.75%

**NLT Sizes**

**Web Code**  
786-450-220  
088-478-616  
894-072-666

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
50 x 50 mm	EUR 284.00	EUR 461.00	EUR 993.00	
100 x 100 mm	EUR 789.00	EUR 1471.00		
150 x 150 mm	EUR 1630.00			

**Sizes LT**

**Web Code**  
388-249-153  
755-719-378

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 199.00	EUR 243.00	EUR 361.00	EUR 587.00
50 x 50 mm	EUR 312.00	EUR 507.00	EUR 1092.00	

**Discs**

**Web Code**  
330-805-327  
350-672-691  
834-085-085  
260-625-906  
578-240-954  
280-115-298

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 298.00	EUR 351.00	EUR 490.00
6 mm	EUR 322.00	EUR 385.00	EUR 545.00
8 mm	EUR 347.00	EUR 420.00	EUR 630.00
10 mm	EUR 371.00	EUR 456.00	EUR 769.00
15 mm	EUR 431.00	EUR 626.00	EUR 1238.00
25 mm	EUR 722.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**Metal – Tin**

**Tin  
Sn**



**Foil**

**SN000180**

Thickness ..... **0.02mm**

Purity..... **99.75%**

**NLT Sizes**

**Web Code**

869-136-250  
 215-364-782  
 973-064-107

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
50 x 50 mm	EUR 281.00	EUR 451.00	EUR 969.00	
100 x 100 mm	EUR 770.00	EUR 1433.00		
150 x 150 mm	EUR 1588.00			

**Sizes LT**

**Web Code**

450-103-690  
 284-120-180

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 198.00	EUR 241.00	EUR 355.00	EUR 575.00
50 x 50 mm	EUR 309.00	EUR 496.00	EUR 1066.00	

**Discs**

**Web Code**

291-770-396  
 471-288-004  
 911-003-600  
 875-450-094  
 431-253-757  
 906-717-441

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 298.00	EUR 350.00	EUR 488.00
6 mm	EUR 321.00	EUR 384.00	EUR 543.00
8 mm	EUR 345.00	EUR 418.00	EUR 623.00
10 mm	EUR 370.00	EUR 453.00	EUR 758.00
15 mm	EUR 428.00	EUR 616.00	EUR 1214.00
25 mm	EUR 709.00		

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

**SN000190**

Thickness ..... **0.025mm**

Purity..... **99.75%**

**NLT Sizes**

**Web Code**

157-338-521

Size	Quantity			
	1pc	2pcs	3pcs	5pcs
50 x 50 mm	EUR 165.00	EUR 192.00	EUR 215.00	EUR 257.00

**Sizes LT**

**Web Code**

012-240-879  
 000-614-456

Size	Quantity			
	1pc	2pcs	3pcs	5pcs
25 x 25 mm	EUR 145.00	EUR 163.00	EUR 180.00	EUR 211.00
50 x 50 mm	EUR 181.00	EUR 211.00	EUR 237.00	EUR 282.00

Typical Analysis : Ag 3, Al 25, Au 50, B 5, Bi 10, Ca 150, Cd 1, Cr 400, Cu 800, Fe 400, Ga 2, In 3, K 200, Mg 7, Mn 30, Mo 50, Na 50, Ni 20, Pb 50, Sb 50, Si 60, Zn 20.

Very limited stock available.

**SN000230**

Thickness ..... **0.025mm**

High Purity ..... **99.99+ %**

**NLT Sizes**

**Web Code**

435-145-355

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 387.00	EUR 527.00	EUR 820.00	

**Sizes LT**

**Web Code**

807-114-565  
 798-065-944

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 161.00	EUR 207.00	EUR 314.00	EUR 458.00
50 x 50 mm	EUR 236.00	EUR 314.00	EUR 483.00	EUR 697.00

**Discs**

**Web Code**

487-594-743  
 949-348-072  
 668-512-208  
 564-033-015  
 504-135-422  
 016-928-629  
 116-083-874

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 372.00	EUR 498.00	EUR 858.00
6 mm	EUR 395.00	EUR 530.00	EUR 909.00
8 mm	EUR 418.00	EUR 563.00	EUR 961.00
10 mm	EUR 440.00	EUR 595.00	EUR 1012.00
15 mm	EUR 498.00	EUR 676.00	EUR 1140.00
25 mm	EUR 612.00	EUR 839.00	
50 mm	EUR 899.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**Metal – Tin**

**Tin**  
**Sn**



## Foil

**SN000235**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

### Size

#### Web Code

876-352-900  
 310-062-466  
 392-809-902  
 208-347-044  
 711-905-697

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 108.00	EUR 114.00	EUR 127.00	EUR 145.00	EUR 178.00
50 x 50 mm	EUR 116.00	EUR 125.00	EUR 146.00	EUR 172.00	EUR 215.00
100 x 100 mm	EUR 133.00	EUR 149.00	EUR 183.00	EUR 224.00	EUR 289.00
150 x 150 mm	EUR 150.00	EUR 172.00	EUR 220.00	EUR 277.00	EUR 364.00
150 x 300 mm	EUR 170.00	EUR 202.00	EUR 266.00	EUR 342.00	

### Coil

#### Web Code

825-344-397  
 473-456-988  
 922-968-281  
 520-495-946

Width **150mm**

Length	1 Reel
	0.5 m
1 m	EUR 263.00
2 m	EUR 317.00
5 m	EUR 426.00

### Discs

#### Web Code

093-075-592  
 962-108-392  
 999-056-865  
 499-021-507  
 484-047-851  
 361-397-103  
 965-427-587

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 198.00	EUR 221.00	EUR 279.00
6 mm	EUR 200.00	EUR 224.00	EUR 283.00
8 mm	EUR 202.00	EUR 227.00	EUR 288.00
10 mm	EUR 204.00	EUR 230.00	EUR 293.00
15 mm	EUR 209.00	EUR 237.00	EUR 305.00
25 mm	EUR 220.00	EUR 252.00	EUR 328.00
50 mm	EUR 246.00	EUR 290.00	EUR 387.00

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**SN000231**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

### NLT Sizes

#### Web Code

171-098-281

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
300 x 300 mm	EUR 185.00	EUR 217.00	EUR 284.00		

### Sizes LT

#### Web Code

720-236-447  
 415-462-577  
 218-719-864  
 936-165-779  
 731-005-062

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 123.00	EUR 129.00	EUR 145.00	EUR 168.00	EUR 212.00
50 x 50 mm	EUR 129.00	EUR 137.00	EUR 157.00	EUR 186.00	EUR 238.00
100 x 100 mm	EUR 140.00	EUR 153.00	EUR 183.00	EUR 222.00	EUR 288.00
150 x 150 mm	EUR 151.00	EUR 169.00	EUR 208.00	EUR 258.00	
300 x 300 mm	EUR 204.00	EUR 239.00	EUR 313.00		

### Coil

#### Web Code

744-030-086  
 003-753-644  
 469-207-757  
 650-963-438  
 370-433-445

Width **305mm**

Length	1 Reel
	0.5 m
1 m	EUR 276.00
2 m	EUR 328.00
5 m	EUR 433.00
10 m	EUR 553.00

### Discs

#### Web Code

101-099-226  
 637-405-050  
 675-635-134  
 454-392-293  
 799-032-445  
 879-059-204  
 882-401-256

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 246.00	EUR 292.00	EUR 359.00
6 mm	EUR 248.00	EUR 294.00	EUR 363.00
8 mm	EUR 250.00	EUR 297.00	EUR 367.00
10 mm	EUR 251.00	EUR 299.00	EUR 371.00
15 mm	EUR 256.00	EUR 305.00	EUR 381.00
25 mm	EUR 264.00	EUR 317.00	EUR 400.00
50 mm	EUR 286.00	EUR 348.00	EUR 448.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**Metal - Tin**

**Tin**  
**Sn**



## Foil

**SN000232**

Thickness ..... **0.030mm**  
 Temper ..... **As rolled**

Purity ..... **97.4%**

### NLT Sizes

**Web Code**  
833-781-332

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
300 x 300 mm	EUR 224.00	EUR 263.00	EUR 342.00	EUR 434.00	

### Sizes LT

**Web Code**  
288-965-089  
133-826-361  
394-378-823  
884-936-316  
490-142-005

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 143.00	EUR 148.00	EUR 161.00	EUR 178.00	EUR 209.00
50 x 50 mm	EUR 151.00	EUR 159.00	EUR 177.00	EUR 202.00	EUR 242.00
100 x 100 mm	EUR 165.00	EUR 180.00	EUR 210.00	EUR 248.00	EUR 308.00
150 x 150 mm	EUR 180.00	EUR 200.00	EUR 243.00	EUR 295.00	EUR 374.00
300 x 300 mm	EUR 247.00	EUR 289.00	EUR 376.00	EUR 478.00	

### Coil

**Web Code**  
992-066-353  
008-298-075  
037-254-891  
656-850-778  
106-342-064

Length	Quantity
	1 Reel
0.5 m	EUR 284.00
1 m	EUR 332.00
2 m	EUR 399.00
5 m	EUR 534.00
10 m	EUR 687.00

### Discs

**Web Code**  
735-693-034  
961-626-114  
203-272-063  
409-010-042  
126-250-409  
781-311-235  
663-912-412

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 253.00	EUR 281.00	EUR 349.00
6 mm	EUR 255.00	EUR 284.00	EUR 354.00
8 mm	EUR 257.00	EUR 287.00	EUR 359.00
10 mm	EUR 260.00	EUR 290.00	EUR 364.00
15 mm	EUR 265.00	EUR 298.00	EUR 377.00
25 mm	EUR 276.00	EUR 314.00	EUR 402.00
50 mm	EUR 304.00	EUR 353.00	EUR 464.00

Typical Analysis : As 130, Bi 40, Cu 60, Fe 70, Pb 330, Sb 2.4%.  
 Tolerance on thickness : +/-20%.

**SN000240**

Thickness ..... **0.05mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

### Size

**Web Code**  
264-909-000  
575-797-003

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
38 x 38 mm	EUR 189.00	EUR 213.00	EUR 264.00	EUR 324.00
76 x 76 mm	EUR 243.00	EUR 289.00	EUR 383.00	EUR 493.00

### Coil

**Web Code**  
423-518-033  
102-308-374  
658-367-495

Length	Quantity
	1 Reel
0.2 m	EUR 343.00
0.5 m	EUR 444.00
1 m	EUR 558.00

### Discs

**Web Code**  
847-952-386  
994-048-044  
256-000-032  
000-001-458  
000-178-848  
022-351-700  
793-967-347

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 270.00	EUR 304.00	EUR 387.00
6 mm	EUR 281.00	EUR 320.00	EUR 411.00
8 mm	EUR 291.00	EUR 335.00	EUR 435.00
10 mm	EUR 302.00	EUR 350.00	EUR 459.00
15 mm	EUR 329.00	EUR 388.00	EUR 519.00
25 mm	EUR 382.00	EUR 463.00	EUR 638.00
50 mm	EUR 516.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**Metal – Tin**

**Tin**  
**Sn**



**Foil**

**SN000241**

Thickness ..... **0.05mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

245-923-832  
 740-480-922  
 560-116-327  
 014-542-956  
 817-866-950

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 102.00	EUR 107.00	EUR 120.00	EUR 139.00	EUR 174.00
50 x 50 mm	EUR 108.00	EUR 116.00	EUR 135.00	EUR 160.00	EUR 203.00
100 x 100 mm	EUR 121.00	EUR 135.00	EUR 164.00	EUR 200.00	EUR 260.00
150 x 150 mm	EUR 134.00	EUR 153.00	EUR 192.00	EUR 241.00	EUR 318.00
300 x 300 mm	EUR 173.00	EUR 207.00	EUR 279.00	EUR 363.00	

**Coil**

**Web Code**

381-952-205  
 233-367-825  
 170-986-566  
 373-314-019  
 664-262-289

**Width 305mm**

**Length**

Length	1 Reel
0.5 m	EUR 230.00
1 m	EUR 272.00
2 m	EUR 332.00
5 m	EUR 451.00
10 m	EUR 586.00

**Discs**

**Web Code**

097-118-409  
 139-810-687  
 476-333-063  
 541-635-597  
 704-445-939  
 055-749-118  
 968-646-435

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 209.00	EUR 242.00	EUR 310.00
6 mm	EUR 211.00	EUR 245.00	EUR 315.00
8 mm	EUR 213.00	EUR 248.00	EUR 319.00
10 mm	EUR 215.00	EUR 250.00	EUR 323.00
15 mm	EUR 220.00	EUR 257.00	EUR 334.00
25 mm	EUR 230.00	EUR 271.00	EUR 356.00
50 mm	EUR 254.00	EUR 306.00	EUR 411.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000260**

Thickness ..... **0.058mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

898-093-638

Size	Quantity	
	1pc	2pcs
25 x 25 mm	EUR 132.00	EUR 136.00

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**SN000239**

Thickness ..... **0.06mm**  
 High Purity ..... **99.99+%**

Coil width ..... **73mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**

606-037-573  
 429-286-780  
 660-848-353  
 175-714-387  
 964-294-042

**Width 73mm**

**Length**

Length	1 Reel
0.1 m	EUR 178.00
0.2 m	EUR 208.00
0.5 m	EUR 267.00
1 m	EUR 334.00
2 m	EUR 491.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.

**SN000280**

Thickness ..... **0.072mm**  
 Purity ..... **99.95%**

Coil width ..... **41mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**

696-807-062  
 100-882-871  
 610-359-489  
 294-934-564  
 866-824-483

**Width 41mm**

**Length**

Length	1 Reel
1 m	EUR 115.00
2 m	EUR 129.00
5 m	EUR 157.00
10 m	EUR 189.00
20 m	EUR 238.00

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**Metal – Tin**

**Tin**  
**Sn**



## Foil

**SN000290**

Thickness ..... **0.075mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

### Size

#### Web Code

414-804-239  
 850-536-297  
 317-030-609  
 628-828-824  
 603-601-066

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
EUR	117.00	EUR 123.00	EUR 137.00	EUR 156.00	EUR 190.00	
EUR	126.00	EUR 136.00	EUR 158.00	EUR 186.00	EUR 232.00	
EUR	145.00	EUR 163.00	EUR 200.00	EUR 246.00	EUR 317.00	
EUR	164.00	EUR 190.00	EUR 243.00	EUR 306.00		
EUR	221.00	EUR 270.00	EUR 370.00			

### Coil

#### Web Code

027-055-659  
 450-128-220  
 266-032-984  
 254-112-830

**Width 300mm**

#### Length

**1 Reel**  
 0.5 m EUR 288.00  
 1 m EUR 349.00  
 2 m EUR 436.00  
 5 m EUR 608.00

### Quantity

### Discs

#### Web Code

080-871-484  
 108-931-686  
 616-455-960  
 056-994-702  
 124-348-681  
 543-578-241  
 947-275-260

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

	10 discs	20 discs	50 discs
EUR	220.00	EUR 248.00	EUR 318.00
EUR	223.00	EUR 252.00	EUR 324.00
EUR	225.00	EUR 256.00	EUR 330.00
EUR	228.00	EUR 260.00	EUR 337.00
EUR	236.00	EUR 270.00	EUR 353.00
EUR	250.00	EUR 291.00	EUR 385.00
EUR	286.00	EUR 341.00	EUR 466.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000300**

Thickness ..... **0.084mm**  
 Purity ..... **99.95%**

Coil width ..... **41mm**  
 Temper ..... **As rolled**

### Coil

#### Web Code

557-910-858  
 738-856-529  
 357-073-160  
 634-143-124  
 267-894-732

**Width 41mm**

#### Length

**1 Reel**  
 1 m EUR 117.00  
 2 m EUR 132.00  
 5 m EUR 162.00  
 10 m EUR 197.00  
 20 m EUR 249.00

### Quantity

Typical Analysis : Al 2, Ca 2, Fe 200, In < 1, Mg 2, Na < 1, Pb 10, Si 15.

**SN000310**

Thickness ..... **0.088mm**  
 Purity ..... **98.8%**

Coil width ..... **304mm**  
 Temper ..... **As rolled**

### Coil

#### Web Code

107-877-001  
 484-625-436  
 449-498-757  
 578-175-143

**Width 304mm**

#### Length

**1 Reel**  
 1 m EUR 306.00  
 2 m EUR 378.00  
 3 m EUR 433.00  
 5 m EUR 521.00

### Quantity

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000320**

Thickness ..... **0.096mm**  
 Purity ..... **99.95%**

Coil width ..... **41mm**  
 Temper ..... **As rolled**

### Coil

#### Web Code

849-408-696  
 176-080-573  
 010-070-427  
 258-805-202  
 350-655-599

**Width 41mm**

#### Length

**1 Reel**  
 1 m EUR 123.00  
 2 m EUR 139.00  
 5 m EUR 171.00  
 10 m EUR 208.00  
 20 m EUR 263.00

### Quantity

Typical Analysis : Al 2, Ca 2, Fe 200, In < 1, Mg 2, Na < 1, Pb 10, Si 15.

Metal - Tin

**Tin**  
**Sn**



## Foil

**SN000295**

Thickness ..... **0.1mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

### Size

#### Web Code

746-372-436  
 290-377-084  
 542-723-363  
 277-200-197  
 393-200-746

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 113.00	EUR 120.00	EUR 138.00	EUR 161.00	EUR 199.00
50 x 50 mm	EUR 126.00	EUR 139.00	EUR 167.00	EUR 202.00	EUR 258.00
100 x 100 mm	EUR 152.00	EUR 176.00	EUR 226.00	EUR 285.00	EUR 375.00
150 x 150 mm	EUR 178.00	EUR 213.00	EUR 284.00	EUR 368.00	EUR 493.00
300 x 300 mm	EUR 257.00	EUR 325.00	EUR 460.00	EUR 617.00	

### Coil

#### Web Code

762-271-384  
 360-111-796  
 236-150-296  
 966-316-567

Width **300mm**

Length	1 Reel
	0.5 m
1 m	EUR 422.00
2 m	EUR 542.00
5 m	EUR 780.00

### Discs

#### Web Code

940-105-540  
 341-346-458  
 938-637-737  
 068-112-530  
 465-469-047  
 505-711-438  
 623-060-526

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 200.00	EUR 224.00	EUR 284.00
6 mm	EUR 204.00	EUR 229.00	EUR 292.00
8 mm	EUR 207.00	EUR 234.00	EUR 299.00
10 mm	EUR 210.00	EUR 239.00	EUR 306.00
15 mm	EUR 219.00	EUR 250.00	EUR 325.00
25 mm	EUR 235.00	EUR 274.00	EUR 362.00
50 mm	EUR 277.00	EUR 333.00	EUR 455.00

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

**SN000291**

Thickness ..... **0.1mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

### Size

#### Web Code

409-410-977  
 176-363-061  
 045-386-179  
 673-273-750  
 159-215-140

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 110.00	EUR 116.00	EUR 131.00	EUR 151.00	EUR 185.00
50 x 50 mm	EUR 120.00	EUR 130.00	EUR 153.00	EUR 183.00	EUR 230.00
100 x 100 mm	EUR 140.00	EUR 159.00	EUR 198.00	EUR 246.00	EUR 320.00
150 x 150 mm	EUR 160.00	EUR 187.00	EUR 243.00	EUR 310.00	EUR 410.00
300 x 300 mm	EUR 220.00	EUR 272.00	EUR 378.00	EUR 500.00	

### Coil

#### Web Code

792-216-418  
 901-899-175  
 737-388-841  
 173-610-087

Width **305mm**

Length	1 Reel
	0.5 m
1 m	EUR 356.00
2 m	EUR 449.00
5 m	EUR 633.00

### Discs

#### Web Code

168-971-681  
 121-454-748  
 181-837-646  
 729-707-021  
 213-379-386  
 672-419-764  
 052-463-227

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 199.00	EUR 222.00	EUR 281.00
6 mm	EUR 201.00	EUR 226.00	EUR 286.00
8 mm	EUR 204.00	EUR 229.00	EUR 292.00
10 mm	EUR 206.00	EUR 233.00	EUR 298.00
15 mm	EUR 213.00	EUR 242.00	EUR 312.00
25 mm	EUR 225.00	EUR 260.00	EUR 340.00
50 mm	EUR 257.00	EUR 305.00	EUR 412.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000350**

Thickness ..... **0.109mm**  
 Purity ..... **99.95%**

Coil width ..... **41mm**  
 Temper ..... **As rolled**

### Coil

#### Web Code

528-126-597  
 015-816-899  
 977-100-714  
 137-591-517  
 198-948-091

Width **41mm**

Length	1 Reel
	1 m
2 m	EUR 143.00
5 m	EUR 177.00
10 m	EUR 216.00
20 m	EUR 274.00

Typical Analysis : Al 2, Ca 2, Fe 200, In <1, Mg 2, Na <1, Pb 10, Si 15.

Metal – Tin



**Tin**  
**Sn**



## Foil

**SN000330**

Thickness ..... **0.125mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

### Size

#### Web Code

831-939-250  
 992-405-091  
 050-632-289  
 663-392-545  
 333-327-907

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 185.00	EUR 208.00	EUR 255.00	EUR 311.00
50 x 50 mm	EUR 234.00	EUR 277.00	EUR 365.00	EUR 467.00
100 x 100 mm	EUR 333.00	EUR 417.00	EUR 585.00	
150 x 150 mm	EUR 432.00	EUR 556.00		
300 x 300 mm	EUR 727.00			

### Discs

#### Web Code

329-029-050  
 128-630-555  
 078-812-958  
 851-618-431  
 452-303-309  
 537-919-485  
 239-932-197

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 255.00	EUR 287.00	EUR 361.00
6 mm	EUR 267.00	EUR 304.00	EUR 389.00
8 mm	EUR 280.00	EUR 322.00	EUR 417.00
10 mm	EUR 292.00	EUR 340.00	EUR 446.00
15 mm	EUR 324.00	EUR 384.00	EUR 516.00
25 mm	EUR 386.00	EUR 473.00	EUR 656.00
50 mm	EUR 543.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000331**

Thickness ..... **0.125mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

### Size

#### Web Code

991-518-815  
 939-857-016  
 482-126-697  
 265-831-942  
 228-989-421

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 93.50	EUR 102.00	EUR 122.00	EUR 154.00	EUR 204.00
50 x 50 mm	EUR 100.00	EUR 110.00	EUR 136.00	EUR 173.00	EUR 231.00
100 x 100 mm	EUR 112.00	EUR 128.00	EUR 163.00	EUR 212.00	EUR 286.00
150 x 150 mm	EUR 124.00	EUR 145.00	EUR 191.00	EUR 251.00	
300 x 300 mm	EUR 161.00	EUR 197.00	EUR 273.00		

### Coil

#### Web Code

678-337-715  
 623-681-847  
 960-228-526  
 028-570-805

Length	Quantity
	1 Reel
0.5 m	EUR 215.00
1 m	EUR 255.00
2 m	EUR 311.00
5 m	EUR 487.00

### Discs

#### Web Code

513-712-327  
 214-043-155  
 755-389-303  
 423-670-242  
 958-780-189  
 847-521-857  
 940-225-027

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 212.00	EUR 256.00	EUR 384.00
6 mm	EUR 214.00	EUR 258.00	EUR 387.00
8 mm	EUR 216.00	EUR 260.00	EUR 391.00
10 mm	EUR 217.00	EUR 262.00	EUR 394.00
15 mm	EUR 221.00	EUR 268.00	EUR 403.00
25 mm	EUR 229.00	EUR 279.00	EUR 420.00
50 mm	EUR 248.00	EUR 306.00	EUR 464.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000360**

Thickness ..... **0.15mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

### Size

#### Web Code

173-534-255  
 025-623-200  
 217-660-681

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 190.00	EUR 214.00	EUR 265.00
50 x 50 mm	EUR 244.00	EUR 291.00	
100 x 100 mm	EUR 352.00		

### Discs

#### Web Code

516-005-299  
 661-163-148  
 329-974-481  
 416-016-088  
 093-223-876

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 257.00	EUR 290.00	EUR 367.00
6 mm	EUR 271.00	EUR 309.00	EUR 397.00
8 mm	EUR 285.00	EUR 329.00	EUR 428.00
10 mm	EUR 298.00	EUR 348.00	EUR 459.00
15 mm	EUR 333.00	EUR 397.00	

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**Metal – Tin**

**Tin**  
**Sn**



**Foil**

**SN000390**

Thickness ..... **0.15mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

868-500-290  
 562-531-026  
 316-380-899  
 547-602-590  
 450-323-524

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		<b>Quantity</b>				
		<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
25 x 25 mm	EUR 110.00	EUR 116.00	EUR 131.00	EUR 151.00	EUR 185.00	EUR 231.00
50 x 50 mm	EUR 120.00	EUR 130.00	EUR 153.00	EUR 183.00	EUR 231.00	EUR 321.00
100 x 100 mm	EUR 140.00	EUR 159.00	EUR 198.00	EUR 246.00	EUR 321.00	EUR 411.00
150 x 150 mm	EUR 160.00	EUR 187.00	EUR 243.00	EUR 310.00	EUR 411.00	
300 x 300 mm	EUR 220.00	EUR 273.00	EUR 378.00	EUR 501.00		

**Coil**

**Web Code**

285-426-740  
 290-441-000  
 305-125-283  
 140-650-069

**Width 300mm**

		<b>1 Reel</b>
<b>Length</b>		
0.5 m	EUR 290.00	
1 m	EUR 355.00	
2 m	EUR 447.00	
5 m	EUR 630.00	

**Quantity**

**Discs**

**Web Code**

064-812-565  
 101-566-657  
 695-832-589  
 979-065-847  
 383-237-175  
 904-649-687  
 081-203-375

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

		<b>Quantity</b>		
		<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>
4 mm	EUR 199.00	EUR 222.00	EUR 281.00	
6 mm	EUR 201.00	EUR 226.00	EUR 286.00	
8 mm	EUR 204.00	EUR 229.00	EUR 292.00	
10 mm	EUR 206.00	EUR 233.00	EUR 298.00	
15 mm	EUR 213.00	EUR 242.00	EUR 312.00	
25 mm	EUR 225.00	EUR 260.00	EUR 340.00	
50 mm	EUR 257.00	EUR 305.00	EUR 412.00	

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000396**

Thickness ..... **0.20mm**  
 Purity ..... **98.8%**

Coil width ..... **15mm**  
 Temper ..... **As rolled**

**Coil**

**Web Code**

308-588-023  
 647-033-362  
 756-674-615  
 162-529-490  
 163-874-104

**Width 15mm**

		<b>1 Reel</b>
<b>Length</b>		
1 m	EUR 165.00	
2 m	EUR 185.00	
5 m	EUR 225.00	
10 m	EUR 271.00	
20 m	EUR 352.00	

**Quantity**

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000395**

Thickness ..... **0.20mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

421-867-976  
 551-409-715  
 798-908-894  
 166-852-195  
 443-887-605

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		<b>Quantity</b>				
		<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
25 x 25 mm	EUR 97.00	EUR 106.00	EUR 129.00	EUR 164.00	EUR 218.00	EUR 259.00
50 x 50 mm	EUR 106.00	EUR 119.00	EUR 150.00	EUR 193.00	EUR 259.00	EUR 341.00
100 x 100 mm	EUR 124.00	EUR 145.00	EUR 191.00	EUR 251.00	EUR 341.00	
150 x 150 mm	EUR 143.00	EUR 171.00	EUR 232.00	EUR 309.00		
300 x 300 mm	EUR 198.00	EUR 249.00	EUR 355.00			

**Coil**

**Web Code**

715-116-892  
 467-090-952  
 392-081-813

**Width 300mm**

		<b>1 Reel</b>
<b>Length</b>		
0.5 m	EUR 261.00	
1 m	EUR 321.00	
2 m	EUR 432.00	

**Quantity**

**Discs**

**Web Code**

974-814-034  
 896-795-371  
 799-820-726  
 774-068-918  
 037-823-815  
 185-255-400  
 312-545-991

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

		<b>Quantity</b>		
		<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>
4 mm	EUR 214.00	EUR 258.00	EUR 387.00	
6 mm	EUR 216.00	EUR 261.00	EUR 392.00	
8 mm	EUR 219.00	EUR 264.00	EUR 398.00	
10 mm	EUR 221.00	EUR 268.00	EUR 403.00	
15 mm	EUR 227.00	EUR 276.00	EUR 416.00	
25 mm	EUR 238.00	EUR 292.00	EUR 442.00	
50 mm	EUR 268.00	EUR 334.00	EUR 508.00	

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**Metal – Tin**

**Tin  
Sn**



**Foil**

**SN000400**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**

828-423-412  
 552-925-199  
 115-645-355  
 455-674-342

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 149.00	EUR 168.00	EUR 209.00	EUR 262.00
50 x 50 mm	EUR 187.00	EUR 222.00	EUR 294.00	EUR 382.00
100 x 100 mm	EUR 262.00	EUR 329.00	EUR 464.00	
150 x 150 mm	EUR 338.00	EUR 436.00		

**Discs**

**Web Code**

959-294-422  
 911-805-488  
 975-675-214  
 959-403-550  
 925-439-914  
 679-995-387  
 999-417-099

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 236.00	EUR 278.00	EUR 329.00
6 mm	EUR 245.00	EUR 292.00	EUR 350.00
8 mm	EUR 255.00	EUR 306.00	EUR 372.00
10 mm	EUR 265.00	EUR 319.00	EUR 394.00
15 mm	EUR 289.00	EUR 353.00	EUR 448.00
25 mm	EUR 337.00	EUR 422.00	
50 mm	EUR 458.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000391**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

150-416-419  
 802-059-481  
 257-429-433  
 178-681-233  
 335-154-128

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 96.50	EUR 106.00	EUR 129.00	EUR 163.00	EUR 217.00
50 x 50 mm	EUR 106.00	EUR 118.00	EUR 149.00	EUR 192.00	EUR 257.00
100 x 100 mm	EUR 124.00	EUR 144.00	EUR 189.00	EUR 248.00	EUR 337.00
150 x 150 mm	EUR 142.00	EUR 169.00	EUR 229.00	EUR 305.00	
300 x 300 mm	EUR 196.00	EUR 245.00	EUR 350.00		

**Coil**

**Web Code**

106-283-442  
 894-266-948  
 783-371-982

Width 300mm Length	1 Reel
	0.5 m
1 m	EUR 316.00
2 m	EUR 419.00

**Discs**

**Web Code**

342-144-646  
 768-085-820  
 010-733-159  
 341-640-750  
 705-098-655  
 137-333-009  
 166-627-317

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 214.00	EUR 258.00	EUR 387.00
6 mm	EUR 216.00	EUR 261.00	EUR 392.00
8 mm	EUR 218.00	EUR 264.00	EUR 397.00
10 mm	EUR 221.00	EUR 267.00	EUR 402.00
15 mm	EUR 226.00	EUR 275.00	EUR 415.00
25 mm	EUR 238.00	EUR 291.00	EUR 440.00
50 mm	EUR 266.00	EUR 332.00	EUR 505.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000405**

Thickness ..... **0.33mm**  
 Temper ..... **As rolled**

Purity ..... **99.99+%**

**Discs**

**Web Code**

126-110-891

Diameter	Quantity			
	5 discs	10 discs	20 discs	50 discs
4.75 mm	EUR 170.00	EUR 200.00	EUR 257.00	EUR 346.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000415**

Thickness ..... **0.44mm**  
 Temper ..... **As rolled**

Purity ..... **99.99+%**

**Discs**

**Web Code**

747-695-970

Diameter	Quantity				
	1 discs	2 discs	3 discs	5 discs	10 discs
4 mm	EUR 207.00	EUR 214.00	EUR 220.00	EUR 231.00	EUR 255.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000420**

Thickness ..... **0.5mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**

894-268-076  
 783-506-097  
 938-257-716  
 282-212-748

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 161.00	EUR 186.00	EUR 237.00	EUR 301.00
50 x 50 mm	EUR 212.00	EUR 257.00	EUR 350.00	EUR 460.00
100 x 100 mm	EUR 312.00	EUR 399.00	EUR 575.00	
150 x 150 mm	EUR 413.00	EUR 542.00		

**Discs**

**Web Code**

276-587-508  
 573-446-542  
 680-820-373  
 102-547-982  
 818-498-862  
 312-358-913  
 044-867-212

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 242.00	EUR 287.00	EUR 343.00
6 mm	EUR 255.00	EUR 305.00	EUR 372.00
8 mm	EUR 268.00	EUR 324.00	EUR 401.00
10 mm	EUR 281.00	EUR 342.00	EUR 430.00
15 mm	EUR 313.00	EUR 387.00	EUR 502.00
25 mm	EUR 377.00	EUR 478.00	
50 mm	EUR 539.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**Metal - Tin**

**Tin**  
**Sn**



**Foil**

**SN000410**

Thickness ..... **0.5mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

927-133-386  
 891-666-395  
 458-288-276  
 286-032-128  
 754-020-756

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		<b>Quantity</b>				
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
EUR 99.00	EUR 109.00	EUR 134.00	EUR 170.00	EUR 227.00		
EUR 110.00	EUR 125.00	EUR 159.00	EUR 206.00	EUR 277.00	EUR 378.00	
EUR 133.00	EUR 157.00	EUR 209.00	EUR 277.00	EUR 378.00		
EUR 155.00	EUR 188.00	EUR 260.00	EUR 348.00			
EUR 223.00	EUR 284.00	EUR 460.00				

**Coil**

**Web Code**

160-850-225  
 252-590-034  
 573-753-775

**Width 300mm**

**Length**

**1 Reel**  
 0.5 m EUR 293.00  
 1 m EUR 366.00  
 2 m EUR 588.00

**Quantity**

**Discs**

**Web Code**

902-583-968  
 822-996-068  
 874-505-109  
 313-147-100  
 143-393-702  
 924-217-276  
 527-154-159

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

		<b>Quantity</b>		
	<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>	
EUR 215.00	EUR 259.00	EUR 389.00		
EUR 218.00	EUR 263.00	EUR 396.00		
EUR 221.00	EUR 267.00	EUR 402.00		
EUR 224.00	EUR 271.00	EUR 409.00		
EUR 231.00	EUR 281.00	EUR 425.00		
EUR 245.00	EUR 302.00	EUR 457.00		
EUR 281.00	EUR 352.00	EUR 537.00		

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000424**

Thickness ..... **0.65mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**

326-247-719  
 411-093-861  
 106-754-701

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm

		<b>Quantity</b>		
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	
EUR 168.00	EUR 196.00	EUR 253.00		
EUR 226.00	EUR 277.00			
EUR 341.00				

**Discs**

**Web Code**

180-114-838  
 067-103-302  
 364-510-983  
 458-544-119  
 924-096-993

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm

		<b>Quantity</b>		
	<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>	
EUR 246.00	EUR 292.00	EUR 351.00		
EUR 260.00	EUR 313.00	EUR 384.00		
EUR 275.00	EUR 334.00	EUR 417.00		
EUR 290.00	EUR 355.00	EUR 450.00		
EUR 326.00	EUR 406.00			

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.

**SN000426**

Thickness ..... **0.75mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**

450-302-607  
 984-695-905  
 082-317-018

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm

		<b>Quantity</b>		
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	
EUR 173.00	EUR 202.00	EUR 263.00		
EUR 234.00	EUR 289.00			
EUR 358.00				

**Discs**

**Web Code**

254-378-545  
 437-726-099  
 868-704-816  
 866-990-086  
 989-290-309

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm

		<b>Quantity</b>		
	<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>	
EUR 248.00	EUR 295.00	EUR 356.00		
EUR 264.00	EUR 318.00	EUR 391.00		
EUR 279.00	EUR 340.00	EUR 427.00		
EUR 295.00	EUR 362.00	EUR 463.00		
EUR 334.00	EUR 418.00			

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Ti 1.

**SN000441**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

High Purity ..... **99.999%**

**Size**

**Web Code**

327-935-099  
 991-882-522  
 985-320-416  
 165-056-369

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm

		<b>Quantity</b>		
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	
EUR 232.00	EUR 277.00	EUR 370.00		
EUR 337.00	EUR 426.00	EUR 606.00		
EUR 547.00	EUR 724.00			
EUR 758.00				

**Discs**

**Web Code**

632-041-062  
 005-127-614  
 640-958-460  
 119-808-851  
 976-112-285  
 014-031-108

**Diameter**  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm

		<b>Quantity</b>		
	<b>10 discs</b>	<b>20 discs</b>	<b>50 discs</b>	
EUR 274.00	EUR 317.00	EUR 416.00		
EUR 301.00	EUR 356.00	EUR 477.00		
EUR 328.00	EUR 394.00	EUR 538.00		
EUR 355.00	EUR 432.00	EUR 599.00		
EUR 422.00	EUR 527.00	EUR 750.00		
EUR 556.00				

Typical Analysis : Ca <2, Cu <2, Fe <1, Mg <2.

**Metal - Tin**

**Tin  
Sn**



**Foil**

**SN000440**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

Purity ..... **99.99+%**

**Size**

**Web Code**

532-581-829  
 572-732-734  
 591-592-233  
 485-358-030

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 178.00	EUR 209.00	EUR 275.00	EUR 354.00
50 x 50 mm	EUR 245.00	EUR 304.00	EUR 425.00	EUR 567.00
100 x 100 mm	EUR 380.00	EUR 494.00	EUR 787.00	
150 x 150 mm	EUR 514.00	EUR 710.00		

**Discs**

**Web Code**

949-030-163  
 628-770-883  
 596-359-077  
 544-882-890  
 110-353-585  
 794-196-956  
 274-623-480

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 251.00	EUR 299.00	EUR 362.00
6 mm	EUR 268.00	EUR 324.00	EUR 401.00
8 mm	EUR 285.00	EUR 348.00	EUR 440.00
10 mm	EUR 302.00	EUR 373.00	EUR 479.00
15 mm	EUR 345.00	EUR 433.00	EUR 575.00
25 mm	EUR 431.00	EUR 555.00	
50 mm	EUR 648.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000430**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

608-408-956  
 051-121-885  
 390-228-151  
 778-513-233  
 314-152-401

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 91.00	EUR 100.00	EUR 121.00	EUR 148.00	EUR 191.00
50 x 50 mm	EUR 108.00	EUR 125.00	EUR 159.00	EUR 202.00	EUR 268.00
100 x 100 mm	EUR 143.00	EUR 173.00	EUR 236.00	EUR 310.00	
150 x 150 mm	EUR 177.00	EUR 222.00	EUR 313.00		
300 x 300 mm	EUR 280.00	EUR 368.00			

**Coil**

**Web Code**

928-025-394  
 411-355-545

Length	Quantity
	1 Reel
0.5 m	EUR 376.00
1 m	EUR 603.00

**Discs**

**Web Code**

269-055-297  
 631-901-994  
 987-738-028  
 467-251-830  
 406-480-136  
 810-018-086  
 252-260-639

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 177.00	EUR 202.00	EUR 263.00
6 mm	EUR 181.00	EUR 208.00	EUR 273.00
8 mm	EUR 185.00	EUR 214.00	EUR 283.00
10 mm	EUR 190.00	EUR 220.00	EUR 292.00
15 mm	EUR 201.00	EUR 236.00	EUR 317.00
25 mm	EUR 222.00	EUR 266.00	EUR 365.00
50 mm	EUR 277.00	EUR 344.00	EUR 489.00

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**SN000450**

Thickness ..... **1.5mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**

021-144-807  
 110-070-217  
 258-489-952

Size	Quantity		
	1pc	2pcs	5pcs
50 x 50 mm	EUR 416.00	EUR 573.00	EUR 938.00
100 x 100 mm	EUR 673.00	EUR 936.00	
150 x 150 mm	EUR 929.00		

**Discs**

**Web Code**

424-356-261  
 880-357-564  
 339-722-177  
 748-639-742  
 083-946-991  
 101-243-674

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 758.00	EUR 1296.00	EUR 2269.00
6 mm	EUR 791.00	EUR 1342.00	EUR 2342.00
8 mm	EUR 823.00	EUR 1388.00	EUR 2415.00
10 mm	EUR 856.00	EUR 1434.00	EUR 2489.00
15 mm	EUR 937.00	EUR 1550.00	EUR 2671.00
25 mm	EUR 1100.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000500**

Thickness ..... **2.0mm**  
 Temper ..... **As rolled**

Purity ..... **98.8%**

**Size**

**Web Code**

237-033-204  
 629-152-490  
 644-057-625  
 507-209-255  
 401-155-061

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 127.00	EUR 141.00	EUR 170.00	EUR 206.00	EUR 264.00
50 x 50 mm	EUR 155.00	EUR 180.00	EUR 232.00	EUR 294.00	EUR 387.00
100 x 100 mm	EUR 210.00	EUR 258.00	EUR 355.00	EUR 468.00	
150 x 150 mm	EUR 265.00	EUR 336.00	EUR 478.00		
300 x 300 mm	EUR 431.00	EUR 636.00			

Typical Analysis : Ag 10, As 20, Bi 10, Cd 10, Cu 100, Fe 10, Ni 10, Pb 600, Sb 1.1%, Zn 10.

**Metal - Tin**

**Tin**  
**Sn**



## Foil

**SN000510**

Thickness ..... **2.0mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**  
 086-663-215  
 832-904-403  
 113-059-764  
 008-464-130

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 205.00	EUR 247.00	EUR 334.00
50 x 50 mm	EUR 298.00	EUR 379.00	EUR 544.00
100 x 100 mm	EUR 486.00	EUR 644.00	
150 x 150 mm	EUR 690.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000521**

Thickness ..... **3.0mm**  
 Temper ..... **As rolled**

Purity ..... **99.99+%**

**Discs**

**Web Code**  
 195-120-648

Diameter	Quantity
	1 discs
40 mm	EUR POA

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000520**

Thickness ..... **3.0mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**  
 704-917-312  
 114-668-394

Size	Quantity	
	1pc	2pcs
25 x 25 mm	EUR 224.00	EUR 274.00
50 x 50 mm	EUR 337.00	

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN000530**

Thickness ..... **6.0mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**  
 107-878-013  
 484-759-528

Size	Quantity	
	1pc	2pcs
25 x 25 mm	EUR 268.00	EUR 337.00
50 x 50 mm	EUR 426.00	

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.



## Sheet

**SN003001**

Thickness ..... **9.5mm**

High Purity ..... **99.9999%**

**Size**

**Web Code**  
 801-878-021

Size	Quantity
	1pc
42 x 93 mm	POA

Typical Analysis : Ag 0.3, Ca 0.2, Mg 0.1, Si 0.1.  
 Very limited stock available.

**SN003005**

Thickness ..... **15mm**

Purity ..... **99.99+%**

**Discs**

**Web Code**  
 307-889-618

Diameter	Quantity
	1 pcs
100 mm	EUR POA

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.  
 One piece only remaining.



## Sputtering Target

**SN009300**

Thickness ..... **3.0mm**

Purity ..... **99.99%**

**Size**

**Web Code**  
 145-154-002  
 863-184-118  
 898-013-874

Disc diam.	Quantity
	1disc
25 mm	POA
50 mm	POA
75 mm	POA

Typical Analysis : Ag <1, Cd 2, Mg <1, Pb 20, Si <1.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

**SN009600**

Thickness ..... **6.0mm**

Purity ..... **99.99%**

**Size**

**Web Code**  
 516-788-836  
 952-790-240  
 098-783-277

Disc diam.	Quantity
	1disc
25 mm	POA
50 mm	POA
75 mm	POA

Typical Analysis : Ag <1, Cd 2, Mg <1, Pb 20, Si <1.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

**Metal – Tin**

**Tin  
Sn**



**Wire**

**SN005110** Diameter ..... **0.25mm** High Purity ..... **99.99+%**  
 Temper ..... **As drawn**

Length		Quantity	
Web Code	Length	1 Reel	
441-892-422	1 m	EUR	181.00
107-997-692	2 m	EUR	218.00
126-091-328	5 m	EUR	291.00
236-556-525	10 m	EUR	373.00
761-418-293	20 m	EUR	490.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN005120** Diameter ..... **0.5mm** High Purity ..... **99.99+%**  
 Temper ..... **As drawn**

Length		Quantity	
Web Code	Length	1 Reel	
629-113-134	1 m	EUR	192.00
088-032-016	2 m	EUR	233.00
639-140-254	5 m	EUR	314.00
177-281-407	10 m	EUR	406.00
892-536-475	20 m	EUR	536.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN005130** Diameter ..... **1.0mm** High Purity ..... **99.99+%**  
 Temper ..... **As drawn**

Length		Quantity	
Web Code	Length	1 Reel	
085-770-294	0.5 m	EUR	176.00
721-279-866	1 m	EUR	210.00
962-064-078	2 m	EUR	258.00
159-986-539	5 m	EUR	354.00
998-324-505	10 m	EUR	474.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN005140** Diameter ..... **1.5mm** High Purity ..... **99.99+%**  
 Temper ..... **As drawn**

Length		Quantity	
Web Code	Length	1 Reel	
375-676-379	0.2 m	EUR	156.00
611-978-355	0.5 m	EUR	193.00
283-116-012	1 m	EUR	234.00
791-453-546	2 m	EUR	293.00
843-171-151	5 m	EUR	409.00

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.



**Rod**

**SN007910** Diameter ..... **2.0mm** Purity..... **99.75%**  
 Condition..... **Extruded**

Size	Length	Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
Web Code						
590-931-744	100 mm	EUR 85.00	EUR 93.00	EUR 113.00	EUR 125.00	EUR 144.00
866-462-801	200 mm	EUR 88.50	EUR 97.50	EUR 120.00	EUR 135.00	EUR 158.00
307-855-310	500 mm	EUR 95.00	EUR 106.00	EUR 134.00	EUR 155.00	EUR 187.00
481-916-326	1000 mm	EUR 102.00	EUR 117.00	EUR 150.00	EUR 177.00	EUR 219.00

Typical Analysis : As + Bi + Cu + Fe + Pb + Sb <2000, others <500.

**SN007915** Diameter ..... **2.0mm** High Purity ..... **99.999+%**

Size	Length	Quantity		
		1pc	2pcs	5pcs
Web Code				
465-066-960	100 mm	EUR 201.00	EUR 249.00	EUR 375.00
899-021-549	200 mm	EUR 242.00	EUR 320.00	EUR 638.00
913-144-687	500 mm	EUR 365.00	EUR 634.00	
897-808-338	1000 mm	EUR 627.00		

Typical Analysis : Bi 1, Cd 1, Pb 5.

**SN007918** Diameter ..... **3.0mm** High Purity ..... **99.99+%**

Size	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
Web Code					
201-553-512	100 mm	EUR 156.00	EUR 187.00	EUR 250.00	EUR 406.00
927-718-261	200 mm	EUR 182.00	EUR 224.00	EUR 397.00	
190-206-206	500 mm	EUR 240.00	EUR 392.00		
176-609-216	1000 mm	EUR 386.00			

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**Metal – Tin**

**Tin  
Sn**



**Rod**

**SN007920**

Diameter ..... **5.0mm**  
 Condition..... **Extruded**

Purity..... **99.75%**

**Size**

**Web Code**  
 239-546-211  
 943-283-875  
 910-475-391  
 809-422-948

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 98.50	EUR 113.00	EUR 130.00	EUR 152.00	EUR 187.00
200 mm	EUR 105.00	EUR 123.00	EUR 146.00	EUR 174.00	EUR 223.00
500 mm	EUR 119.00	EUR 142.00	EUR 176.00	EUR 238.00	
1000 mm	EUR 134.00	EUR 164.00	EUR 232.00		

Typical Analysis : As + Bi + Cu + Fe + Pb + Sb <2000, others <500.

**SN007930**

Diameter ..... **6.0mm**

High Purity ..... **99.999+%**

**Size**

**Web Code**  
 177-874-046  
 234-258-373  
 282-298-122  
 287-271-742  
 908-962-939

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
50 mm	EUR 196.00	EUR 244.00	EUR 350.00	EUR 539.00	EUR 942.00
100 mm	EUR 235.00	EUR 300.00	EUR 494.00	EUR 897.00	
200 mm	EUR 291.00	EUR 396.00	EUR 852.00		
500 mm	EUR 458.00	EUR 825.00			
1000 mm	EUR 816.00				

Typical Analysis : Bi 1, Cd 1, Pb 5.

**SN007939**

Diameter ..... **8.9mm**

Purity..... **99.99+%**

**Size**

**Web Code**  
 887-730-478  
 004-474-437  
 629-571-880  
 844-435-753

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 204.00	EUR 262.00	EUR 360.00	EUR 471.00
200 mm	EUR 253.00	EUR 332.00	EUR 470.00	EUR 626.00
500 mm	EUR 350.00	EUR 469.00	EUR 687.00	
1000 mm	EUR 460.00	EUR 624.00		

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.

**SN007940**

Diameter ..... **9.5mm**

Purity..... **99.75%**

**Size**

**Web Code**  
 994-853-319  
 356-672-216  
 584-030-554  
 003-819-891

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 113.00	EUR 133.00	EUR 160.00	EUR 193.00
200 mm	EUR 124.00	EUR 149.00	EUR 185.00	EUR 245.00
500 mm	EUR 146.00	EUR 181.00	EUR 272.00	
1000 mm	EUR 172.00	EUR 233.00		

Typical Analysis : As + Bi + Cu + Fe + Pb + Sb <2000, others <500.

**SN007945**

Diameter ..... **15mm**

Purity..... **99.75%**

**Size**

**Web Code**  
 730-641-235  
 616-716-527  
 628-349-135  
 022-411-445

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 146.00	EUR 180.00	EUR 268.00	EUR 444.00
200 mm	EUR 171.00	EUR 229.00	EUR 437.00	EUR 782.00
500 mm	EUR 254.00	EUR 432.00	EUR 943.00	
1000 mm	EUR 423.00	EUR 770.00		

Typical Analysis : As + Bi + Cu + Fe + Pb + Sb <2000, others <500.

**SN007948**

Diameter ..... **22.0mm**  
 Condition..... **Extruded**

Purity..... **99.75%**

**Size**

**Web Code**  
 962-884-189

Length	Quantity
	1pc
200 mm	EUR 195.00

Typical Analysis : As + Bi + Cu + Fe + Pb + Sb <2000, others <500.  
 One piece only remaining.

**SN007950**

Diameter ..... **25.0mm**  
 Condition..... **Extruded**

Purity..... **99.75%**

**Size**

**Web Code**  
 477-477-845  
 684-731-438  
 591-425-286  
 928-153-649

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	EUR 166.00	EUR 212.00	EUR 312.00
200 mm	EUR 195.00	EUR 264.00	EUR 501.00
500 mm	EUR 285.00	EUR 491.00	
1000 mm	EUR 474.00		

Typical Analysis : As + Bi + Cu + Fe + Pb + Sb <2000, others <500.

**Metal – Tin**



**Tin  
Sn**



**Bar**

**SN008100** Side Length ..... **7mm**  
 High Purity ..... **99.9999%**

Side Length (of longer side)**12mm**

**Size**

**Web Code**  
 991-297-309  
 136-975-904  
 019-205-308  
 846-449-947  
 400-666-135  
 083-273-697

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
12 mm	EUR 187.00	EUR 227.00	EUR 392.00	EUR 666.00
22 mm	EUR 217.00			
25 mm	EUR 230.00	EUR 343.00	EUR 681.00	
28 mm	EUR 243.00			
50 mm	EUR 341.00	EUR 565.00	EUR 1236.00	
75 mm	EUR 452.00	EUR 787.00	EUR 1792.00	

Typical Analysis : Ag 0.3, Ca 0.2, Mg 0.1, Si 0.1.

**SN008150** Side Length ..... **20mm**  
 Purity ..... **99.99+%**

Side Length (of longer side)**25mm**

**Size**

**Web Code**  
 093-130-064

Length	Quantity
290 mm	1pc POA

Typical Analysis : Ag <1, Al <1, Au 1, Bi 2, Cd 1, Cu <1, Fe 2, In <1, Mg 1, Ni 1, Pb 10, Si 5, Tl 1.  
 Nominal ingot weight : 1000g.



**Powder**

**SN006020** Max. Particle size ..... **45micron**

Purity ..... **99.9%**



**Web Code**  
 482-046-935  
 255-863-099  
 982-879-922  
 062-703-642  
 837-950-247  
 743-781-119

Quantity	Weight	1 Pot
	50 g	EUR 123.00
	100 g	EUR 140.00
	200 g	EUR 165.00
	500 g	EUR 221.00
	1000 g	EUR 291.00
	2000 g	EUR 431.00

Typical Analysis : Ag <10, Ca <10, Cu 100, Fe 10, Mg <10, Mn <10, Pb 100, Si 10.

**SN006031** Max. Particle size ..... **150micron**

High Purity ..... **99.995%**



**Web Code**  
 057-513-450  
 082-974-882  
 154-035-084

Quantity	Weight	1 Pot
	10 g	EUR 245.00
	20 g	EUR 315.00
	50 g	EUR 474.00

Typical Analysis :



**Lump**

**SN006102** Max. Lump size ..... **4mm**  
 Condition ..... **Pellets**

High Purity ..... **99.995%**

**Web Code**  
 313-521-943  
 622-220-260  
 394-988-783

Quantity	Weight	1 Pot
	20 g	EUR 205.00
	50 g	EUR 270.00
	100 g	EUR 376.00

Typical Analysis :  
 Nominally 3.2mm diameter x 3mm length. Please ask for prices for larger quantities.

**SN006101** Max. Lump size ..... **5mm**  
 Condition ..... **Pellets**

High Purity ..... **99.995%**

**Web Code**  
 209-489-465  
 098-255-217  
 311-661-424

Quantity	Weight	1 Pot
	50 g	EUR 252.00
	100 g	EUR 318.00
	200 g	EUR 475.00

Typical Analysis :  
 Nominally 4.7mm diameter x 4.7mm length pellets. Please ask for prices for larger quantities.

**SN006110** Max. Lump size ..... **5mm**  
 Condition ..... **Shot**

High Purity ..... **99.995%**

**Web Code**  
 483-681-992  
 460-247-362  
 530-917-834

Quantity	Weight	1 Pot
	20 g	EUR 175.00
	50 g	EUR 223.00
	100 g	EUR 333.00

Typical Analysis :

**Metal – Tin**

**Tin**  
**Sn**



## Lump

**SN006100**

Max. Lump size ..... **10mm**  
 Condition..... **Pellets**

High Purity ..... **99.995%**

**Web Code**  
 111-409-287  
 926-161-613  
 770-206-914

**Quantity**

<b>Weight</b>	<b>1 Pot</b>
50 g	EUR 241.00
100 g	EUR 303.00
200 g	EUR 427.00

Typical Analysis :  
 Nominally 6.35mm diameter x 6.35mm length pellets. Please ask for prices for larger quantities.



## Single Crystal

**SN002110**

Oriented ..... **(100)**  
 Diameter..... **10mm**  
 Condition..... **Unpolished**

Thickness ..... **2mm**  
 Purity..... **99.999%**

**Web Code**  
 676-477-414

**Quantity**

**1pc**  
 EUR POA

Typical Analysis : Not applicable

**Metal – Tin**

## INDEX

### **B**

Bar, Tin 41

### **F**

Foil, Tin 20

### **L**

Lump, Tin 41

### **M**

Microfoil, Tin 20

### **P**

Powder, Tin 41

### **R**

Rod, Tin 39

### **S**

Sheet, Tin 38

Single Crystal, Tin 42

Sputtering Target, Tin 38

### **T**

Tin (Sn) 20

### **W**

Wire  
 .. Tin 39

**INDEX — B-W**