

Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys
Métaux et Alliages
Metalle und Legierungen

Ceramics
Céramiques
Keramiken

Polymers
Polymères
Polymere

Composites
Composites
Verbundwerkstoffe



Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England

Tel: +44 1480 424 800
or +44 1480 424 800
Fax: +44 1480 424 900
or +44 1480 424 900

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA

Tel: 1-800-821-2870 (USA and Canada)
or +1 724 695 7060
Fax: 1-800-283-2020 (USA and Canada)
or +1 724 695 7063

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France

Tel : 0800 917 241 (numéro vert)
or +44 1480 424 813
Fax : 0800 917 313 (numéro vert)
or +44 1480 424 900

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Germany

Tel: 0800 1000 579 (freecall)
or +44 1480 424 810
Fax: 0800 1000 580 (freecall)
or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070

The People's Republic of China
Tel: 00 86 21 6112 1560

Standard Price List for Zirconium

CONTENTS

| | |
|-----------------------------|-----------|
| Introduction | 4 |
| Product Descriptions | 5 |
| Hazards Information | 10 |
| General Information | 11 |
| Order information | 12 |
| Company Details | 15 |
| Conditions of Sale | 16 |
| Metal | 20 |
| INDEX | 36 |

Introduction

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at www.goodfellow.com.

Materials

Metals and Alloys

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

Ceramics

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit www.goodfellow-ceramics.com for further information.

Polymers

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

Compounds & Intermetallics

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

Composites

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

Glasses

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

Product Descriptions



Bar

A straight length of rectangular, square or oval section material.

Tolerances

| | | |
|---------------------|---------|-------------|
| Section dimensions: | ≤ 10mm | ± 10% |
| | > 10mm | ± 1mm |
| Length: | < 100mm | ± 1mm |
| | ≥ 100mm | + 5% / - 1% |



Bolt

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

Tolerances

Ceramics: ANSI B18.6.7M-1985



Chopped Fibre

Fibres cut into short lengths called cut, staple or chopped fibre.

Tolerances

| | |
|--------------------|-------------|
| Fibre diameter: | ± 25% |
| Number of strands: | ± 10% |
| Tex number: | ± 10% |
| Length: | + 5% / - 1% |



Crucible

A vessel in which other materials may be heated or melted, usually at high temperatures.

Tolerances

| | |
|---------------------|-------|
| Height: | ± 10% |
| Inside Dimensions: | ± 10% |
| Outside Dimensions: | ± 10% |



Fabric

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

Tolerances

| | |
|--------------------------|---------------|
| Fabric thickness: | ± 25% |
| Number of yarns: | ± 10% |
| Tex number: | ± 10% |
| Size (linear dimension): | < 100mm ± 5mm |
| | ≥ 100mm ± 5% |



Fibre

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

Tolerances

| | |
|--------------------|-------------|
| Fibre diameter: | ± 25% |
| Number of strands: | ± 10% |
| Tex number: | ± 10% |
| Length: | + 5% / - 1% |



Film

A non-metallic sheet material with a thickness < 0.5mm.

Tolerances

| | |
|--------------------------|---------------------|
| Thickness: | ± 20% |
| Size (linear dimension): | < 100mm ± 1mm |
| | ≥ 100mm + 2% / - 1% |



Flake

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

Tolerances

Dimensions shown are nominal

Product Descriptions



Foam

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



Foil

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

Tolerances

| | | |
|--------------------------|-------------|------------|
| Thickness: | < 0.010mm | ± 25% |
| | 0.01-0.05mm | ± 15% |
| | > 0.050mm | ± 10% |
| Size (linear dimension): | < 100mm | ± 1mm |
| | ≥ 100mm | + 2% / -1% |



Granule

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

Tolerances

Dimensions shown are nominal



Honeycomb

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



Insulated Wire

A single or multiple flexible strand of metal or alloy with an insulating sheath.

Tolerances

| | |
|-----------------------|---------------------|
| Wire diameter: | ± 10% |
| Length: | + 5% / -1% |
| Insulation thickness: | Nominal values only |



Laminate

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

Tolerances

| | |
|--------------------------|--------------------|
| Thickness: | ± 10% |
| Size (linear dimension): | ≤ 100mm ± 1mm |
| | > 100mm + 2% / -1% |



Lump

A solid piece of material with no defined shape.

Tolerances

Dimensions shown are nominal



Mesh

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal.

Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

Tolerances

| | | |
|--------------------------|----------------|------------|
| Thickness: | woven: | ± 10% |
| | electroformed: | ± 20% |
| Wire diameter: | ± 10% | |
| Size (linear dimension): | < 100mm | ± 1mm |
| | ≥ 100mm | + 2% / -1% |

Product Descriptions



Metallised Film

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

Tolerances

Thickness: $\pm 10\%$
 Size (linear dimension): $< 100\text{mm}$ $\pm 1\text{mm}$
 $\geq 100\text{mm}$ $+2\% / -1\%$



Microfoil

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Microleaf

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Monofilament

A single strand of a non-metallic material.

Tolerances

Diameter: $\pm 20\%$
 Length: $+5\% / -1\%$



Non-Woven Fabric

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

Tolerances

Size (linear dimension): $< 100\text{mm}$ $\pm 5\text{mm}$
 $> 100\text{mm}$ $\pm 5\%$



Nut

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

Tolerances

Ceramics: ANSI B18.2.4.1M-1979
 (R1995)



Powder

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

Tolerances

Dimensions shown are nominal

Product Descriptions



Rod

A straight length of circular section material.

Tolerances

| | | |
|-----------|---------|------------|
| Diameter: | ≤ 10mm | ± 10% |
| | Polymer | + 20%/-10% |
| | Ceramic | + 20%/-10% |
| > 10mm | ± 5% | |
| | Ceramic | + 20%/-10% |
| | Polymer | + 20%/-10% |
| Length: | < 100mm | ± 1mm |
| | ≥ 100mm | + 5% / -1% |



Sheet

Flat material with a thickness > 0.5mm.

Tolerances

| | | |
|--------------------------|-----------|------------|
| Thickness: | | ± 10% |
| | Ceramic | ± 20% |
| | Composite | ± 20% |
| | Polymer | ± 20% |
| Size (linear dimension): | < 100mm | ± 1mm |
| | ≥ 100mm | + 2% / -1% |



Single Crystal

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

Tolerances

| | |
|--------------|-------------------------|
| Orientation: | ± 3° |
| Size: | Sizes shown are nominal |



Sphere

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

Tolerances

| | |
|-----------------------|----------|
| Diameter (standard): | ± 5% |
| Diameter (precision): | see item |



Sputtering Target

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

Tolerances

| | |
|------------|---------|
| Thickness: | ± 0.5mm |
| Size: | ± 0.5mm |



Tube

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

Tolerances

| | | |
|-------------------|---------|------------|
| Outside diameter: | ≤ 2mm | ± 0.05mm |
| | Polymer | ± 10% |
| | Ceramic | ± 10% |
| ≤ 5mm | ± 0.1mm | |
| | Polymer | ± 10% |
| | Ceramic | ± 10% |
| > 5mm | ± 5% | |
| | Polymer | ± 10% |
| | Ceramic | ± 10% |
| Wall thickness: | ± 10% | |
| | Polymer | ± 20% |
| | Ceramic | ± 20% |
| Length: | < 100mm | ± 1mm |
| | ≥ 100mm | + 5% / -1% |



Washer

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

Tolerances

| | |
|-----------|----------|
| Ceramics: | see item |
|-----------|----------|

Product Descriptions



Wire

A single or multiple flexible strand of pure metal or alloy.

Tolerances

Wire diameter: $\pm 10\%$
Length: $+ 5\% / -1\%$

Hazards Information

HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

HAZARD SYMBOLS



C

Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

General Information

Analyses

Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of 10^{-9} atm-cm³.s⁻¹.

Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

Order information

General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Delivery

Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

Despatch

Orders will normally be despatched within 48 hours of receipt.

Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

Order information

Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

VAT

VAT number: GB 212 8527 79

UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

Order information

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at www.goodfellow.com or www.goodfellowusa.com.

Company Details

Company Structure

The Goodfellow Group consists of five companies:

Goodfellow Cambridge Limited

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

Goodfellow Corporation

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

Goodfellow GmbH

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

Goodfellow SARL

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England
Registered in England and Wales no. 1188162
VAT registration GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA
A Pennsylvania corporation
EIN 23-2557381

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France
Registered in Lille : RCS : B 381 486 836
Siren : 381486836
Numéro de TVA Intracommunitaire :
FR 06 381 486 836

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Germany
Registered in Friedberg (Hessen) No. HRB 1309
Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070
The People's Republic of China

Conditions of Sale

1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

5 QUOTATIONS

5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in

Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER

Conditions of Sale

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

Zirconium

Zr

Zirconium was discovered in Berlin, Germany, in 1789 by M.H. Klaproth, but was not isolated until 1824 by J.J. Berzelius in Stockholm, Sweden.

Zirconium is a hard, lustrous, silvery coloured metal which is extracted from its ores (the oxide or zircon, $ZrSiO_4$) by conversion to the tetrahalide followed by reduction with magnesium. The metal is extremely corrosion resistant due to the formation of a stable oxide film and is unaffected by acids (with the exception of HF) and alkalis.

As a result of its corrosion resistance, zirconium is widely used in the chemical industry where corrosive agents are used. Also, due to its excellent high temperature properties, coupled with its low neutron absorption, it is used in the construction of nuclear reactors. The pure metal is also used as a lining in jet engines. Zirconium is used as an alloying element, the resultant alloys having improved mechanical properties.

Zirconium oxide, zirconia (ZrO_2), is used as an opacifier in vitreous enamels as well as a pigment. However, the main applications of zirconia make use of its excellent strength and high temperature properties, and it is used to manufacture foundry crucibles, bricks, ceramics and abrasives. It has sufficient strength to enable it to be used to fabricate high precision knife blades.

Atomic Properties

| | |
|--|------------------------------------|
| Atomic number | 40 |
| Atomic radius - Goldschmidt | 0.160 nm |
| Atomic weight | 91.22 amu |
| Crystal structure | Hexagonal close packed |
| Electronic structure | Kr 4d ² 5s ² |
| Photo-electric work function | 3.8 eV |
| Thermal neutron absorption cross-section | 0.182 Barns |
| Valences shown | 2, 3, 4 |

Natural isotope distribution

| | |
|----------|------|
| Mass No. | % |
| 90 | 51.4 |
| 91 | 11.2 |
| 92 | 17.1 |
| 94 | 17.5 |
| 96 | 2.8 |

Ionisation potential

| | |
|-----|-------|
| No. | eV |
| 1 | 6.84 |
| 2 | 13.13 |
| 3 | 22.99 |
| 4 | 34.34 |
| 5 | 81.5 |
| 6 | 99 |

Physical Properties

| | |
|---------------|-------------------------|
| Boiling point | 4377 C |
| Density @20C | 6.49 g cm ⁻³ |
| Melting point | 1852 C |

Electrical Properties

| | |
|---|------------------------|
| Electrical resistivity @20C | 44 μOhmcm |
| Temperature coefficient @0-100C | 0.0044 K ⁻¹ |
| Superconductivity critical temperature | 0.61 K |
| Thermal emf against Pt (cold 0C - hot 100C) | + 1.17 mV |

Thermal Properties

| | |
|--|--|
| Coefficient of thermal expansion @0-100C | 5.9 x10 ⁻⁶ K ⁻¹ |
| Latent heat of evaporation | 6360 J g ⁻¹ |
| Latent heat of fusion | 211 J g ⁻¹ |
| Specific heat @25C | 281 J K ⁻¹ kg ⁻¹ |
| Thermal conductivity @0-100C | 22.7 W m ⁻¹ K ⁻¹ |

Mechanical Properties

| | | |
|--------------------|-------------|-----------------|
| Material condition | Soft | Polycrystalline |
| Bulk modulus | | 89.8 GPa |
| Hardness - Vickers | 85-100 | |
| Poisson's ratio | | 0.38 |
| Tensile modulus | | 98 GPa |
| Tensile strength | 350-390 MPa | |
| Yield strength | 250-310 MPa | |

The purity listed includes the Hafnium content. Do NOT expose to concentrated Sulphuric Acid containing ferric or cupric ions, or to mixtures of hydrochloric & nitric acids, or to ferric chloride, or to copper chloride solutions as a pyrophoric film may be produced. Treating in hot air or steam for 20 to 60 minutes @ 250C can eliminate the pyrophoric film.



Foil

ZR000070 Thickness 0.001mm Purity..... 99.2%



Sizes LT

Web Code
229-509-742
104-051-233

Quantity

| Size | 1pc | 2pcs |
|------------|------------|------------|
| 25 x 25 mm | YEN 82500 | YEN 112000 |
| 50 x 50 mm | YEN 151000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000080 Thickness 0.002mm Purity..... 99.2%



Sizes LT

Web Code
577-277-059
415-685-438

Quantity

| Size | 1pc | 2pcs | 5pcs |
|------------|-----------|------------|------------|
| 25 x 25 mm | YEN 56500 | YEN 75500 | YEN 114000 |
| 50 x 50 mm | YEN 99500 | YEN 136000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000090 Thickness 0.0025mm Purity..... 99.2%



Sizes LT

Web Code
093-767-687
862-228-084

Quantity

| Size | 1pc | 2pcs | 5pcs |
|------------|-----------|------------|------------|
| 25 x 25 mm | YEN 53000 | YEN 70500 | YEN 106000 |
| 50 x 50 mm | YEN 92500 | YEN 127000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Zirconium

Zr



Foil

ZR000100

Thickness 0.003mm

Purity 99.2%



Sizes LT

Web Code

388-580-573
 199-805-026
 716-888-317

| Size | Quantity | | |
|--------------|------------|------------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 49600 | YEN 65500 | YEN 98500 |
| 50 x 50 mm | YEN 86000 | YEN 117000 | |
| 100 x 100 mm | YEN 191000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000110

Thickness 0.004mm

Purity 99.2%



Sizes LT

Web Code

356-516-393
 460-757-652
 297-951-694

| Size | Quantity | | |
|--------------|------------|------------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 47000 | YEN 62000 | YEN 93000 |
| 50 x 50 mm | YEN 81000 | YEN 110000 | |
| 100 x 100 mm | YEN 188000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000120

Thickness 0.005mm

Purity 99.2%



NLT Sizes

Web Code

004-371-616
 683-660-876
 978-435-399

| Size | Quantity | | |
|--------------|------------|------------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 45200 | YEN 59500 | YEN 88500 |
| 50 x 50 mm | YEN 77000 | YEN 104000 | |
| 100 x 100 mm | YEN 180000 | | |

Sizes LT

Web Code

483-922-538
 248-078-322

| Size | Quantity | | |
|------------|-----------|------------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 49800 | YEN 65500 | YEN 97500 |
| 50 x 50 mm | YEN 92500 | YEN 125000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000130

Thickness 0.006mm

Purity 99.2%



NLT Sizes

Web Code

479-486-532
 562-645-971
 192-914-621
 656-804-326

| Size | Quantity | | |
|--------------|------------|------------|------------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 40400 | YEN 53000 | YEN 78000 |
| 50 x 50 mm | YEN 67500 | YEN 91000 | YEN 206000 |
| 100 x 100 mm | YEN 164000 | YEN 316000 | |
| 150 x 150 mm | YEN 352000 | | |

Sizes LT

Web Code

459-979-251
 287-605-648

| Size | Quantity | | |
|------------|-----------|------------|------------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 44600 | YEN 58000 | YEN 86000 |
| 50 x 50 mm | YEN 81000 | YEN 109000 | YEN 247000 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000140

Thickness 0.007mm

Purity 99.2%



NLT Sizes

Web Code

682-738-045

| Size | Quantity | | |
|--------------|------------|------|------|
| | 1pc | 2pcs | 5pcs |
| 150 x 150 mm | YEN 347000 | | |

Sizes LT

Web Code

055-694-543
 853-628-914
 875-831-133
 962-393-800

| Size | Quantity | | |
|--------------|------------|------------|------------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 39200 | YEN 51000 | YEN 75500 |
| 50 x 50 mm | YEN 65000 | YEN 88500 | YEN 203000 |
| 100 x 100 mm | YEN 162000 | YEN 311000 | |
| 150 x 150 mm | YEN 382000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Metal – Zirconium

Zirconium

Zr



Foil

ZR000150

Thickness 0.008mm

Purity 99.2%



NLT Sizes

Web Code
080-112-574

| Size | Quantity | | |
|--------------|------------|------|------|
| | 1pc | 2pcs | 5pcs |
| 150 x 150 mm | YEN 343000 | | |

Sizes LT

Web Code
049-471-724
886-911-147
563-855-468
205-840-438

| Size | Quantity | | |
|--------------|------------|------------|------------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 39000 | YEN 51000 | YEN 75000 |
| 50 x 50 mm | YEN 65000 | YEN 87500 | YEN 201000 |
| 100 x 100 mm | YEN 160000 | YEN 307000 | |
| 150 x 150 mm | YEN 377000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000160

Thickness 0.009mm

Purity 99.2%



NLT Sizes

Web Code
322-550-964

| Size | Quantity | | |
|--------------|------------|------|------|
| | 1pc | 2pcs | 5pcs |
| 150 x 150 mm | YEN 339000 | | |

Sizes LT

Web Code
216-080-522
111-951-640
336-980-653
505-943-403

| Size | Quantity | | |
|--------------|------------|------------|------------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 39000 | YEN 50500 | YEN 74500 |
| 50 x 50 mm | YEN 64500 | YEN 86500 | YEN 198000 |
| 100 x 100 mm | YEN 158000 | YEN 304000 | |
| 150 x 150 mm | YEN 373000 | | |

Discs

Web Code
696-705-146
088-142-369
017-798-026
224-758-081
094-750-277
843-784-266

| Diameter | Quantity | | |
|----------|------------|------------|------------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 43400 | YEN 53500 | YEN 77000 |
| 6 mm | YEN 50500 | YEN 63500 | YEN 93500 |
| 8 mm | YEN 58000 | YEN 74000 | YEN 110000 |
| 10 mm | YEN 65500 | YEN 84500 | YEN 128000 |
| 15 mm | YEN 83500 | YEN 110000 | YEN 228000 |
| 25 mm | YEN 130000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000170

Thickness 0.01mm

Purity 99.2%



Size

Web Code
278-216-393
516-654-308
405-791-841

| Size | Quantity | | |
|--------------|------------|-----------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 37600 | YEN 48600 | YEN 71500 |
| 50 x 50 mm | YEN 62000 | YEN 85000 | |
| 100 x 100 mm | YEN 154000 | | |

Discs

Web Code
504-971-518
121-445-414
180-675-301
584-420-700
052-591-357

| Diameter | Quantity | | |
|----------|-----------|------------|------------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 42800 | YEN 52000 | YEN 75000 |
| 6 mm | YEN 49600 | YEN 62000 | YEN 91000 |
| 8 mm | YEN 56500 | YEN 72000 | YEN 107000 |
| 10 mm | YEN 63500 | YEN 82000 | YEN 125000 |
| 15 mm | YEN 80500 | YEN 106000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Zirconium

Zr



Foil

ZR000202

Thickness 0.01mm

Purity 99.2%



Size

Web Code
 019-983-227
 509-339-981
 569-725-932
 298-069-828

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 14700 | YEN 16200 | YEN 19500 | YEN 23600 | YEN 29800 |
| 50 x 50 mm | YEN 17900 | YEN 20800 | YEN 26800 | YEN 33800 | YEN 44200 |
| 100 x 100 mm | YEN 24400 | YEN 30000 | YEN 41200 | YEN 54000 | |
| 200 x 200 mm | YEN 37400 | YEN 48200 | YEN 90000 | | |

Coil

Web Code
 403-979-244

| Width 204mm Length | 1 Reel |
|-----------------------|--------|
| | 0.5 m |

Discs

Web Code
 985-694-128
 651-186-308
 295-323-592
 548-236-421
 728-123-702
 856-706-469
 794-020-681

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 25200 | YEN 28400 | YEN 33800 |
| 6 mm | YEN 26200 | YEN 29800 | YEN 36000 |
| 8 mm | YEN 27200 | YEN 31200 | YEN 38200 |
| 10 mm | YEN 28200 | YEN 32600 | YEN 40400 |
| 15 mm | YEN 30600 | YEN 36200 | YEN 46000 |
| 25 mm | YEN 35600 | YEN 43000 | YEN 57000 |
| 50 mm | YEN 47800 | YEN 60500 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000180

Thickness 0.0125mm

Purity 99.2%



NLT Sizes

Web Code
 639-672-471

| Size | Quantity | | |
|--------------|------------|------|------|
| | 1pc | 2pcs | 5pcs |
| 150 x 150 mm | YEN 314000 | | |

Sizes LT

Web Code
 777-491-616
 400-118-378
 719-872-263
 749-625-253

| Size | Quantity | | |
|--------------|------------|------------|------------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 36000 | YEN 46400 | YEN 68000 |
| 50 x 50 mm | YEN 58500 | YEN 81000 | YEN 185000 |
| 100 x 100 mm | YEN 147000 | YEN 282000 | |
| 150 x 150 mm | YEN 345000 | | |

Discs

Web Code
 656-482-344
 060-297-486
 537-185-211
 148-155-931
 519-488-727
 936-093-665

| Diameter | Quantity | | |
|----------|------------|------------|------------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 41800 | YEN 51000 | YEN 73000 |
| 6 mm | YEN 48200 | YEN 60000 | YEN 88000 |
| 8 mm | YEN 54500 | YEN 69500 | YEN 103000 |
| 10 mm | YEN 61000 | YEN 78500 | YEN 121000 |
| 15 mm | YEN 77000 | YEN 101000 | YEN 214000 |
| 25 mm | YEN 123000 | YEN 220000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000190

Thickness 0.015mm

Purity 99.2%



Size

Web Code
 482-294-098
 670-025-990
 982-014-268

| Size | Quantity | | |
|--------------|------------|-----------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 x 25 mm | YEN 33200 | YEN 42400 | YEN 61500 |
| 50 x 50 mm | YEN 53000 | YEN 75500 | |
| 100 x 100 mm | YEN 136000 | | |

Discs

Web Code
 252-500-264
 562-533-157
 316-649-098
 581-130-197
 641-274-601

| Diameter | Quantity | | |
|----------|-----------|-----------|------------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 40200 | YEN 48800 | YEN 69500 |
| 6 mm | YEN 45800 | YEN 56500 | YEN 82500 |
| 8 mm | YEN 51500 | YEN 65000 | YEN 95500 |
| 10 mm | YEN 57000 | YEN 73000 | YEN 115000 |
| 15 mm | YEN 71000 | YEN 95000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Metal - Zirconium

Zirconium

Zr



Foil

ZR000205

Thickness 0.016mm

Purity 99.2%



Size

Web Code

641-278-648
 784-704-330
 406-905-824
 913-759-607

Size

25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 100 x 300 mm

1pc

YEN 14100
 YEN 16000
 YEN 19700
 YEN 25000

2pcs

YEN 15100
 YEN 17700
 YEN 23000
 YEN 32800

Quantity

5pcs
 10pcs
 20pcs

5pcs

YEN 17400
 YEN 21600
 YEN 30200
 YEN 64000

10pcs

YEN 20400
 YEN 26200
 YEN 48400

20pcs

YEN 25200
 YEN 34000

Coil

Web Code

727-929-288
 364-805-060

Width 110mm

Length

0.5 m
 1 m

Quantity

1 Reel

YEN 34800
 YEN 53500

Discs

Web Code

160-636-796
 079-595-499
 949-429-635
 678-704-681
 838-082-211
 760-276-753
 034-587-963

Diameter

4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm
 50 mm

Quantity

10 discs

YEN 25800
 YEN 26400
 YEN 26800
 YEN 27400
 YEN 28800
 YEN 31600
 YEN 38600

20 discs

YEN 29200
 YEN 30000
 YEN 30800
 YEN 31600
 YEN 33600
 YEN 37600
 YEN 48000

50 discs

YEN 37600
 YEN 39000
 YEN 40200
 YEN 41400
 YEN 44600
 YEN 51000

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000200

Thickness 0.02mm

Purity 99.2%



NLT Sizes

Web Code

063-225-974

Size

200 x 300 mm

Quantity

1pc
 2pcs
 5pcs
 10pcs
 20pcs

1pc

YEN 38800

2pcs

YEN 48600

5pcs

YEN 68000

Sizes LT

Web Code

182-966-794
 167-804-285
 897-951-328
 794-390-351
 008-805-128

Size

25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 150 x 150 mm
 200 x 300 mm

1pc

YEN 18100
 YEN 20400
 YEN 25200
 YEN 29800
 YEN 42600

2pcs

YEN 19300
 YEN 22600
 YEN 29200
 YEN 36000
 YEN 53500

Quantity

5pcs
 10pcs
 20pcs

5pcs

YEN 22000
 YEN 27200
 YEN 37800
 YEN 48200
 YEN 75000

10pcs

YEN 25400
 YEN 32800
 YEN 47600
 YEN 62500

20pcs

YEN 31000
 YEN 41400
 YEN 62500
 YEN 83500

Coil

Web Code

433-626-602
 203-325-054
 415-626-157
 953-264-872

Width 200mm

Length

1 m
 2 m
 5 m
 10 m

Quantity

1 Reel

YEN 61500
 YEN 79000
 YEN 114000
 YEN 153000

Discs

Web Code

763-094-879
 386-851-348
 356-422-915
 552-872-213
 109-029-231
 628-660-083
 582-500-997

Diameter

4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm
 50 mm

Quantity

10 discs

YEN 30200
 YEN 31000
 YEN 31800
 YEN 32400
 YEN 34200
 YEN 37800
 YEN 46600

20 discs

YEN 33800
 YEN 34800
 YEN 35800
 YEN 36800
 YEN 39400
 YEN 44400
 YEN 57000

50 discs

YEN 42600
 YEN 44200
 YEN 45800
 YEN 47400
 YEN 51500
 YEN 59500
 YEN 79500

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Metal - Zirconium

Zirconium

Zr



Foil

ZR000210

Thickness **0.025mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 323-496-852
 437-112-316
 639-049-895
 881-226-410
 153-304-394

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 12700 | YEN 13900 | YEN 16500 | YEN 19900 | YEN 25400 |
| 50 x 50 mm | YEN 15000 | YEN 17100 | YEN 21600 | YEN 27000 | YEN 35600 |
| 100 x 100 mm | YEN 19500 | YEN 23600 | YEN 31800 | YEN 41600 | YEN 56000 |
| 150 x 150 mm | YEN 24200 | YEN 30000 | YEN 42000 | YEN 56000 | |
| 200 x 300 mm | YEN 32800 | YEN 42200 | YEN 61500 | | |

Coil

Web Code
 886-080-112
 163-040-042
 380-002-816
 500-351-376

| Length | Quantity | |
|--------|------------|--|
| | 1 Reel | |
| 0.5 m | YEN 43600 | |
| 1 m | YEN 55500 | |
| 2 m | YEN 73000 | |
| 5 m | YEN 123000 | |

Discs

Web Code
 990-145-973
 768-240-303
 030-045-021
 755-628-697
 453-576-880
 697-108-567
 138-567-997

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 23800 | YEN 27400 | YEN 36000 |
| 6 mm | YEN 24600 | YEN 28400 | YEN 37600 |
| 8 mm | YEN 25200 | YEN 29400 | YEN 39200 |
| 10 mm | YEN 26000 | YEN 30400 | YEN 40800 |
| 15 mm | YEN 27600 | YEN 32800 | YEN 44600 |
| 25 mm | YEN 31200 | YEN 37600 | YEN 52500 |
| 50 mm | YEN 39800 | YEN 50000 | YEN 72000 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000220

Thickness **0.05mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 971-833-561
 479-198-759
 899-844-576
 480-567-331
 505-390-912

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|------------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 16600 | YEN 17900 | YEN 20800 | YEN 24400 | YEN 30200 |
| 50 x 50 mm | YEN 19200 | YEN 21600 | YEN 26400 | YEN 32400 | YEN 41600 |
| 100 x 100 mm | YEN 24200 | YEN 28800 | YEN 37800 | YEN 48600 | YEN 64500 |
| 150 x 150 mm | YEN 29400 | YEN 36000 | YEN 49200 | YEN 64500 | YEN 87000 |
| 300 x 300 mm | YEN 44600 | YEN 57500 | YEN 83500 | YEN 113000 | |

Coil

Web Code
 894-795-912
 865-593-841
 199-225-862
 903-234-895

| Length | Quantity | |
|--------|------------|--|
| | 1 Reel | |
| 0.5 m | YEN 58000 | |
| 1 m | YEN 74500 | |
| 2 m | YEN 98000 | |
| 5 m | YEN 144000 | |

Discs

Web Code
 568-309-909
 038-744-394
 843-040-763
 380-090-449
 511-303-708
 912-965-131
 120-648-675

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 28400 | YEN 32000 | YEN 40800 |
| 6 mm | YEN 29200 | YEN 33200 | YEN 42600 |
| 8 mm | YEN 30000 | YEN 34200 | YEN 44200 |
| 10 mm | YEN 30600 | YEN 35200 | YEN 46000 |
| 15 mm | YEN 32600 | YEN 38000 | YEN 50500 |
| 25 mm | YEN 36600 | YEN 43600 | YEN 59000 |
| 50 mm | YEN 46200 | YEN 57000 | YEN 80500 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Zirconium

Zr



Foil

ZR000240

Thickness **0.075mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 081-076-028
 134-502-055
 812-754-634
 594-331-615
 291-458-870

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 16600 | YEN 17900 | YEN 20600 | YEN 24200 | YEN 30000 |
| 50 x 50 mm | YEN 19100 | YEN 21400 | YEN 26200 | YEN 32200 | YEN 41200 |
| 100 x 100 mm | YEN 24000 | YEN 28400 | YEN 37400 | YEN 47800 | YEN 63500 |
| 150 x 150 mm | YEN 29000 | YEN 35600 | YEN 48600 | YEN 63500 | YEN 86000 |
| 200 x 300 mm | YEN 38600 | YEN 49000 | YEN 70000 | | |

Coil

Web Code
 849-488-348
 432-351-203
 043-912-438
 489-050-628

| Length | Quantity | |
|--------|------------|--|
| | 1 Reel | |
| 0.5 m | YEN 49600 | |
| 1 m | YEN 63000 | |
| 2 m | YEN 81500 | |
| 5 m | YEN 141000 | |

Discs

Web Code
 416-994-703
 124-345-096
 543-131-184
 891-395-948
 424-492-498
 061-553-449
 694-183-894

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 28400 | YEN 32000 | YEN 40800 |
| 6 mm | YEN 29200 | YEN 33000 | YEN 42400 |
| 8 mm | YEN 29800 | YEN 34200 | YEN 44200 |
| 10 mm | YEN 30600 | YEN 35200 | YEN 45800 |
| 15 mm | YEN 32600 | YEN 37800 | YEN 50000 |
| 25 mm | YEN 36400 | YEN 43200 | YEN 58500 |
| 50 mm | YEN 45800 | YEN 56500 | YEN 80000 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000260

Thickness **0.1mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 913-090-354
 136-294-831
 036-853-166
 606-648-772
 831-091-352

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 16800 | YEN 18200 | YEN 21200 | YEN 25000 | YEN 31000 |
| 50 x 50 mm | YEN 19500 | YEN 22000 | YEN 27200 | YEN 33400 | YEN 43000 |
| 100 x 100 mm | YEN 25000 | YEN 29600 | YEN 39400 | YEN 50500 | YEN 67500 |
| 150 x 150 mm | YEN 30400 | YEN 37400 | YEN 51500 | YEN 68000 | |
| 200 x 300 mm | YEN 40600 | YEN 52000 | | | |

Coil

Web Code
 186-049-423
 886-413-119
 801-638-847

| Length | Quantity | |
|--------|-----------|--|
| | 1 Reel | |
| 0.5 m | YEN 52500 | |
| 1 m | YEN 66500 | |
| 2 m | YEN 87000 | |

Discs

Web Code
 607-269-994
 908-741-212
 592-655-803
 081-978-360
 247-288-903
 911-114-183
 889-263-406

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 28400 | YEN 32200 | YEN 41000 |
| 6 mm | YEN 29400 | YEN 33400 | YEN 43000 |
| 8 mm | YEN 30200 | YEN 34400 | YEN 44800 |
| 10 mm | YEN 31000 | YEN 35600 | YEN 46600 |
| 15 mm | YEN 33000 | YEN 38600 | YEN 51000 |
| 25 mm | YEN 37200 | YEN 44400 | YEN 60500 |
| 50 mm | YEN 47400 | YEN 59000 | YEN 83500 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Zirconium

Zr



Foil

ZR000270

Thickness 0.125mm
 Temper Annealed

Purity 99.2%



Size

Web Code
 157-925-549
 740-698-373
 587-296-070
 412-007-269
 686-481-589

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 11300 | YEN 12600 | YEN 15500 | YEN 19600 | YEN 26600 |
| 50 x 50 mm | YEN 13300 | YEN 15300 | YEN 19800 | YEN 25600 | YEN 35200 |
| 100 x 100 mm | YEN 17100 | YEN 20800 | YEN 28400 | YEN 37800 | |
| 150 x 150 mm | YEN 21000 | YEN 26200 | YEN 37000 | | |
| 300 x 300 mm | YEN 32400 | YEN 42400 | | | |

Coil

Web Code
 256-179-882
 613-792-752

| Length | Quantity | |
|--------|-----------|--|
| | 1 Reel | |
| 0.5 m | YEN 43200 | |
| 1 m | YEN 64500 | |

Discs

Web Code
 348-552-304
 569-038-013
 129-760-615
 220-075-950
 509-492-321
 686-542-013
 817-758-957

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 24600 | YEN 30600 | YEN 39000 |
| 6 mm | YEN 25200 | YEN 31400 | YEN 40400 |
| 8 mm | YEN 25800 | YEN 32200 | YEN 41800 |
| 10 mm | YEN 26400 | YEN 33000 | YEN 43000 |
| 15 mm | YEN 27800 | YEN 35200 | YEN 46200 |
| 25 mm | YEN 30800 | YEN 39200 | YEN 53000 |
| 50 mm | YEN 38000 | YEN 49600 | YEN 69500 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000300

Thickness 0.25mm
 Temper Annealed

Purity 99.2%



Size

Web Code
 294-964-269
 870-534-741
 816-849-172
 106-141-709
 694-514-875

| Size | Quantity | | | | |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 25 x 25 mm | YEN 14100 | YEN 16100 | YEN 20600 | YEN 26800 | YEN 37200 |
| 50 x 50 mm | YEN 17400 | YEN 20800 | YEN 28000 | YEN 37200 | YEN 52000 |
| 100 x 100 mm | YEN 24000 | YEN 30200 | YEN 43000 | YEN 58500 | |
| 150 x 150 mm | YEN 30800 | YEN 39600 | YEN 58000 | | |
| 300 x 300 mm | YEN 50500 | YEN 69500 | | | |

Coil

Web Code
 022-487-250
 465-515-516

| Length | Quantity | |
|--------|------------|--|
| | 1 Reel | |
| 0.5 m | YEN 66500 | |
| 1 m | YEN 113000 | |

Discs

Web Code
 074-340-080
 292-512-013
 564-003-083
 500-380-396
 547-542-182
 442-768-677
 346-080-013

| Diameter | Quantity | | |
|----------|-----------|-----------|------------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 28800 | YEN 37000 | YEN 55000 |
| 6 mm | YEN 29800 | YEN 38400 | YEN 57500 |
| 8 mm | YEN 30800 | YEN 39800 | YEN 59500 |
| 10 mm | YEN 31800 | YEN 41200 | YEN 62000 |
| 15 mm | YEN 34400 | YEN 44800 | YEN 67500 |
| 25 mm | YEN 39400 | YEN 52000 | YEN 79000 |
| 50 mm | YEN 52000 | YEN 70000 | YEN 107000 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR000310

Thickness 0.5mm
 Temper Annealed

Purity 99.2%



Size

Web Code
 046-688-359
 836-039-093
 504-885-778
 110-716-516
 275-044-026

| Size | Quantity | | | |
|--------------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 25 x 25 mm | YEN 14900 | YEN 16800 | YEN 20600 | YEN 25600 |
| 50 x 50 mm | YEN 18800 | YEN 22200 | YEN 29400 | YEN 37800 |
| 100 x 100 mm | YEN 26600 | YEN 33200 | YEN 46600 | |
| 150 x 150 mm | YEN 34200 | YEN 44200 | | |
| 300 x 300 mm | YEN 72500 | | | |

Coil

Web Code
 946-377-283

| Length | Quantity | |
|--------|------------|--|
| | 1 Reel | |
| 0.5 m | YEN 119000 | |

Discs

Web Code
 132-356-662
 544-578-478
 072-310-923
 038-864-435
 858-061-081
 257-636-547
 204-564-565

| Diameter | Quantity | | |
|----------|-----------|-----------|-----------|
| | 10 discs | 20 discs | 50 discs |
| 4 mm | YEN 25600 | YEN 29400 | YEN 39000 |
| 6 mm | YEN 26800 | YEN 31200 | YEN 41600 |
| 8 mm | YEN 27800 | YEN 32800 | YEN 44200 |
| 10 mm | YEN 29000 | YEN 34600 | YEN 47000 |
| 15 mm | YEN 32000 | YEN 38600 | YEN 53500 |
| 25 mm | YEN 38000 | YEN 47000 | YEN 67000 |
| 50 mm | YEN 53000 | YEN 68000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal - Zirconium

Zirconium

Zr



Foil

ZR000320

Thickness **1.0mm**
 Temper **Annealed**

Purity **99.2%**



Discs

Web Code
 161-090-522

| Diameter | Quantity | |
|----------|-----------|-----------|
| | 1 discs | 2 discs |
| 50 mm | YEN 23800 | YEN 26000 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR000321

Thickness **1.0mm**
 Temper **Annealed**

Purity **99.2%**
 Condition **Hafnium > 0.2%**



Size

Web Code
 138-822-264
 188-679-321
 635-664-336
 003-423-803
 982-117-205

| Size | Quantity | | | |
|--------------|------------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 25 x 25 mm | YEN 16500 | YEN 18500 | YEN 22600 | YEN 27600 |
| 50 x 50 mm | YEN 20600 | YEN 24200 | YEN 31800 | YEN 40600 |
| 100 x 100 mm | YEN 28800 | YEN 35800 | YEN 62000 | |
| 150 x 150 mm | YEN 37000 | YEN 56500 | | |
| 300 x 300 mm | YEN 100000 | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR000350

Thickness **2.0mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 136-324-101
 040-518-869
 064-859-355
 107-422-844

| Size | Quantity | | | |
|--------------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 25 x 25 mm | YEN 22000 | YEN 25800 | YEN 33800 | YEN 43000 |
| 50 x 50 mm | YEN 30600 | YEN 38200 | YEN 53000 | YEN 70500 |
| 100 x 100 mm | YEN 48000 | YEN 63000 | | |
| 150 x 150 mm | YEN 65500 | YEN 87500 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR000370

Thickness **3.6mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 208-687-238
 085-910-032

| Size | Quantity |
|--------------|----------|
| | 1pc |
| 150 x 150 mm | POA |
| 300 x 300 mm | POA |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR000380

Thickness **7.0mm**
 Temper **Annealed**

Purity **99.2%**



Size

Web Code
 408-203-520
 360-002-126

| Size | Quantity |
|--------------|----------|
| | 1pc |
| 150 x 150 mm | POA |
| 200 x 500 mm | POA |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.



Sputtering Target

ZR009300

Thickness **3.5mm**
 Condition **Hafnium > 0.2%**

Purity **99.2%**



Size

Web Code
 280-502-303
 704-397-335

| Disc diam. | Quantity |
|------------|----------|
| | 1disc |
| 25 mm | POA |
| 50 mm | POA |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

ZR009600

Thickness **6.0mm**
 Condition **Hafnium > 0.2%**

Purity **99.2%**



Size

Web Code
 862-201-988
 862-201-988

| Disc diam. | Quantity |
|------------|----------|
| | 1disc |
| 50 mm | POA |
| 75 mm | POA |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

ZR009512

Thickness **6.0mm**

Purity **99.2%**



Size

Web Code
 472-074-828

| Disc diam. | Quantity |
|------------|----------|
| | 1disc |
| 120 mm | POA |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal – Zirconium

Zirconium

Zr



Sputtering Target

ZR009515 Thickness **6.0mm** Purity..... **99.2%**
Size **Quantity**
Web Code **Disc diam.** **1disc**
 009-351-204 152.4 mm POA
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR009520 Thickness **6.0mm** Purity..... **99.2%**
Size **Quantity**
Web Code **Disc diam.** **1disc**
 168-906-554 203.2 mm POA
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR009700 Thickness **7.0mm** Purity..... **99.2%**
Size **Quantity**
Web Code **Disc diam.** **1disc**
 021-186-537 50 mm POA
 648-323-404 75 mm POA
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.



Wire

ZR005110 Diameter..... **0.05mm** Purity..... **99.2%**
 Temper..... **As drawn**
Length **Quantity**
Web Code **Length** **1 Reel**
 696-666-106 0.5 m YEN 40800
 083-269-755 1 m YEN 51500
 408-713-146 2 m YEN 66500
 089-146-644 5 m YEN 96000
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR005120 Diameter..... **0.125mm** Purity..... **99.2%**
 Condition..... **Stress relieved**
Length **Quantity**
Web Code **Length** **1 Reel**
 482-325-156 1 m YEN 29000
 330-293-228 5 m YEN 41000
 286-657-263 10 m YEN 51000
 832-162-463 20 m YEN 78000
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR005130 Diameter..... **0.25mm** Purity..... **99.2%**
 Temper..... **As drawn**
Length **Quantity**
Web Code **Length** **1 Reel**
 537-503-581 1 m YEN 28200
 187-942-011 5 m YEN 39000
 492-750-746 10 m YEN 48200
 593-838-177 20 m YEN 68500
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

ZR005134 Diameter..... **0.28mm** Purity..... **99.2%**
 Temper..... **Annealed** Condition..... **Hafnium > 0.2%**
Length **Quantity**
Web Code **Length** **1 Reel**
 292-697-494 1 m YEN 28200
 589-457-314 5 m YEN 39000
 007-857-527 10 m YEN 48200
 825-117-825 20 m YEN 68500
 Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal – Zirconium

Zirconium

Zr



Wire

ZR005136

Diameter **0.5mm**
 Temper **Annealed**

Purity **99.2%**



Length
Web Code
 307-139-365

| Quantity | |
|----------|-----------|
| Length | 1 Reel |
| 0.5 m | YEN 16000 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR005135

Diameter **0.5mm**
 Temper **As drawn**

Purity **99.2%**



Length
Web Code
 434-145-567
 268-189-715
 523-719-412
 468-891-288
 611-400-803

| Quantity | |
|----------|-----------|
| Length | 1 Reel |
| 0.5 m | YEN 16000 |
| 1 m | YEN 18000 |
| 5 m | YEN 26600 |
| 10 m | YEN 33200 |
| 20 m | YEN 46600 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR005143

Diameter **1.0mm**
 Temper **Annealed**

Purity **99.2%**
 Condition **Hafnium > 0.2%**



Length
Web Code
 119-107-433
 222-775-272
 349-620-827
 490-340-221
 982-674-174

| Quantity | |
|----------|-----------|
| Length | 1 Reel |
| 0.5 m | YEN 16300 |
| 1 m | YEN 18400 |
| 5 m | YEN 27400 |
| 10 m | YEN 34400 |
| 20 m | YEN 50500 |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.



Rod

ZR007905

Diameter **1.5mm**

Purity **99.2%**



Size
Web Code
 662-720-811
 840-104-961
 013-119-503
 473-337-187

| Length | Quantity | | | | |
|---------|-----------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs | 20pcs |
| 100 mm | YEN 13700 | YEN 15700 | YEN 20400 | YEN 27200 | YEN 32400 |
| 200 mm | YEN 14800 | YEN 17200 | YEN 22800 | YEN 30600 | YEN 37400 |
| 500 mm | YEN 17000 | YEN 20400 | YEN 27800 | YEN 37600 | YEN 51500 |
| 1000 mm | YEN 19500 | YEN 23800 | YEN 33200 | YEN 49800 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007910

Diameter **2.0mm**
 Condition **Centreless ground**

Purity **99.2%**
 Condition **Hafnium > 0.2%**



Size
Web Code
 639-947-080
 993-387-434
 173-432-660
 679-085-831

| Length | Quantity | | | |
|---------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 100 mm | YEN 17400 | YEN 21000 | YEN 28800 | YEN 39000 |
| 200 mm | YEN 20000 | YEN 24600 | YEN 34600 | YEN 48800 |
| 500 mm | YEN 25400 | YEN 32200 | | |
| 1000 mm | YEN 31200 | YEN 41800 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007915

Diameter **3.0mm**
 Condition **Centreless ground**

Purity **99.2%**
 Condition **Hafnium > 0.2%**



Size
Web Code
 902-460-561
 925-889-673
 490-238-621
 484-597-740

| Length | Quantity | | | |
|---------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 100 mm | YEN 19300 | YEN 23600 | YEN 33000 | YEN 44800 |
| 200 mm | YEN 22800 | YEN 28400 | YEN 40600 | YEN 68500 |
| 500 mm | YEN 29600 | YEN 38000 | | |
| 1000 mm | YEN 37200 | YEN 62000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007920

Diameter **5.0mm**
 Condition **Centreless ground**

Purity **99.2%**
 Condition **Hafnium > 0.2%**



Size
Web Code
 885-736-180
 717-015-121
 626-897-645
 362-202-271

| Length | Quantity | | | |
|---------|-----------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 100 mm | YEN 25200 | YEN 31200 | YEN 44400 | YEN 60500 |
| 200 mm | YEN 30400 | YEN 38600 | YEN 56000 | YEN 84500 |
| 500 mm | YEN 40600 | YEN 53000 | | |
| 1000 mm | YEN 52000 | YEN 77000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal – Zirconium

Zirconium

Zr



Rod

ZR007924

Diameter **6.0mm** Purity **99.2%**
 Condition **Centreless ground**



| Size | Web Code | Length | Quantity | | |
|------|-------------|---------|-----------|-----------|-----------|
| | | | 1pc | 2pcs | 5pcs |
| | 275-956-372 | 100 mm | YEN 27600 | YEN 34800 | YEN 49800 |
| | 177-093-411 | 200 mm | YEN 33800 | YEN 43600 | YEN 63500 |
| | 844-127-625 | 500 mm | YEN 46000 | YEN 61000 | |
| | 701-244-426 | 1000 mm | YEN 60000 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007926

Diameter **6.7mm** Purity **99.2%**
 Condition **Centreless ground**



| Size | Web Code | Length | Quantity | | |
|------|-------------|---------|-----------|-----------|-----------|
| | | | 1pc | 2pcs | 5pcs |
| | 203-693-471 | 100 mm | YEN 28200 | YEN 35400 | YEN 50500 |
| | 688-607-380 | 200 mm | YEN 34400 | YEN 44200 | YEN 64500 |
| | 832-130-072 | 500 mm | YEN 46800 | YEN 61500 | |
| | 632-021-600 | 1000 mm | YEN 60500 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007930

Diameter **9.5mm** Purity **99.2%**
 Condition **Centreless ground** Condition **Hafnium > 0.2%**



| Size | Web Code | Length | Quantity | | | |
|------|-------------|---------|------------|------------|------------|------------|
| | | | 1pc | 2pcs | 5pcs | 10pcs |
| | 275-280-482 | 100 mm | YEN 29400 | YEN 39400 | YEN 71000 | YEN 132000 |
| | 410-055-384 | 200 mm | YEN 36000 | YEN 52000 | YEN 115000 | |
| | 256-918-780 | 500 mm | YEN 57500 | YEN 105000 | | |
| | 114-844-688 | 1000 mm | YEN 102000 | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007931

Diameter **10.0mm** Purity **99.2%**
 Condition **Centreless ground** Condition **Hafnium > 0.2%**



| Size | Web Code | Length | Quantity | | | |
|------|-------------|---------|------------|------------|------------|------------|
| | | | 1pc | 2pcs | 5pcs | 10pcs |
| | 608-741-065 | 100 mm | YEN 29400 | YEN 39600 | YEN 71500 | YEN 134000 |
| | 374-641-505 | 200 mm | YEN 36200 | YEN 52500 | YEN 117000 | |
| | 947-781-061 | 500 mm | YEN 58500 | YEN 107000 | | |
| | 356-468-020 | 1000 mm | YEN 103000 | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007935

Diameter **12.7mm** Purity **99.2%**
 Condition **Centreless ground** Condition **Hafnium > 0.2%**



| Size | Web Code | Length | Quantity | | | |
|------|-------------|---------|------------|------------|------------|------------|
| | | | 1pc | 2pcs | 5pcs | 10pcs |
| | 355-583-212 | 100 mm | YEN 30800 | YEN 41600 | YEN 87500 | YEN 165000 |
| | 447-908-461 | 200 mm | YEN 38200 | YEN 65500 | YEN 149000 | |
| | 988-558-475 | 500 mm | YEN 75000 | YEN 140000 | | |
| | 569-801-657 | 1000 mm | YEN 137000 | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007938

Diameter **16mm** Purity **99.2%**
 Condition **Centreless ground** Condition **Hafnium > 0.2%**



| Size | Web Code | Length | Quantity | | | |
|------|-------------|---------|------------|------------|------------|------------|
| | | | 1pc | 2pcs | 5pcs | 10pcs |
| | 703-660-573 | 100 mm | YEN 33200 | YEN 43800 | YEN 90000 | YEN 168000 |
| | 997-236-843 | 200 mm | YEN 40600 | YEN 68000 | YEN 152000 | |
| | 248-005-766 | 500 mm | YEN 77000 | YEN 142000 | | |
| | 522-955-640 | 1000 mm | YEN 139000 | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007940

Diameter **19.0mm** Purity **99.2%**
 Condition **Centreless ground** Condition **Hafnium > 0.2%**



| Size | Web Code | Length | Quantity | | |
|------|-------------|--------|-----------|-----------|-----------|
| | | | 1pc | 2pcs | 5pcs |
| | 225-202-581 | 50 mm | YEN 35200 | YEN 45800 | YEN 80000 |
| | 150-316-627 | 100 mm | YEN 43800 | YEN 66000 | |
| | 789-587-159 | 200 mm | YEN 64000 | | |
| | 315-496-426 | 300 mm | YEN 88500 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal – Zirconium

Zirconium

Zr



Rod

ZR007950

Diameter 25.4mm
 Condition..... Centreless ground

Purity..... 99.2%
 Condition..... Hafnium > 0.2%



Size

Web Code
 298-322-401
 814-482-852
 422-181-973
 910-704-349

| Length | Quantity | | |
|--------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs |
| 25 mm | YEN 32200 | YEN 41800 | YEN 64000 |
| 50 mm | YEN 39600 | YEN 53000 | |
| 100 mm | YEN 51000 | YEN 89500 | |
| 200 mm | YEN 87500 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007955

Diameter 38.1mm
 Condition..... Centreless ground

Purity..... 99.2%
 Condition..... Hafnium > 0.2%



Size

Web Code
 102-970-988
 400-132-775
 662-743-752

| Length | Quantity | |
|--------|-----------|-----------|
| | 1pc | 2pcs |
| 25 mm | YEN 36600 | YEN 49800 |
| 50 mm | YEN 44600 | YEN 76000 |
| 100 mm | YEN 71000 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007960

Diameter 50mm
 Condition..... Centreless ground

Purity..... 99.2%
 Condition..... Hafnium > 0.2%



Size

Web Code
 036-718-052
 914-899-558
 045-137-007

| Length | Quantity | |
|--------|-----------|------------|
| | 1pc | 2pcs |
| 25 mm | YEN 41400 | YEN 63500 |
| 50 mm | YEN 58500 | YEN 105000 |
| 100 mm | YEN 99500 | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.



Tube

ZR007160

Outside Diameter..... 1.6mm
 Inside Diameter 1.1mm
 Temper..... Hard

Wall Thickness..... 0.25mm
 Purity..... 99.2%



Size

Web Code
 194-455-191
 306-890-401
 361-306-328
 163-298-212

| Length | Quantity | | | |
|---------|-----------|-----------|-----------|-------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 100 mm | YEN 28600 | YEN 38600 | YEN 79500 | POA |
| 200 mm | YEN 37800 | YEN 64000 | POA | |
| 500 mm | YEN 76000 | POA | | |
| 1000 mm | POA | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007200

Outside Diameter..... 2.0mm
 Inside Diameter 1.6mm
 Temper..... Annealed

Wall Thickness..... 0.2mm
 Purity..... 99.2%



Size

Web Code
 376-574-240
 071-779-123
 972-390-440
 548-802-072

| Length | Quantity | | | |
|---------|-----------|-----------|-----------|-------|
| | 1pc | 2pcs | 5pcs | 10pcs |
| 100 mm | YEN 32000 | YEN 45400 | YEN 96500 | POA |
| 200 mm | YEN 44600 | YEN 77500 | POA | |
| 500 mm | YEN 93000 | POA | | |
| 1000 mm | POA | | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007400

Outside Diameter..... 6.35mm
 Inside Diameter 4.55mm
 Temper..... Annealed

Wall Thickness..... 0.9mm
 Purity..... 99.2%



Size

Web Code
 600-258-907
 032-374-212
 046-782-305
 847-796-123

| Length | Quantity | | |
|---------|-----------|-----------|------------|
| | 1pc | 2pcs | 5pcs |
| 100 mm | YEN 25600 | YEN 34200 | YEN 61000 |
| 200 mm | YEN 32400 | YEN 50500 | YEN 102000 |
| 500 mm | YEN 57000 | YEN 99000 | |
| 1000 mm | YEN 97500 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR007620

Outside Diameter..... 12.7mm
 Inside Diameter 9.5mm
 Temper..... Annealed

Wall Thickness..... 1.6mm
 Purity..... 99.2%



Size

Web Code
 888-517-307
 064-674-189
 084-266-408
 533-301-720

| Length | Quantity | | |
|---------|-----------|-----------|-----------|
| | 1pc | 2pcs | 5pcs |
| 100 mm | YEN 23000 | YEN 30600 | YEN 56000 |
| 200 mm | YEN 29400 | YEN 46200 | YEN 95000 |
| 500 mm | YEN 52500 | YEN 93000 | |
| 1000 mm | YEN 91500 | | |

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal – Zirconium

Zirconium

Zr



Crucible

| | | | | |
|-----------------|---------------------------|--------------------|----------------------------|-------------|
| ZR008605 | Shape | Cylindrical | Outside Diameter | 21mm |
| | Inside Diameter | 19mm | Height | 19mm |
| | Capacity | 5ml | | |
| | Quantity | | Quantity | |
| | Web Code | | 1 pack | |
| | 857-974-000 | | 1 pcs | YEN 17100 |

Typical Analysis : Not applicable

| | | | | |
|-----------------|---------------------------|--------------------|----------------------------|-------------|
| ZR008610 | Shape | Cylindrical | Outside Diameter | 27mm |
| | Inside Diameter | 25mm | Height | 22mm |
| | Capacity | 10ml | | |
| | Quantity | | Quantity | |
| | Web Code | | 1 pack | |
| | 797-862-767 | | 1 pcs | YEN 17100 |

Typical Analysis : Not applicable

| | | | | |
|-----------------|---------------------------|--------------------|----------------------------|-------------|
| ZR008615 | Shape | Cylindrical | Outside Diameter | 33mm |
| | Inside Diameter | 31mm | Height | 22mm |
| | Capacity | 15ml | | |
| | Quantity | | Quantity | |
| | Web Code | | 1 pack | |
| | 985-689-503 | | 1 pcs | YEN 17700 |

Typical Analysis : Not applicable

| | | | | |
|-----------------|---------------------------|--------------------|----------------------------|-------------|
| ZR008620 | Shape | Cylindrical | Outside Diameter | 33mm |
| | Inside Diameter | 31mm | Height | 29mm |
| | Capacity | 20ml | | |
| | Quantity | | Quantity | |
| | Web Code | | 1 pack | |
| | 343-460-448 | | 1 pcs | YEN 17700 |

Typical Analysis : Not applicable

| | | | | |
|-----------------|---------------------------|--------------------|----------------------------|-------------|
| ZR008625 | Shape | Cylindrical | Outside Diameter | 47mm |
| | Inside Diameter | 45mm | Height | 22mm |
| | Capacity | 25ml | | |
| | Quantity | | Quantity | |
| | Web Code | | 1 pack | |
| | 752-874-256 | | 1 pcs | YEN 17900 |

Typical Analysis : Not applicable

| | | | | |
|-----------------|---------------------------|--------------------|----------------------------|-------------|
| ZR008635 | Shape | Cylindrical | Outside Diameter | 47mm |
| | Inside Diameter | 45mm | Height | 29mm |
| | Capacity | 35ml | | |
| | Quantity | | Quantity | |
| | Web Code | | 1 pack | |
| | 215-348-369 | | 1 pcs | YEN 18000 |

Typical Analysis : Not applicable

Metal – Zirconium

Zirconium

Zr



Crucible

ZR008645

Shape **Cylindrical**
 Inside Diameter **45mm**
 Capacity **45ml**

Outside Diameter..... **47mm**
 Height **34mm**

Quantity
Web Code
 117-222-494

Quantity
1 pack
 1 pcs YEN 18200

Typical Analysis : Not applicable

ZR008655

Shape **Cylindrical**
 Inside Diameter **45mm**
 Capacity **55ml**

Outside Diameter..... **47mm**
 Height **41mm**

Quantity
Web Code
 607-160-000

Quantity
1 pack
 1 pcs YEN 18400

Typical Analysis : Not applicable

ZR008675

Shape **Cylindrical**
 Inside Diameter **49mm**
 Capacity **75ml**

Outside Diameter..... **51mm**
 Height **41mm**

Quantity
Web Code
 466-254-180

Quantity
1 pack
 1 pcs YEN 18700

Typical Analysis : Not applicable

ZR008680

Shape **Cylindrical**
 Inside Diameter **57mm**
 Capacity **100ml**

Outside Diameter..... **59mm**
 Height **45mm**

Quantity
Web Code
 326-650-022

Quantity
1 pack
 1 pcs YEN 20400

Typical Analysis : Not applicable

ZR008685

Shape **Cylindrical**
 Inside Diameter **81mm**
 Capacity **250ml**

Outside Diameter..... **83mm**
 Height **57mm**

Quantity
Web Code
 398-882-868

Quantity
1 pack
 1 pcs YEN 23000

Typical Analysis : Not applicable

ZR008690

Shape **Cylindrical**
 Inside Diameter **102mm**
 Capacity **500ml**

Outside Diameter..... **104mm**
 Height **63mm**

Quantity
Web Code
 346-676-135

Quantity
1 pack
 1 pcs YEN 30200

Typical Analysis : Not applicable

Metal – Zirconium

Zirconium

Zr



Crucible

ZR008695

Shape **Cylindrical**
 Inside Diameter **125mm**
 Capacity **1000ml**

Outside Diameter **127mm**
 Height **89mm**

Quantity
Web Code
 762-237-297

Quantity
1 pack
 1 pcs YEN 40200

Typical Analysis : Not applicable

ZR008698

Shape **Cylindrical**
 Inside Diameter **150mm**
 Capacity **1500ml**

Outside Diameter **152mm**
 Height **99mm**

Quantity
Web Code
 888-686-159

Quantity
1 pack
 1 pcs YEN 59000

Typical Analysis : Not applicable



Powder

ZR006015

Max. Particle size **45micron**
 Condition **In aqueous suspension (min 30% water)**

Purity **99.2%**



Web Code
 479-388-217
 858-447-405

Quantity
Weight **1 Pot**
 100 g YEN 62000
 200 g YEN 110000

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.
 Wet, dampened with minimum 25% water for safety in transport.
 Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.



Lump

ZR006150

Max. Lump size **4mm**
 Condition **Pellets - nominally 3mm diameter x 3mm length**

Purity **99.2%**



Web Code
 971-172-183
 126-742-138
 694-363-907

Quantity
Weight **1 Pot**
 20 g YEN 26200
 50 g YEN 36200
 100 g YEN 55000

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR006151

Max. Lump size **8mm**
 Condition **Pellets - nominally 6.35mm diameter x 6.35mm length**

Purity **99.2%**



Web Code
 384-128-062
 292-099-678
 121-518-530
 722-467-192

Quantity
Weight **1 Pot**
 20 g YEN 22400
 50 g YEN 30000
 100 g YEN 37000
 200 g YEN 58000

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

ZR006100

Max. Lump size **25mm**
 Condition **Sponge**

Purity **99.2%**



Web Code
 157-651-272
 706-410-869
 301-350-023
 668-760-149
 595-012-572

Quantity
Weight **1 Pot**
 20 g YEN 20000
 50 g YEN 26000
 100 g YEN 34200
 200 g YEN 48000
 500 g YEN 74500

Typical Analysis : C 250, Hf 2500, Fe 200, Cr 200, N 100, O 1000, H 10.

Metal – Zirconium

INDEX

C

Crucible, Zirconium 33

F

Foil, Zirconium 20

L

Lump, Zirconium 35

P

Powder, Zirconium 35

R

Rod, Zirconium 30

S

Sputtering Target, Zirconium 28

T

Tube, Zirconium 32

W

Wire, Zirconium 29

Z

Zirconium (Zr) 20