

Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys
Métaux et Alliages
Metalle und Legierungen

Ceramics
Céramiques
Keramiken

Polymers
Polymères
Polymere

Composites
Composites
Verbundwerkstoffe



Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England

Tel: +44 1480 424 800
or +44 1480 424 800
Fax: +44 1480 424 900
or +44 1480 424 900

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA

Tel: 1-800-821-2870 (USA and Canada)
or +1 724 695 7060
Fax: 1-800-283-2020 (USA and Canada)
or +1 724 695 7063

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France

Tel : 0800 917 241 (numéro vert)
or +44 1480 424 813
Fax : 0800 917 313 (numéro vert)
or +44 1480 424 900

Goodfellow GmbH

Am Alstertwiete 3
D-20099 Hamburg
Germany

Tel: 0800 1000 579 (freecall)
or +44 1480 424 810
Fax: 0800 1000 580 (freecall)
or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070

The People's Republic of China
Tel: 00 86 21 6112 1560

Standard Price List for All Composites

CONTENTS

Introduction	4
Product Descriptions	5
Hazards Information	10
General Information	11
Order information	12
Company Details	15
Conditions of Sale	16
Composite	20
INDEX	32

Introduction

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at www.goodfellow.com.

Materials

Metals and Alloys

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

Ceramics

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit www.goodfellow-ceramics.com for further information.

Polymers

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

Compounds & Intermetallics

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

Composites

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

Glasses

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

Product Descriptions



Bar

A straight length of rectangular, square or oval section material.

Tolerances

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



Bolt

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

Tolerances

See item



Chopped Fibre

Fibres cut into short lengths called cut, staple or chopped fibre.

Tolerances

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



Crucible

A vessel in which other materials may be heated or melted, usually at high temperatures.

Tolerances

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



Fabric

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

Tolerances

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



Fibre

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

Tolerances

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



Film

A non-metallic sheet material with a thickness < 0.5mm.

Tolerances

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



Flake

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

Tolerances

Dimensions shown are nominal

Product Descriptions



Foam

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



Foil

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

Tolerances

Thickness:	< 0.010mm	± 25%
	0.01-0.05mm	± 15%
	> 0.050mm	± 10%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



Granule

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

Tolerances

Dimensions shown are nominal



Honeycomb

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



Insulated Wire

A single or multiple flexible strand of metal or alloy with an insulating sheath.

Tolerances

Wire diameter:	± 10%
Length:	+ 5% / -1%
Insulation thickness:	Nominal values only



Laminate

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

Tolerances

Thickness:	± 10%
Size (linear dimension):	≤ 100mm ± 1mm
	> 100mm + 2% / -1%



Lump

A solid piece of material with no defined shape.

Tolerances

Dimensions shown are nominal



Mesh

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal.

Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

Tolerances

Thickness:	woven:	± 10%
	electroformed:	± 20%
Wire diameter:	± 10%	
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%

Product Descriptions



Metallised Film

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

Tolerances

Thickness: $\pm 10\%$
 Size (linear dimension): $< 100\text{mm}$ $\pm 1\text{mm}$
 $\geq 100\text{mm}$ $+2\% / -1\%$



Microfoil

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Microleaf

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Monofilament

A single strand of a non-metallic material.

Tolerances

Diameter: $\pm 20\%$
 Length: $+5\% / -1\%$



Non-Woven Fabric

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

Tolerances

Size (linear dimension): $< 100\text{mm}$ $\pm 5\text{mm}$
 $> 100\text{mm}$ $\pm 5\%$



Nut

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

Tolerances

See item



Powder

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

Tolerances

Dimensions shown are nominal

Product Descriptions



Rod

A straight length of circular section material.

Tolerances

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



Sheet

Flat material with a thickness > 0.5mm.

Tolerances

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



Single Crystal

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

Tolerances

Orientation:	± 3°
Size:	Sizes shown are nominal



Sphere

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

Tolerances

Diameter (standard):	± 5%
Diameter (precision):	see item



Sputtering Target

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

Tolerances

Thickness:	± 0.5mm
Size:	± 0.5mm



Tube

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

Tolerances

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:	± 10%	
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



Washer

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

Tolerances

See item

Product Descriptions



Wire

A single or multiple flexible strand of pure metal or alloy.

Tolerances

Wire diameter: $\pm 10\%$
Length: $+ 5\% / -1\%$

Hazards Information

HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

HAZARD SYMBOLS



C

Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

General Information

Analyses

Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of 10^{-9} atm-cm³.s⁻¹.

Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

Order information

General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Delivery

Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

Despatch

Orders will normally be despatched within 48 hours of receipt.

Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

Order information

Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

VAT

VAT number: GB 212 8527 79

UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

Order information

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at www.goodfellow.com or www.goodfellowusa.com.

Company Details

Company Structure

The Goodfellow Group consists of five companies:

Goodfellow Cambridge Limited

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

Goodfellow Corporation

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

Goodfellow GmbH

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

Goodfellow SARL

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England
Registered in England and Wales no. 1188162
VAT registration GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA
A Pennsylvania corporation
EIN 23-2557381

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France
Registered in Lille : RCS : B 381 486 836
Siren : 381486836
Numéro de TVA Intracommunitaire :
FR 06 381 486 836

Goodfellow GmbH

Am Alstertwiete 3
D-20099 Hamburg
Germany
Registered in Hamburg No. HRB 152991
Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070
The People's Republic of China

Conditions of Sale

1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in

Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER

Conditions of Sale

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

Aluminium/Copper Metal Matrix Composite

Al77.9/SiC17.8/Cu 3.3/Mg 1.2/Mn 0.4

Mechanical Properties

Density	2.85 g cm ⁻³
Elongation at break	6 %
Tensile modulus	100 GPa
Tensile strength - longitudinal	610 MPa
Volume fraction of SiC	17 %
Yield strength	400 MPa



Sheet

AL423200 Thickness **2.0mm** Condition..... **Metal Matrix Composite**
 Reinforced with **Silicon Carbide particles**

Size Web Code	Size	Quantity		
		1pc	2pcs	3pcs
818-332-494	45 x 50 mm	EUR 268.00	EUR 441.00	EUR 616.00
059-007-453	47 x 100 mm	EUR 431.00		
397-970-161	48 x 250 mm	EUR 920.00		
077-740-272	50 x 97 mm	EUR 441.00		
635-818-120	50 x 250 mm	EUR 954.00		
407-464-275	52 x 100 mm	EUR 464.00		
225-141-496	52 x 155 mm	EUR 656.00		

Very limited stock available.



Rod

AL427915 Diameter..... **15mm** Condition..... **Metal Matrix Composite**
 Reinforced with **Silicon Carbide particles**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
236-513-995	50 mm	EUR 274.00	EUR 367.00	EUR 520.00	EUR 753.00
564-243-045	100 mm	EUR 338.00	EUR 457.00	EUR 708.00	
530-376-373	200 mm	EUR 427.00	EUR 584.00		
297-046-313	500 mm	EUR 651.00			



Tube

AL427250 Outside Diameter..... **25.4mm** Wall Thickness..... **1.0mm**
 Inside Diameter **23.4mm** Condition..... **Metal Matrix Composite**
 Reinforced with **Silicon Carbide particles**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
753-355-193	100 mm	EUR 375.00	EUR 499.00	EUR 878.00	EUR 1576.00
169-396-828	200 mm	EUR 472.00	EUR 673.00	EUR 1511.00	
174-607-169	500 mm	EUR 773.00	EUR 1432.00		
825-892-156	1000 mm	EUR 1406.00	EUR 2698.00		

Aluminium/Lithium Metal Matrix Composite

Al81/SiC15/Li 2/Cu 1.2/Mg 0.8

Mechanical Properties

Density	2.62 g cm ⁻³
Elongation at break	2.3 %
Tensile modulus	100 GPa
Tensile strength - longitudinal	550 MPa
Volume fraction of SiC	13 %
Yield strength	500 MPa



Tube

AL417250 Outside Diameter..... **24.0mm** Wall Thickness..... **1.0mm**
 Inside Diameter **22mm** Condition..... **Metal Matrix Composite**
 Reinforced with **Silicon Carbide particles**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
737-634-552	100 mm	EUR 323.00	EUR 424.00	EUR 702.00
204-321-351	200 mm	EUR 398.00	EUR 549.00	EUR 1180.00
540-170-076	500 mm	EUR 618.00	EUR 1122.00	
521-251-178	1000 mm	EUR 1096.00		

Composite – Aluminium/Copper Metal Matrix Composite

Carbon-Carbon Composite

Carbon fibre - Carbon matrix

Electrical Properties
 Volume resistivity

3000 μOhmcm



Sheet

Coefficient of thermal expansion (20-1000C)-para. to plane	$\times 10^{-6} \text{ K}^{-1}$	1.5
Coefficient of thermal expansion (20-1000C)-perp. to plane	$\times 10^{-6} \text{ K}^{-1}$	6
Compressive Strength - parallel to plane	MPa	120-200
Compressive Strength - perp. to plane	MPa	60 - 150
Density	g cm^{-3}	1.3-1.8
Flexural modulus - parallel to plane	GPa	10 - 20
Flexural strength - parallel to plane	MPa	80 - 200
Shear strength - in-plane	MPa	20 - 30
Tensile modulus - parallel to plane	GPa	20 - 30
Tensile strength - Longitudinal	MPa	40 - 70
Tensile strength - Transverse	MPa	< 10
Thermal Conductivity - parallel to plane	$\text{W m}^{-1} \text{ K}^{-1}$	250 - 300
Thermal Conductivity - perp. to plane	$\text{W m}^{-1} \text{ K}^{-1}$	50 - 100

C 413010 Thickness 1.25mm

Size	Quantity	
Web Code	1pc	2pcs
579-462-587	50 x 50 mm EUR 218.00	EUR 270.00
102-786-821	150 x 150 mm EUR 454.00	

Made from high-performance thick cloth densified by CVD.

C 413020 Thickness 1.6mm

Size	Quantity	
Web Code	1pc	2pcs
383-138-174	50 x 50 mm EUR 190.00	EUR 231.00
041-909-812	150 x 150 mm EUR 332.00	

Made from high-performance thick cloth densified by CVD.

C 413022 Thickness 2mm

Size	Quantity			
Web Code	1pc	2pcs	5pcs	10pcs
021-814-175	50 x 50 mm EUR 217.00	EUR 269.00	EUR 383.00	EUR 585.00
904-838-686	150 x 150 mm EUR 445.00	EUR 783.00	EUR 1796.00	
888-121-644	300 x 300 mm EUR 1424.00	EUR 2740.00		

C 413040 Thickness 4mm

Size	Quantity			
Web Code	1pc	2pcs	5pcs	10pcs
995-655-108	50 x 50 mm EUR 228.00	EUR 284.00	EUR 408.00	EUR 701.00
244-909-865	150 x 150 mm EUR 550.00	EUR 992.00	EUR 2319.00	
334-292-362	305 x 305 mm EUR 1900.00	EUR 3692.00		

C 413050 Thickness 5mm

Size	Quantity	
Web Code	1pc	2pcs
848-360-764	50 x 50 mm EUR 253.00	EUR 320.00
637-421-584	150 x 150 mm EUR 918.00	

Made from high-performance thick cloth and densified by liquid impregnation, carbonization and graphitization.

C 413100 Thickness 10.0mm

Size	Quantity		
Web Code	1pc	2pcs	5pcs
677-691-400	50 x 50 mm EUR 272.00	EUR 333.00	EUR 482.00
929-657-420	150 x 150 mm EUR 694.00	EUR 1248.00	
659-646-733	300 x 300 mm EUR 2322.00		

Made from high-performance thick cloth and densified by liquid impregnation, carbonization and graphitization.

Carbon/Epoxy Composite

Carbon fibre - Epoxy Resin Matrix

Composite - Carbon-Carbon Composite

Carbon/Epoxy Composite
Carbon fibre - Epoxy Resin Matrix



Sheet

Coefficient of thermal expansion - Longitudinal	x10 ⁻⁶ K ⁻¹	2.1
Coefficient of thermal expansion - Transverse	x10 ⁻⁶ K ⁻¹	2.1
Compressive Strength - Longitudinal	MPa	570
Compressive Strength - Transverse	MPa	570
Density	g cm ⁻³	1.6
Shear modulus - in-plane	GPa	5
Shear strength - in-plane	MPa	90
Ultimate Compressive Strain - Longitudinal	%	0.8
Ultimate Compressive Strain - Transverse	%	0.8
Ultimate Shear Strain - in-plane	%	1.8
Ultimate Tensile Strain - Longitudinal	%	0.85
Ultimate Tensile Strain - Transverse	%	0.85
Volume fraction of fibres	%	50
Young's Modulus - Longitudinal	GPa	70
Young's Modulus - Transverse	GPa	70

C 423025 Thickness **0.25mm** Tolerance **±20 %**

Size	Web Code	Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	897-931-966	EUR 135.00	EUR 163.00	EUR 230.00	EUR 322.00	EUR 325.00
150 x 150 mm	241-493-148	EUR 157.00	EUR 194.00	EUR 277.00	EUR 389.00	
300 x 300 mm	186-649-593	EUR 220.00	EUR 284.00	EUR 497.00		
500 x 500 mm	067-780-538	EUR 305.00	EUR 506.00	EUR 1141.00		

C 423050 Thickness **0.5mm** Tolerance **±20%**

Size	Web Code	Quantity			
		1pc	2pcs	5pcs	10pcs
100 x 100 mm	399-041-847	EUR 135.00	EUR 163.00	EUR 229.00	EUR 321.00
150 x 150 mm	880-230-458	EUR 156.00	EUR 193.00	EUR 277.00	EUR 388.00
300 x 300 mm	028-805-141	EUR 220.00	EUR 283.00	EUR 453.00	
500 x 600 mm	419-592-776	EUR 325.00	EUR 527.00		
1000 x 1250 mm	370-008-197	EUR 976.00	EUR 1870.00		

C 423065 Thickness **0.65mm**

Size	Web Code	Quantity		
		1pc	2pcs	5pcs
100 x 100 mm	278-942-246	EUR 171.00	EUR 214.00	EUR 285.00
150 x 150 mm	613-506-340	EUR 210.00	EUR 269.00	
300 x 300 mm	429-055-388	EUR 327.00		

Tolerance on thickness : +/-20%.

C 423085 Thickness **0.85mm** Tolerance **±20%**

Size	Web Code	Quantity			
		1pc	2pcs	5pcs	10pcs
50 x 50 mm	036-624-347	EUR 136.00	EUR 165.00	EUR 208.00	EUR 259.00
100 x 100 mm	260-870-254	EUR 180.00	EUR 226.00	EUR 305.00	
150 x 150 mm	413-664-269	EUR 223.00	EUR 288.00		
300 x 300 mm	873-075-990	EUR 362.00			

C 423100 Thickness **1.0mm** Tolerance **±20%**

Size	Web Code	Quantity			
		1pc	2pcs	5pcs	10pcs
50 x 50 mm	025-872-598	EUR 142.00	EUR 174.00	EUR 238.00	EUR 323.00
100 x 100 mm	234-073-103	EUR 186.00	EUR 237.00	EUR 337.00	
150 x 150 mm	259-141-799	EUR 231.00	EUR 300.00		
300 x 300 mm	392-721-485	EUR 377.00			

C 423130 Thickness **1.3mm** Tolerance **±20%**

Size	Web Code	Quantity		
		1pc	2pcs	5pcs
100 x 100 mm	273-233-779	EUR 186.00	EUR 235.00	EUR 318.00
150 x 150 mm	154-217-337	EUR 232.00	EUR 301.00	
300 x 300 mm	277-168-013	EUR 399.00		

C 423200 Thickness **2.0mm** Tolerance **±20%**

Size	Web Code	Quantity		
		1pc	2pcs	5pcs
100 x 100 mm	750-038-588	EUR 201.00	EUR 256.00	EUR 351.00
150 x 150 mm	754-816-788	EUR 255.00	EUR 332.00	
300 x 300 mm	352-099-972	EUR 504.00		

Composite – Carbon/Epoxy Composite

Carbon/Epoxy Composite
Carbon fibre - Epoxy Resin Matrix



Sheet

C 423250

Thickness 3.5mm

Tolerance ±20%

Size

Web Code
 444-584-108
 558-295-371
 784-147-908

Size	Quantity		
	1pc	2pcs	5pcs
100 x 100 mm	EUR 214.00	EUR 274.00	EUR 440.00
150 x 150 mm	EUR 274.00	EUR 400.00	
300 x 300 mm	EUR 685.00		

C 423400

Thickness 4mm

Size

Web Code
 408-313-544
 914-576-801
 404-756-952
 147-458-980

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 229.00	EUR 282.00	EUR 485.00	EUR 855.00
150 x 150 mm	EUR 280.00	EUR 422.00	EUR 882.00	
300 x 300 mm	EUR 697.00	EUR 1279.00		
500 x 500 mm	EUR 1713.00			



Rod

Compressive Strength - Longitudinal	MPa	800-1300
Compressive Strength - Transverse	MPa	50-250
Density	g cm ⁻³	1.6
Flexural modulus - Longitudinal	GPa	125
Flexural strength - Longitudinal	MPa	1200
Tensile strength - Longitudinal	MPa	1100-1900
Tensile strength - Transverse	MPa	50
Thermal Expansion Coefficient - Longitudinal	x10 ⁻⁶ K ⁻¹	-0.3 to -0.7
Thermal Expansion Coefficient - Transverse	x10 ⁻⁶ K ⁻¹	28
Ultimate Compressive Strain - Longitudinal	%	0.8
Ultimate Compressive Strain - Transverse	%	2.5
Ultimate Tensile Strain - Longitudinal	%	1.1
Ultimate Tensile Strain - Transverse	%	0.5
Volume fraction of fibres	%	55-60
Young's Modulus - Longitudinal	GPa	120-140
Young's Modulus - Transverse	GPa	10

C 427905

Diameter 2mm

Size

Web Code
 794-181-991
 272-745-965

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
500 mm	EUR 116.00	EUR 138.00	EUR 190.00	EUR 231.00
1000 mm	EUR 131.00	EUR 160.00	EUR 225.00	EUR 328.00

C 427910

Diameter 3mm

Size

Web Code
 793-449-178
 181-148-584

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
500 mm	EUR 127.00	EUR 155.00	EUR 219.00	EUR 276.00
1000 mm	EUR 145.00	EUR 181.00	EUR 270.00	EUR 427.00

C 427925

Diameter 12mm

Colour Black

Size

Web Code
 403-978-451
 340-923-560

Length	Quantity		
	1pc	2pcs	5pcs
500 mm	EUR 202.00	EUR 305.00	EUR 651.00
1000 mm	EUR 295.00	EUR 517.00	

Typical Analysis : Not applicable

Composite – Carbon/Epoxy Composite

Carbon/Epoxy Composite

Carbon fibre - Epoxy Resin Matrix



Tube

Material		High Precision Tubes
Thermal Expansion Coefficient - Longitudinal	$\times 10^{-6} \text{ K}^{-1}$	0.1
Volume fraction of fibres	%	55-60
Young's Modulus - Longitudinal	GPa	110-120

C 427477 Outside Diameter..... **47.6mm** Wall Thickness..... **1.9mm**
 Inside Diameter..... **43.8mm** Condition..... **Ultra-straight tube**
 Straightness..... **+/- 0.25mm over 1500mm**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
562-073-692	100 mm	EUR 266.00	EUR 356.00	EUR 570.00	EUR 1006.00
259-205-039	200 mm	EUR 326.00	EUR 464.00	EUR 961.00	
400-634-078	500 mm	EUR 513.00	EUR 935.00		
183-348-745	1500 mm	EUR 1296.00			

This tube has a straightness tolerance of +/-0.25mm over 1500mm and a coefficient of expansion of 1.10^{-7} K^{-1} .

Carbon/Polyaramid

Carbon fibre - Polyaramid fibre



Fabric

Other weaves and thicknesses are available on request.

C 403525 Weight..... **174g.m⁻²** Thickness..... **0.26mm**
 Warp Yarn..... **198T(C) 127Tex** Weft Yarn..... **198T(C) 127Tex**
 Ends x Picks/10cm..... **47** Weave..... **Plain**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
642-585-224	125 x 180 mm	EUR 120.00			
683-728-608	150 x 150 mm	EUR 120.00			
708-907-018	170 x 180 mm	EUR 124.00			

Alternate picks are Kevlar 49[®] and Carbon fibres. Plain weave: Warp (longitudinal) yarns (ends) pass over and under alternate weft (transverse) yarns (picks) and vice-versa.

C 403528 Weight..... **188g.m⁻²** Thickness..... **0.3mm**
 Warp Yarn..... **200(C) - 158(K)Tex** Weft Yarn..... **200(C) - 158(K)Tex**
 Ends x Picks/10cm..... **50x50** Weave..... **Plain**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
466-076-657	150 x 150 mm	EUR 150.00	EUR 188.00	EUR 288.00	EUR 440.00
259-584-589	300 x 300 mm	EUR 185.00	EUR 237.00	EUR 366.00	EUR 549.00
448-064-399	500 x 500 mm	EUR 231.00	EUR 303.00	EUR 491.00	
008-049-123	1000 x 1000 mm	EUR 346.00	EUR 587.00		

Warp yarn pattern is two Carbon fibres followed by one Kevlar 49[®] fibre, and the weft pattern is two Kevlar 49[®] followed by one Carbon fibres.

C 403520 Weight..... **210g.m⁻²** Thickness..... **0.25mm**
 Warp Yarn..... **198T(C) 127Tex** Weft Yarn..... **198T(C) 127Tex**
 Ends x Picks/10cm..... **63x63** Weave..... **3/1 Twill**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
293-979-546	100 x 100 mm	EUR 112.00	EUR 129.00	EUR 172.00	EUR 224.00
879-946-813	150 x 150 mm	EUR 120.00	EUR 139.00	EUR 188.00	
681-532-614	300 x 300 mm	EUR 141.00	EUR 169.00		

Alternate picks are Kevlar 49[®] and Carbon fibres. 3/1 Twill - warp yarns pass over three weft and under one weft yarns. Adjacent warp yarns are displaced by one weft yarn.

C 403521 Weight..... **210g.m⁻²** Thickness..... **0.3mm**
 Warp Yarn..... **200(C) - 158(K)Tex** Weft Yarn..... **200(C) - 158(K)Tex**
 Ends x Picks/10cm..... **67x67** Weave..... **3/1 Twill**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
993-355-269	150 x 150 mm	EUR 151.00	EUR 190.00	EUR 291.00	EUR 444.00
169-409-321	300 x 300 mm	EUR 187.00	EUR 241.00	EUR 372.00	EUR 558.00
176-171-702	500 x 500 mm	EUR 235.00	EUR 309.00	EUR 512.00	
021-469-802	1000 x 1000 mm	EUR 356.00	EUR 622.00		

3/1 Twill - warp yarns pass over three weft and under one weft yarns. Adjacent warp yarns are displaced by one weft yarn.

Composite – Carbon/Epoxy Composite

Carbon/Polyetheretherketone Composite
Carbon fibre - PEEK Matrix



Sheet

Compressive Strength - Longitudinal	MPa	630
Density	g cm ⁻³	1.6
Tensile modulus - parallel to plane	GPa	50
Tensile strength - Longitudinal	MPa	750
Volume fraction of fibres	%	62

EK403010 Thickness 1.0mm Condition 8-ply Quasi-isotropic Grade APC 2

Size	Web Code	Quantity		
		1pc	2pcs	5pcs
50 x 50 mm	949-190-685	EUR 302.00	EUR 390.00	EUR 665.00
100 x 100 mm	451-075-242	EUR 503.00	EUR 673.00	
150 x 150 mm	384-407-734	EUR 703.00		

Carbon/Vinylester
Carbon fibre - Vinylester matrix



Rod

Compressive Strength - Longitudinal	MPa	900-1100
Density	g cm ⁻³	1.5-1.65
Flexural modulus - Longitudinal	GPa	65-85
Flexural strength - Longitudinal	MPa	800-1000
Tensile modulus - Longitudinal	GPa	136
Tensile strength - Longitudinal	MPa	900-1200
Ultimate Tensile Strain - Longitudinal	%	1.4
Volume fraction of fibres	%	55-60

VE407910 Diameter 1.0mm Condition Pultruded

Size	Web Code	Length	Quantity				
			1pc	5pcs	10pcs	20pcs	50pcs
1000 mm	278-769-432		EUR 112.00	EUR 144.00	EUR 172.00	EUR 208.00	EUR 291.00

Other sizes, reinforcing fibres and matrices available on request.

VE407930 Diameter 5.0mm Condition Pultruded

Size	Web Code	Length	Quantity			
			1pc	2pcs	5pcs	10pcs
500 mm	601-310-789		EUR 153.00	EUR 182.00	EUR 247.00	EUR 371.00
1000 mm	163-847-107		EUR 173.00	EUR 211.00	EUR 330.00	EUR 566.00

VE407940 Diameter 6.0mm Condition Pultruded

Size	Web Code	Length	Quantity				
			1pc	2pcs	5pcs	10pcs	20pcs
300 mm	501-562-653		EUR 138.00	EUR 162.00	EUR 218.00	EUR 297.00	EUR 435.00
500 mm	112-320-103		EUR 148.00	EUR 176.00	EUR 242.00	EUR 350.00	EUR 568.00
1000 mm	040-021-411		EUR 167.00	EUR 203.00	EUR 304.00	EUR 515.00	EUR 898.00

VE407950 Diameter 10.0mm Condition Pultruded

Size	Web Code	Length	Quantity			
			1pc	2pcs	5pcs	10pcs
200 mm	002-676-895		EUR 181.00	EUR 222.00	EUR 330.00	EUR 558.00
500 mm	334-605-561		EUR 217.00	EUR 283.00	EUR 553.00	
1000 mm	825-691-898		EUR 268.00	EUR 432.00		

Composite – Carbon/Polyetheretherketone Composite

Carbon/Vinylester
Carbon fibre - Vinylester matrix



Tube

Compressive Strength - Longitudinal	MPa	900-1100
Density	g cm ⁻³	1.5-1.65
Flexural modulus - Longitudinal	GPa	65-85
Flexural strength - Longitudinal	MPa	800-1000
Tensile modulus - Longitudinal	GPa	136
Tensile strength - Longitudinal	MPa	900-1200
Ultimate Tensile Strain - Longitudinal	%	1.4
Volume fraction of fibres	%	55-60

VE407211	Outside Diameter..... 6.0mm Inside Diameter..... 4mm	Wall Thickness..... 1.0mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs 10pcs
875-479-666	500 mm	EUR 145.00 EUR 174.00 EUR 231.00 EUR 330.00
341-896-905	1000 mm	EUR 166.00 EUR 204.00 EUR 306.00

VE407320	Outside Diameter..... 8.0mm Inside Diameter..... 5mm	Wall Thickness..... 1.5mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs
439-516-311	200 mm	EUR 137.00 EUR 159.00 EUR 212.00
939-546-511	500 mm	EUR 157.00 EUR 189.00
071-289-637	984 mm	EUR 180.00

VE407321	Outside Diameter..... 8.0mm Inside Diameter..... 6mm	Wall Thickness..... 1.0mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs 10pcs
287-478-409	200 mm	EUR 137.00 EUR 159.00 EUR 212.00 EUR 285.00
693-912-991	500 mm	EUR 157.00 EUR 189.00 EUR 259.00 EUR 423.00
928-272-225	1000 mm	EUR 181.00 EUR 222.00 EUR 383.00

VE407430	Outside Diameter..... 10.0mm Inside Diameter..... 7mm	Wall Thickness..... 1.5mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs 10pcs
415-504-543	200 mm	EUR 145.00 EUR 172.00 EUR 232.00 EUR 327.00
938-065-676	500 mm	EUR 171.00 EUR 209.00 EUR 327.00 EUR 561.00
258-206-920	1000 mm	EUR 201.00 EUR 264.00 EUR 522.00

VE407435	Outside Diameter..... 12.0mm Inside Diameter..... 9mm	Wall Thickness..... 1.5mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs 10pcs
056-208-234	200 mm	EUR 152.00 EUR 181.00 EUR 246.00 EUR 375.00
237-142-325	500 mm	EUR 182.00 EUR 223.00 EUR 387.00 EUR 681.00
526-849-488	1000 mm	EUR 215.00 EUR 312.00 EUR 642.00

VE407541	Outside Diameter..... 16.0mm Inside Diameter..... 12.5mm	Wall Thickness..... 1.75mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs 10pcs
434-903-362	500 mm	EUR 169.00 EUR 208.00 EUR 298.00 EUR 497.00
021-394-983	1000 mm	EUR 196.00 EUR 247.00 EUR 462.00

VE407650	Outside Diameter..... 25.0mm Inside Diameter..... 22mm	Wall Thickness..... 1.5mm Condition..... Pultruded
Size	Quantity	
Web Code	Length	1pc 2pcs 5pcs 10pcs
942-983-052	100 mm	EUR 158.00 EUR 191.00 EUR 267.00 EUR 430.00
872-879-789	200 mm	EUR 181.00 EUR 223.00 EUR 378.00 EUR 663.00
109-969-828	500 mm	EUR 225.00 EUR 346.00 EUR 727.00
746-230-136	1000 mm	EUR 336.00 EUR 579.00

Composite – Carbon/Vinylester

E-glass/Epoxy
Boro-silicate glass/Epoxy

Thermal Properties
 Upper working temperature

130-150 C

Mechanical Properties

Compressive strength - longitudinal
 Compressive strength - transverse
 Density 1.90 g cm⁻³
 Tensile strength - longitudinal
 Thermal expansion coefficient - long.

300 MPa
 415 MPa
 490 MPa
 11 x 10⁻⁶ strain K⁻¹



Sheet

SI403210 Thickness **0.3mm**

Size
Web Code
 893-463-033
 725-707-973

Size	Quantity		
	1pc	2pcs	5pcs
150 x 150 mm	EUR 120.00	EUR 141.00	EUR 191.00
300 x 300 mm	EUR 155.00	EUR 191.00	

SI403220 Thickness **0.5mm**

Size
Web Code
 610-378-727
 740-885-575

Size	Quantity		
	1pc	2pcs	5pcs
150 x 150 mm	EUR 120.00	EUR 142.00	EUR 192.00
300 x 300 mm	EUR 156.00	EUR 192.00	

SI403240 Thickness **1.0mm**

Size
Web Code
 453-168-857
 888-915-650
 078-665-570

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
150 x 150 mm	EUR 132.00	EUR 159.00	EUR 219.00	EUR 303.00
300 x 300 mm	EUR 180.00	EUR 227.00	EUR 426.00	
600 x 600 mm	EUR 335.00	EUR 593.00		

SI403260 Thickness **1.6mm**

Size
Web Code
 932-190-260
 337-063-356
 416-566-975
 155-694-993
 770-834-549

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 123.00	EUR 145.00	EUR 198.00	EUR 268.00
200 x 200 mm	EUR 161.00	EUR 200.00	EUR 312.00	
300 x 300 mm	EUR 199.00	EUR 271.00	EUR 561.00	
400 x 400 mm	EUR 244.00	EUR 411.00		
600 x 600 mm	EUR 444.00	EUR 810.00		

SI403280 Thickness **3.0mm**

Size
Web Code
 874-815-256
 594-744-032

Size	Quantity	
	1pc	2pcs
150 x 150 mm	EUR 157.00	EUR 194.00
300 x 300 mm	EUR 229.00	

SI403300 Thickness **5.5mm**

Size
Web Code
 381-737-102
 347-258-431

Size	Quantity	
	1pc	2pcs
150 x 150 mm	EUR 182.00	EUR 230.00
300 x 300 mm	EUR 346.00	



Rod

SI407930 Diameter **30mm**

Condition **Machining feedstock**

Size
Web Code
 133-713-310
 209-847-771
 596-764-415

Length	Quantity		
	1pc	2pcs	5pcs
100 mm	EUR 179.00	EUR 260.00	EUR 504.00
200 mm	EUR 244.00	EUR 390.00	
500 mm	EUR 440.00		

Very limited stock available.

Fabric Reinforced Phenolic
Phenol

Thermal Properties
 Upper working temperature

130 C

Mechanical Properties

Compressive strength - longitudinal
 Compressive strength - transverse
 Density 1.36 g cm⁻³
 Shear strength - in-plane
 Tensile strength - longitudinal

310 MPa
 200 MPa
 90 MPa
 68 MPa

Fabric Reinforced Phenolic

Phenol



Sheet

PL403020 Thickness 1.6mm

Size

Web Code
 321-956-625
 080-186-708

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
145 x 145 mm	EUR 68.00	EUR 85.00	EUR 125.00	EUR 178.00
295 x 295 mm	EUR 97.50	EUR 127.00	EUR 191.00	

Polyaramid/Polyphenylenesulphide Composite

Polyaramid fibre - PPS Matrix

Mechanical Properties

Elongation at break 1.5 %
 Thermal expansion coefficient - long. 27×10^{-6} strain K⁻¹
 Young's modulus - transverse 9.6 GPa



Sheet

Compressive Strength - Longitudinal	MPa	76
Density	g cm ⁻³	1.25
Flexural modulus - Longitudinal	GPa	7.6
Flexural strength - Longitudinal	MPa	124
Volume fraction of fibres	%	~25

SU403100 Thickness 6.35mm

Reinforcement Randomly oriented chopped fibre



Xi

Size

Web Code
 529-186-907
 148-362-608
 545-327-391

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 341.00	EUR 599.00	EUR 1373.00	EUR 2664.00
150 x 150 mm	EUR 650.00	EUR 1218.00		
300 x 300 mm	EUR 2322.00			



Rod

Compressive Strength - Longitudinal	MPa	76
Density	g cm ⁻³	1.25
Flexural modulus - Longitudinal	GPa	7.6
Flexural strength - Longitudinal	MPa	124
Tensile strength - Longitudinal	MPa	83
Volume fraction of fibres	%	25

SU407920 Diameter 6.35mm

Reinforcement Randomly oriented chopped fibre



Xi

Size

Web Code
 165-919-904
 739-999-957
 499-990-114
 498-770-615

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 151.00	EUR 179.00	EUR 238.00	EUR 309.00	EUR 495.00
200 mm	EUR 176.00	EUR 214.00	EUR 293.00	EUR 464.00	
500 mm	EUR 225.00	EUR 284.00	EUR 534.00		
1000 mm	EUR 281.00	EUR 439.00			

SU407924 Diameter 8.0mm

Reinforcement Randomly oriented chopped fibre



Xi

Size

Web Code
 346-331-771
 291-474-182
 434-273-586
 284-193-630

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 158.00	EUR 189.00	EUR 254.00	EUR 335.00	EUR 582.00
200 mm	EUR 186.00	EUR 228.00	EUR 319.00	EUR 550.00	
500 mm	EUR 241.00	EUR 309.00	EUR 642.00		
1000 mm	EUR 306.00	EUR 525.00			

SU407950 Diameter 25.0mm

Reinforcement Randomly oriented chopped fibre



Xi

Size

Web Code
 524-200-145
 525-017-333
 627-164-734
 395-595-733

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 230.00	EUR 293.00	EUR 558.00	EUR 1015.00	EUR 1930.00
200 mm	EUR 285.00	EUR 448.00	EUR 989.00	EUR 1877.00	
500 mm	EUR 527.00	EUR 965.00	EUR 2282.00		
1000 mm	EUR 958.00	EUR 1828.00			

Polyaramid/Vinylester Composite

Polyaramid fibre - Vinylester matrix

Thermal Properties

Lower working temperature -50 C
 Upper working temperature 80 C



Rod

Compressive Strength - Longitudinal	MPa	100-300
Density	g cm ⁻³	1.2-1.4
Flexural modulus - Longitudinal	GPa	17-22
Flexural strength - Longitudinal	MPa	150-250
Tensile strength - Longitudinal	MPa	800-1000
Ultimate Tensile Strain - Longitudinal	%	2.5
Volume fraction of fibres	%	50-60

VE417920	Diameter 2.0mm	Condition. Pultruded					
	Size	Quantity					
	Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs
	820-636-721	500 mm	EUR 135.00	EUR 156.00	EUR 202.00	EUR 263.00	
	579-596-347	1000 mm	EUR 151.00	EUR 178.00	EUR 237.00	EUR 311.00	EUR 432.00

Other sizes, reinforcing fibres and matrices available on request.

VE417940	Diameter 5.0mm	Condition. Pultruded					
	Size	Quantity					
	Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs
	449-541-307	500 mm	EUR 151.00	EUR 179.00	EUR 244.00	EUR 366.00	
	192-674-438	1000 mm	EUR 171.00	EUR 208.00	EUR 326.00	EUR 560.00	EUR 988.00

VE417960	Diameter 6.0mm	Condition. Pultruded					
	Size	Quantity					
	Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs
	084-311-853	200 mm	EUR 140.00	EUR 165.00	EUR 223.00	EUR 304.00	
	538-979-122	500 mm	EUR 162.00	EUR 195.00	EUR 277.00	EUR 462.00	
	372-388-563	1000 mm	EUR 186.00	EUR 230.00	EUR 416.00	EUR 739.00	EUR 1346.00

VE417980	Diameter 10.0mm	Condition. Pultruded					
	Size	Quantity					
	Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs
	548-569-631	200 mm	EUR 181.00	EUR 222.00	EUR 331.00	EUR 558.00	
	571-201-736	500 mm	EUR 217.00	EUR 283.00	EUR 554.00	EUR 1004.00	
	400-216-696	1000 mm	EUR 268.00	EUR 432.00	EUR 925.00	EUR 1747.00	EUR 3313.00



Tube

Compressive Strength - Longitudinal	MPa	100-300
Density	g cm ⁻³	1.2-1.4
Flexural modulus - Longitudinal	GPa	17-22
Flexural strength - Longitudinal	MPa	150-250
Tensile strength - Longitudinal	MPa	800-1000
Ultimate Tensile Strain - Longitudinal	%	2.5
Volume fraction of fibres	%	50-60

VE417210	Outside Diameter 6.0mm	Wall Thickness. 1.5mm					
	Inside Diameter 3mm	Condition. Pultruded					
	Size	Quantity					
Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs	
	211-479-934	500 mm	EUR 145.00	EUR 172.00	EUR 232.00	EUR 327.00	
	434-999-535	1000 mm	EUR 164.00	EUR 198.00	EUR 287.00	EUR 482.00	EUR 832.00

VE417320	Outside Diameter 8.0mm	Wall Thickness. 1.5mm					
	Inside Diameter 5mm	Condition. Pultruded					
	Size	Quantity					
Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs	
	374-941-645	200 mm	EUR 134.00	EUR 156.00	EUR 206.00	EUR 277.00	
	867-707-722	500 mm	EUR 153.00	EUR 183.00	EUR 250.00	EUR 387.00	
	463-468-127	1000 mm	EUR 175.00	EUR 214.00	EUR 348.00	EUR 603.00	EUR 1074.00

Composite – Polyaramid/Vinylester Composite

Polyaramid/Vinylester Composite

Polyaramid fibre - Vinylester matrix



Tube

VE417430

Outside Diameter..... **10.0mm**
 Inside Diameter **7mm**

Wall Thickness..... **1.5mm**
 Condition..... **Pultruded**

Size

Web Code
 933-517-316
 689-668-034
 208-512-086

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
200 mm	EUR 144.00	EUR 169.00	EUR 228.00	EUR 315.00	
500 mm	EUR 169.00	EUR 205.00	EUR 312.00	EUR 531.00	
1000 mm	EUR 197.00	EUR 253.00	EUR 492.00	EUR 891.00	EUR 1651.00

VE417540

Outside Diameter..... **15.0mm**
 Inside Diameter **12mm**

Wall Thickness..... **1.5mm**
 Condition..... **Pultruded**

Size

Web Code
 064-005-385
 000-670-928
 083-863-754
 482-965-601

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 136.00	EUR 158.00	EUR 211.00	EUR 282.00
200 mm	EUR 150.00	EUR 179.00	EUR 243.00	EUR 364.00
500 mm	EUR 179.00	EUR 220.00	EUR 373.00	EUR 653.00
1000 mm	EUR 212.00	EUR 301.00	EUR 613.00	EUR 1134.00

VE417650

Outside Diameter..... **25.0mm**
 Inside Diameter **22mm**

Wall Thickness..... **1.5mm**
 Condition..... **Pultruded**

Size

Web Code
 370-706-253
 338-284-427
 285-556-562
 694-565-058

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 170.00	EUR 208.00	EUR 317.00	EUR 541.00
200 mm	EUR 197.00	EUR 251.00	EUR 488.00	EUR 884.00
500 mm	EUR 275.00	EUR 457.00	EUR 1003.00	EUR 1914.00
1000 mm	EUR 447.00	EUR 800.00	EUR 1861.00	EUR 3630.00

Polyethylene/Polyethylene Composite

PE fibre - PE matrix



Sheet

Density	g cm ⁻³	0.96
Flexural modulus - Longitudinal	GPa	9.1
Flexural strength - Longitudinal	MPa	90
Tensile modulus - Longitudinal	GPa	9.1
Volume fraction of fibres	%	> 80

These sheets comprise UHM polyethylene fabric (Tenfor fibre) embedded in a UHMW polyethylene matrix. The re-inforcement is balanced to give simialar properties in the two major directions.

ET403060

Thickness..... **6mm**

Size

Web Code
 858-315-006
 289-375-935

Size	Quantity	
	1pc	2pcs
60 x 60 mm	EUR 191.00	EUR 249.00
125 x 125 mm	EUR 360.00	

Re-inforcing fabric : 2/2 twill weave of 300g.m⁻².

Polypropylene-Polypropylene composite

PP fibre - PP matrix

Common Brand Names : Curv

Composite – Polyaramid/Vinylester Composite

Polypropylene-Polypropylene composite
PP fibre - PP matrix



Sheet

Density	g cm ⁻³	0.92
Tensile modulus - Longitudinal	GPa	5.0
Tensile modulus - Transverse	GPa	5.0
Tensile strength - Longitudinal	MPa	180
Tensile strength - Transverse	MPa	180

PP403030 Thickness **0.3mm** Colour **Black**

Size	Quantity		
	1pc	2pcs	5pcs
150 x 150 mm	EUR 65.00	EUR 89.00	EUR 157.00
300 x 300 mm	EUR 73.00	EUR 100.00	EUR 175.00
600 x 600 mm	EUR 89.50	EUR 130.00	

Web Code: 005-047-396, 971-821-315, 329-527-317

PP403090 Thickness **0.9mm** Colour **Black**

Size	Quantity		
	1pc	2pcs	5pcs
150 x 150 mm	EUR 68.00	EUR 93.00	EUR 163.00
300 x 300 mm	EUR 79.00	EUR 109.00	EUR 199.00
600 x 600 mm	EUR 105.00	EUR 174.00	

Web Code: 072-588-668, 865-812-008, 764-100-198

PP403200 Thickness **2.0mm** Colour **Black**

Size	Quantity		
	1pc	2pcs	5pcs
150 x 150 mm	EUR 72.50	EUR 99.00	EUR 173.00
270 x 380 mm	EUR 90.00	EUR 124.00	EUR 251.00
600 x 600 mm	EUR 136.00	EUR 235.00	

Web Code: 917-022-789, 615-633-935, 338-699-863

PP403300 Thickness **3.0mm** Colour **Black**

Size	Quantity		
	1pc	2pcs	5pcs
150 x 150 mm	EUR 75.00	EUR 103.00	EUR 179.00
300 x 300 mm	EUR 93.00	EUR 129.00	EUR 251.00
600 x 600 mm	EUR 147.00	EUR 258.00	

Web Code: 897-105-227, 044-783-517, 329-612-703

Composite – Polypropylene-Polypropylene composite

INDEX

A

Aluminium/Copper Metal Matrix Composite (Al77.9/ SiC17.8/Cu 3.3/Mg 1.2/Mn 0.4)	20
Aluminium/Lithium Metal Matrix Composite (Al81/SiC15/Li 2/Cu 1.2/Mg 0.8)	20

C

Carbon-Carbon Composite (Carbon fibre - Carbon matrix)	21
Carbon/Epoxy Composite (Carbon fibre - Epoxy Resin Matrix)	21
Carbon/Polyaramid (Carbon fibre - Polyaramid fibre)	24
Carbon/Polyetheretherketone Composite (Carbon fibre - PEEK Matrix)	25
Carbon/Vinylester (Carbon fibre - Vinylester matrix)	25
Curv	30

E

E-glass/Epoxy (Boro-silicate glass/Epoxy)	27
---	----

F

Fabric, Carbon/Polyaramid	24
Fabric Reinforced Phenolic (Phenol)	27

P

Polyaramid/Polyphenylenesulphide Composite (Polyara- mid fibre - PPS Matrix)	28
Polyaramid/Vinylester Composite (Polyaramid fibre - Vi- nylester matrix)	29
Polyethylene/Polyethylene Composite (PE fibre - PE matrix)	30
Polypropylene-Polypropylene composite (PP fibre - PP matrix)	30

R

Rod	
.. Aluminium/Copper Metal Matrix Composite	20
.. Carbon/Epoxy Composite	23
.. Carbon/Vinylester	25
.. E-glass/Epoxy	27
.. Polyaramid/Polyphenylenesulphide Composite	28
.. Polyaramid/Vinylester Composite	29

S

Sheet	
.. Aluminium/Copper Metal Matrix Composite	20
.. Carbon-Carbon Composite	21
.. Carbon/Epoxy Composite	22
.. Carbon/Polyetheretherketone Composite	25
.. E-glass/Epoxy	27
.. Fabric Reinforced Phenolic	28
.. Polyaramid/Polyphenylenesulphide Composite	28
.. Polyethylene/Polyethylene Composite	30
.. Polypropylene-Polypropylene composite	31

T

Tube	
.. Aluminium/Copper Metal Matrix Composite	20
.. Aluminium/Lithium Metal Matrix Composite	20
.. Carbon/Epoxy Composite	24
.. Carbon/Vinylester	26
.. Polyaramid/Vinylester Composite	29