

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



**Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England

Tel: +44 1480 424 800  
or +44 1480 424 800  
Fax: +44 1480 424 900  
or +44 1480 424 900

**Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

**Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

**Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

**Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040

The People's Republic of China  
Tel: 00 86 21 6112 1560

# Standard Price List for Polyethylene terephthalate

## CONTENTS

|                             |           |
|-----------------------------|-----------|
| <b>Introduction</b>         | <b>4</b>  |
| <b>Product Descriptions</b> | <b>5</b>  |
| <b>Hazards Information</b>  | <b>10</b> |
| <b>General Information</b>  | <b>11</b> |
| <b>Order information</b>    | <b>12</b> |
| <b>Company Details</b>      | <b>15</b> |
| <b>Conditions of Sale</b>   | <b>16</b> |
| <b>Polymer</b>              | <b>20</b> |
| <b>INDEX</b>                | <b>32</b> |

---

## Introduction

---

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at [www.goodfellow.com](http://www.goodfellow.com).

### Materials

#### ***Metals and Alloys***

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

#### ***Ceramics***

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit [www.goodfellow-ceramics.com](http://www.goodfellow-ceramics.com) for further information.

#### ***Polymers***

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

#### ***Compounds & Intermetallics***

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

#### ***Composites***

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

#### ***Glasses***

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

**Product Descriptions**



**Bar**

A straight length of rectangular, square or oval section material.

**Tolerances**

|                     |         |           |
|---------------------|---------|-----------|
| Section dimensions: | ≤ 10mm  | ± 10%     |
|                     | > 10mm  | ± 1mm     |
| Length:             | < 100mm | ± 1mm     |
|                     | ≥ 100mm | +5% / -1% |



**Bolt**

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.6.7M-1985



**Chopped Fibre**

Fibres cut into short lengths called cut, staple or chopped fibre.

**Tolerances**

|                    |            |
|--------------------|------------|
| Fibre diameter:    | ± 25%      |
| Number of strands: | ± 10%      |
| Tex number:        | ± 10%      |
| Length:            | +5% / - 1% |



**Crucible**

A vessel in which other materials may be heated or melted, usually at high temperatures.

**Tolerances**

|                     |       |
|---------------------|-------|
| Height:             | ± 10% |
| Inside Dimensions:  | ± 10% |
| Outside Dimensions: | ± 10% |



**Fabric**

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

**Tolerances**

|                          |               |
|--------------------------|---------------|
| Fabric thickness:        | ± 25%         |
| Number of yarns:         | ± 10%         |
| Tex number:              | ± 10%         |
| Size (linear dimension): | < 100mm ± 5mm |
|                          | ≥ 100mm ± 5%  |



**Fibre**

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

**Tolerances**

|                    |           |
|--------------------|-----------|
| Fibre diameter:    | ± 25%     |
| Number of strands: | ± 10%     |
| Tex number:        | ± 10%     |
| Length:            | +5% / -1% |



**Film**

A non-metallic sheet material with a thickness < 0.5mm.

**Tolerances**

|                          |                   |
|--------------------------|-------------------|
| Thickness:               | ± 20%             |
| Size (linear dimension): | < 100mm ± 1mm     |
|                          | ≥ 100mm +2% / -1% |



**Flake**

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Foam**

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



**Foil**

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

**Tolerances**

Thickness: < 0.010mm ± 25%  
 0.01-0.05mm ± 15%  
 > 0.050mm ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%



**Granule**

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

**Tolerances**

Dimensions shown are nominal



**Honeycomb**

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



**Insulated Wire**

A single or multiple flexible strand of metal or alloy with an insulating sheath.

**Tolerances**

Wire diameter: ± 10%  
 Length: + 5% / -1%  
 Insulation thickness: Nominal values only



**Laminate**

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

**Tolerances**

Thickness: ± 10%  
 Size (linear dimension): ≤ 100mm ± 1mm  
 > 100mm + 2% / -1%



**Lump**

A solid piece of material with no defined shape.

**Tolerances**

Dimensions shown are nominal



**Mesh**

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

**Tolerances**

Thickness: woven: ± 10%  
 electroformed: ± 20%  
 Wire diameter: ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%

**Product Descriptions**



**Metallised Film**

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

**Tolerances**

Thickness:  $\pm 10\%$   
 Size (linear dimension): < 100mm  $\pm 1\text{mm}$   
 $\geq 100\text{mm}$   $+2\% / -1\%$



**Microfoil**

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Microleaf**

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Monofilament**

A single strand of a non-metallic material.

**Tolerances**

Diameter:  $\pm 20\%$   
 Length:  $+5\% / -1\%$



**Non-Woven Fabric**

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

**Tolerances**

Size (linear dimension): < 100mm  $\pm 5\text{mm}$   
 $> 100\text{mm}$   $\pm 5\%$



**Nut**

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.2.4.1M-1979  
 (R1995)



**Powder**

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Rod**

A straight length of circular section material.

**Tolerances**

|           |         |            |
|-----------|---------|------------|
| Diameter: | ≤ 10mm  | ± 10%      |
|           | Polymer | + 20%/-10% |
|           | Ceramic | + 20%/-10% |
| > 10mm    | ± 5%    |            |
|           | Ceramic | + 20%/-10% |
|           | Polymer | + 20%/-10% |
| Length:   | < 100mm | ± 1mm      |
|           | ≥ 100mm | + 5% / -1% |



**Sheet**

Flat material with a thickness > 0.5mm.

**Tolerances**

|                          |           |            |
|--------------------------|-----------|------------|
| Thickness:               |           | ± 10%      |
|                          | Ceramic   | ± 20%      |
|                          | Composite | ± 20%      |
|                          | Polymer   | ± 20%      |
| Size (linear dimension): | < 100mm   | ± 1mm      |
|                          | ≥ 100mm   | + 2% / -1% |



**Single Crystal**

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

**Tolerances**

|              |                         |
|--------------|-------------------------|
| Orientation: | ± 3°                    |
| Size:        | Sizes shown are nominal |



**Sphere**

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

**Tolerances**

|                       |          |
|-----------------------|----------|
| Diameter (standard):  | ± 5%     |
| Diameter (precision): | see item |



**Sputtering Target**

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

**Tolerances**

|            |         |
|------------|---------|
| Thickness: | ± 0.5mm |
| Size:      | ± 0.5mm |



**Tube**

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

**Tolerances**

|                   |         |            |
|-------------------|---------|------------|
| Outside diameter: | ≤ 2mm   | ± 0.05mm   |
|                   | Polymer | ± 10%      |
|                   | Ceramic | ± 10%      |
| ≤ 5mm             | ± 0.1mm |            |
|                   | Polymer | ± 10%      |
|                   | Ceramic | ± 10%      |
| > 5mm             | ± 5%    |            |
|                   | Polymer | ± 10%      |
|                   | Ceramic | ± 10%      |
| Wall thickness:   |         | ± 10%      |
|                   | Polymer | ± 20%      |
|                   | Ceramic | ± 20%      |
| Length:           | < 100mm | ± 1mm      |
|                   | ≥ 100mm | + 5% / -1% |



**Washer**

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

**Tolerances**

|           |          |
|-----------|----------|
| Ceramics: | see item |
|-----------|----------|



---

## Product Descriptions

---



### Wire

A single or multiple flexible strand of pure metal or alloy.

#### Tolerances

Wire diameter:  $\pm 10\%$   
Length:  $+ 5\% / -1\%$

## Hazards Information

### HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

### HAZARD SYMBOLS



C

#### Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

#### Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

#### Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

#### Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

#### Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

#### Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

#### Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

#### Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

#### Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

#### Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

## General Information

### Analyses

#### Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

#### Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

#### High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

### Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

### Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

### Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

### Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

### Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

---

## Order information

---

### General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

### Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

### Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Delivery

#### Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

#### Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

#### Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

#### Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

### Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

### Despatch

Orders will normally be despatched within 48 hours of receipt.

### Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

### Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

### Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

### Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

### Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

---

## Order information

---

### Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

### Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

### VAT

VAT number: GB 212 8527 79

### UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

### EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

### Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

### Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

### Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

### Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

### Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

### Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

### Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

---

## Order information

---

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at [www.goodfellow.com](http://www.goodfellow.com) or [www.goodfellowusa.com](http://www.goodfellowusa.com).

---

## Company Details

---

### Company Structure

The Goodfellow Group consists of five companies:

#### ***Goodfellow Cambridge Limited***

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

#### ***Goodfellow Corporation***

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

#### ***Goodfellow GmbH***

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

#### ***Goodfellow SARL***

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

#### ***Goodfellow (Shanghai) Trading Co., Ltd***

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England  
Registered in England and Wales no. 1188162  
VAT registration GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040  
The People's Republic of China

# Conditions of Sale

## 1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

### 8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

### 9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

### 10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

### 11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

### 12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Conditions of Sale

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

## Polyethylene terephthalate Polyester, PET, PETP

**Common Brand Names :** Arnite, Dacron, Hostaphan, Impet, Melinar, Melinex, Mylar, Rynite, Terylene, Trevira

**General Description:** The most common thermoplastic polyester, this polymer is often called just "polyester". This often causes confusion - not only is the chemically similar PBT also a (thermoplastic) polyester, the most common resin system used in GRP is also a polyester system - and also often called just "polyester". (In this latter case, however, the polyesters are chemically unsaturated and are "free-radical polymerised" into a thermoset).

PET is a hard, stiff, strong dimensionally stable material that absorbs very little water. It has good gas barrier properties and good chemical resistance except to alkalis (which hydrolyse it). Its crystallinity varies from amorphous to fairly high crystalline; it can be highly transparent and colourless but thicker sections are usually opaque and off-white.

Applications include bottles and electrical components but it is probably most widely known as the biaxially oriented and thermally stabilised films used for capacitors, graphics, film base and recording tapes etc.

### Physical Properties

|                                  |                            |
|----------------------------------|----------------------------|
| Density                          | 1.3-1.4 g cm <sup>-3</sup> |
| Flammability                     | HB                         |
| Limiting oxygen index            | 21 %                       |
| Radiation resistance             | Good                       |
| Refractive index                 | 1.58-1.64                  |
| Resistance to Ultra-violet       | Fair?                      |
| Water absorption - equilibrium   | <0.7 %                     |
| Water absorption - over 24 hours | 0.1 %                      |

### Electrical Properties

|                           |                          |
|---------------------------|--------------------------|
| Dielectric constant @1MHz | 3.0                      |
| Dielectric strength       | 17 kV mm <sup>-1</sup>   |
| Dissipation factor @ 1kHz | 0.002                    |
| Surface resistivity       | 10 <sup>13</sup> Ohm/sq  |
| Volume resistivity        | > 10 <sup>14</sup> Ohmcm |

### Thermal Properties

|                                       |  |
|---------------------------------------|--|
| Coefficient of thermal expansion      | 20-80 x10 <sup>-6</sup> K <sup>-1</sup>        |
| Heat-deflection temperature - 0.45MPa | 115 C  |
| Heat-deflection temperature - 1.8MPa  | 80 C   |
| Lower working temperature             | -40 to -60 C                                   |
| Specific heat                         | 1200 - 1350 J K <sup>-1</sup> kg <sup>-1</sup> |
| Thermal conductivity @23C             | 0.15-0.4 W m <sup>-1</sup> K <sup>-1</sup>     |
| Upper working temperature             | 115-170 C                                      |

### Mechanical Properties

|                         |                               |
|-------------------------|-------------------------------|
| Coefficient of friction | 0.2-0.4                       |
| Hardness - Rockwell     | M94-101                       |
| Izod impact strength    | 13-35 J m <sup>-1</sup>       |
| Poisson's ratio         | 0.37-0.44(oriented)           |
| Tensile modulus         | 2-4 GPa                       |
| Tensile strength        | 80, for biax film 190-260 MPa |

### Chemical Resistance

|                          |           |
|--------------------------|-----------|
| Acids - concentrated     | Good-Poor |
| Acids - dilute           | Good      |
| Alcohols                 | Good      |
| Alkalis                  | Poor      |
| Aromatic hydrocarbons    | Good-Fair |
| Greases and Oils         | Good      |
| Halogenated Hydrocarbons | Good-Poor |
| Halogens                 | Fair-Poor |
| Ketones                  | Good-Fair |



## Film

|                                     |   |           |
|-------------------------------------|---|-----------|
| Dielectric Strength @25µm thick     | kV mm <sup>-1</sup>   | 300       |
| Dissipation Factor @1MHz            | %   | 0.016     |
| Elongation at Break                 | %   | 60-165    |
| Initial Tear Strength               | g µm <sup>-1</sup>  | 18-54     |
| Permeability to Carbon Dioxide @25C | x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup> | 0.2       |
| Permeability to Hydrogen @25C       | x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup> | 0.4       |
| Permeability to Nitrogen @25C       | x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup> | 0.004     |
| Permeability to Oxygen @25C         | x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup> | 0.03      |
| Permeability to Water @25C          | x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup> | 100       |
| Permeability to Water @38C          | x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup> | 150       |
| Specific Heat                       | kJ kg <sup>-1</sup> K <sup>-1</sup>   | 1.3       |
| Thermal Conductivity @23C           | W m <sup>-1</sup> K <sup>-1</sup>   | 0.13-0.15 |

**ES301005** Thickness ..... 0.0005mm  
 Colour ..... Clear

Coil width ..... 315mm  
 Condition ..... Biaxially Oriented

|                 |                    |                 |
|-----------------|--------------------|-----------------|
| <b>Coil</b>     | <b>Width 315mm</b> | <b>Quantity</b> |
| <b>Web Code</b> | <b>Length</b>      | <b>1 Reel</b>   |
| 777-190-564     | 0.1 m              | YEN 33800       |
| 673-214-694     | 0.2 m              | YEN 39800       |
| 184-119-488     | 0.5 m              | YEN 52500       |
| 055-309-801     | 1 m                | YEN 69000       |
| 505-186-832     | 2 m                | YEN 96000       |
| 092-446-056     | 5 m                | YEN 175000      |

**ES301007** Thickness ..... 0.0007mm  
 Colour ..... Clear

Coil width ..... 315mm  
 Condition ..... Biaxially Oriented

|                 |                    |                 |
|-----------------|--------------------|-----------------|
| <b>Coil</b>     | <b>Width 315mm</b> | <b>Quantity</b> |
| <b>Web Code</b> | <b>Length</b>      | <b>1 Reel</b>   |
| 444-702-124     | 0.1 m              | YEN 30800       |
| 681-370-162     | 0.2 m              | YEN 35200       |
| 833-489-721     | 0.5 m              | YEN 45600       |
| 622-574-170     | 1 m                | YEN 59000       |
| 038-111-267     | 2 m                | YEN 81500       |
| 351-465-718     | 5 m                | YEN 138000      |

Polymer – Polyethylene terephthalate

## Polyethylene terephthalate

### Polyester, PET, PETP



## Film

|                 |   |  |             |             |              |              |              |
|-----------------|---|--|-------------|-------------|--------------|--------------|--------------|
| <b>ES301009</b> | Thickness ..... <b>0.0009mm</b><br>Colour ..... <b>Clear</b>                | Coil width ..... <b>315mm</b><br>Condition ..... <b>Biaxially Oriented</b> |             |             |              |              |              |
| <b>Coil</b>     | <b>Width 315mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 603-775-194     | 0.1 m   | YEN 24800  |             |             |              |              |              |
| 471-898-850     | 0.2 m   | YEN 28200  |             |             |              |              |              |
| 987-357-104     | 0.5 m   | YEN 35600  |             |             |              |              |              |
| 419-642-625     | 1 m   | YEN 45000  |             |             |              |              |              |
| 455-329-640     | 2 m   | YEN 60500  |             |             |              |              |              |
| 351-361-431     | 5 m   | YEN 98500  |             |             |              |              |              |
| <b>ES301025</b> | Thickness ..... <b>0.0025mm</b><br>Colour ..... <b>Clear</b>                | Coil width ..... <b>315mm</b><br>Condition ..... <b>Biaxially Oriented</b> |             |             |              |              |              |
| <b>Coil</b>     | <b>Width 315mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 494-569-635     | 0.5 m   | YEN 29400  |             |             |              |              |              |
| 821-200-036     | 1 m   | YEN 36000  |             |             |              |              |              |
| 650-004-385     | 2 m   | YEN 46600  |             |             |              |              |              |
| 250-538-696     | 5 m   | YEN 72000  |             |             |              |              |              |
| <b>ES301030</b> | Thickness ..... <b>0.003mm</b><br>Colour ..... <b>Clear</b>                 | Coil width ..... <b>300mm</b><br>Condition ..... <b>Biaxially Oriented</b> |             |             |              |              |              |
| <b>Coil</b>     | <b>Width 300mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 353-345-584     | 0.5 m   | YEN 28200  |             |             |              |              |              |
| 168-198-817     | 1 m   | YEN 34200  |             |             |              |              |              |
| 024-850-439     | 2 m   | YEN 44200  |             |             |              |              |              |
| 106-310-564     | 5 m   | YEN 68500  |             |             |              |              |              |
| 288-824-136     | 10 m  | YEN 108000   |             |             |              |              |              |
| 103-020-738     | 20 m  | YEN 200000   |             |             |              |              |              |
| <b>ES301035</b> | Thickness ..... <b>0.0035mm</b><br>Colour ..... <b>Clear</b>                | Coil width ..... <b>490mm</b><br>Condition ..... <b>Biaxially Oriented</b> |             |             |              |              |              |
| <b>Coil</b>     | <b>Width 490mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 877-596-805     | 0.5 m   | YEN 25600  |             |             |              |              |              |
| 699-608-751     | 1 m   | YEN 31800  |             |             |              |              |              |
| 451-089-966     | 2 m   | YEN 41800  |             |             |              |              |              |
| 386-240-589     | 5 m   | YEN 65000  |             |             |              |              |              |
| <b>ES301061</b> | Thickness ..... <b>0.006mm</b><br>Colour ..... <b>Clear</b>                 | Coil width ..... <b>315mm</b><br>Condition ..... <b>Biaxially Oriented</b> |             |             |              |              |              |
| <b>Coil</b>     | <b>Width 315mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 407-677-453     | 0.5 m   | YEN 13900  |             |             |              |              |              |
| 959-685-351     | 1 m   | YEN 15300  |             |             |              |              |              |
| 960-666-362     | 2 m   | YEN 17500  |             |             |              |              |              |
| 083-287-977     | 5 m   | YEN 22400  |             |             |              |              |              |
| 410-993-062     | 10 m  | YEN 29000  |             |             |              |              |              |
| 374-131-211     | 20 m  | YEN 40000  |             |             |              |              |              |
| <b>ES301130</b> | Thickness ..... <b>0.013mm</b><br>Condition ..... <b>Biaxially Oriented</b> | Colour ..... <b>Clear</b>  |             |             |              |              |              |
| <b>Size</b>     | <b>Quantity</b>   |  |             |             |              |              |              |
| <b>Web Code</b> | <b>Size</b>   | <b>1pc</b>   | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> | <b>20pcs</b> | <b>50pcs</b> |
| 987-500-211     | 100 x 100 mm  | YEN 8900   | YEN 9400    | YEN 10600   | YEN 12400    | YEN 15700    | YEN 23600    |
| 250-348-688     | 150 x 150 mm  | YEN 9200   | YEN 9800    | YEN 11300   | YEN 13400    | YEN 17100    | YEN 25800    |
| 733-616-394     | 300 x 300 mm  | YEN 10100  | YEN 11100   | YEN 13400   | YEN 16300    | YEN 21200    |              |
| 893-576-194     | 600 x 600 mm  | YEN 11900  | YEN 13700   | YEN 17500   | YEN 22200    | YEN 29400    |              |
| <b>Coil</b>     | <b>Width 300mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 766-409-685     | 0.5 m   | YEN 12800  |             |             |              |              |              |
| 801-207-977     | 1 m   | YEN 14000  |             |             |              |              |              |
| 150-990-483     | 2 m   | YEN 15900  |             |             |              |              |              |
| 873-808-599     | 5 m   | YEN 20200  |             |             |              |              |              |
| 226-064-773     | 10 m  | YEN 25800  |             |             |              |              |              |
| 258-096-774     | 20 m  | YEN 35000  |             |             |              |              |              |
| <b>ES301230</b> | Thickness ..... <b>0.023mm</b><br>Colour ..... <b>Clear</b>                 | Coil width ..... <b>300mm</b><br>Condition ..... <b>Biaxially Oriented</b> |             |             |              |              |              |
| <b>Coil</b>     | <b>Width 300mm</b>  | <b>Quantity</b>  |             |             |              |              |              |
| <b>Web Code</b> | <b>Length</b>   | <b>1 Reel</b>  |             |             |              |              |              |
| 217-730-773     | 0.5 m   | YEN 12900  |             |             |              |              |              |
| 794-397-439     | 1 m   | YEN 14100  |             |             |              |              |              |
| 754-587-280     | 2 m   | YEN 16000  |             |             |              |              |              |
| 108-877-568     | 5 m   | YEN 20200  |             |             |              |              |              |
| 596-235-338     | 10 m  | YEN 26000  |             |             |              |              |              |
| 665-472-881     | 20 m  | YEN 35200  |             |             |              |              |              |

Polymer – Polyethylene terephthalate

**Polyethylene terephthalate**

**Polyester, PET, PETP**



**Film**

**ES301238**

Thickness ..... **0.038mm**  
 Grade ..... **Peelable - Heat sealable**

Colour ..... **Clear**

**Size**

**Web Code**  
 685-537-932  
 634-934-761  
 020-232-438

| Size         | Quantity  |           |           |            |            |
|--------------|-----------|-----------|-----------|------------|------------|
|              | 5pcs      | 10pcs     | 20pcs     | 50pcs      | 100pcs     |
| 150 x 150 mm | YEN 14800 | YEN 15900 | YEN 18700 | YEN 27000  | YEN 40800  |
| 300 x 300 mm | YEN 17800 | YEN 22600 | YEN 32200 | YEN 61000  | YEN 108000 |
| 610 x 610 mm | YEN 32000 | YEN 51000 | YEN 88500 | YEN 202000 |            |

**Coil**

**Web Code**  
 431-358-714  
 633-617-954  
 797-837-239  
 195-450-600  
 092-312-743

| Width 610mm | Quantity   |
|-------------|------------|
| Length      | 1 Reel     |
| 1 m         | YEN 16000  |
| 2 m         | YEN 22200  |
| 5 m         | YEN 40600  |
| 10 m        | YEN 71000  |
| 20 m        | YEN 132000 |

**ES301250**

Thickness ..... **0.05mm**  
 Condition ..... **Biaxially Oriented**

Colour ..... **Clear**

**Size**

**Web Code**  
 346-527-076  
 315-882-298  
 485-285-919

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 150 x 150 mm | YEN 11100 | YEN 12300 | YEN 15400 | YEN 19800 | YEN 24800 |
| 300 x 300 mm | YEN 12600 | YEN 14500 | YEN 18800 | YEN 24600 | YEN 31600 |
| 600 x 600 mm | YEN 15600 | YEN 18800 | YEN 25600 | YEN 34200 |           |

**Coil**

**Web Code**  
 026-735-812  
 660-742-492  
 592-805-323  
 100-664-307  
 583-045-616  
 880-706-436

| Width 600mm | Quantity  |
|-------------|-----------|
| Length      | 1 Reel    |
| 0.5 m       | YEN 17200 |
| 1 m         | YEN 19800 |
| 2 m         | YEN 23800 |
| 5 m         | YEN 32000 |
| 10 m        | YEN 42200 |
| 20 m        | YEN 59500 |

**ES301302**

Thickness ..... **0.075mm**  
 Condition ..... **Biaxially Oriented**

Colour ..... **Clear**

**Size**

**Web Code**  
 944-405-736  
 052-636-354

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 125 x 125 mm | YEN 10400 | YEN 11400 | YEN 14100 | YEN 18000 | YEN 25400 |
| 254 x 254 mm | YEN 11400 | YEN 12900 | YEN 16300 | YEN 21200 | YEN 29800 |

**Coil**

**Web Code**  
 359-363-650  
 570-188-541  
 031-146-166  
 202-403-234  
 365-174-738

| Width 254mm | Quantity  |
|-------------|-----------|
| Length      | 1 Reel    |
| 1 m         | YEN 15700 |
| 2 m         | YEN 17900 |
| 5 m         | YEN 23000 |
| 10 m        | YEN 29600 |
| 20 m        | YEN 40800 |

**ES301300**

Thickness ..... **0.075mm**  
 Condition ..... **Biaxially Oriented**

Colour ..... **Clear**

**Size**

**Web Code**  
 088-305-483  
 038-182-800  
 772-856-273

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 150 x 150 mm | YEN 11100 | YEN 12300 | YEN 15400 | YEN 19800 | YEN 24800 |
| 300 x 300 mm | YEN 12600 | YEN 14500 | YEN 18800 | YEN 24600 | YEN 31600 |
| 600 x 600 mm | YEN 15600 | YEN 18700 | YEN 25600 | YEN 34200 | YEN 45200 |

**Coil**

**Web Code**  
 607-032-869  
 879-102-854  
 887-855-010  
 981-883-297  
 735-411-122

| Width 600mm | Quantity  |
|-------------|-----------|
| Length      | 1 Reel    |
| 1 m         | YEN 19800 |
| 2 m         | YEN 23600 |
| 5 m         | YEN 31800 |
| 10 m        | YEN 42200 |
| 20 m        | YEN 59000 |

**ES301301**

Thickness ..... **0.075mm**  
 Condition ..... **Biaxially Oriented**

Colour ..... **Grey**

**Size**

**Web Code**  
 351-600-494  
 862-017-824  
 527-064-595  
 445-529-438

| Size         | Quantity  |           |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     | 50pcs     |
| 100 x 100 mm | YEN 10600 | YEN 11600 | YEN 14300 | YEN 18200 | YEN 22600 | YEN 34400 |
| 150 x 150 mm | YEN 11100 | YEN 12300 | YEN 15400 | YEN 19800 | YEN 24800 |           |
| 300 x 300 mm | YEN 12600 | YEN 14500 | YEN 18800 | YEN 24600 |           |           |
| 600 x 600 mm | YEN 15600 | YEN 18700 | YEN 25600 |           |           |           |

**Coil**

**Web Code**  
 389-810-659  
 686-479-774  
 254-752-722  
 915-381-969  
 303-659-170

| Width 914mm | Quantity  |
|-------------|-----------|
| Length      | 1 Reel    |
| 0.5 m       | YEN 18500 |
| 1 m         | YEN 21600 |
| 2 m         | YEN 26200 |
| 5 m         | YEN 36000 |
| 10 m        | YEN 48000 |

**Polymer – Polyethylene terephthalate**

**Polyethylene terephthalate**

**Polyester, PET, PETP**



**Film**

**ES301400**

Thickness ..... **0.1mm**  
 Condition..... **Biaxially Oriented**

Colour ..... **Clear**

**Size**

**Web Code**  
 696-720-005  
 992-787-138  
 090-635-814

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 100 x 100 mm | YEN 9700  | YEN 10200 | YEN 11400 | YEN 13200 | YEN 16500 |
| 150 x 150 mm | YEN 10000 | YEN 10600 | YEN 12100 | YEN 14200 | YEN 17900 |
| 300 x 300 mm | YEN 10900 | YEN 11900 | YEN 14100 | YEN 17000 | YEN 21800 |

**Coil**

**Web Code**  
 926-399-864  
 799-979-444  
 997-434-068  
 679-252-566  
 906-567-924

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 13500 |  |
| 1 m    | YEN 15000 |  |
| 2 m    | YEN 17100 |  |
| 5 m    | YEN 21400 |  |
| 10 m   | YEN 26400 |  |

**ES301401**

Thickness ..... **0.1mm**  
 Condition..... **Biaxially Oriented**

Colour ..... **Black**

**Size**

**Web Code**  
 330-957-850  
 317-962-977  
 002-457-868  
 010-091-344

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 150 x 150 mm | YEN 14100 | YEN 15100 | YEN 17200 | YEN 20000 | YEN 24800 |
| 210 x 297 mm | YEN 15200 | YEN 16600 | YEN 19500 | YEN 23400 |           |
| 300 x 300 mm | YEN 15700 | YEN 17300 | YEN 20800 |           |           |
| 600 x 600 mm | YEN 18900 | YEN 21800 |           |           |           |

**Coil**

**Web Code**  
 267-501-890  
 554-072-258  
 751-621-806  
 081-317-331  
 191-239-723

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 1 m    | YEN 22000 |  |
| 2 m    | YEN 25600 |  |
| 5 m    | YEN 33000 |  |
| 10 m   | YEN 48600 |  |
| 20 m   | YEN 83500 |  |

**ES301402**

Thickness ..... **0.1mm**  
 Condition..... **Biaxially Oriented**

Colour ..... **Grey**

**Size**

**Web Code**  
 824-578-485  
 721-971-635  
 065-817-411  
 661-233-343

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 100 x 100 mm | YEN 9700  | YEN 10200 | YEN 11400 | YEN 13200 | YEN 16500 |
| 150 x 150 mm | YEN 10000 | YEN 10600 | YEN 12100 | YEN 14200 | YEN 17900 |
| 300 x 300 mm | YEN 10900 | YEN 11900 | YEN 14100 | YEN 17000 |           |
| 600 x 600 mm | YEN 12700 | YEN 14400 | YEN 18100 |           |           |

**Coil**

**Web Code**  
 982-035-528  
 526-168-750  
 325-718-068  
 878-525-053  
 471-607-388

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 14300 |  |
| 1 m    | YEN 16100 |  |
| 2 m    | YEN 18600 |  |
| 5 m    | YEN 23800 |  |
| 10 m   | YEN 33400 |  |

**ES301425**

Thickness ..... **0.125mm**  
 Condition..... **Biaxially Oriented**

Colour ..... **Clear**

**Size**

**Web Code**  
 320-992-721  
 154-597-560

| Size         | Quantity  |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     |
| 300 x 300 mm | YEN 12100 | YEN 13800 | YEN 18000 | YEN 23800 |
| 600 x 600 mm | YEN 14700 | YEN 17500 | YEN 23800 |           |

**Coil**

**Web Code**  
 512-330-489  
 041-308-841  
 163-609-389  
 501-187-139

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 1 m    | YEN 17200 |  |
| 2 m    | YEN 20200 |  |
| 5 m    | YEN 26600 |  |
| 10 m   | YEN 34400 |  |

**ES301440**

Thickness ..... **0.175mm**  
 Condition..... **Biaxially Oriented**

Colour ..... **Clear**

**Size**

**Web Code**  
 359-548-261  
 943-535-983  
 522-956-217

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 150 x 150 mm | YEN 10500 | YEN 11400 | YEN 13300 | YEN 15800 | YEN 20200 |
| 300 x 300 mm | YEN 11900 | YEN 13400 | YEN 16400 | YEN 20400 |           |
| 600 x 600 mm | YEN 14800 | YEN 17400 | YEN 22800 |           |           |

**Coil**

**Web Code**  
 451-170-754  
 396-343-539  
 542-942-622  
 867-837-218

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 15400 |  |
| 1 m    | YEN 17700 |  |
| 2 m    | YEN 20800 |  |
| 5 m    | YEN 27400 |  |

Polymer – Polyethylene terephthalate

**Polyethylene terephthalate**

**Polyester, PET, PETP**



**Film**

|                 |                 |                           |                 |                             |              |  |  |
|-----------------|-----------------|---------------------------|-----------------|-----------------------------|--------------|--|--|
| <b>ES301451</b> | Thickness ..... | <b>0.25mm</b>             | Colour .....    | <b>Opaque white</b>         |              |  |  |
|                 | Condition ..... | <b>Biaxially Oriented</b> | Condition ..... | <b>Printable both sides</b> |              |  |  |
| <b>Size</b>     | <b>Quantity</b> |                           |                 |                             |              |  |  |
| <b>Web Code</b> | <b>Size</b>     | <b>1pc</b>                | <b>2pcs</b>     | <b>5pcs</b>                 | <b>10pcs</b> |  |  |
| 762-906-998     | 210 x 295 mm    | YEN 14300                 | YEN 17200       | YEN 23800                   | YEN 31000    |  |  |

|                 |                    |                 |                 |                           |              |  |  |
|-----------------|--------------------|-----------------|-----------------|---------------------------|--------------|--|--|
| <b>ES301450</b> | Thickness .....    | <b>0.25mm</b>   | Condition ..... | <b>Biaxially Oriented</b> |              |  |  |
|                 | Colour .....       | <b>Clear</b>    |                 |                           |              |  |  |
| <b>Size</b>     | <b>Quantity</b>    |                 |                 |                           |              |  |  |
| <b>Web Code</b> | <b>Size</b>        | <b>1pc</b>      | <b>2pcs</b>     | <b>5pcs</b>               | <b>10pcs</b> |  |  |
| 479-650-787     | 300 x 300 mm       | YEN 12400       | YEN 14100       | YEN 17600                 | YEN 21800    |  |  |
| 956-349-736     | 600 x 600 mm       | YEN 15800       | YEN 18800       | YEN 25000                 |              |  |  |
| <b>Coil</b>     | <b>Width 600mm</b> | <b>Quantity</b> |                 |                           |              |  |  |
| <b>Web Code</b> | <b>Length</b>      | <b>1 Reel</b>   |                 |                           |              |  |  |
| 543-716-953     | 1 m                | YEN 19000       |                 |                           |              |  |  |
| 964-620-293     | 2 m                | YEN 22600       |                 |                           |              |  |  |
| 577-529-509     | 5 m                | YEN 30200       |                 |                           |              |  |  |
| 333-083-887     | 10 m               | YEN 48400       |                 |                           |              |  |  |

|                 |                    |                  |                 |                    |              |              |  |  |
|-----------------|--------------------|------------------|-----------------|--------------------|--------------|--------------|--|--|
| <b>ES301445</b> | Thickness .....    | <b>0.25mm</b>    | Condition ..... | <b>Transparent</b> |              |              |  |  |
|                 | Condition .....    | <b>Amorphous</b> |                 |                    |              |              |  |  |
| <b>Size</b>     | <b>Quantity</b>    |                  |                 |                    |              |              |  |  |
| <b>Web Code</b> | <b>Size</b>        | <b>1pc</b>       | <b>2pcs</b>     | <b>5pcs</b>        | <b>10pcs</b> | <b>20pcs</b> |  |  |
| 252-144-755     | 300 x 300 mm       | YEN 13500        | YEN 15400       | YEN 19900          | YEN 26000    | YEN 36800    |  |  |
| 835-673-793     | 610 x 610 mm       | YEN 16500        | YEN 19700       | YEN 26600          | YEN 35600    | YEN 58500    |  |  |
| <b>Coil</b>     | <b>Width 610mm</b> | <b>Quantity</b>  |                 |                    |              |              |  |  |
| <b>Web Code</b> | <b>Length</b>      | <b>1 Reel</b>    |                 |                    |              |              |  |  |
| 518-097-996     | 0.5 m              | YEN 16300        |                 |                    |              |              |  |  |
| 762-241-804     | 1 m                | YEN 18900        |                 |                    |              |              |  |  |
| 280-233-532     | 2 m                | YEN 22800        |                 |                    |              |              |  |  |
| 029-198-547     | 5 m                | YEN 31000        |                 |                    |              |              |  |  |
| 608-788-418     | 10 m               | YEN 46000        |                 |                    |              |              |  |  |

|                 |                    |                    |                 |                           |              |              |              |  |
|-----------------|--------------------|--------------------|-----------------|---------------------------|--------------|--------------|--------------|--|
| <b>ES301460</b> | Thickness .....    | <b>0.35mm</b>      | Condition ..... | <b>Biaxially Oriented</b> |              |              |              |  |
|                 | Colour .....       | <b>Opaque grey</b> |                 |                           |              |              |              |  |
| <b>Size</b>     | <b>Quantity</b>    |                    |                 |                           |              |              |              |  |
| <b>Web Code</b> | <b>Size</b>        | <b>1pc</b>         | <b>2pcs</b>     | <b>5pcs</b>               | <b>10pcs</b> | <b>20pcs</b> | <b>50pcs</b> |  |
| 465-587-054     | 150 x 150 mm       | YEN 11100          | YEN 12100       | YEN 14500                 | YEN 17600    | YEN 22600    | YEN 34800    |  |
| 365-144-581     | 300 x 300 mm       | YEN 13000          | YEN 14900       | YEN 18900                 | YEN 23800    | YEN 31400    |              |  |
| 839-469-871     | 332 x 345 mm       | YEN 13500          | YEN 15600       | YEN 20000                 | YEN 25400    |              |              |  |
| 949-310-177     | 600 x 600 mm       | YEN 17000          | YEN 20600       | YEN 27800                 |              |              |              |  |
| <b>Coil</b>     | <b>Width 600mm</b> | <b>Quantity</b>    |                 |                           |              |              |              |  |
| <b>Web Code</b> | <b>Length</b>      | <b>1 Reel</b>      |                 |                           |              |              |              |  |
| 312-563-886     | 0.5 m              | YEN 17500          |                 |                           |              |              |              |  |
| 070-482-343     | 1 m                | YEN 20600          |                 |                           |              |              |              |  |
| 810-295-614     | 2 m                | YEN 25000          |                 |                           |              |              |              |  |
| 286-950-556     | 5 m                | YEN 33800          |                 |                           |              |              |              |  |
| 013-705-062     | 10 m               | YEN 52500          |                 |                           |              |              |              |  |

|                 |                    |                           |                 |                           |              |              |              |  |
|-----------------|--------------------|---------------------------|-----------------|---------------------------|--------------|--------------|--------------|--|
| <b>ES301485</b> | Thickness .....    | <b>0.50mm</b>             | Condition ..... | <b>Biaxially Oriented</b> |              |              |              |  |
|                 | Condition .....    | <b>Biaxially Oriented</b> | Colour .....    | <b>Grey</b>               |              |              |              |  |
| <b>Size</b>     | <b>Quantity</b>    |                           |                 |                           |              |              |              |  |
| <b>Web Code</b> | <b>Size</b>        | <b>1pc</b>                | <b>2pcs</b>     | <b>5pcs</b>               | <b>10pcs</b> | <b>20pcs</b> | <b>50pcs</b> |  |
| 916-753-564     | 100 x 100 mm       | YEN 10500                 | YEN 11400       | YEN 13300                 | YEN 15900    | YEN 20200    | YEN 30400    |  |
| 364-299-696     | 150 x 150 mm       | YEN 11300                 | YEN 12400       | YEN 14900                 | YEN 18200    | YEN 23400    | YEN 35400    |  |
| 953-159-132     | 300 x 300 mm       | YEN 13400                 | YEN 15500       | YEN 19800                 | YEN 25000    | YEN 33200    | YEN 66000    |  |
| 463-428-076     | 600 x 600 mm       | YEN 17700                 | YEN 21600       | YEN 29400                 | YEN 48200    | YEN 87500    |              |  |
| <b>Coil</b>     | <b>Width 600mm</b> | <b>Quantity</b>           |                 |                           |              |              |              |  |
| <b>Web Code</b> | <b>Length</b>      | <b>1 Reel</b>             |                 |                           |              |              |              |  |
| 767-888-480     | 0.5 m              | YEN 18100                 |                 |                           |              |              |              |  |
| 986-056-822     | 1 m                | YEN 21400                 |                 |                           |              |              |              |  |
| 257-100-724     | 2 m                | YEN 26200                 |                 |                           |              |              |              |  |
| 137-598-708     | 5 m                | YEN 41600                 |                 |                           |              |              |              |  |

Polymer – Polyethylene terephthalate



**Polyethylene terephthalate**

**Polyester, PET, PETP**



**Metallised Film**

|                 |   |   |
|-----------------|---|---|
| <b>ES301821</b> | Thickness . . . . . <b>0.002mm</b>      | Coil width . . . . . <b>315mm</b>   |
|                 | Ohms/Square . . . . . <b>1.4</b>        | Metallised on both sides <b>Aluminium - 0.7 Ohms/Square</b><br>with . . . . . |
|                 | Metallised width . . . . . <b>305mm</b> |   |
|                 | <b>Coil</b>                             | <b>Width 315mm</b>  |
|                 | <b>Web Code</b>                         | <b>Quantity</b>   |
|                 | 843-088-230                             | <b>Length</b>   |
|                 | 353-639-216                             | 0.2 m YEN 25800   |
|                 | 030-389-039                             | 0.5 m YEN 30600   |
|                 | 958-238-163                             | 1 m YEN 36200   |
|                 | 978-695-485                             | 2 m YEN 45000   |
|                 | 592-217-171                             | 5 m YEN 65000   |
|                 |   | 10 m YEN 91000  |

|                 |   |  |
|-----------------|---|--|
| <b>ES301820</b> | Thickness . . . . . <b>0.002mm</b>      | Coil width . . . . . <b>315mm</b>          |
|                 | Ohms/Square . . . . . <b>1.5</b>        | Metallised with . . . . . <b>Aluminium</b> |
|                 | Metallised width . . . . . <b>305mm</b> |  |
|                 | <b>Coil</b>                             | <b>Width 315mm</b>                         |
|                 | <b>Web Code</b>                         | <b>Quantity</b>                            |
|                 | 305-593-509                             | <b>Length</b>                              |
|                 | 021-621-576                             | 0.2 m YEN 29600                            |
|                 | 685-250-844                             | 0.5 m YEN 35400                            |
|                 | 917-421-823                             | 1 m YEN 44800                              |
|                 | 926-260-498                             | 2 m YEN 62500                              |
|                 | 514-316-226                             | 5 m YEN 114000                             |
|                 |   | 10 m YEN 200000                            |

|                 |                                     |  |
|-----------------|-------------------------------------|--|
| <b>ES301835</b> | Thickness . . . . . <b>0.0035mm</b> | Coil width . . . . . <b>300mm</b>          |
|                 | Ohms/Square . . . . . <b>1.5</b>    | Metallised with . . . . . <b>Aluminium</b> |
|                 |                                     |  |
|                 | <b>Coil</b>                         | <b>Width 300mm</b>                         |
|                 | <b>Web Code</b>                     | <b>Quantity</b>                            |
|                 | 926-000-309                         | <b>Length</b>                              |
|                 | 750-045-674                         | 0.5 m YEN 24200                            |
|                 | 755-710-832                         | 1 m YEN 28600                              |
|                 | 463-858-600                         | 2 m YEN 35800                              |
|                 | 982-333-536                         | 5 m YEN 54000                              |
|                 |                                     | 10 m YEN 80000                             |

|                 |                                    |  |
|-----------------|------------------------------------|--|
| <b>ES301840</b> | Thickness . . . . . <b>0.004mm</b> | Coil width . . . . . <b>9mm</b>            |
|                 | Ohms/Square . . . . . <b>3</b>     | Metallised with . . . . . <b>Aluminium</b> |
|                 |                                    |  |
|                 | <b>Coil</b>                        | <b>Width 9mm</b>                           |
|                 | <b>Web Code</b>                    | <b>Quantity</b>                            |
|                 | 961-609-781                        | <b>Length</b>                              |
|                 | 201-215-784                        | 1 m YEN 12600                              |
|                 | 151-965-077                        | 2 m YEN 14000                              |
|                 | 995-625-403                        | 5 m YEN 17500                              |
|                 |                                    | 10 m YEN 23000                             |

This coil has a strip 2mm wide on one edge which is NOT metallised.

|                 |   |  |
|-----------------|---|--|
| <b>ES301855</b> | Thickness . . . . . <b>0.005mm</b>      | Coil width . . . . . <b>315mm</b>          |
|                 | Ohms/Square . . . . . <b>1.5</b>        | Metallised with . . . . . <b>Aluminium</b> |
|                 | Metallised width . . . . . <b>305mm</b> |  |
|                 | <b>Coil</b>                             | <b>Width 315mm</b>                         |
|                 | <b>Web Code</b>                         | <b>Quantity</b>                            |
|                 | 156-912-931                             | <b>Length</b>                              |
|                 | 022-206-352                             | 0.5 m YEN 20800                            |
|                 | 897-529-996                             | 1 m YEN 25800                              |
|                 | 233-889-259                             | 2 m YEN 33800                              |
|                 | 061-337-116                             | 5 m YEN 52000                              |
|                 |   | 10 m YEN 76000                             |

|                 |                                    |  |
|-----------------|------------------------------------|--|
| <b>ES301860</b> | Thickness . . . . . <b>0.006mm</b> | Coil width . . . . . <b>27mm</b>           |
|                 | Ohms/Square . . . . . <b>3</b>     | Metallised with . . . . . <b>Aluminium</b> |
|                 |                                    |  |
|                 | <b>Coil</b>                        | <b>Width 27mm</b>                          |
|                 | <b>Web Code</b>                    | <b>Quantity</b>                            |
|                 | 527-703-150                        | <b>Length</b>                              |
|                 | 962-887-887                        | 1 m YEN 12700                              |
|                 | 360-985-908                        | 2 m YEN 13800                              |
|                 | 123-243-947                        | 5 m YEN 16000                              |
|                 | 405-489-115                        | 10 m YEN 18600                             |
|                 | 686-144-766                        | 50 m YEN 30600                             |
|                 |                                    | 100 m YEN 41000                            |

|                 |                                    |   |
|-----------------|------------------------------------|---|
| <b>ES301865</b> | Thickness . . . . . <b>0.006mm</b> | Coil width . . . . . <b>315mm</b>   |
|                 | Ohms/Square . . . . . <b>1.4</b>   | Metallised on both sides <b>Aluminium - 0.7 Ohms/Square</b><br>with . . . . . |
|                 |                                    |   |
|                 | <b>Coil</b>                        | <b>Width 315mm</b>  |
|                 | <b>Web Code</b>                    | <b>Quantity</b>   |
|                 | 669-181-781                        | <b>Length</b>   |
|                 | 268-080-826                        | 0.5 m YEN 27000   |
|                 | 609-438-221                        | 1 m YEN 34600   |
|                 | 372-561-602                        | 2 m YEN 46200   |
|                 | 714-436-495                        | 5 m YEN 71500   |
|                 |                                    | 10 m YEN 104000   |

Suitable for use in most alpha-particle counters.

**Polymer – Polyethylene terephthalate**

**Polyethylene terephthalate**

**Polyester, PET, PETP**



**Metallised Film**

**ES301914** Thickness ..... **0.012mm**

Metallised on both sides **Aluminium - 1 Ohms/Square**  
 with .....

**Size**

**Web Code**  
 775-720-641  
 273-484-977  
 464-134-020

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 115 x 115 mm | YEN 18300 | YEN 18800 | YEN 19900 | YEN 21200 | YEN 23400 |
| 175 x 175 mm | YEN 18900 | YEN 19600 | YEN 21200 | YEN 23000 | YEN 25800 |
| 350 x 350 mm | YEN 20600 | YEN 22000 | YEN 25000 | YEN 28400 | YEN 33400 |

**Coil**

**Web Code**  
 678-430-316  
 852-452-175  
 624-916-313  
 488-908-743  
 739-448-494  
 043-302-577

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 23200 |  |
| 1 m    | YEN 24800 |  |
| 2 m    | YEN 27200 |  |
| 5 m    | YEN 32000 |  |
| 10 m   | YEN 37400 |  |
| 20 m   | YEN 45000 |  |

**ES301912** Thickness ..... **0.012mm**  
 Metallised with ..... **Aluminium**

Ohms/Square ..... **2**

**Size**

**Web Code**  
 538-703-845  
 223-432-628  
 392-481-966

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 100 x 100 mm | YEN 19200 | YEN 19800 | YEN 21200 | YEN 23200 | YEN 26800 |
| 150 x 150 mm | YEN 19600 | YEN 20400 | YEN 22200 | YEN 24600 | YEN 28800 |
| 300 x 300 mm | YEN 20800 | YEN 22200 | YEN 25000 | YEN 28600 | YEN 34400 |

**Coil**

**Web Code**  
 579-110-257  
 192-624-374  
 167-785-823  
 584-444-213  
 879-326-726  
 904-521-675

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 22000 |  |
| 1 m    | YEN 23600 |  |
| 2 m    | YEN 25800 |  |
| 5 m    | YEN 30400 |  |
| 10 m   | YEN 36200 |  |
| 20 m   | YEN 45400 |  |

**ES301913** Thickness ..... **0.012mm**  
 Ohms/Square ..... **2**

Coil width ..... **600mm**  
 Metallised with ..... **Aluminium**

**Coil**

**Web Code**  
 697-911-928  
 059-474-987  
 807-527-763  
 146-253-013  
 029-415-567  
 954-101-007

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 22000 |  |
| 1 m    | YEN 23400 |  |
| 2 m    | YEN 25400 |  |
| 5 m    | YEN 29800 |  |
| 10 m   | YEN 35200 |  |
| 20 m   | YEN 43800 |  |

**ES301923** Thickness ..... **0.023mm**  
 Metallised with ..... **Aluminium**

Ohms/Square ..... **2**

**Size**

**Web Code**  
 043-814-885  
 056-235-019

| Size         | Quantity  |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     |
| 150 x 150 mm | YEN 15700 | YEN 17600 | YEN 21600 | YEN 26600 |
| 300 x 300 mm | YEN 19700 | YEN 23200 | YEN 30600 | YEN 39400 |

**Coil**

**Web Code**  
 981-405-524  
 553-824-747  
 507-855-447  
 777-922-043

| Length | Quantity  |  |
|--------|-----------|--|
|        | 1 Reel    |  |
| 0.5 m  | YEN 22600 |  |
| 1 m    | YEN 27000 |  |
| 2 m    | YEN 33400 |  |
| 5 m    | YEN 46400 |  |

**ES301900** Thickness ..... **0.036mm**  
 Metallised with ..... **Stainless Steel**

Ohms/Square ..... **> 2500**

**Size**

**Web Code**  
 768-093-369  
 011-671-845  
 458-987-455  
 373-427-402

| Size           | Quantity  |           |           |           |           |
|----------------|-----------|-----------|-----------|-----------|-----------|
|                | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 150 x 150 mm   | YEN 14400 | YEN 16000 | YEN 19500 | YEN 23800 | YEN 30600 |
| 300 x 300 mm   | YEN 17700 | YEN 20600 | YEN 26800 | YEN 34200 |           |
| 500 x 500 mm   | YEN 22000 | YEN 27000 | YEN 36800 |           |           |
| 1000 x 1000 mm | YEN 33200 | YEN 42600 |           |           |           |

**Discs**

**Web Code**  
 678-433-230  
 804-152-223  
 519-034-244  
 879-275-536  
 909-446-804  
 680-855-798  
 106-973-624

| Diameter | Quantity  |           |           |           |
|----------|-----------|-----------|-----------|-----------|
|          | 10 discs  | 20 discs  | 25 discs  | 50 discs  |
| 6 mm     | YEN 23000 | YEN 26000 | YEN 27000 | YEN 32400 |
| 8 mm     | YEN 23200 | YEN 26200 | YEN 27200 | YEN 32600 |
| 10 mm    | YEN 23400 | YEN 26400 | YEN 27600 | YEN 33000 |
| 12.5 mm  | YEN 23600 | YEN 26600 | YEN 27800 | YEN 33400 |
| 25 mm    | YEN 24400 | YEN 28000 | YEN 29400 | YEN 35600 |
| 50 mm    | YEN 26400 | YEN 30800 | YEN 32400 | YEN 40000 |
| 100 mm   | YEN 30200 | YEN 36200 | YEN 38600 | YEN 48600 |

Stainless Steel thickness : 0.01 microns

Polymer – Polyethylene terephthalate

**Polyethylene terephthalate**  
**Polyester, PET, PETP**



**Metallised Film**

|   |  |                                  |             |             |              |              |  |
|---|--|----------------------------------|-------------|-------------|--------------|--------------|--|
| <b>ES301902</b>                           | Thickness . . . . . <b>0.036mm</b><br>Metallised with . . . . . <b>Stainless Steel</b> | Ohms/Square . . . . . <b>200</b> |             |             |              |              |  |
| <b>Size</b>                               |  | <b>Quantity</b>                  |             |             |              |              |  |
| <b>Web Code</b>                           | <b>Size</b>  | <b>1pc</b>                       | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> | <b>20pcs</b> |  |
| 164-001-354                               | 150 x 150 mm   | YEN 15000                        | YEN 16900   | YEN 21000   | YEN 25800    | YEN 33600    |  |
| 500-165-747                               | 300 x 300 mm   | YEN 19000                        | YEN 22600   | YEN 29800   | YEN 38400    |              |  |
| 520-720-064                               | 500 x 500 mm   | YEN 24400                        | YEN 30000   | YEN 41800   |              |              |  |
| 090-007-731                               | 1000 x 1000 mm   | YEN 37600                        | YEN 48800   |             |              |              |  |
| Stainless Steel thickness : 0.021 microns |  |                                  |             |             |              |              |  |

|                                    |   |                                  |             |             |              |              |  |
|------------------------------------|---|----------------------------------|-------------|-------------|--------------|--------------|--|
| <b>ES301911</b>                    | Thickness . . . . . <b>0.036mm</b><br>Metallised with . . . . . <b>Titanium</b> | Ohms/Square . . . . . <b>200</b> |             |             |              |              |  |
| <b>Size</b>                        |   | <b>Quantity</b>                  |             |             |              |              |  |
| <b>Web Code</b>                    | <b>Size</b>   | <b>1pc</b>                       | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> | <b>20pcs</b> |  |
| 060-162-619                        | 150 x 150 mm  | YEN 13700                        | YEN 15000   | YEN 17900   | YEN 21600    | YEN 27400    |  |
| 520-332-053                        | 300 x 300 mm  | YEN 16300                        | YEN 18700   | YEN 23800   | YEN 31200    |              |  |
| 041-504-486                        | 500 x 500 mm  | YEN 19800                        | YEN 23600   | YEN 37000   |              |              |  |
| 188-062-164                        | 1000 x 1000 mm  | YEN 31000                        | YEN 51500   |             |              |              |  |
| Titanium Thickness : 0.014 microns |   |                                  |             |             |              |              |  |

|   |  |                                  |             |             |              |              |  |
|---|--|----------------------------------|-------------|-------------|--------------|--------------|--|
| <b>ES301901</b>                           | Thickness . . . . . <b>0.036mm</b><br>Metallised with . . . . . <b>Stainless Steel</b> | Ohms/Square . . . . . <b>700</b> |             |             |              |              |  |
| <b>Size</b>                               |  | <b>Quantity</b>                  |             |             |              |              |  |
| <b>Web Code</b>                           | <b>Size</b>  | <b>1pc</b>                       | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> | <b>20pcs</b> |  |
| 371-704-468                               | 150 x 150 mm   | YEN 14400                        | YEN 16000   | YEN 19500   | YEN 23800    | YEN 30600    |  |
| 463-051-877                               | 300 x 300 mm   | YEN 17700                        | YEN 20600   | YEN 26800   | YEN 34200    |              |  |
| 881-482-457                               | 500 x 500 mm   | YEN 22000                        | YEN 27000   | YEN 36800   |              |              |  |
| 185-312-003                               | 1000 x 1000 mm   | YEN 33200                        | YEN 42600   |             |              |              |  |
| Stainless Steel thickness : 0.015 microns |  |                                  |             |             |              |              |  |

|                                    |   |                                  |             |             |              |              |  |
|------------------------------------|---|----------------------------------|-------------|-------------|--------------|--------------|--|
| <b>ES301910</b>                    | Thickness . . . . . <b>0.036mm</b><br>Metallised with . . . . . <b>Titanium</b> | Ohms/Square . . . . . <b>700</b> |             |             |              |              |  |
| <b>Size</b>                        |   | <b>Quantity</b>                  |             |             |              |              |  |
| <b>Web Code</b>                    | <b>Size</b>   | <b>1pc</b>                       | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> | <b>20pcs</b> |  |
| 250-971-484                        | 150 x 150 mm  | YEN 15700                        | YEN 17900   | YEN 22600   | YEN 28200    | YEN 36800    |  |
| 371-425-807                        | 300 x 300 mm  | YEN 20400                        | YEN 24600   | YEN 33000   | YEN 43000    |              |  |
| 428-227-837                        | 500 x 500 mm  | YEN 26800                        | YEN 33400   | YEN 47200   |              |              |  |
| 528-481-313                        | 1000 x 1000 mm  | YEN 42400                        | YEN 55500   |             |              |              |  |
| Titanium thickness : 0.011 microns |   |                                  |             |             |              |              |  |

|                 |   |                                |             |             |              |              |  |
|-----------------|---|--------------------------------|-------------|-------------|--------------|--------------|--|
| <b>ES301955</b> | Thickness . . . . . <b>0.05mm</b><br>Metallised with . . . . . <b>Aluminium</b> | Ohms/Square . . . . . <b>2</b> |             |             |              |              |  |
| <b>Size</b>     |   | <b>Quantity</b>                |             |             |              |              |  |
| <b>Web Code</b> | <b>Size</b>   | <b>1pc</b>                     | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> | <b>20pcs</b> |  |
| 209-031-615     | 150 x 150 mm  | YEN 16100                      | YEN 18100   | YEN 22600   | YEN 27800    | YEN 36200    |  |
| 424-132-846     | 270 x 270 mm  | YEN 19600                      | YEN 23200   | YEN 30400   | YEN 39000    | YEN 52000    |  |
| 194-910-483     | 540 x 540 mm  | YEN 27600                      | YEN 34400   | YEN 48200   | YEN 64000    |              |  |
| <b>Coil</b>     |   | <b>Quantity</b>                |             |             |              |              |  |
| <b>Web Code</b> | <b>Width 540mm</b>  | <b>1 Reel</b>                  |             |             |              |              |  |
| 339-804-413     | <b>Length</b>   | 0.5 m YEN 27400                |             |             |              |              |  |
| 992-518-484     | 1 m   | YEN 34000                      |             |             |              |              |  |
| 064-803-234     | 2 m   | YEN 43200                      |             |             |              |              |  |
| 100-404-324     | 5 m   | YEN 62000                      |             |             |              |              |  |
| 119-937-885     | 10 m  | YEN 92000                      |             |             |              |              |  |

|                 |   |                                |             |             |              |  |  |
|-----------------|---|--------------------------------|-------------|-------------|--------------|--|--|
| <b>ES301980</b> | Thickness . . . . . <b>0.10mm</b><br>Metallised with . . . . . <b>Aluminium</b> | Ohms/Square . . . . . <b>2</b> |             |             |              |  |  |
| <b>Size</b>     |   | <b>Quantity</b>                |             |             |              |  |  |
| <b>Web Code</b> | <b>Size</b>   | <b>1pc</b>                     | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> |  |  |
| 169-549-595     | 150 x 150 mm  | YEN 16900                      | YEN 19300   | YEN 24200   | YEN 30400    |  |  |
| 773-770-782     | 300 x 300 mm  | YEN 22000                      | YEN 26600   | YEN 36000   | YEN 46800    |  |  |
| <b>Coil</b>     |   | <b>Quantity</b>                |             |             |              |  |  |
| <b>Web Code</b> | <b>Width 610mm</b>  | <b>1 Reel</b>                  |             |             |              |  |  |
| 627-418-191     | <b>Length</b>   | 0.5 m YEN 31400                |             |             |              |  |  |
| 130-107-572     | 1 m   | YEN 39400                      |             |             |              |  |  |
| 345-431-221     | 2 m   | YEN 51000                      |             |             |              |  |  |
| 322-904-445     | 5 m   | YEN 74000                      |             |             |              |  |  |

Polymer – Polyethylene terephthalate

**Polyethylene terephthalate**  
**Polyester, PET, PETP**



**Laminate**

**ES301520**

Thickness ..... **0.06mm**  
 Backing Material ..... **0.018mm Copper**

Polymer Thickness ..... **0.025mm**

**Size**

**Web Code**  
 040-659-485  
 082-427-818  
 303-481-102  
 935-148-117

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 100 x 100 mm | YEN 13700 | YEN 15700 | YEN 21000 | YEN 26800 | YEN 37200 |
| 150 x 150 mm | YEN 14700 | YEN 17100 | YEN 23000 | YEN 29800 | YEN 41600 |
| 300 x 300 mm | YEN 17600 | YEN 21200 | YEN 29600 | YEN 39000 |           |
| 600 x 600 mm | YEN 23400 | YEN 29400 | YEN 42400 |           |           |

**Coil**

**Web Code**  
 186-830-842  
 353-856-992  
 615-550-574

| Width 610mm | Quantity  |  |
|-------------|-----------|--|
| Length      | 1 Reel    |  |
| 1 m         | YEN 27800 |  |
| 2 m         | YEN 34200 |  |
| 5 m         | YEN 47400 |  |

**ES301532**

Thickness ..... **0.1mm**  
 Backing Material ..... **0.035mm Copper**

Polymer Thickness ..... **0.05mm**

**Size**

**Web Code**  
 232-124-714  
 015-597-294  
 949-652-720

| Size         | Quantity  |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     |
| 100 x 100 mm | YEN 14200 | YEN 15800 | YEN 19300 | YEN 24000 |
| 150 x 150 mm | YEN 15600 | YEN 17900 | YEN 22600 | YEN 28600 |
| 300 x 300 mm | YEN 20200 | YEN 24200 | YEN 32800 |           |

**Coil**

**Web Code**  
 706-599-628  
 324-953-512  
 619-189-602  
 398-708-164  
 838-522-081  
 815-261-929

| Width 610mm | Quantity  |  |
|-------------|-----------|--|
| Length      | 1 Reel    |  |
| 0.5 m       | YEN 28000 |  |
| 1 m         | YEN 35200 |  |
| 2 m         | YEN 45200 |  |
| 3 m         | YEN 60500 |  |
| 4 m         | YEN 76500 |  |
| 5 m         | YEN 93000 |  |

**ES301554**

Thickness ..... **0.16mm**  
 Backing Material ..... **0.07mm Copper**

Polymer Thickness ..... **0.075mm**

**Size**

**Web Code**  
 907-747-710  
 468-469-527  
 558-695-421

| Size         | Quantity  |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     |
| 100 x 100 mm | YEN 14600 | YEN 16400 | YEN 20400 | YEN 25400 |
| 150 x 150 mm | YEN 16300 | YEN 18800 | YEN 24200 | YEN 30800 |
| 300 x 300 mm | YEN 21400 | YEN 26200 | YEN 35600 |           |

**Coil**

**Web Code**  
 836-936-059  
 617-002-065  
 125-257-027  
 657-125-062  
 140-629-684

| Width 610mm | Quantity  |  |
|-------------|-----------|--|
| Length      | 1 Reel    |  |
| 0.5 m       | YEN 30600 |  |
| 1 m         | YEN 38600 |  |
| 2 m         | YEN 54000 |  |
| 3 m         | YEN 75500 |  |
| 4 m         | YEN 97000 |  |



**Sheet**

**ES303010**

Thickness ..... **1mm**  
 Colour ..... **Clear**

Condition ..... **Amorphous**  
 Condition ..... **Transparent**

**Size**

**Web Code**  
 818-277-811  
 284-732-178  
 591-523-503

| Size         | Quantity  |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     |
| 150 x 150 mm | YEN 12700 | YEN 14800 | YEN 20000 | YEN 26200 |
| 300 x 300 mm | YEN 14700 | YEN 17600 | YEN 24400 |           |
| 600 x 600 mm | YEN 18700 | YEN 23200 |           |           |

**ES303015**

Thickness ..... **1.5mm**  
 Colour ..... **Clear**

Condition ..... **Amorphous**  
 Condition ..... **Transparent**

**Size**

**Web Code**  
 546-080-473  
 478-156-678  
 593-517-447

| Size         | Quantity  |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     |
| 150 x 150 mm | YEN 13200 | YEN 15400 | YEN 21000 | YEN 27600 |
| 300 x 300 mm | YEN 15600 | YEN 18900 | YEN 26400 |           |
| 600 x 600 mm | YEN 20600 | YEN 25800 |           |           |

**ES303020**

Thickness ..... **2mm**  
 Colour ..... **Clear**

Condition ..... **Amorphous**  
 Condition ..... **Transparent**

**Size**

**Web Code**  
 217-137-341  
 142-163-851  
 770-481-966

| Size         | Quantity  |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
|              | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
| 150 x 150 mm | YEN 13500 | YEN 15800 | YEN 21600 | YEN 28400 | YEN 40600 |
| 300 x 300 mm | YEN 16200 | YEN 19700 | YEN 27800 | YEN 37000 |           |
| 600 x 600 mm | YEN 21600 | YEN 27400 |           |           |           |

Polymer – Polyethylene terephthalate

**Polyethylene terephthalate**  
**Polyester, PET, PETP**



**Sheet**

|                 |                 |              |                 |             |                    |              |              |  |  |
|-----------------|-----------------|--------------|-----------------|-------------|--------------------|--------------|--------------|--|--|
| <b>ES303021</b> | Thickness ..... | <b>2mm</b>   | Condition ..... |             | <b>Copolymer</b>   |              |              |  |  |
|                 | Colour .....    | <b>Clear</b> | Condition ..... |             | <b>Transparent</b> |              |              |  |  |
| <b>Size</b>     |                 |              | <b>Quantity</b> |             |                    |              |              |  |  |
| <b>Web Code</b> | <b>Size</b>     |              | <b>1pc</b>      | <b>2pcs</b> | <b>5pcs</b>        | <b>10pcs</b> | <b>20pcs</b> |  |  |
| 794-856-548     | 100 x 100 mm    | YEN 15200    | YEN 15900       | YEN 17800   | YEN 20600          | YEN 25800    |              |  |  |
| 136-872-418     | 150 x 150 mm    | YEN 15600    | YEN 16500       | YEN 18700   | YEN 21800          |              |              |  |  |
| 145-112-154     | 300 x 300 mm    | YEN 16700    | YEN 18100       | YEN 21200   |                    |              |              |  |  |

|                 |                 |              |                 |             |                    |              |              |  |  |
|-----------------|-----------------|--------------|-----------------|-------------|--------------------|--------------|--------------|--|--|
| <b>ES303030</b> | Thickness ..... | <b>3mm</b>   | Condition ..... |             | <b>Amorphous</b>   |              |              |  |  |
|                 | Colour .....    | <b>Clear</b> | Condition ..... |             | <b>Transparent</b> |              |              |  |  |
| <b>Size</b>     |                 |              | <b>Quantity</b> |             |                    |              |              |  |  |
| <b>Web Code</b> | <b>Size</b>     |              | <b>1pc</b>      | <b>2pcs</b> | <b>5pcs</b>        | <b>10pcs</b> | <b>20pcs</b> |  |  |
| 580-239-748     | 150 x 150 mm    | YEN 14100    | YEN 16700       | YEN 23000   | YEN 30400          | YEN 43200    |              |  |  |
| 991-473-702     | 300 x 300 mm    | YEN 17400    | YEN 21400       | YEN 30400   | YEN 41000          |              |              |  |  |
| 348-371-514     | 600 x 600 mm    | YEN 24000    | YEN 30800       |             |                    |              |              |  |  |

|                 |                 |                         |                 |             |              |              |  |  |  |
|-----------------|-----------------|-------------------------|-----------------|-------------|--------------|--------------|--|--|--|
| <b>ES303050</b> | Thickness ..... | <b>5mm</b>              | Colour .....    |             | <b>White</b> |              |  |  |  |
|                 | Condition ..... | <b>Semi-crystalline</b> |                 |             |              |              |  |  |  |
| <b>Size</b>     |                 |                         | <b>Quantity</b> |             |              |              |  |  |  |
| <b>Web Code</b> | <b>Size</b>     |                         | <b>1pc</b>      | <b>2pcs</b> | <b>5pcs</b>  | <b>10pcs</b> |  |  |  |
| 555-887-315     | 100 x 100 mm    | YEN 12800               | YEN 14800       | YEN 20200   | YEN 26600    |              |  |  |  |
| 485-924-359     | 150 x 150 mm    | YEN 13800               | YEN 16200       | YEN 22400   |              |              |  |  |  |
| 740-538-187     | 300 x 300 mm    | YEN 16800               | YEN 20400       |             |              |              |  |  |  |

|                 |                 |                         |                 |             |              |  |  |  |  |
|-----------------|-----------------|-------------------------|-----------------|-------------|--------------|--|--|--|--|
| <b>ES303100</b> | Thickness ..... | <b>10mm</b>             | Colour .....    |             | <b>White</b> |  |  |  |  |
|                 | Condition ..... | <b>Semi-crystalline</b> |                 |             |              |  |  |  |  |
| <b>Size</b>     |                 |                         | <b>Quantity</b> |             |              |  |  |  |  |
| <b>Web Code</b> | <b>Size</b>     |                         | <b>1pc</b>      | <b>2pcs</b> | <b>5pcs</b>  |  |  |  |  |
| 567-268-938     | 150 x 150 mm    | YEN 14400               | YEN 17300       | YEN 24400   |              |  |  |  |  |
| 908-612-510     | 300 x 300 mm    | YEN 18600               | YEN 23200       |             |              |  |  |  |  |

|                 |                 |                         |                 |             |              |  |  |  |  |
|-----------------|-----------------|-------------------------|-----------------|-------------|--------------|--|--|--|--|
| <b>ES303250</b> | Thickness ..... | <b>25mm</b>             | Colour .....    |             | <b>White</b> |  |  |  |  |
|                 | Condition ..... | <b>Semi-crystalline</b> |                 |             |              |  |  |  |  |
| <b>Size</b>     |                 |                         | <b>Quantity</b> |             |              |  |  |  |  |
| <b>Web Code</b> | <b>Size</b>     |                         | <b>1pc</b>      | <b>2pcs</b> | <b>5pcs</b>  |  |  |  |  |
| 576-562-560     | 150 x 150 mm    | YEN 21000               | YEN 26400       | YEN 41600   |              |  |  |  |  |
| 070-321-700     | 300 x 300 mm    | YEN 31400               | YEN 53500       |             |              |  |  |  |  |



**Fabric**

|                 |                              |                |                 |             |               |              |              |  |  |
|-----------------|------------------------------|----------------|-----------------|-------------|---------------|--------------|--------------|--|--|
| <b>ES303520</b> | Weight.m <sup>-2</sup> ..... | <b>92g</b>     | Thickness ..... |             | <b>0.13mm</b> |              |              |  |  |
|                 | Warp Yarn .....              | <b>28Tex</b>   | Weft Yarn ..... |             | <b>28Tex</b>  |              |              |  |  |
|                 | Ends x Picks/10cm .....      | <b>157x157</b> | Weave .....     |             | <b>Plain</b>  |              |              |  |  |
| <b>Size</b>     |                              |                | <b>Quantity</b> |             |               |              |              |  |  |
| <b>Web Code</b> | <b>Size</b>                  |                | <b>1pc</b>      | <b>2pcs</b> | <b>5pcs</b>   | <b>10pcs</b> | <b>20pcs</b> |  |  |
| 790-223-707     | 150 x 150 mm                 | YEN 11800      | YEN 12800       | YEN 15300   | YEN 19000     | YEN 26000    |              |  |  |
| 777-967-817     | 300 x 300 mm                 | YEN 12900      | YEN 14300       | YEN 17700   | YEN 22400     |              |              |  |  |
| 245-979-620     | 500 x 500 mm                 | YEN 14300      | YEN 16300       | YEN 20800   |               |              |              |  |  |
| <b>Coil</b>     |                              |                | <b>Quantity</b> |             |               |              |              |  |  |
| <b>Web Code</b> | <b>Width 1470mm</b>          | <b>Length</b>  | <b>1 Reel</b>   |             |               |              |              |  |  |
| 747-454-678     |                              | 0.5 m          | YEN 16400       |             |               |              |              |  |  |
| 431-834-143     |                              | 1 m            | YEN 19100       |             |               |              |              |  |  |
| 979-271-164     |                              | 2 m            | YEN 23000       |             |               |              |              |  |  |

Polyester fibre: Laminates based on this lack stiffness but have excellent impact resistance properties. Plain weave: Warp (longitudinal) yarns (ends) pass over and under alternate weft (transverse) yarns (picks) and vice-versa.



**Mesh**

|                 |                        |                         |                        |             |             |              |  |  |  |
|-----------------|------------------------|-------------------------|------------------------|-------------|-------------|--------------|--|--|--|
| <b>ES308704</b> | Nominal Aperture ..... | <b>21µm</b>             | Monofil diameter ..... |             | <b>41µm</b> |              |  |  |  |
|                 | Threads/cm .....       | <b>163</b>              | Open area .....        |             | <b>12%</b>  |              |  |  |  |
|                 | Type .....             | <b>Plain weave mesh</b> |                        |             |             |              |  |  |  |
| <b>Size</b>     |                        |                         | <b>Quantity</b>        |             |             |              |  |  |  |
| <b>Web Code</b> | <b>Size</b>            |                         | <b>1pc</b>             | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> |  |  |  |
| 564-052-468     | 250 x 250 mm           | YEN 17300               | YEN 21200              | YEN 28600   | YEN 37800   |              |  |  |  |
| 061-667-407     | 500 x 500 mm           | YEN 23800               | YEN 30400              | YEN 53000   |             |              |  |  |  |

|                 |                        |                         |                        |             |             |              |  |  |  |
|-----------------|------------------------|-------------------------|------------------------|-------------|-------------|--------------|--|--|--|
| <b>ES308710</b> | Nominal Aperture ..... | <b>100µm</b>            | Monofil diameter ..... |             | <b>70µm</b> |              |  |  |  |
|                 | Threads/cm .....       | <b>55</b>               | Open area .....        |             | <b>33%</b>  |              |  |  |  |
|                 | Type .....             | <b>Plain weave mesh</b> |                        |             |             |              |  |  |  |
| <b>Size</b>     |                        |                         | <b>Quantity</b>        |             |             |              |  |  |  |
| <b>Web Code</b> | <b>Size</b>            |                         | <b>1pc</b>             | <b>2pcs</b> | <b>5pcs</b> | <b>10pcs</b> |  |  |  |
| 019-331-299     | 250 x 250 mm           | YEN 14300               | YEN 17000              | YEN 21600   | YEN 28000   |              |  |  |  |
| 416-401-841     | 500 x 500 mm           | YEN 17300               | YEN 21200              | YEN 30000   |             |              |  |  |  |

Polymer – Polyethylene terephthalate

**Polyethylene terephthalate**  
**Polyester, PET, PETP**

**Fibre**

| Material           |                    | Medium | High tenacity |
|--------------------|--------------------|--------|---------------|
| Density            | g cm <sup>-3</sup> | 1.39   | 1.39          |
| Extension to break | %                  | 36     | 13-16         |
| Modulus            | GPa                |        | 9-11          |
| Specific Modulus   | cN/tex             |        | 700-800       |
| Shrinkage @100C    | %                  | 4      | 1.5-6         |
| Specific Tenacity  | cN/tex             | 36     | 70-80         |

**ES305710** Tex Number . . . . . **3.3** Filament diameter . . . . . **0.014mm**  
 Number of filaments . . . . . **15** Condition . . . . . **Medium Tenacity**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |        |           |
|-------------|--------|-----------|
| 015-523-954 | 100 m  | YEN 12700 |
| 940-488-582 | 200 m  | YEN 14500 |
| 561-072-909 | 500 m  | YEN 20000 |
| 134-124-725 | 1000 m | YEN 29000 |

Continuous multi-filament yarn

**ES305720** Tex Number . . . . . **7.4** Filament diameter . . . . . **0.017mm**  
 Number of filaments . . . . . **24** Condition . . . . . **High Tenacity**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |        |           |
|-------------|--------|-----------|
| 765-592-482 | 100 m  | YEN 12700 |
| 699-060-446 | 200 m  | YEN 14600 |
| 382-559-462 | 500 m  | YEN 20200 |
| 819-936-513 | 1000 m | YEN 29200 |

Continuous multi-filament yarn

**ES305730** Tex Number . . . . . **110** Filament diameter . . . . . **0.023mm**  
 Number of filaments . . . . . **192** Condition . . . . . **High Tenacity**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |        |           |
|-------------|--------|-----------|
| 492-066-966 | 100 m  | YEN 16200 |
| 508-365-072 | 200 m  | YEN 19400 |
| 545-636-762 | 500 m  | YEN 28600 |
| 204-588-524 | 1000 m | YEN 43600 |

Continuous multi-filament yarn

**Monofilament**

**ES305910** Diameter . . . . . **0.1mm**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |       |           |
|-------------|-------|-----------|
| 573-563-543 | 10 m  | YEN 14200 |
| 695-438-494 | 20 m  | YEN 18000 |
| 929-802-666 | 50 m  | YEN 29000 |
| 225-333-084 | 100 m | YEN 31600 |
| 166-633-493 | 200 m | YEN 36200 |

**ES305920** Diameter . . . . . **0.2mm**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |       |           |
|-------------|-------|-----------|
| 451-623-015 | 10 m  | YEN 14500 |
| 997-046-278 | 20 m  | YEN 18500 |
| 497-367-172 | 50 m  | YEN 29800 |
| 571-347-306 | 100 m | YEN 32600 |
| 361-694-981 | 200 m | YEN 37600 |

**ES305940** Diameter . . . . . **0.4mm**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |       |           |
|-------------|-------|-----------|
| 277-380-299 | 10 m  | YEN 15500 |
| 383-530-808 | 20 m  | YEN 19800 |
| 364-034-005 | 50 m  | YEN 31800 |
| 767-626-047 | 100 m | YEN 35600 |
| 647-311-134 | 200 m | YEN 41800 |

**ES305950** Diameter . . . . . **0.5mm**

**Length** **Quantity**  
**Web Code** **Length 1 Reel**

|             |       |           |
|-------------|-------|-----------|
| 641-027-998 | 10 m  | YEN 15900 |
| 958-198-114 | 20 m  | YEN 20400 |
| 960-056-400 | 50 m  | YEN 33000 |
| 951-260-474 | 100 m | YEN 37000 |
| 104-188-351 | 200 m | YEN 43800 |

**Polymer – Polyethylene terephthalate**

## Polyethylene terephthalate

### Polyester, PET, PETP



## Monofilament

ES305980

Diameter ..... 0.8mm

### Length

#### Web Code

454-001-715  
 677-067-707  
 120-586-028  
 951-489-407  
 153-489-339

### Quantity

| Length | 1 Reel    |
|--------|-----------|
| 10 m   | YEN 17400 |
| 20 m   | YEN 22600 |
| 50 m   | YEN 36400 |
| 100 m  | YEN 41800 |
| 200 m  | YEN 50500 |

ES305990

Diameter ..... 0.9mm

### Length

#### Web Code

878-017-786  
 929-521-644  
 938-049-140  
 215-332-409  
 547-971-472

### Quantity

| Length | 1 Reel    |
|--------|-----------|
| 10 m   | YEN 17800 |
| 20 m   | YEN 23000 |
| 50 m   | YEN 37200 |
| 100 m  | YEN 43000 |
| 200 m  | YEN 52000 |



## Rod

ES307906

Diameter ..... 6mm  
 Colour ..... Opaque white

Condition ..... Semi-crystalline

### Size

#### Web Code

935-338-011  
 917-253-525

### Quantity

| Length  | 1pc       | 2pcs      | 5pcs      | 10pcs     |
|---------|-----------|-----------|-----------|-----------|
| 500 mm  | YEN 14300 | YEN 17000 | YEN 22600 | YEN 32800 |
| 1000 mm | YEN 16500 | YEN 20200 | YEN 31600 |           |

ES307910

Diameter ..... 10mm  
 Colour ..... Opaque white

Condition ..... Semi-crystalline

### Size

#### Web Code

656-688-090  
 086-001-944

### Quantity

| Length  | 1pc       | 2pcs      | 5pcs      | 10pcs     |
|---------|-----------|-----------|-----------|-----------|
| 500 mm  | YEN 12000 | YEN 13900 | YEN 18000 | YEN 22600 |
| 1000 mm | YEN 13200 | YEN 15600 | YEN 20600 |           |

ES307925

Diameter ..... 25mm  
 Colour ..... Opaque white

Condition ..... Semi-crystalline

### Size

#### Web Code

750-247-722  
 780-968-315  
 621-041-825

### Quantity

| Length  | 1pc       | 2pcs      | 5pcs      | 10pcs     | 20pcs     |
|---------|-----------|-----------|-----------|-----------|-----------|
| 100 mm  | YEN 12300 | YEN 14200 | YEN 18800 | YEN 23600 | YEN 31800 |
| 500 mm  | YEN 16300 | YEN 20000 | YEN 30000 | YEN 50500 |           |
| 1000 mm | YEN 19400 | YEN 24400 | YEN 48600 |           |           |



## Powder

ES306030

Max. Particle size ..... 300micron

Colour ..... Natural

#### Web Code

264-007-763

### Quantity

| Weight | 1 Pot     |
|--------|-----------|
| 100 g  | YEN 13600 |



## Granule

ES306312

Nominal Granule Size .... 3-5mm

Colour ..... Natural

#### Web Code

461-616-825

### Quantity

| Weight | 1 Pot     |
|--------|-----------|
| 100 g  | YEN 14000 |

Polymer – Polyethylene terephthalate

## INDEX

### A

Arnite 20

### D

Dacron 20

### F

Fabric, Polyethylene terephthalate 29

Fibre, Polyethylene terephthalate 30

Film, Polyethylene terephthalate 20

### G

Granule, Polyethylene terephthalate 31

### H

Hostaphan 20

### I

Impet 20

### L

Laminate, Polyethylene terephthalate 28

### M

Melinar 20

Melinex 20

Mesh, Polyethylene terephthalate 29

Metallised Film, Polyethylene terephthalate 25

Monofilament, Polyethylene terephthalate 30

Mylar 20

### P

Polyethylene terephthalate (Polyester, PET, PETP) 20

Powder, Polyethylene terephthalate 31

### R

Rod, Polyethylene terephthalate 31

Rynite 20

### S

Sheet, Polyethylene terephthalate 28

### T

Terylene 20

Trevira 20