

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



## **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

## **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
Inglaterra

Tel: 00 44 1480 424 800  
or +44 1480 424 800  
Fax: 00 44 1480 424 900  
or +44 1480 424 900

## **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
Francia

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

## **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Alemania

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

## **Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040

República Popular China  
Tel: 00 86 21 6112 1560

# Lista de los precios estándar para Politetraflúoretileno

## INDICE DE MATERIAS

<b>Introducción</b>	4
<b>Descripción de los productos</b>	5
<b>Clasificación de Materiales Peligrosos</b>	10
<b>Información General</b>	12
<b>Pedidos Contenido</b>	13
<b>Company Details</b>	15
<b>Condiciones de venta</b>	16
<b>Polímero</b>	20
<b>INDICE</b>	31

---

## Introducción

---

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

### **Materiales**

#### ***Metales y Aleaciones***

Goodfellow suministra casi todos los metales puros del Aluminio al Zirconio así como una amplia gama de aleaciones. La mayoría de ellos está disponible en varias formas que incluyen vara, hilo, lámina, etc...

#### ***Cerámicas***

Los materiales cerámicos suministrados por Goodfellow han sido elegidos con mucho esmero e incluyen tanto los materiales conocidos como los que son el fruto de los últimos desarrollos. Todos están disponibles como artículo estándar o producto fabricado en una amplia variedad de formas y tamaños.

#### ***Polímeros***

La gama de polímeros suministrada por Goodfellow es amplia e incluye tanto los polímeros comunes como los más avanzados e inusitados actualmente existentes. Los polímeros están disponibles en una amplia variedad de formas y tamaños.

#### ***Compuestos e Intermetálicos***

Goodfellow puede suministrar aluminuros, boruros, siliciuros así como otros intermetálicos y compuestos.

#### ***Composites***

Algunos ejemplos figuran en el catálogo Goodfellow.

#### ***Vidrios***

Goodfellow ofrece dos tipos distintos de productos de vidrio:

Los primeros son generalmente sólidos con base de sílice, no cristalinos (amorfo), que presentan una transición vítrea y son frágiles y transparentes. Las propiedades de los materiales de vidrio pueden ser fácilmente modificadas para alterar su rendimiento óptico y otras características. Este tipo está disponible en la División Cerámica y Vidrio de Goodfellow. Por lo general, estos productos se hacen por encargo para los clientes, así que no figuran en el Catálogo. Póngase en contacto con nosotros para poder estudiar sus necesidades.

El segundo tipo de producto de vidrio se conoce comúnmente como "vidrios metálicos" o "metales vítreos". En contraste con los metales y aleaciones cristalinas con estructuras atómicas altamente ordenadas, estos son metales no cristalinos (amorfo) o, más generalmente, aleaciones. Nuestro sitio web detalla los metales vítreos que están disponibles en stock. Por favor póngase en contacto con nosotros si no encuentra el artículo que específicamente necesita.

## Descripción de los productos



### Arandela

Una pieza fina y plana de material con un agujero en el medio, se utiliza junto con pernos y tuercas para distribuir la carga de un sujetador roscado.

#### Tolerancias

Cerámicas: ver artículo



### Barra

Longitud recta de material de sección cuadrada, oval o rectangular.

#### Tolerancias

Dimensiones de la sección:	$\leq 10$ mm	
	$\pm 10\%$	
	$> 10$ mm	$\pm 1$ mm
Longitud:	$< 100$ mm	$\pm 1$ mm
	$\geq 100$ mm	$+ 5\% / -1\%$



### Blanco de sputtering

Material de alta pureza utilizado como fuente de sputtering, proceso de evaporación en frío donde los átomos son desplazados de la superficie del blanco por bombardeo iónico.

#### Tolerancias

Espesor:  $\pm 0,5$  mm  
 Tamaño:  $\pm 0,5$  mm



### Copo

Piezas de material planas e irregularmente formadas. El tamaño máximo del copo está indicado pero copos individuales pueden tener tamaños sensiblemente superiores.

#### Tolerancias

Las dimensiones indicadas son nominales



### Crisol

Un recipiente en el que otros materiales pueden calentarse o derretirse normalmente a altas temperaturas.

#### Tolerancias

Altura:  $\pm 10\%$   
 Dimensiones Int.:  $\pm 10\%$   
 Dimensiones Ext.:  $\pm 10\%$



### Esfera

Una forma sólida regular o hueca tridimensional en la que cada sección transversal es un círculo. Las esferas están disponibles con las tolerancias estándar o de precisión, y pueden suministrarse con diferentes acabados de superficie dependiendo del material.

#### Tolerancias

Diámetro (estándar):  $\pm 5\%$   
 Diámetro (precisión): ver artículo



### Espuma

Estructura de baja densidad permeable compuesta por celdas y ligamentos continuos que ofrecen una relación superficie/volumen elevada así como una alta relación resistencia/peso. Debido a la naturaleza de este material, las dimensiones son nominales.

## Descripción de los productos



### Fibra

Hilos o estopas formados por varios filamentos individuales más o menos paralelos. Cada filamento suele tener un diámetro inferior al de un monofilamento. Los hilos contienen un número definido de filamentos, típicamente desde tres hasta varios centenares; las estopas contienen millares de filamentos. Su número sólo puede definirse aproximadamente. Ambos se especifican por su densidad lineal medida en "tex", el peso en gramos de 1 km de material.

#### Tolerancias

Diámetro de la fibra:	± 25%
Número de torones:	± 10%
Número Tex:	± 10%
Longitud:	+ 5%/-1%



### Fibra picada

Fibras cortadas en pequeñas longitudes llamadas fibra cortada o picada

#### Tolerancias

Diámetro de la fibra:	+ 25%
Número de torones:	+ 10%
Número Tex:	+ 10%
Longitud:	+ 5% / -1%



### Gránulo

Pastillas de forma casi regular. El tamaño de los gránulos puede variar y de hecho las dimensiones indicadas son nominales. Cabe destacar que la forma del gránulo puede variar de un artículo al otro.

#### Tolerancias

Las dimensiones indicadas son nominales



### Hilo

Torón flexible único o múltiple de metal puro o aleación.

#### Tolerancias

Diámetro del hilo:	± 10%
Longitud:	+ 5%/-1%



### Hilo aislado

Toron flexible simple o multiple de metal o aleación con una cubierta aislante.

#### Tolerancias

Diámetro del hilo:	± 10%
Longitud:	+ 5% / -1%
Espesor de aislamiento:	Valores nominales únicamente



### Hoja

Planchas delgadas de metales puros y aleaciones metálicas. Debido a su fragilidad, algunas de nuestras hojas vienen cubiertas por una cara con un soporte acrílico o poliéster.

#### Tolerancias

Espesor:	< 0,010 mm	± 25 %
	0,01-0,05mm	± 15 %
	> 0,050 mm	± 10 %
Tamaño (dimensiones lineales):	< 100 mm	± 1 mm
	> 100 mm	+ 2 % / -1 %



### Laminado

Capas de material aglomeradas mediante calor, presión y posiblemente con un adhesivo.

#### Tolerancias

Espesor:	± 10%	
Tamaño (dimensiones lineales):	≤ 100mm	± 1mm
	> 100mm	+ 2% / -1%

## Descripción de los productos



### Malla

Las mallas están disponibles tejidas o electromoldeadas, en ambos casos, los tamaños de aperturas indicados son nominales. Malla de hilo. Material tejido a partir de hilos metálicos para formar una red fina con series regulares de agujeros. Malla electroformada Producto obtenido por electroplastia a través de una máscara sobre un sustrato posteriormente eliminado.

#### Tolerancias

Espesor: tejida:  $\pm 10\%$   
electromol-  
deada:  $\pm 20\%$   
Diámetro de hilo:  $\pm 10\%$   
Tamaño(dimensiones lineales):  $\leq 100\text{mm}$   
 $\pm 1\text{mm}$   
 $> 100\text{mm}$  +2% / -1%



### Microhoja

Plancha extremadamente delgada de metal o aleación montada sobre un soporte permanente. Las microhojas vienen montadas en un soporte permanente de Poliéster de 3,5  $\mu\text{m}$  de espesor. Este soporte no puede retirarse sin destruir la Microhoja.

#### Tolerancias

Espesor:  $\pm 30\%$   
Tamaño:  $\pm 20\%$



### Microlámina

Plancha extremadamente delgada de metal montada en un soporte provisional. No existen microláminas para los materiales demasiado quebradizos para poder sostenerse sin soporte. Las microláminas vienen montadas en un soporte especialmente tratado que permite su separación del metal. Las instrucciones necesarias para la separación se incluyen con cada Microlámina suministrada.

#### Tolerancias

Espesor:  $\pm 30\%$   
Tamaño:  $\pm 20\%$



### Monocristal

Material crecido en monocristal, siguiendo orientaciones, dimensiones y acabados de superficie específicos. Puede contener un dopante. Los monocristales suelen fabricarse a medida.

#### Tolerancias

Orientación:  $\pm 3^\circ$   
Tamaño: Las  
dimensiones indicadas son nominales.



### Monofilamento

Torón único de material no-metálico.

#### Tolerancias

Diámetro:  $\pm 20\%$   
Longitud: +5%/-1%



### Nido de Abeja

Estructura celular similar a un nido de abeja natural. Debido a la naturaleza de este material, las dimensiones son nominales.



### Película

Plancha de material no metálico con un espesor  $< 0,5\text{mm}$ .

#### Tolerancias

Espesor: 20%  
Tamaño (dimensiones lineales):  $\leq$   
100mm + 1mm  
 $\leq 100\text{mm} + 2\%/-1\%$

## Descripción de los productos



### Película metalizada

Film recubierto con un metal. El espesor del metal se mide y se describe en terminos de resistencia eléctrica específica del material en Ohms por cuadrado.

#### Tolerancias

Espesor:	$\pm 10\%$	
Tamaño (dimensiones lineales):	$\leq 100\text{mm}$	
$\pm 1\text{mm}$	$> 100\text{mm}$	$+2\% / -1\%$



### Perno

Un espárrago que puede atornillarse en una tuerca o agujero roscado para juntar elementos. Los pernos se encuentran disponibles con diferentes modelos de cabeza y también con tamaños del roscado en medidas métricas y en pulgadas.

#### Tolerancias

Cerámicas: ANSI B18.6.7M-1985



### Plancha

Material plano con un espesor  $< 0,5\text{mm}$ .

#### Tolerancias

Espesor:		$\pm 10\%$
	Ceramica	$\pm 20\%$
	Composito	$\pm 20\%$
	Polimer	$\pm 20\%$
Tamaño(dimensiones lineales):	$\leq 100\text{mm}$	
$\pm 1\text{mm}$	$> 100\text{mm}$	$+2\% / -1\%$
	$< 100\text{mm}$	$\pm 1\text{mm}$
	$> 100\text{mm}$	$+2\% / -1\%$



### Polvo

Pequeñas partículas con una gama de tamaños definida aproximadamente. Los materiales descritos como prealeaciones no son verdaderas aleaciones - se obtienen sinterizando una mezcla de polvos de los diferentes componentes para conseguir la aleación por difusión. El lingote resultante se rectifica y se tamiza para obtener la granulometría requerida. Salvo indicación contraria, las granulometrías indicadas sólo son una orientación. No garantizamos ninguna distribución entre el mínimo y el máximo indicados ni una forma de grano específica.

#### Tolerancias

Las dimensiones indicadas son nominales



### Tela

Las telas tejidas se elaboran entrelazando dos sistemas de hilos a angulo recto entre ellos : los hilos de cadena y los hilos de trama (véase también tela No-tejida).

#### Tolerancias

Espesor de la tela:	$\pm 25\%$
Número Tex:	$\pm 10\%$
Tamaño (dimensiones lineales):	$\leq 100\text{mm}$
	$\pm 5\text{mm}$



### Tela no tejida

Las telas no-tejidas se elaboran por otros métodos que el tejido. Los hilos no se entrelazan geométricamente. Estas telas pueden provenir de diferentes fieltros con estructuras abiertas y sueltas, compuestas por fibras al azar.

#### Tolerancias

Tamaño (dimensiones lineales):	$\leq 100\text{mm}$
	$\pm 5\text{mm}$
	$> 100\text{mm}$ $\pm 5\%$



**Descripción de los productos**



**Terrón**

Piezas sólidas de material sin forma definida.

**Tolerancias**

Las dimensiones indicadas son nominales



**Tubo**

Longitud hueca normalmente circular de material. La mayoría de los tubos son rectos excepto para los polímeros flexibles.

**Tolerancias**

Diámetro exterior: (Polímeros ± 10%)	≤ 2mm	± 0.05mm
	≤ 5mm	± 0.1mm
	> 5mm	± 5%
(Polímeros ± 10%)		
Espesor de pared: (Polímeros ± 20%)		± 10%
Longitud:	< 100mm	± 1mm
	> 100mm	+ 5% / -1%



**Tuerca**

En general, un perno puede atornillarse en una pieza plana del material con un agujero roscado para juntar los elementos. Las tuercas normalmente tienen una forma externa hexagonal. Las tuercas se encuentran disponibles con tamaños del roscado en medidas métricas y en pulgadas.

**Tolerancias**

Cerámicas: ANSI B18.2.4.1M-1979 (R1995)



**Vara**

Longitud recta de material de sección circular.

**Tolerancias**

Diámetro:	< 10mm	± 10%
(Polímeros +20% / -10%)	> 10mm	± 5%
(Polímeros +20% / -10%)		
Longitud:	< 100mm:	± 1mm
	> 100mm:	+ 5% / -1%

## Clasificación de Materiales Peligrosos

### PELIGROS

Suministramos todos los materiales listados en este catálogo para fines de investigación o desarrollo. No garantizamos su adecuación para un fin particular. Al adquirir materiales de este catálogo, es preciso recordar que pueden existir peligros relacionados con su utilización o su manipulación. El cliente es responsable de las investigaciones toxicológicas o de peligro completas asociadas al material. La ingestión o el contacto con el cuerpo humano pueden resultar nocivas. El cliente es responsable de la utilización segura de los productos. Todos los materiales deben ser manipulados por personal capacitado familiarizado con los procesos de laboratorio, la naturaleza del material y las precauciones necesarias para su uso y almacenaje. El cliente es responsable del control y utilización de los productos listados en este catálogo ya sean sólo o combinados con otros artículos o sustancias.

### SIMBOLOS DE PELIGRO



C

#### Corrosivo

Sustancias químicas que pueden destruir la piel viva en contacto con ella.



Xn

#### Dañoso

Sustancia que puede implicar riesgos limitados para la salud por ingestión o al penetrar la piel.



E

#### Explosivo

Sustancias químicas que pueden reaccionar exotérmicamente sin oxígeno atmosférico, liberando gases rápidamente, y que en condiciones de pruebas definidas detonan, con una deflagración rápida. Peligro de explosión en caso de calentamiento al ser reducidas parcialmente.



F+

#### Extremadamente inflamable

i) Productos químicos gaseosos inflamables en contacto con el aire a temperatura ambiente o  
ii) Productos químicos con temperatura de inflamabilidad inferior a 0C



F

#### Facilmente inflamable

Productos químicos que : i) tienden a inflamarse en contacto con el aire a temperatura ambiente o después de un breve contacto con una fuente de ignición o : ii) desprenden gases inflamables en cantidades peligrosas en contacto con agua o aire húmedo



Xi

#### Irritante

Sustancia que puede causar inflamación en caso de contacto seguido o por inhalación.



T+

#### Muy Tóxico

Sustancia que puede causar altos riesgos para la salud o la muerte por ingestión o al penetrar la piel.



D

#### Peligroso en estado húmedo

Sustancia espontáneamente combustible o que libera un gas inflamable en contacto con el agua.



R

#### Radiactivo

Sustancias de actividad baja - las precauciones generales para las sustancias tóxicas son aplicables. Regulaciones especiales se aplican para sustancias de actividad alta y media.

---

## Clasificación de Materiales Peligrosos

---



**Tóxico**

Sustancia que puede causar riesgos extremadamente altos para la salud o la muerte por ingestión o al penetrar la piel.

## Información General

### Análisis

#### **Análisis Típico :**

Los análisis típicos se indican cuando disponemos de ellos. Los valores son las partes por millón (ppm) en peso salvo indicación contraria. Recuerde que estos datos son "típicos" y no garantizamos que el material suministrado será conforme a ellos. Las composiciones indicadas para las aleaciones son un porcentaje de peso excepto para los imanes de tierras raras y las aleaciones vidriosas donde seguimos la convención que implica el uso del porcentaje atómico.

#### **Pureza**

Las purezas en el catálogo se indican con respecto al total de las impurezas metálicas. Los análisis típicos pueden ofrecer información adicional sobre las impurezas no-metálicas.

#### **Alta Pureza**

Suministramos un certificado de análisis gratuito de las impurezas metálicas para los materiales de Alta Pureza (High Purity). Para otros artículos, podemos suministrar un análisis preciso mediante un recargo adicional. Si requiere un análisis, no olvide precisar si desea conocer las impurezas metálicas únicamente o si desea las impurezas metálicas y gaseosas. En caso de solicitar un análisis preciso, la entrega de su pedido se demorará.

### Soportes

Algunas de nuestras hojas necesitan estar soportadas por una cara para permitirle manipularlas pese a su fragilidad. Se utilizan dos tipos de soporte, dependiendo del material. Tratamos de utilizar soportes provisionales pero materiales quebradizos como el Cromo o el Manganeso necesitan un soporte permanente.

El soporte provisional es Acrílico, de unos 0,2 mm de espesor. Puede disolverse en 2-Propanone (Acetona).

El soporte permanente es Poliéster de 0,125 mm de espesor laminado a una cara de la hoja por prensado en caliente. No puede retirarse sin destruir la hoja.

Las microhojas vienen montadas en un soporte permanente de Poliéster de 3,5  $\mu\text{m}$  de espesor. Este soporte no puede retirarse sin destruir la Microhoja.

Las microláminas vienen montadas en un soporte especialmente tratado que permite su separación del metal. Las instrucciones necesarias para la separación se incluyen con cada Microlámina suministrada.

### Estanco a la Luz

Las hojas EL se suministran sin agujeros visibles. Las hojas NEL contienen normalmente agujeros. Es posible que ocasionalmente no contengan dichos agujeros. Las hojas con espesores desde 0,025 mm son EL salvo indicación contraria en el catálogo. Las hojas de espesores inferiores a 0,025 mm suelen ser NEL. No dude en solicitar hojas EL incluso para estos espesores. Un recargo adicional será añadido si podemos suministrarlas.

### Estanqueidad al vacío:

Las hojas estancas al vacío no muestran ninguna fuga al testarlas con un espectrómetro de masa de helio con una sensibilidad de  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Longitudes Continuas

Si necesita el material en longitudes continuas, no olvide indicarlo al pasar su pedido. Salvo indicación previa, nos reservamos el derecho de suministrar el material en más de una longitud.

### Datos técnicos e información

Todos los datos técnicos e informaciones sirven para su orientación únicamente. A pesar de todos nuestros esfuerzos para asegurar que toda la información es correcta, no podemos garantizar su perfección ni su precisión.

### Tolerancias

Para los detalles sobre nuestras tolerancias estándar, vease la sección Descripción de los Productos. En numerosos casos podemos suministrar el material con tolerancias más precisas mediante un recargo adicional. En caso de tener requisitos específicos (tolerancias específicas, uniformidad de las dimensiones, acabado, etiquetado, embalaje...), indíquenoslo al realizar su pedido. Haremos todo lo posible para satisfacerle.

## Pedidos Contenido

### General Information

Disponemos de más de 70000 artículos en stock catalogados y si a pesar de ello no encuentra lo que necesita entre ellos, no dude en solicitar tamaños, espesores, tolerancias, dimensiones especiales o cantidades mayores. Nos es posible ofrecer muchos más metales, aleaciones, polímeros y cerámicas según sus requisitos.

### Precios

Todos los precios de este catálogo son totales (lote) para las dimensiones y cantidades listadas. Los precios están sujetos a modificación sin previo aviso. Los precios incluyen la entrega. No incluyen el IVA, los aranceles de importación ni los impuestos locales.

### Envío peligroso

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Entrega

Los precios incluyen la entrega por servicios urgentes de transporte "puerta a puerta".

### Entregada fraccionada

Acceptamos los pedidos para su entrega total a una misma dirección con la misma fecha. Se añadirá un recargo para los pedidos fraccionados solicitados por el cliente.

### Análisis, Soportes y Tolerancias especiales

Un recargo adicional se aplica para soportes no estándar, tolerancias específicas y certificados de análisis. Los artículos "High Purity" (Alta Pureza) incluyen el certificado de análisis gratuito.

### Cancelaciones

Un recargo por cancelación de pedido puede ser cargado. El importe dependerá de las circunstancias.

### Express Service

An administration charge will be made for any order received for which same day shipment is requested.

### Envío

Nuestro propósito es tener en stock todos los artículos de este catálogo en las cantidades y dimensiones indicadas. Sólo podemos comprometernos a enviar el pedido con una fecha determinada. La fecha de entrega a su domicilio está sujeta a las variaciones normales del servicio de entrega utilizado.

### Envío

Las mercancías se envían normalmente en las 48 horas después de su recepción. Podemos realizar una entrega inmediata con nuestro Servicio Express si es necesario.

### Demoras

Gracias por contactar con nosotros si no recibe la mercancía en los 7 días posteriores al aviso de envío.

### Seguro

Todos los envíos están asegurados contra los riesgos habituales salvo indicación contraria escrita del cliente.

### Restricciones de Exportacion

Una licencia de exportación del Gobierno Británico puede ser necesaria para algunos artículos. Si el artículo que pide requiere esta licencia se le informará al colocar el pedido.

### Manipulado de los Materiales

Muchos de nuestros materiales son extramadamente delicados y es imprescindible el mayor cuidado al manipularlos. Se requiere un cuidado especial para las Microhojas, las Microláminas y los materiales delgados.

Embalamos todos los materiales con el mayor cuidado para asegurar su transporte seguro hasta Usted. No aceptamos ninguna responsabilidad para los daños causados después de la apertura del embalaje exterior.

### Condiciones de Pago

Nuestras condiciones de pago habituales son de 30 días desde la fecha de factura. Cualquier condición alternativa sólo es válida tras nuestro acuerdo escrito. Podemos solicitar el pago

---

## Pedidos Contenido

---

anticipado o por Proforma para el primer pedido. Para abrirle una cuenta necesitamos sus datos bancarios. Las facturas españolas pueden abonarse en Pesetas enviando un talón a nuestras oficinas o directamente a nuestro banco o por transferencia. Rogamos indiquen las referencias de la factura.

### Cuenta crédito

Les rogamos abonen sus facturas en los plazos indicados. Nos reservamos el derecho de demorar el envío de sus mercancías en caso de tener facturas pendientes. Las facturas pendientes pueden incurrir en intereses de un 2% por cada mes de retraso.

### Tarjetas de Crédito

Aceptamos el pago con las siguientes tarjetas : Mastercard, VISA, American Express, DELTA y Switch.

### IVA

NIF : GB 212 8527 79

### UK

Vat willbe ..... translate

### Europa

Los clientes que nos indiquen su NIF no pagarán el IVA inglés.

Los clientes exentos de IVA no pagarán el IVA inglés siempre que nos envíen una copia del certificado de exención.

Los clientes que no nos comuniquen su NIF/CIF pagarán el IVA inglés.

### Exportaciones

Los países fuera de la Unión Europea no pagan el IVA inglés.

### Retorno de Marcancias

Sólo aceptamos retorno de mercancías si se contacta con nosotros ANTES de devolverlas. No puede devolver las mercancías sin un número de autorización que le indicaremos.

### Reclamaciones

Fabricamos y embalamos nuestros productos con el mayor cuidado. Asimismo inspectamos todos los artículos antes del envío. Cualquier reclamación con respecto a una entrega incompleta, un material incorrecto o una calidad defectuosa debe ser remitida por escrito en los tres días posteriores a la recepción de las mercancías. Conserve TODOS los embalajes para su inspección. Nuestra responsabilidad se limita a la sustitución del material o al reembolso del importe facturado.

### Materiales pedidos por error

No nos consideramos responsables por los errores de nuestros clientes en sus pedidos. Si aceptamos el retorno de las mercancías el importe del reembolso quedará a nuestra discreción. Siempre que nos devuelva una mercancía pedida por error le cobraremos un recargo de almacenamiento.

### Condiciones de Venta

Todos los pedidos, contratos y ofertas están sujetos a nuestras

Las informaciones y declaraciones de este catálogo son indicativas y no forman parte de ningun contrato u oferta.

### Exclusiones

Suminstramos los materiales según nuestras especificaciones. Todas las garantías e interpretaciones acerca de la calidad, la aptitud al uso, el estado, las dimensiones, la forma, la capacidad y el color implicadas por la ley común o los estatutos se excluyen por el presente párrafo. No podemos ser considerados responsables ni por los daños causados directamente por nuestros productos o su utilización (cualquier daño que sea), ni por las demoras en la entrega.

### Ley

Los contratos entre Goodfellow y el cliente están sujetos desde todos los puntos de vista a la ley Inglesa salvo aceptación previa por escrito.

---

## Company Details

---

### Company Structure

El Grupo Goodfellow consiste en diversas compañías:

#### **Goodfellow Cambridge Limited**

Goodfellow fue fundada en la City en Londres en 1946. Las sucursales de Alemania, Francia y Estados Unidos administran sus mercados respectivos. La administración central, los laboratorios de investigación y los talleres se ubican en la Sede de la Compañía en Huntingdon, Inglaterra.

#### **Goodfellow Corporation**

Creada al mismo tiempo que nuestra sucursal de Alemania, Goodfellow Corporation está al servicio de nuestros clientes americanos.

#### **Goodfellow GmbH**

Desde 1989, este miembro del grupo Goodfellow está al servicio de nuestros clientes Germanoparlantes en Europa.

#### **Goodfellow SARL**

Goodfellow se instaló en Francia en 1993, para atender las necesidades de los clientes Francófonos en Europa.

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
Inglaterra  
Registrado en Inglaterra y Wales no. 1188162  
NIF GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
Francia  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Alemania  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040  
República Popular China

# Condiciones de venta

## 1 GENERAL

### 1.1 In these Conditions:

#### 1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

#### 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Condiciones de venta

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3
- 8 QUANTITIES INSTALMENTS AND STORAGE**
- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4
- 9 TERMS OF PAYMENT**
- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.
- 10 SUSPENSION AND CANCELLATION**
- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, or any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination
- 11 INSPECTION AND CLAIMS FOR DEFECTS**
- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods
- 12 WARRANTY**
- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Condiciones de venta

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Condiciones de venta

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

## Politetrafluoretileno

### PTFE

**Marcas Comerciales :** Fluon, Hostaflon TF

**Descripción general :** Polímero totalmente fluorado. Es semicristalino, semiopaco y blanco. Su resistencia química es excelente (resiste a la mayoría de los productos químicos) y su índice de oxígeno es muy alto (i.e. es intrínsecamente no-inflamable). Tiene un coeficiente de fricción muy bajo y es estable a altas temperaturas. Es blando, puede deformarse fácilmente, es muy propenso a la fluencia (CREEP) y tiene una tenacidad y una resistencia a las radiaciones débil. Es muy caro y no puede transformarse mediante fusión (aunque su punto de fusión teórico es de 327C, su viscosidad de fundido es virtualmente infinita) por lo cual se obtiene por sinterización de polvo.

Sus aplicaciones incluyen rodamientos, juntas, aislamientos eléctricos a altas temperaturas, revestimientos antiadherentes. Sus propiedades inusuales permiten su utilización para una amplia gama de aplicaciones de laboratorio.

**Propiedades Físicas**

Absorción de Agua - en 24 horas	0,01 %
Densidad	2,2 g cm <sup>-3</sup>
Índice Refractivo	1,38
Índice de Oxígeno Límite	95 %
Inflamabilidad	V0
Resistencia a la Radiación	Mala
Resistencia a los Ultra-violetas	Excelente

**Propiedades Eléctricas**

Constante Dieléctrica @1 MHz	2,0-2,1
Factor de Disipación a 1 MHz	0,0003 - 0,0007
Resistencia Dieléctrica	50-170 kV mm <sup>-1</sup>
Resistividad Superficial	10 <sup>17</sup> Ohm/sq
Resistividad de Volumen	10 <sup>18</sup> -10 <sup>19</sup> Ohmcm

**Propiedades Térmicas**

Calor Específico	1000 J K <sup>-1</sup> kg <sup>-1</sup>
Coefficiente de Expansión Térmica	100-160 x10 <sup>-6</sup> K <sup>-1</sup>
Conductividad Térmica a 23C	0,25 W m <sup>-1</sup> K <sup>-1</sup>
Temperatura Máxima de Utilización	180-260 C
Temperatura Mínima de Utilización	-260 C
Temperatura de Deflexión en Caliente - 0,45 MPa	120 C
Temperatura de Deflexión en Caliente - 1,8 MPa	54 C

**Propiedades Mecánicas**

Alargamiento a la Rotura	400 %
Coefficient de Fricción	0,05-0,2
Dureza - Rockwell	D50-55 - Shore
Módulo de Tracción	0,3-0,8 GPa
Relación de Poisson	0,46
Resistencia a la Tracción	10-40 MPa
Resistencia al Impacto Izod	160 J m <sup>-1</sup>

**Resistencia Química**

Acidos - concentrados	Buena
Acidos - diluidos	Buena
Alcalis	Buena
Alcoholes	Buena
Cetonas	Buena
Grasas y Aceites	Buena
Halógenos	Buena
Hidro-carbonios halógenos	Buena
Hidrocarburos Aromáticos	Buena



## Película

Alargamiento a la Rotura	%	100-400
Factor de Disipación @1 MHz		<0,0001
Permeabilidad al Agua @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	25?
Permeabilidad al Dióxido de Carbono @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	7
Permeabilidad al Hidrógeno @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	7
Permeabilidad al Nitrógeno @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	1
Permeabilidad al Oxígeno @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	3
Resistencia Dieléctrica a 25µm de grosor	kV mm <sup>-1</sup>	160

**FP301050** Espesor..... 0,005 mm Anchura del rollo ..... 450 mm



**Rollo**

**Código Web**  
 409-640-585  
 205-062-720  
 632-840-363  
 105-039-970  
 129-992-799

**Anchura 450mm**

Longitud	1 Bobina
0,1 m	USD 349,00
0,2 m	USD 397,00
0,5 m	USD 495,00
1 m	USD 606,00
2 m	USD 796,00

**Cantidad**

**FP301100** Espesor..... 0,01 mm



**Tamaño**

**Código Web**  
 007-751-222  
 968-903-168  
 112-898-432

**Anchura 457mm**

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 199,00	USD 218,00	USD 262,00	USD 321,00	USD 420,00
150 x 150 mm	USD 215,00	USD 242,00	USD 300,00	USD 375,00	USD 496,00
300 x 300 mm	USD 266,00	USD 314,00	USD 414,00	USD 535,00	USD 895,00

**Rollo**

**Código Web**  
 625-721-149  
 112-306-921  
 038-367-307  
 300-896-281

Longitud	1 Bobina
0,5 m	USD 359,00
1 m	USD 428,00
2 m	USD 527,00
5 m	USD 1008,00

Polímero – Politetrafluoretileno

## Politetrafluoretileno

### PTFE



## Película

**FP301200**

Espesor. .... 0,025 mm

Estado. .... Transparente



#### Tamaño

**Código Web**  
 802-438-507  
 304-815-122  
 101-892-120

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 159,00	USD 176,00	USD 212,00	USD 258,00	USD 331,00
150 x 150 mm	USD 175,00	USD 199,00	USD 249,00	USD 311,00	USD 406,00
300 x 300 mm	USD 225,00	USD 270,00	USD 361,00	USD 468,00	

#### Rollo

**Código Web**  
 736-512-604  
 064-086-593  
 010-818-538  
 834-983-381

Anchura 305mm

Longitud	1 Bobina
0,5 m	USD 268,00
1 m	USD 323,00
2 m	USD 401,00
5 m	USD 557,00

**FP301252**

Espesor. .... 0,045 mm

Tamaño de los poros .... 0,2 µm

Estado. .... Membrana Porosa



#### Tamaño

**Código Web**  
 792-054-181

Tamaño	Cantidad		
	1 Pza	2 Pzas	5 Pzas
200 x 300 mm	USD 494,00	USD 652,00	USD 1315,00

#### Rollo

**Código Web**  
 424-006-173  
 047-938-341  
 213-046-956

Anchura 305mm

Longitud	1 Bobina
1 m	USD 1137,00
2 m	USD 2061,00
5 m	USD 4835,00

**FP301250**

Espesor. .... 0,05 mm

Tolerancia. .... 20 %



#### Tamaño

**Código Web**  
 610-577-281  
 322-159-027  
 269-876-647

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 139,00	USD 148,00	USD 169,00	USD 197,00	USD 245,00
150 x 150 mm	USD 146,00	USD 158,00	USD 184,00	USD 219,00	USD 276,00
300 x 300 mm	USD 167,00	USD 188,00	USD 231,00	USD 285,00	

#### Rollo

**Código Web**  
 734-585-793  
 823-224-231  
 903-025-983  
 878-249-534  
 781-192-534

Anchura 300mm

Longitud	1 Bobina
1 m	USD 215,00
2 m	USD 249,00
5 m	USD 317,00
10 m	USD 397,00
20 m	USD 533,00

Tolerancias en el espesor : +20% / -10%

**FP301253**

Espesor. .... 0,063 mm

Tamaño de los poros .... 0,2 µm

Porosidad. .... 78 %

Estado. .... Membrana Porosa

Condition. .... Supported



#### Tamaño

**Código Web**  
 288-360-417  
 044-695-425

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
140 x 200 mm	USD 358,00	USD 479,00	USD 790,00	USD 1446,00	USD 2436,00
200 x 300 mm	USD 440,00	USD 594,00	USD 1264,00	USD 2394,00	

**FP301265**

Espesor. .... 0,063 mm

Tamaño de los poros .... 0,45 µm

Porosidad. .... 84 %

Estado. .... Membrana Porosa



#### Tamaño

**Código Web**  
 705-322-549  
 165-317-362

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
150 x 200 mm	USD 405,00	USD 545,00	USD 1003,00	USD 1872,00	USD 3288,00
200 x 300 mm	USD 497,00	USD 733,00	USD 1630,00	USD 3127,00	

#### Rollo

**Código Web**  
 559-191-447  
 559-638-510  
 574-525-207  
 065-829-335

Anchura 300mm

Longitud	1 Bobina
0,5 m	USD 802,00
1 m	USD 1437,00
2 m	USD 2708,00
5 m	USD 6520,00

**FP301276**

Espesor. .... 0,085 mm

Tamaño de los poros .... 0,02 µm

Porosidad. .... 50 %

Estado. .... Membrana Porosa

Condition. .... Supported



#### Tamaño

**Código Web**  
 072-108-085  
 668-132-407

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
140 x 200 mm	USD 366,00	USD 487,00	USD 936,00	USD 1729,00	USD 2994,00
200 x 300 mm	USD 448,00	USD 712,00	USD 1567,00	USD 2991,00	

Polímero – Politetrafluoretileno

## Politetrafluoretileno

### PTFE



## Película

FP301300

Espesor. .... 0,1 mm

Color ..... Opaque white



#### Tamaño

Código Web  
 630-643-795  
 830-471-149  
 808-897-227

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 137,00	USD 147,00	USD 169,00	USD 198,00	USD 249,00
150 x 150 mm	USD 145,00	USD 158,00	USD 186,00	USD 223,00	USD 284,00
300 x 300 mm	USD 169,00	USD 191,00	USD 239,00	USD 298,00	USD 390,00

#### Rollo

Código Web  
 112-159-981  
 019-994-241  
 499-282-042  
 410-257-764  
 282-220-957

Anchura 305mm	Cantidad	
Longitud	1 Bobina	
1 m	USD 222,00	
2 m	USD 260,00	
5 m	USD 337,00	
10 m	USD 427,00	
20 m	USD 659,00	

FP301301

Espesor. .... 0,1 mm

Anchura del rollo ..... 610 mm



#### Rollo

Código Web  
 766-188-625  
 901-885-458  
 937-441-317  
 525-705-594  
 392-752-082

Anchura 610mm	Cantidad	
Longitud	1 Bobina	
0,5 m	USD 260,00	
1 m	USD 304,00	
2 m	USD 368,00	
5 m	USD 502,00	
10 m	USD 757,00	

FP301305

Espesor. .... 0,15 mm



#### Tamaño

Código Web  
 904-308-596  
 507-749-792

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
150 x 150 mm	USD 153,00	USD 169,00	USD 204,00	USD 248,00	USD 318,00
300 x 300 mm	USD 184,00	USD 213,00	USD 273,00	USD 346,00	USD 458,00

#### Rollo

Código Web  
 641-786-242  
 853-008-480  
 032-174-294  
 563-535-747

Anchura 310mm	Cantidad	
Longitud	1 Bobina	
1 m	USD 251,00	
2 m	USD 301,00	
5 m	USD 401,00	
10 m	USD 530,00	

FP301312

Espesor. .... 0,175 mm

Tamaño de los poros .... 5,0 µm

Porosidad ..... 35 %

Estado ..... Membrana Porosa

Reforzado ..... Polipropileno no tejido de tipo Webril<sup>®</sup> espesor 0,15 mm



#### Tamaño

Código Web  
 984-149-167

Tamaño	Cantidad	
	1 Pza	2 Pzas
200 x 310 mm	USD 492,00	USD 656,00

El material está reforzado con Polipropileno no tejido de tipo Webril<sup>®</sup> (espesor 0,15 mm) La porosidad aparente de este material puede compararse con un material poroso (de misma porosidad) sin soporte. El espesor indicado incluye el soporte.

FP301340

Espesor. .... 0,20 mm



#### Tamaño

Código Web  
 455-341-463  
 064-172-552

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
150 x 150 mm	USD 149,00	USD 165,00	USD 200,00	USD 244,00	USD 315,00
300 x 300 mm	USD 181,00	USD 209,00	USD 270,00	USD 343,00	USD 454,00

#### Rollo

Código Web  
 679-092-365  
 594-003-459  
 041-319-754  
 981-937-293

Anchura 328mm	Cantidad	
Longitud	1 Bobina	
0,5 m	USD 215,00	
1 m	USD 251,00	
2 m	USD 302,00	
5 m	USD 405,00	

FP301310

Espesor. .... 0,21 mm

Tamaño de los poros .... 1,0 µm

Porosidad ..... 51,5 %

Estado ..... Membrana Porosa

Reforzado ..... Polipropileno no tejido de tipo Webril<sup>®</sup> espesor 0,15 mm



#### Tamaño

Código Web  
 020-595-014

Tamaño	Cantidad	
	1 Pza	2 Pzas
200 x 300 mm	USD 473,00	USD 649,00

El material está reforzado con Polipropileno no tejido de tipo Webril<sup>®</sup> (espesor 0,15 mm) La porosidad aparente de este material puede compararse con un material poroso (de misma porosidad) sin soporte. El espesor indicado incluye el soporte.

FP301316

Espesor. .... 0,21 mm

Tamaño de los poros .... 0,45 µm

Porosidad ..... 64 %

Estado ..... Membrana Porosa

Condition ..... Supported



#### Tamaño

Código Web  
 468-290-325

Tamaño	Cantidad		
	1 Pza	2 Pzas	5 Pzas
200 x 300 mm	USD 315,00	USD 422,00	USD 872,00
			USD 1621,00

La porosidad aparente de este material puede compararse con un material poroso (de misma porosidad) sin soporte. El espesor indicado incluye el soporte.

Polímero – Politetrafluoretileno

## Politetrafluoretileno

### PTFE



## Película

**FP301350** Espesor. .... 0,25 mm



### Tamaño

**Código Web**  
 994-406-798  
 216-573-267

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
150 x 150 mm	USD 155,00	USD 173,00	USD 212,00	USD 261,00	USD 339,00
300 x 300 mm	USD 191,00	USD 225,00	USD 294,00	USD 376,00	USD 540,00

### Rollo

**Código Web**  
 577-088-380  
 300-837-670  
 604-700-070  
 587-502-078

**Anchura 319mm**

Longitud	1 Bobina
0,5 m	USD 228,00
1 m	USD 269,00
2 m	USD 328,00
5 m	USD 462,00

**FP301324**

Espesor. .... 0,263 mm

Porosidad ..... 51,5 %

Reforzado ..... **Poliéster no tejido de tipo Reemay<sup>®</sup>, espesor 0,2 mm**

Tamaño de los poros .... 1,0 µm

Estado ..... **Membrana Porosa**



### Tamaño

**Código Web**  
 272-035-329

Tamaño	Cantidad	
	1 Pza	2 Pzas
200 x 300 mm	USD 390,00	USD 514,00

El material está reforzado con Poliéster no tejido de tipo Reemay<sup>®</sup> (espesor 0,2 mm) La porosidad aparente de este material puede compararse con un material poroso (de misma porosidad) sin soporte. El espesor indicado incluye el soporte.

**FP301375**

Espesor. .... 0,30 mm



### Tamaño

**Código Web**  
 657-597-875  
 294-910-616

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
150 x 150 mm	USD 147,00	USD 162,00	USD 195,00	USD 237,00	USD 305,00
300 x 300 mm	USD 176,00	USD 203,00	USD 260,00	USD 329,00	USD 516,00

### Rollo

**Código Web**  
 808-890-922  
 558-008-286  
 810-587-874  
 101-942-524

**Anchura 300mm**

Longitud	1 Bobina
0,5 m	USD 206,00
1 m	USD 238,00
2 m	USD 283,00
5 m	USD 423,00

**FP301400**

Espesor. .... 0,5 mm



### Tamaño

**Código Web**  
 442-735-053  
 341-877-882  
 734-737-015  
 467-872-595

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 147,00	USD 157,00	USD 178,00	USD 208,00	USD 258,00
150 x 150 mm	USD 155,00	USD 168,00	USD 196,00	USD 232,00	
300 x 300 mm	USD 178,00	USD 201,00	USD 248,00		
600 x 600 mm	USD 225,00	USD 266,00			

### Rollo

**Código Web**  
 477-059-245  
 842-133-784  
 266-722-499  
 340-301-120

**Anchura 610mm**

Longitud	1 Bobina
0,5 m	USD 230,00
1 m	USD 266,00
2 m	USD 318,00
5 m	USD 564,00



## Plancha

**FP303050** Espesor. .... 1,0 mm



### Tamaño

**Código Web**  
 616-165-943  
 020-740-257  
 592-533-523  
 800-120-676

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 169,00	USD 190,00	USD 234,00	USD 288,00	USD 374,00
150 x 150 mm	USD 190,00	USD 220,00	USD 281,00	USD 356,00	
300 x 300 mm	USD 254,00	USD 310,00	USD 424,00	USD 557,00	
600 x 600 mm	USD 382,00	USD 491,00	USD 766,00		

**FP303100**

Espesor. .... 2,0 mm



### Tamaño

**Código Web**  
 026-902-106  
 362-774-435  
 346-806-078

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 x 100 mm	USD 183,00	USD 209,00	USD 265,00	USD 333,00
150 x 150 mm	USD 211,00	USD 250,00	USD 329,00	USD 423,00
300 x 300 mm	USD 297,00	USD 371,00	USD 529,00	

**FP303150**

Espesor. .... 3,0 mm



### Tamaño

**Código Web**  
 484-383-669  
 547-955-501  
 494-445-880

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 x 100 mm	USD 176,00	USD 203,00	USD 263,00	USD 343,00
150 x 150 mm	USD 200,00	USD 236,00	USD 315,00	USD 418,00
300 x 300 mm	USD 270,00	USD 335,00	USD 603,00	

Polímero – Politetrafluoretileno

## Politetrafluoretileno

### PTFE



## Plancha

FP303200

Espesor. .... 5,0 mm



**Tamaño**  
**Código Web**  
 572-359-345  
 544-921-832  
 115-226-295

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 x 100 mm	USD 191,00	USD 223,00	USD 295,00	USD 389,00	USD 607,00
150 x 150 mm	USD 221,00	USD 267,00	USD 364,00	USD 576,00	
300 x 300 mm	USD 313,00	USD 442,00	USD 920,00		

FP303250

Espesor. .... 10,0 mm



**Tamaño**  
**Código Web**  
 279-359-947  
 919-987-920  
 998-490-878

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 x 100 mm	USD 223,00	USD 274,00	USD 389,00	USD 607,00
150 x 150 mm	USD 267,00	USD 335,00	USD 576,00	
300 x 300 mm	USD 442,00	USD 761,00		

FP303220

Espesor. .... 20,0 mm



**Tamaño**  
**Código Web**  
 193-651-839  
 385-999-699  
 861-495-812  
 259-362-414

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 x 100 mm	USD 208,00	USD 251,00	USD 435,00	USD 746,00
150 x 150 mm	USD 245,00	USD 367,00	USD 732,00	
300 x 300 mm	USD 566,00	USD 1009,00		
610 x 610 mm	USD 1908,00			



## Fibra

FP305722

Número Tex ..... 22  
 Número de filamentos.... 30

Diam. de filamento ..... 0,0211 mm  
 Color ..... Marrón



**Longitud**  
**Código Web**  
 811-351-325  
 418-915-208  
 364-402-763  
 550-340-963

Longitud	Cantidad
	1 Bobina
100 m	USD 200,00
200 m	USD 237,00
500 m	USD 327,00
1000 m	USD 497,00

FP305744

Número Tex ..... 44  
 Número de filamentos.... 60

Diam. de filamento ..... 0,0211 mm  
 Color ..... Marrón



**Longitud**  
**Código Web**  
 792-618-032  
 077-257-640  
 657-202-911  
 150-374-990  
 796-873-889

Longitud	Cantidad
	1 Bobina
100 m	USD 211,00
200 m	USD 252,00
500 m	USD 355,00
1000 m	USD 528,00
2000 m	USD 874,00



## Vara

FP307901

Diámetro ..... 1,0 mm



**Tamaño**  
**Código Web**  
 664-569-287  
 896-023-421

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 139,00	USD 155,00	USD 191,00	USD 238,00	USD 300,00
1000 mm	USD 151,00	USD 172,00	USD 217,00	USD 275,00	

FP307905

Diámetro ..... 2,0 mm



**Tamaño**  
**Código Web**  
 852-377-687  
 547-208-848

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 136,00	USD 150,00	USD 183,00	USD 227,00	USD 284,00
1000 mm	USD 146,00	USD 165,00	USD 206,00	USD 259,00	

FP307908

Diámetro ..... 2,5 mm



**Tamaño**  
**Código Web**  
 645-854-799  
 745-606-752

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 141,00	USD 158,00	USD 195,00	USD 244,00	USD 308,00
1000 mm	USD 154,00	USD 175,00	USD 223,00	USD 283,00	

FP307911

Diámetro ..... 3,0 mm

Estado ..... Pasta extruida



**Tamaño**  
**Código Web**  
 832-438-756  
 058-045-682

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 145,00	USD 164,00	USD 204,00	USD 257,00	USD 327,00
1000 mm	USD 159,00	USD 184,00	USD 236,00	USD 302,00	

Polímero – Politetrafluoretileno



## Politetrafluoretileno

### PTFE



## Vara

FP307910

Diámetro ..... 3,0 mm



**Tamaño**  
**Código Web**  
 401-104-999  
 138-124-875

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 145,00	USD 164,00	USD 204,00	USD 257,00	USD 327,00
1000 mm	USD 159,00	USD 184,00	USD 236,00	USD 302,00	

FP307920

Diámetro ..... 4,0 mm



**Tamaño**  
**Código Web**  
 265-600-871  
 200-111-058

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 143,00	USD 160,00	USD 197,00	USD 243,00	USD 309,00
1000 mm	USD 157,00	USD 180,00	USD 228,00	USD 287,00	

FP307925

Diámetro ..... 5,0 mm



**Tamaño**  
**Código Web**  
 013-875-930  
 734-494-907

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 141,00	USD 157,00	USD 191,00	USD 235,00	USD 298,00
1000 mm	USD 154,00	USD 175,00	USD 220,00	USD 276,00	

FP307950

Diámetro ..... 8,0 mm



**Tamaño**  
**Código Web**  
 811-869-583  
 483-690-556

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 175,00	USD 202,00	USD 259,00	USD 332,00	USD 516,00
1000 mm	USD 197,00	USD 233,00	USD 309,00	USD 483,00	

FP307975

Diámetro ..... 10,0 mm



**Tamaño**  
**Código Web**  
 461-320-289  
 665-028-290  
 128-531-772

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 187,00	USD 209,00	USD 262,00	USD 337,00	USD 477,00
500 mm	USD 204,00	USD 233,00	USD 302,00	USD 455,00	USD 730,00
1000 mm	USD 224,00	USD 260,00	USD 407,00	USD 666,00	

FP307977

Diámetro ..... 13 mm



**Tamaño**  
**Código Web**  
 066-474-746  
 309-348-418  
 668-553-366

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 215,00	USD 248,00	USD 324,00	USD 425,00	
500 mm	USD 248,00	USD 295,00	USD 422,00	USD 696,00	
1000 mm	USD 286,00	USD 348,00	USD 648,00		

FP307979

Diámetro ..... 20 mm



**Tamaño**  
**Código Web**  
 874-370-549  
 076-840-721  
 711-183-900  
 836-162-955

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	USD 258,00	USD 302,00	USD 414,00	USD 550,00	
200 mm	USD 276,00	USD 327,00	USD 454,00		
500 mm	USD 312,00	USD 378,00			
1000 mm	USD 352,00				

FP307980

Diámetro ..... 25,0 mm



**Tamaño**  
**Código Web**  
 569-173-906  
 146-747-987  
 343-491-154  
 936-394-488

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	USD 267,00	USD 315,00	USD 437,00	USD 625,00	
200 mm	USD 289,00	USD 347,00	USD 529,00		
500 mm	USD 334,00	USD 452,00			
1000 mm	USD 426,00				

FP307985

Diámetro ..... 50,0 mm



**Tamaño**  
**Código Web**  
 049-307-589  
 163-447-381  
 430-920-086  
 865-009-081

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
50 mm	USD 221,00	USD 272,00	USD 411,00	USD 649,00	
100 mm	USD 251,00	USD 313,00	USD 584,00		
200 mm	USD 292,00	USD 449,00			
500 mm	USD 497,00				

FP307986

Diámetro ..... 60 mm



**Tamaño**  
**Código Web**  
 675-233-952  
 493-063-619  
 197-029-646  
 164-054-009

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
50 mm	USD 235,00	USD 292,00	USD 484,00	USD 796,00	
100 mm	USD 270,00	USD 370,00	USD 731,00		
200 mm	USD 348,00	USD 567,00			
500 mm	USD 644,00				

Polímero – Politetrafluoretileno

## Politetraflúoretileno

### PTFE



## Vara

FP307990

Diámetro . . . . . 100 mm



**Tamaño**  
**Código Web**  
 126-135-644  
 766-961-491  
 870-185-325  
 324-106-285

Longitud	Cantidad		
	1 Pza	2 Pzas	5 Pzas
25 mm	USD 244,00	USD 304,00	USD 537,00
50 mm	USD 282,00	USD 412,00	
100 mm	USD 391,00	USD 652,00	
200 mm	USD 630,00		



## Tubo

FP307003

Diámetro exterior . . . . . 0,37 mm  
 Diámetro interior . . . . . 0,07 mm

Espesor de pared . . . . . 0,15 mm



**Código Web**  
 335-287-862  
 910-986-033  
 873-259-593  
 157-444-947  
 454-094-396

Longitud

FP307004

Diámetro exterior . . . . . 0,41 mm  
 Diámetro interior . . . . . 0,15 mm

Espesor de pared . . . . . 0,13 mm



**Código Web**  
 680-616-855  
 077-111-740  
 638-963-941  
 870-497-505  
 812-199-991

Longitud

FP307006

Diámetro exterior . . . . . 0,56 mm  
 Diámetro interior . . . . . 0,4 mm

Espesor de pared . . . . . 0,08 mm



**Código Web**  
 624-571-944  
 071-495-515  
 936-940-563  
 117-569-765  
 696-223-752

Longitud

FP307007

Diámetro exterior . . . . . 0,8 mm  
 Diámetro interior . . . . . 0,3 mm

Espesor de pared . . . . . 0,25 mm



**Código Web**  
 495-900-070  
 651-529-199  
 234-578-211  
 051-788-544  
 121-666-462  
 687-649-119

Longitud

FP307009

Diámetro exterior . . . . . 1,0 mm  
 Diámetro interior . . . . . 0,35 mm

Espesor de pared . . . . . 0,3 mm



**Código Web**  
 171-951-042  
 493-879-333  
 734-922-303  
 865-290-116  
 161-272-652

Longitud

FP307010

Diámetro exterior . . . . . 1,09 mm  
 Diámetro interior . . . . . 1,01 mm

Espesor de pared . . . . . 0,04 mm



**Código Web**  
 884-777-671  
 597-209-807  
 651-232-433  
 404-050-478

Longitud

Polímero – Politetraflúoretileno

## Politetrafluoretileno

### PTFE



## Tubo

**FP307012**

Diámetro exterior . . . . . **1,2 mm**  
 Diámetro interior . . . . . **0,6 mm**

Espesor de pared . . . . . **0,3 mm**



**Longitud**

**Código Web**  
 978-968-638  
 371-077-839  
 384-731-396  
 091-420-736  
 427-594-896  
 449-356-120

**FP307018**

Diámetro exterior . . . . . **1,82 mm**  
 Diámetro interior . . . . . **1 mm**

Espesor de pared . . . . . **0,41 mm**



**Longitud**

**Código Web**  
 169-518-009  
 189-761-682  
 720-202-035  
 025-250-371  
 156-289-012

**FP307024**

Diámetro exterior . . . . . **2,4 mm**  
 Diámetro interior . . . . . **0,8 mm**

Espesor de pared . . . . . **0,8 mm**



**Longitud**

**Código Web**  
 235-005-491  
 375-683-794  
 960-467-460  
 058-432-804  
 304-101-322

**FP307022**

Diámetro exterior . . . . . **2,5 mm**  
 Diámetro interior . . . . . **2,3 mm**

Espesor de pared . . . . . **0,1 mm**  
 Tubo retráctil en caliente : **Diám.Int. mínimo 0,65 mm**



**Tamaño**

**Código Web**  
 166-459-892  
 465-779-646  
 902-511-428

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 153,00	USD 170,00	USD 205,00	USD 247,00	USD 305,00
500 mm	USD 174,00	USD 199,00	USD 252,00	USD 313,00	USD 490,00
1000 mm	USD 198,00	USD 233,00	USD 304,00	USD 479,00	

**FP307027**

Diámetro exterior . . . . . **2,69 mm**  
 Diámetro interior . . . . . **2,59 mm**

Espesor de pared . . . . . **0,05 mm**



**Longitud**

**Código Web**  
 582-994-855  
 874-358-501  
 294-818-792  
 852-340-460  
 542-559-667  
 819-959-783

**FP307032**

Diámetro exterior . . . . . **3,2 mm**  
 Diámetro interior . . . . . **1,6 mm**

Espesor de pared . . . . . **0,8 mm**



**Tamaño**

**Código Web**  
 450-851-039  
 356-378-681

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 150,00	USD 164,00	USD 193,00	USD 229,00	USD 277,00
1000 mm	USD 162,00	USD 180,00	USD 218,00	USD 264,00	

**FP307035**

Diámetro exterior . . . . . **3,52 mm**  
 Diámetro interior . . . . . **2,7 mm**

Espesor de pared . . . . . **0,41 mm**



**Tamaño**

**Código Web**  
 784-267-822  
 033-476-142

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 147,00	USD 159,00	USD 185,00	USD 218,00	USD 262,00
1000 mm	USD 157,00	USD 173,00	USD 207,00	USD 249,00	

**FP307030**

Diámetro exterior . . . . . **4,2 mm**  
 Diámetro interior . . . . . **4,1 mm**

Espesor de pared . . . . . **0,05 mm**  
 Tubo retráctil en caliente : **Diám.Int. mínimo 0,93 mm**



**Tamaño**

**Código Web**  
 494-972-610  
 871-580-871  
 947-606-804

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 160,00	USD 178,00	USD 217,00	USD 264,00	USD 328,00
500 mm	USD 183,00	USD 211,00	USD 269,00	USD 349,00	
1000 mm	USD 209,00	USD 248,00	USD 339,00		

**FP307048**

Diámetro exterior . . . . . **4,8 mm**  
 Diámetro interior . . . . . **3,2 mm**

Espesor de pared . . . . . **0,8 mm**



**Tamaño**

**Código Web**  
 826-506-184  
 313-269-827

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 163,00	USD 180,00	USD 215,00	USD 259,00	USD 318,00
1000 mm	USD 177,00	USD 199,00	USD 246,00	USD 303,00	

Polímero – Politetrafluoretileno

## Politetrafluoretileno

### PTFE



## Tubo

**FP307050**

Diámetro exterior ..... 5,0 mm  
 Diámetro interior ..... 3 mm

Espesor de pared ..... 1,0 mm



#### Tamaño

**Código Web**  
 432-865-318  
 699-181-372

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 168,00	USD 187,00	USD 226,00	USD 274,00	USD 340,00
1000 mm	USD 184,00	USD 209,00	USD 262,00	USD 325,00	USD 485,00

**FP307065**

Diámetro exterior ..... 6,35 mm  
 Diámetro interior ..... 4,75 mm

Espesor de pared ..... 0,8 mm



**Código Web**  
 479-064-447  
 240-596-063  
 401-263-954  
 568-321-160

Longitud

**FP307064**

Diámetro exterior ..... 6,42 mm  
 Diámetro interior ..... 5,4 mm

Espesor de pared ..... 0,51 mm



#### Tamaño

**Código Web**  
 908-677-961  
 584-743-340

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 174,00	USD 193,00	USD 234,00	USD 284,00	USD 352,00
1000 mm	USD 190,00	USD 216,00	USD 269,00	USD 334,00	USD 497,00

**FP307066**

Diámetro exterior ..... 6,45 mm  
 Diámetro interior ..... 6,35 mm

Espesor de pared ..... 0,05 mm  
 Tubo retráctil en caliente . Diám.Int. mínimo 1,6 mm



#### Tamaño

**Código Web**  
 756-501-374  
 629-984-313  
 113-849-402

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
200 mm	USD 162,00	USD 183,00	USD 225,00	USD 276,00
500 mm	USD 188,00	USD 220,00	USD 284,00	USD 391,00
1000 mm	USD 218,00	USD 261,00	USD 382,00	

**FP307081**

Diámetro exterior ..... 8,0 mm  
 Diámetro interior ..... 6 mm

Espesor de pared ..... 1,0 mm



#### Tamaño

**Código Web**  
 824-538-551  
 475-235-734

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 180,00	USD 219,00	USD 344,00	USD 551,00	USD 957,00
1000 mm	USD 217,00	USD 298,00	USD 541,00	USD 945,00	

**FP307080**

Diámetro exterior ..... 8,0 mm  
 Diámetro interior ..... 6,4 mm

Espesor de pared ..... 0,8 mm



#### Tamaño

**Código Web**  
 548-340-711  
 542-591-513

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
500 mm	USD 179,00	USD 200,00	USD 245,00	USD 300,00	USD 383,00
1000 mm	USD 197,00	USD 226,00	USD 285,00	USD 365,00	

**FP307077**

Diámetro exterior ..... 8,17 mm  
 Diámetro interior ..... 7,67 mm

Espesor de pared ..... 0,25 mm  
 Tubo retráctil en caliente . Diám.Int. mínimo 4,4 mm



#### Tamaño

**Código Web**  
 682-863-470  
 073-249-832  
 763-589-209  
 336-535-618

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 162,00	USD 177,00	USD 243,00	USD 358,00	USD 578,00
500 mm	USD 183,00	USD 239,00	USD 406,00	USD 684,00	
1000 mm	USD 238,00	USD 348,00	USD 678,00		
1200 mm	USD 260,00	USD 391,00			

**FP307068**

Diámetro exterior ..... 8,2 mm  
 Diámetro interior ..... 8 mm

Espesor de pared ..... 0,1 mm  
 Tubo retráctil en caliente . Diám.Int. mínimo 1,6 mm



#### Tamaño

**Código Web**  
 085-478-021  
 684-757-183  
 594-643-897

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
200 mm	USD 162,00	USD 183,00	USD 225,00	USD 276,00
500 mm	USD 188,00	USD 220,00		
1000 mm	USD 218,00	USD 261,00		

**FP307090**

Diámetro exterior ..... 9,25 mm  
 Diámetro interior ..... 8,5 mm

Espesor de pared ..... 0,375 mm



#### Tamaño

**Código Web**  
 113-664-895  
 208-106-416  
 013-311-654

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 157,00	USD 175,00	USD 213,00	USD 259,00	USD 323,00
500 mm	USD 180,00	USD 208,00	USD 265,00	USD 345,00	
1000 mm	USD 206,00	USD 245,00	USD 336,00		

Polímero – Politetrafluoretileno

## Politetrafluoretileno

### PTFE



## Tubo

FP307140

Diámetro exterior . . . . . 14 mm  
 Diámetro interior . . . . . 12 mm

Espesor de pared . . . . . 1 mm



Longitud

**Código Web**  
 296-886-658  
 636-937-711  
 466-125-609  
 532-760-693  
 186-184-202

FP307131

Diámetro exterior . . . . . 14 mm  
 Diámetro interior . . . . . 13,86 mm

Espesor de pared . . . . . 0,07 mm  
 Tubo retráctil en caliente . Diám.Int. mínimo 3,7 mm



**Tamaño**  
**Código Web**  
 944-362-423  
 045-301-038  
 662-634-297

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
200 mm	USD 186,00	USD 210,00	USD 260,00	USD 321,00
500 mm	USD 215,00	USD 251,00	USD 325,00	USD 441,00
1000 mm	USD 248,00	USD 298,00	USD 426,00	

FP307159

Diámetro exterior . . . . . 16,38 mm  
 Diámetro interior . . . . . 15,88 mm

Espesor de pared . . . . . 0,25 mm  
 Tubo retráctil en caliente . Diám.Int. mínimo 4,5 mm



**Tamaño**  
**Código Web**  
 351-726-710  
 328-746-995  
 789-037-049

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
200 mm	USD 167,00	USD 189,00	USD 281,00	USD 433,00	USD 729,00
500 mm	USD 202,00	USD 277,00	USD 500,00	USD 873,00	
1000 mm	USD 276,00	USD 423,00	USD 866,00		

FP307205

Diámetro exterior . . . . . 19,2 mm  
 Diámetro interior . . . . . 19 mm

Espesor de pared . . . . . 0,1 mm  
 Tubo retráctil en caliente . Diám.Int. mínimo 5,7 mm



**Tamaño**  
**Código Web**  
 505-888-599  
 236-065-139  
 508-140-191  
 517-518-292

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	USD 186,00	USD 210,00	USD 261,00	USD 322,00	USD 406,00
200 mm	USD 207,00	USD 240,00	USD 308,00	USD 389,00	USD 516,00
500 mm	USD 249,00	USD 299,00	USD 401,00	USD 583,00	
1000 mm	USD 296,00	USD 365,00	USD 568,00		



## Polvo

FP306010

Tamaño medio . . . . . 6-9 micron



**Código Web**  
 500-253-383  
 531-672-483  
 459-051-712  
 381-474-078

Cantidad	Peso	1 Bote
		100 g
200 g	USD 256,00	
500 g	USD 345,00	
1000 g	USD 555,00	

FP306020

Tamaño medio . . . . . 20 micron



**Código Web**  
 684-261-416  
 532-684-864  
 585-607-347  
 200-917-433  
 114-682-355

Cantidad	Peso	1 Bote
		100 g
200 g	USD 216,00	
500 g	USD 275,00	
1000 g	USD 356,00	
2000 g	USD 516,00	

FP306068

Tamaño medio . . . . . 675 micron

Color . . . . . Blanco



**Código Web**  
 749-631-668

Cantidad	Peso	1 Bote
		100 g



## Esfera

FP306810

Diámetro . . . . . 1,59 mm  
 Esféricidad . . . . . 0,025 mm

Tolerancia . . . . . ±0,05 mm  
 Grade . . . . . Esfera de precisión



**Cantidad**  
**Código Web**  
 167-792-135  
 974-022-601  
 752-828-794  
 103-593-340

Cantidad	Esferas	1 Bote
		50 pcs
100 pcs	USD 211,00	
200 pcs	USD 269,00	
500 pcs	USD 437,00	

Polímero – Politetrafluoretileno

**Politetrafluoretileno**

**PTFE**



**Esfera**

**FP306820**

Diámetro ..... **3,18 mm**  
 Esfericidad ..... **0,025 mm**

Tolerancia ..... **±0,05 mm**  
 Grade ..... **Esfera de precisión**



Xi

**Cantidad**

**Código Web**  
 949-167-174  
 645-892-370  
 736-538-022  
 067-260-452

**Cantidad**

**Esferas**      **1 Bote**  
 50 pcs      USD 184,00  
 100 pcs      USD 225,00  
 200 pcs      USD 288,00  
 500 pcs      USD 474,00

**Polímero – Politetrafluoretileno**

## INDICE

### E

Esfera, Politetrafluoretileno 29

### F

Fibra, Politetrafluoretileno 24

Fluon 20

### H

Hostaflon TF 20

### P

Película, Politetrafluoretileno 20

Plancha, Politetrafluoretileno 23

Politetrafluoretileno (PTFE) 20

Polvo, Politetrafluoretileno 29

### T

Tubo, Politetrafluoretileno 26

### V

Vara .. Politetrafluoretileno 24