

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



**Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England

Tel: +44 1480 424 800  
or +44 1480 424 800  
Fax: +44 1480 424 900  
or +44 1480 424 900

**Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

**Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

**Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

**Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040

The People's Republic of China  
Tel: 00 86 21 6112 1560

# Standard Price List for Polyimide

## CONTENTS

<b>Introduction</b>	<b>4</b>
<b>Product Descriptions</b>	<b>5</b>
<b>Hazards Information</b>	<b>10</b>
<b>General Information</b>	<b>11</b>
<b>Order information</b>	<b>12</b>
<b>Company Details</b>	<b>15</b>
<b>Conditions of Sale</b>	<b>16</b>
<b>Polymer</b>	<b>20</b>
<b>INDEX</b>	<b>31</b>

---

## Introduction

---

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at [www.goodfellow.com](http://www.goodfellow.com).

### Materials

#### ***Metals and Alloys***

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

#### ***Ceramics***

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit [www.goodfellow-ceramics.com](http://www.goodfellow-ceramics.com) for further information.

#### ***Polymers***

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

#### ***Compounds & Intermetallics***

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

#### ***Composites***

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

#### ***Glasses***

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

**Product Descriptions**



**Bar**

A straight length of rectangular, square or oval section material.

**Tolerances**

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



**Bolt**

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.6.7M-1985



**Chopped Fibre**

Fibres cut into short lengths called cut, staple or chopped fibre.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Crucible**

A vessel in which other materials may be heated or melted, usually at high temperatures.

**Tolerances**

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



**Fabric**

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

**Tolerances**

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



**Fibre**

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Film**

A non-metallic sheet material with a thickness < 0.5mm.

**Tolerances**

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



**Flake**

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Foam**

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



**Foil**

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

**Tolerances**

Thickness: < 0.010mm ± 25%  
 0.01-0.05mm ± 15%  
 > 0.050mm ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%



**Granule**

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

**Tolerances**

Dimensions shown are nominal



**Honeycomb**

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



**Insulated Wire**

A single or multiple flexible strand of metal or alloy with an insulating sheath.

**Tolerances**

Wire diameter: ± 10%  
 Length: + 5% / -1%  
 Insulation thickness: Nominal values only



**Laminate**

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

**Tolerances**

Thickness: ± 10%  
 Size (linear dimension): ≤ 100mm ± 1mm  
 > 100mm + 2% / -1%



**Lump**

A solid piece of material with no defined shape.

**Tolerances**

Dimensions shown are nominal



**Mesh**

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

**Tolerances**

Thickness: woven: ± 10%  
 electroformed: ± 20%  
 Wire diameter: ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%

**Product Descriptions**



**Metallised Film**

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

**Tolerances**

Thickness:  $\pm 10\%$   
 Size (linear dimension):  $< 100\text{mm}$   $\pm 1\text{mm}$   
 $\geq 100\text{mm}$   $+2\% / -1\%$



**Microfoil**

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Microleaf**

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Monofilament**

A single strand of a non-metallic material.

**Tolerances**

Diameter:  $\pm 20\%$   
 Length:  $+5\% / -1\%$



**Non-Woven Fabric**

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

**Tolerances**

Size (linear dimension):  $< 100\text{mm}$   $\pm 5\text{mm}$   
 $> 100\text{mm}$   $\pm 5\%$



**Nut**

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.2.4.1M-1979  
 (R1995)



**Powder**

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Rod**

A straight length of circular section material.

**Tolerances**

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Sheet**

Flat material with a thickness > 0.5mm.

**Tolerances**

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



**Single Crystal**

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

**Tolerances**

Orientation:	± 3°
Size:	Sizes shown are nominal



**Sphere**

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

**Tolerances**

Diameter (standard):	± 5%
Diameter (precision):	see item



**Sputtering Target**

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

**Tolerances**

Thickness:	± 0.5mm
Size:	± 0.5mm



**Tube**

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

**Tolerances**

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:		± 10%
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Washer**

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

**Tolerances**

Ceramics:	see item
-----------	----------



---

## Product Descriptions

---



### Wire

A single or multiple flexible strand of pure metal or alloy.

#### Tolerances

Wire diameter:  $\pm 10\%$   
Length:  $+5\% / -1\%$

## Hazards Information

### HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

### HAZARD SYMBOLS



C

#### Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

#### Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

#### Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

#### Extremely flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

#### Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

#### Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

#### Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

#### Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

#### Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

#### Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

## General Information

### Analyses

#### Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

#### Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

#### High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

### Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

### Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

### Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

### Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

### Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

---

## Order information

---

### General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

### Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

### Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Delivery

#### Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

#### Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

#### Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

#### Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

### Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

### Despatch

Orders will normally be despatched within 48 hours of receipt.

### Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

### Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

### Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

### Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

### Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

---

## Order information

---

### Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

### Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

### VAT

VAT number: GB 212 8527 79

### UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

### EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

### Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

### Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

### Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

### Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

### Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

### Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

### Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

---

## Order information

---

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at [www.goodfellow.com](http://www.goodfellow.com) or [www.goodfellowusa.com](http://www.goodfellowusa.com).

---

## Company Details

---

### Company Structure

The Goodfellow Group consists of five companies:

#### ***Goodfellow Cambridge Limited***

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

#### ***Goodfellow Corporation***

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

#### ***Goodfellow GmbH***

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

#### ***Goodfellow SARL***

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

#### ***Goodfellow (Shanghai) Trading Co., Ltd***

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England  
Registered in England and Wales no. 1188162  
VAT registration GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040  
The People's Republic of China

# Conditions of Sale

## 1 GENERAL

### 1.1 In these Conditions:

#### 1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

#### 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

### 8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

### 9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

### 10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

### 11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

### 12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Conditions of Sale

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

## Polyimide

### PI

**Common Brand Names :** Kapton, Kinel, Upilex, Upimol, Vespel

**Physical Properties**

Density	1.42 g cm <sup>-3</sup>
Flammability	V0
Limiting oxygen index	53 %
Radiation resistance	Good
Refractive index	1.66
Resistance to Ultra-violet	Poor
Water absorption - over 24 hours	0.2-2.9 %

**Electrical Properties**

Dielectric constant @1MHz	3.4
Dielectric strength	22 kV mm <sup>-1</sup>
Dissipation factor @ 1kHz	0.0018
Surface resistivity	10 <sup>16</sup> Ohm/sq
Volume resistivity	10 <sup>18</sup> Ohmcm

**Thermal Properties**

Coefficient of thermal expansion	30-60 x10 <sup>-6</sup> K <sup>-1</sup>
Heat-deflection temperature - 1.8MPa	360 C
Lower working temperature	-270 C
Specific heat	1090 J K <sup>-1</sup> kg <sup>-1</sup>
Thermal conductivity @23C	0.10-0.35 W m <sup>-1</sup> K <sup>-1</sup>
Upper working temperature	250-320 C

**Mechanical Properties**

Coefficient of friction	0.42
Elongation at break	8-70 %
Hardness - Rockwell	E52-99
Izod impact strength	80 J m <sup>-1</sup>
Tensile modulus	2.0-3.0 GPa
Tensile strength	70-150 MPa

**Chemical Resistance**

Acids - concentrated	Poor
Acids - dilute	Fair
Alcohols	Poor
Alkalis	Poor
Aromatic hydrocarbons	Good
Greases and Oils	Good
Halogenated Hydrocarbons	Good
Halogens	Fair
Ketones	Good



## Film

Material		HN	CB	MT	MTB	CR	XC	KJ
Coefficient of thermal expansion	x10 <sup>-6</sup> K <sup>-1</sup>	20						60
Corona Resistance @ 20kV mm <sup>-1</sup> 50 Hz	hr	200				> 100,000		
Density	g cm <sup>-3</sup>	1.42	1.42	1.85	1.85	1.54	1.42	1.36
Dielectric Constant @ 1kHz		3.4	4.5	4.2	4.2	3.9		3.4
Dielectric Constant @ 1MHz		3.4						
Dielectric Strength @25µm thick	kV mm <sup>-1</sup>	300	80	165	70 @ 0.075mm	290		200
Dissipation Factor @1kHz		0.0018	0.19			0.003		0.0016
Dissipation Factor @1MHz		0.01						
Elongation at Break	%	70	45	50-60	50-60	45	20-30	150
Initial Tear Strength	g µm <sup>-1</sup>	20						
Moisture absorption	%	2.8		3	3			1
Permeability to Carbon Dioxide @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	0.5						
Permeability to Hydrogen @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	1						
Permeability to Nitrogen @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	0.03						
Permeability to Oxygen @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	0.1						
Permeability to Water @25C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	400						
Permeability to Water @38C	x10 <sup>-13</sup> cm <sup>3</sup> . cm cm <sup>-2</sup> s <sup>-1</sup> Pa <sup>-1</sup>	500						
Shrinkage @400C	%	1.2-1.5	1	1	1	0.6		
Surface Resistivity	Ohm/sq					3.6x10 <sup>16</sup>	50-1x10 <sup>9</sup>	
Tensile modulus	GPa	2.5	2.7	4	4	3.2	3.3-3.6	2.7
Tensile strength	MPa	230	135	125	125	150	110-120	135
Thermal Conductivity @23C	W m <sup>-1</sup> K <sup>-1</sup>	0.16		0.45	0.45	0.38	0.12	
Volume Resistivity	Ohmcm	1.5x10 <sup>17</sup>	10 <sup>13</sup>	10 <sup>14</sup>	10 <sup>14</sup>	2.3x10 <sup>16</sup>		2.5x10 <sup>17</sup>

**IM301080** Thickness ..... 0.008mm Grade ..... DuPont™ Kapton® HN

**Size**

**Web Code**  
 961-936-593  
 242-074-656  
 259-337-321

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	YEN 22200	YEN 26000	YEN 33600	YEN 42800
150 x 150 mm	YEN 26400	YEN 32000	YEN 44400	
300 x 300 mm	YEN 39200	YEN 61500		

**Coil**

**Web Code**  
 417-174-269

Width 300mm	Quantity	
	Length	1 Reel
0.5 m	YEN 57000	

**IM301130** Thickness ..... 0.013mm Grade ..... DuPont™ Kapton® HN

**Size**

**Web Code**  
 488-784-989  
 098-121-233  
 370-499-680

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	YEN 19500	YEN 21800	YEN 26400	YEN 32000	YEN 40800
150 x 150 mm	YEN 21800	YEN 25200	YEN 31800	YEN 39600	YEN 51500
295 x 300 mm	YEN 29000	YEN 35200	YEN 47600	YEN 62000	

**Coil**

**Web Code**  
 144-902-222  
 112-776-595  
 097-063-054  
 132-881-695

Width 295mm	Quantity	
	Length	1 Reel
0.5 m	YEN 36200	
1 m	YEN 44200	
2 m	YEN 55500	
3 m	YEN 64500	

Polymer – Polyimide

**Polyimide**

**PI**



**Film**

**IM301202**

Thickness ..... **0.025mm** Coil width ..... **20mm**  
 Adhesive coated tape .... **Total thickness : 0.06mm**

<b>Coil</b>	<b>Width 20mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
981-467-720	1 rolls	YEN 24600
683-465-793	2 rolls	YEN 35800
206-874-075	5 rolls	YEN 70000
822-301-172	10 rolls	YEN 127000
131-677-944	20 rolls	YEN 240000

Supplied in rolls of length 33m only.

**IM301214**

Thickness ..... **0.025mm** Colour ..... **Black**  
 Grade ..... **DuPont™ Kapton® CB**

<b>Size</b>	<b>Quantity</b>
<b>Web Code</b>	<b>1pc 2pcs 5pcs 10pcs</b>
585-298-740	100 x 100 mm YEN 21800 YEN 25600 YEN 33200 YEN 47400
162-338-367	150 x 150 mm YEN 26000 YEN 31600 YEN 50000
292-294-539	300 x 300 mm YEN 42000 YEN 71000

**IM301212**

Thickness ..... **0.025mm** Grade ..... **DuPont™ Kapton® CR**

<b>Size</b>	<b>Quantity</b>
<b>Web Code</b>	<b>1pc 2pcs 5pcs 10pcs</b>
869-726-970	100 x 100 mm YEN 17200 YEN 19000 YEN 22800 YEN 27400
061-163-296	250 x 250 mm YEN 22800 YEN 26800 YEN 35200

<b>Coil</b>	<b>Width 500mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
830-022-726	0.5 m	YEN 35000
752-839-152	1 m	YEN 43000
104-889-773	2 m	YEN 54500

**IM301210**

Thickness ..... **0.025mm** Grade ..... **DuPont™ Kapton® MT**

<b>Size</b>	<b>Quantity</b>
<b>Web Code</b>	<b>1pc 2pcs 5pcs 10pcs</b>
152-452-434	100 x 100 mm YEN 17400 YEN 19300 YEN 23400 YEN 28200
056-556-303	150 x 150 mm YEN 19400 YEN 22200 YEN 27800
069-542-173	300 x 300 mm YEN 25400 YEN 30600
692-770-123	600 x 600 mm YEN 37400

<b>Coil</b>	<b>Width 600mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
596-270-097	0.5 m	YEN 38200
533-751-602	1 m	YEN 47600
718-957-856	2 m	YEN 60500

**IM301200**

Thickness ..... **0.025mm** Grade ..... **DuPont™ Kapton® HN**

<b>Size</b>	<b>Quantity</b>
<b>Web Code</b>	<b>1pc 2pcs 5pcs 10pcs 20pcs</b>
424-896-921	100 x 100 mm YEN 16900 YEN 18600 YEN 22200 YEN 26600 YEN 33600
112-113-102	150 x 150 mm YEN 18600 YEN 21000 YEN 26000 YEN 32000 YEN 41200
014-138-182	300 x 300 mm YEN 23800 YEN 28200 YEN 37400 YEN 48200

<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
767-262-661	0.5 m	YEN 35400
907-825-786	1 m	YEN 43600
478-214-959	2 m	YEN 55000
776-865-210	5 m	YEN 78500

**IM301215**

Thickness ..... **0.025mm** Colour ..... **Black**  
 Grade ..... **DuPont™ Kapton® B**

<b>Size</b>	<b>Quantity</b>
<b>Web Code</b>	<b>1pc 2pcs 5pcs 10pcs 20pcs</b>
574-770-116	100 x 100 mm YEN 16900 YEN 18500 YEN 22000 YEN 26400 YEN 33200
533-631-343	150 x 150 mm YEN 18500 YEN 20800 YEN 25800 YEN 31600
565-637-134	300 x 300 mm YEN 23600 YEN 28000 YEN 44000

<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
074-952-180	0.5 m	YEN 36600
041-463-649	1 m	YEN 57000
421-516-432	2 m	YEN 97500
991-046-542	5 m	YEN 219000

**Polymer – Polyimide**

**Polyimide**

**PI**



**Film**

<b>IM301301</b>	Thickness ..... 0.05mm	Grade ..... Upilex S
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
508-850-953	100 x 100 mm	YEN 15500   YEN 17000   YEN 20400   YEN 24600   YEN 31400
730-358-737	250 x 250 mm	YEN 20200   YEN 23800   YEN 31200   YEN 39800   YEN 53000
289-903-234	500 x 500 mm	YEN 28400   YEN 35200   YEN 49200   YEN 71000
<b>Coil</b>	<b>Width 500mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
179-135-287	0.5 m	YEN 30600
506-758-899	1 m	YEN 37400
307-216-097	2 m	YEN 47200
278-687-868	5 m	YEN 72500

<b>IM301303</b>	Thickness ..... 0.05mm	Grade ..... DuPont™ Kapton® 200RS100
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
980-936-273	100 x 100 mm	YEN 17800   YEN 20400   YEN 31200   YEN 50500   YEN 89500
855-426-112	140 x 140 mm	YEN 20000   YEN 26600   YEN 48800   YEN 85500   YEN 159000
808-591-784	280 x 280 mm	YEN 40600   YEN 69500   YEN 155000   YEN 299000
<b>Coil</b>	<b>Width 534mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
661-731-264	0.5 m	YEN 111000
886-959-833	1 m	YEN 209000
521-339-817	2 m	YEN 403000

<b>IM301300</b>	Thickness ..... 0.05mm	Grade ..... DuPont™ Kapton® HN
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
790-504-491	100 x 100 mm	YEN 15600   YEN 17200   YEN 20800   YEN 25200   YEN 32200
813-060-083	150 x 150 mm	YEN 17300   YEN 19600   YEN 24600   YEN 30600   YEN 39800
632-508-488	300 x 300 mm	YEN 22400   YEN 27000   YEN 36000   YEN 47000
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
063-555-158	0.5 m	YEN 33400
944-389-292	1 m	YEN 41400
048-653-849	2 m	YEN 59500
081-729-419	5 m	YEN 127000

<b>IM301304</b>	Thickness ..... 0.050mm	Grade ..... DuPont™ Kapton® B	Colour ..... Black
<b>Size</b>	<b>Quantity</b>		
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>	
079-662-558	100 x 100 mm	YEN 18500   YEN 20800   YEN 25600   YEN 31400   YEN 47400	
192-871-532	150 x 150 mm	YEN 21000   YEN 24400   YEN 31200   YEN 48600	
341-903-008	300 x 300 mm	YEN 28400   YEN 40000   YEN 80000	
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>	
761-460-045	0.5 m	YEN 61000	
046-914-156	1 m	YEN 106000	
916-202-554	2 m	YEN 195000	
539-071-277	5 m	YEN 462000	

<b>IM301402</b>	Thickness ..... 0.075mm	Grade ..... DuPont™ Kapton® MT
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
434-036-551	150 x 150 mm	YEN 18800   YEN 22200   YEN 29400   YEN 37800   YEN 50500
215-398-082	300 x 300 mm	YEN 26600   YEN 33200   YEN 46800   YEN 74000
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
125-227-328	0.5 m	YEN 42600
515-809-867	1 m	YEN 55000
240-866-062	2 m	YEN 96500

<b>IM301400</b>	Thickness ..... 0.075mm	Grade ..... DuPont™ Kapton® HN
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
192-062-220	100 x 100 mm	YEN 14700   YEN 16400   YEN 20200   YEN 24800   YEN 32000
007-779-441	150 x 150 mm	YEN 16500   YEN 19000   YEN 24200   YEN 30400   YEN 40000
972-434-764	300 x 300 mm	YEN 21800   YEN 26600   YEN 36400   YEN 47600
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>
554-345-394	0.5 m	YEN 34000
293-162-926	1 m	YEN 42400
645-363-309	2 m	YEN 54500
670-421-666	5 m	YEN 116000

Polymer – Polyimide

**Polyimide**

**PI**



**Film**

<b>IM301403</b>	Thickness ..... <b>0.075mm</b>	Grade ..... <b>DuPont™ Kapton® FPC</b>					
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
817-548-474	100 x 100 mm	YEN 14500	YEN 16400	YEN 20400	YEN 25200	YEN 33000	
842-849-166	150 x 150 mm	YEN 16500	YEN 19200	YEN 24800	YEN 31600	YEN 43400	
401-826-891	300 x 300 mm	YEN 22400	YEN 27600	YEN 39600	YEN 69000		
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>					
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>					
121-919-705	0.5 m	YEN 35800					
564-423-155	1 m	YEN 52500					
670-246-944	2 m	YEN 91000					
<b>IM301404</b>	Thickness ..... <b>0.075mm</b>	Colour ..... <b>Black</b>					
	Grade ..... <b>DuPont™ Kapton® B</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
550-930-911	100 x 100 mm	YEN 19600	YEN 22400	YEN 28200	YEN 35000	YEN 53500	
996-670-295	150 x 150 mm	YEN 22600	YEN 26600	YEN 35000	YEN 55000		
586-950-704	300 x 300 mm	YEN 31800	YEN 45400	YEN 93500			
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>					
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>					
653-794-485	0.5 m	YEN 70000					
437-836-890	1 m	YEN 124000					
433-710-646	2 m	YEN 231000					
193-196-546	5 m	YEN 553000					
<b>IM301414</b>	Thickness ..... <b>0.075mm</b>	Grade ..... <b>DuPont™ Kapton® KJ</b>					
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>				
999-236-863	100 x 100 mm	YEN 32200	YEN 40400				
904-602-786	150 x 150 mm	YEN 41600	YEN 61500				
685-742-688	200 x 200 mm	YEN 56000					
<b>IM301449</b>	Thickness ..... <b>0.125mm</b>	Grade ..... <b>DuPont™ Kapton® HPP-ST</b>					
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
385-588-638	100 x 100 mm	YEN 15900	YEN 18200	YEN 23000	YEN 28600	YEN 37600	
414-143-072	150 x 150 mm	YEN 18300	YEN 21600	YEN 28400	YEN 36400	YEN 58500	
031-795-279	300 x 300 mm	YEN 25600	YEN 32000	YEN 55000	YEN 99000		
<b>Coil</b>	<b>Width 317.6mm</b>	<b>Quantity</b>					
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>					
838-545-470	0.5 m	YEN 33400					
371-208-012	1 m	YEN 44400					
883-853-161	2 m	YEN 75000					
490-049-736	5 m	YEN 167000					
<b>IM301450</b>	Thickness ..... <b>0.125mm</b>	Grade ..... <b>DuPont™ Kapton® HN</b>					
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
677-930-793	100 x 100 mm	YEN 14000	YEN 15800	YEN 19600	YEN 24400	YEN 32800	
741-343-802	150 x 150 mm	YEN 15900	YEN 18500	YEN 23800	YEN 32600	YEN 55000	
667-985-892	300 x 300 mm	YEN 21600	YEN 26600	YEN 51500	YEN 92500	YEN 175000	
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>					
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>					
498-229-593	0.5 m	YEN 39800					
278-695-415	1 m	YEN 67000					
836-928-840	2 m	YEN 122000					
616-107-904	5 m	YEN 285000					
<b>IM301451</b>	Thickness ..... <b>0.125mm</b>	Grade ..... <b>DuPont™ Kapton® FPC</b>					
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
969-772-112	100 x 100 mm	YEN 16300	YEN 18700	YEN 23800	YEN 29800	YEN 39200	
853-676-380	150 x 150 mm	YEN 18900	YEN 22400	YEN 29600	YEN 38200	YEN 65500	
810-776-436	300 x 300 mm	YEN 26800	YEN 33600	YEN 62000	YEN 113000		
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>					
<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>					
826-214-692	0.5 m	YEN 47600					
917-863-266	1 m	YEN 81500					
778-199-018	2 m	YEN 149000					

Polymer – Polyimide

**Polyimide**

**PI**



**Film**

<b>IM301448</b>	Thickness ..... <b>0.125mm</b>	Colour ..... <b>Black</b>
	Grade ..... <b>DuPont™ Kapton® B</b>	
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
348-157-535	100 x 100 mm	YEN 21800    YEN 25400    YEN 32800    YEN 47400    YEN 81500
072-855-180	150 x 150 mm	YEN 25800    YEN 31200    YEN 50000    YEN 87000
906-448-679	300 x 300 mm	YEN 42000    YEN 70500    YEN 156000
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
638-085-555	0.5 m	YEN 113000
776-317-120	1 m	YEN 209000
095-429-101	2 m	YEN 402000
904-977-732	5 m	YEN 981000

<b>IM301452</b>	Thickness ..... <b>0.150mm</b>	Grade ..... <b>Cirlex CL</b>
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
215-368-830	140 x 150 mm	YEN 66000    YEN 122000    YEN 289000
964-533-771	280 x 300 mm	YEN 229000    YEN 447000

<b>IM301455</b>	Thickness ..... <b>0.23mm</b>	Grade ..... <b>Cirlex CL</b>
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b>
644-792-025	140 x 150 mm	YEN 25200    YEN 32400    YEN 62500    YEN 115000
459-168-033	280 x 300 mm	YEN 47800    YEN 86000    YEN 200000
901-070-297	597 x 597 mm	YEN 167000    YEN 324000

<b>IM301470</b>	Thickness ..... <b>0.5mm</b>	Grade ..... <b>Upilex</b>
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
512-552-330	50 x 50 mm	YEN 20800    YEN 26400    YEN 38000
559-567-189	100 x 100 mm	YEN 32600    YEN 51000
172-376-959	150 x 150 mm	YEN 55000

<b>IM301465</b>	Thickness ..... <b>0.5mm</b>	Grade ..... <b>Cirlex CL</b>
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b>
297-956-860	70 x 100 mm	YEN 24000    YEN 30600    YEN 45200    YEN 74500
349-275-009	100 x 140 mm	YEN 29200    YEN 38200    YEN 67500
882-645-706	200 x 280 mm	YEN 52000    YEN 94500    YEN 221000
162-298-646	342 x 597 mm	YEN 160000    YEN 311000



**Metallised Film**

<b>IM301825</b>	Thickness ..... <b>0.025mm</b>	Condition. .... <b>Metallised on one side with 30 nm Aluminium</b>
	Grade ..... <b>DuPont™ Kapton® HN</b>	
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
362-858-911	150 x 150 mm	YEN 23400    YEN 27800    YEN 36800    YEN 47200    YEN 62500
338-480-624	300 x 300 mm	YEN 33400    YEN 41800    YEN 59000    YEN 81000
734-690-656	610 x 610 mm	YEN 54000    YEN 71000    YEN 149000
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
639-501-152	0.5 m	YEN 53000
578-419-045	1 m	YEN 68500
080-946-748	2 m	YEN 106000
878-914-309	5 m	YEN 240000

<b>IM301830</b>	Thickness ..... <b>0.050mm</b>	Condition. .... <b>Metallised on one side with 30 nm Aluminium</b>
	Grade ..... <b>DuPont™ Kapton® HN</b>	
<b>Size</b>		<b>Quantity</b>
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b> <b>20pcs</b>
732-945-449	150 x 150 mm	YEN 24200    YEN 28800    YEN 38400    YEN 49600    YEN 66000
332-470-872	300 x 300 mm	YEN 34800    YEN 44000    YEN 62500    YEN 91000
951-098-808	610 x 610 mm	YEN 57000    YEN 76000    YEN 170000
<b>Coil</b>	<b>Width 610mm</b>	<b>Quantity</b>
<b>Web Code</b>	<b>Length</b> <b>1 Reel</b>	
579-303-180	0.5 m	YEN 56000
971-033-701	1 m	YEN 72500
619-539-473	2 m	YEN 119000
384-050-666	5 m	YEN 273000

Polymer – Polyimide



**Polyimide**

**PI**



**Metallised Film**

**IM301835** Thickness ..... **0.075mm** Condition ..... **Metallised on one side with 30 nm Aluminium**  
 Grade ..... **DuPont™ Kapton® HN**

Size Web Code	Size	Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
116-812-101	150 x 150 mm	YEN 25600	YEN 31000	YEN 41800	YEN 54500	YEN 73000
171-940-910	300 x 300 mm	YEN 37800	YEN 48200	YEN 69000	YEN 114000	
223-642-545	600 x 600 mm	YEN 62500	YEN 92000	YEN 210000	YEN 408000	

  

Coil Web Code	Width 620mm Length	Quantity
		1 Reel
642-230-749	0.5 m	YEN 62000
504-363-231	1 m	YEN 84000
319-328-951	2 m	YEN 152000
159-878-537	5 m	YEN 356000



**Laminate**

**IM301510** Thickness ..... **0.05mm** Polymer Thickness ..... **0.025mm**  
 Backing Material ..... **0.009mm Copper**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
330-296-143	100 x 100 mm	YEN 16900	YEN 19200	YEN 22400	YEN 26200
287-014-910	150 x 150 mm	YEN 18700	YEN 21800	YEN 26400	YEN 31800
876-865-882	300 x 300 mm	YEN 24200	YEN 29400	YEN 41800	

  

Coil Web Code	Width 610mm Length	Quantity
		1 Reel
608-234-814	0.5 m	YEN 36200
029-351-221	1 m	YEN 55000

**IM301522** Thickness ..... **0.06mm** Polymer Thickness ..... **0.025mm**  
 Backing Material ..... **0.018mm Copper**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
178-062-593	100 x 100 mm	YEN 15900	YEN 17800	YEN 20200	YEN 23200
257-817-118	150 x 150 mm	YEN 17300	YEN 19700	YEN 23200	YEN 27400
227-139-823	300 x 300 mm	YEN 21200	YEN 25400	YEN 32200	

  

Coil Web Code	Width 610mm Length	Quantity
		1 Reel
392-475-447	0.5 m	YEN 31000
059-429-873	1 m	YEN 38400

**IM301512** Thickness ..... **0.07mm** Polymer Thickness ..... **0.025mm**  
 Backing Material ..... **0.009mm Copper** Condition ..... **Double-sided laminate**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
718-200-086	100 x 100 mm	YEN 17900	YEN 20600	YEN 24600	YEN 29200
775-000-213	150 x 150 mm	YEN 20200	YEN 23800	YEN 29800	YEN 37000
875-030-147	300 x 300 mm	YEN 27000	YEN 33600	YEN 59000	

  

Coil Web Code	Width 610mm Length	Quantity
		1 Reel
378-771-818	0.5 m	YEN 46400
346-481-954	1 m	YEN 78000

Double sided laminate - Copper 0.009mm / Kapton 0.025mm / Copper 0.009mm.

**IM301536** Thickness ..... **0.1mm** Polymer Thickness ..... **0.05mm**  
 Backing Material ..... **0.035mm Copper**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
591-826-120	100 x 100 mm	YEN 16600	YEN 18700	YEN 21600	YEN 25200
978-266-203	150 x 150 mm	YEN 18200	YEN 21000	YEN 25400	YEN 30400
283-280-259	300 x 300 mm	YEN 23200	YEN 28000	YEN 37000	

  

Coil Web Code	Width 610mm Length	Quantity
		1 Reel
410-027-489	0.5 m	YEN 33200
253-431-867	1 m	YEN 46000

**Polymer – Polyimide**

## Polyimide

### PI



## Laminate

**IM301560**

Thickness ..... **0.16mm**  
 Backing Material ..... **0.07mm Copper**

Polymer Thickness ..... **0.075mm**

**Size**

**Web Code**  
 873-219-113  
 152-393-474  
 049-180-244

**Size**  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

Quantity				
1pc	2pcs	5pcs	10pcs	20pcs
YEN 17000	YEN 19300	YEN 22600	YEN 26400	YEN 32000
YEN 18800	YEN 21800	YEN 26600	YEN 32200	
YEN 24400	YEN 29600	YEN 42800		

**Coil**

**Web Code**  
 147-532-913  
 441-615-230

**Width 610mm**  
**Length**  
 0.5 m  
 1 m

**Quantity**

**1 Reel**  
 YEN 36600  
 YEN 56000

**IM301620**

Thickness ..... **0.16mm**  
 Backing Material ..... **0.125mm DuPont™ Nomex®**

Polymer Thickness ..... **0.025mm**

**Size**

**Web Code**  
 543-461-366  
 483-786-736

**Size**  
 150 x 150 mm  
 300 x 300 mm

Quantity			
1pc	2pcs	5pcs	10pcs
YEN 16500	YEN 19100	YEN 24400	YEN 30600
YEN 22000	YEN 26800	YEN 36600	

**Coil**

**Web Code**  
 071-768-433  
 629-259-582

**Width 914mm**  
**Length**  
 0.5 m  
 1 m

**Quantity**

**1 Reel**  
 YEN 38200  
 YEN 55500

**IM301650**

Thickness ..... **0.4mm**  
 Backing Material ..... **0.38mm DuPont™ Nomex®**

Polymer Thickness ..... **0.025mm**

**Size**

**Web Code**  
 352-022-718  
 002-840-607

**Size**  
 150 x 150 mm  
 300 x 300 mm

Quantity			
1pc	2pcs	5pcs	10pcs
YEN 16900	YEN 19600	YEN 25200	YEN 31800
YEN 22800	YEN 27800	YEN 38200	

**Coil**

**Web Code**  
 355-079-765  
 384-965-949

**Width 890mm**  
**Length**  
 0.5 m  
 1 m

**Quantity**

**1 Reel**  
 YEN 39400  
 YEN 60000



## Sheet

**IM303076**

Thickness ..... **0.76mm**

Grade ..... **Cirlex CL**

**Size**

**Web Code**  
 671-803-166  
 702-608-252  
 482-675-246  
 194-839-718

**Size**  
 70 x 145 mm  
 145 x 145 mm  
 145 x 290 mm  
 290 x 290 mm

Quantity			
1pc	2pcs	5pcs	10pcs
YEN 25200	YEN 40200	YEN 85000	YEN 159000
YEN 40800	YEN 71000	YEN 162000	
YEN 71000	YEN 131000		
YEN 131000			

**IM303110**

Thickness ..... **1mm**

Grade ..... **Cirlex CL**

**Size**

**Web Code**  
 412-962-156  
 774-212-037  
 156-020-932

**Size**  
 100 x 140 mm  
 200 x 280 mm  
 597 x 597 mm

Quantity		
1pc	2pcs	5pcs
YEN 34800	YEN 59500	YEN 134000
YEN 105000	YEN 200000	YEN 486000
YEN 609000	YEN 1208000	

**IM303120**

Thickness ..... **1.5mm**

Grade ..... **Cirlex CL**

**Size**

**Web Code**  
 047-424-899  
 070-495-385  
 901-427-698

**Size**  
 140 x 140 mm  
 140 x 296 mm  
 296 x 296 mm

Quantity			
1pc	2pcs	5pcs	10pcs
YEN 46800	YEN 84000	YEN 195000	YEN 380000
YEN 86500	YEN 164000	YEN 394000	
YEN 171000	YEN 332000		

Polymer – Polyimide

**Polyimide**

**PI**



**Chopped Fibre**

Extension to break	%	30
Limiting Oxygen Index	%	38
Shrinkage @180C	%	<1
Specific Tenacity	cN/tex	38

**IM306560** Nominal Diameter ..... **0.014mm** Fibre length ..... **60mm**  
 Grade ..... **P84**

Web Code	Quantity	
	Weight	1 Pot
897-556-440	100 g	YEN 16200
194-554-533	200 g	YEN 20600
319-318-057	500 g	YEN 30600
914-752-200	1000 g	YEN 44000

These fibres are not circular and have a tex value of 0.22tex.



**Rod**

**IM307910** Diameter ..... **6.35mm** Grade ..... **Vespel SP1**

Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
240-308-960	50 mm	YEN 25400	YEN 40800	YEN 80000	YEN 145000
287-051-479	100 mm	YEN 38200	YEN 66500	YEN 144000	
041-209-172	200 mm	YEN 64000	YEN 118000		
193-443-599	300 mm	YEN 89500	YEN 169000		
206-318-996	500 mm	YEN 141000			

**IM307920** Diameter ..... **12.7mm** Grade ..... **Vespel SP1**

Web Code	Length	Quantity		
		1pc	2pcs	5pcs
232-702-391	50 mm	YEN 31800	YEN 53500	YEN 112000
881-829-621	100 mm	YEN 51000	YEN 92000	YEN 208000
600-511-478	200 mm	YEN 89500	YEN 169000	
996-645-436	400 mm	YEN 167000		

**IM307930** Diameter ..... **19mm** Grade ..... **Meldin 7001**

Web Code	Length	Quantity	
		1pc	2pcs
938-802-774	50 mm	YEN 34800	YEN 60000
613-665-294	100 mm	YEN 57000	YEN 105000
826-640-514	200 mm	YEN 102000	

**IM307940** Diameter ..... **25.4mm** Grade ..... **Vespel SP1**

Web Code	Length	Quantity	
		1pc	2pcs
083-037-902	50 mm	YEN 42000	YEN 70000
850-234-680	97 mm	YEN 66500	
003-707-292	200 mm	YEN 125000	

**IM307941** Diameter ..... **25.4mm** Grade ..... **Meldin 7001**

Web Code	Length	Quantity	
		1pc	2pcs
061-412-601	50 mm	YEN 38000	YEN 56500
172-835-516	100 mm	YEN 54500	YEN 99500
347-493-556	200 mm	YEN 97500	

**IM307950** Diameter ..... **38mm** Grade ..... **Meldin 7001**

Web Code	Length	Quantity		
		1pc	2pcs	5pcs
087-933-442	25 mm	YEN 30600	YEN 51500	YEN 110000
499-954-667	50 mm	YEN 50000	YEN 90500	YEN 208000
475-996-336	100 mm	YEN 89000	YEN 168000	

**IM307961** Diameter ..... **50.8mm** Grade ..... **Vespel SP1**

Web Code	Length	Quantity		
		1pc	2pcs	5pcs
859-950-840	25 mm	YEN 70000	YEN 119000	YEN 265000
854-116-493	50 mm	YEN 116000	YEN 211000	
556-511-250	100 mm	YEN 209000		

**IM307960** Diameter ..... **50.8mm** Grade ..... **Meldin 7001**

Web Code	Length	Quantity	
		1pc	2pcs
164-969-050	25 mm	YEN 68000	YEN 119000
950-735-329	50 mm	YEN 116000	

**Polymer – Polyimide**

**Polyimide**

**PI**



**Tube**

<b>IM307012</b>	Outside Diameter..... <b>0.168mm</b> Inside Diameter..... <b>0.122mm</b>	Wall Thickness..... <b>0.023mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
909-784-857			100 mm	YEN 13500	YEN 15600	YEN 18400	YEN 21800	YEN 26600	
804-630-120			200 mm	YEN 14900	YEN 17500	YEN 21600	YEN 26200	YEN 33400	
648-887-231			500 mm	YEN 17600	YEN 21400	YEN 27800	YEN 38600		
636-175-756			1000 mm	YEN 20800	YEN 25800	YEN 38400	YEN 66000		
<b>IM307013</b>	Outside Diameter..... <b>0.18mm</b> Inside Diameter..... <b>0.14mm</b>	Wall Thickness..... <b>0.02mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
264-086-625			100 mm	YEN 13500	YEN 15600	YEN 18400	YEN 21800	YEN 26600	
010-836-425			200 mm	YEN 14900	YEN 17500	YEN 21600	YEN 26200	YEN 33400	
354-560-036			500 mm	YEN 17600	YEN 21400	YEN 27800	YEN 38600		
320-011-853			1000 mm	YEN 20800	YEN 25800	YEN 38400			
<b>IM307014</b>	Outside Diameter..... <b>0.193mm</b> Inside Diameter..... <b>0.155mm</b>	Wall Thickness..... <b>0.019mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
649-454-464			100 mm	YEN 13500	YEN 15600	YEN 18400	YEN 21800	YEN 26600	
671-371-168			200 mm	YEN 14900	YEN 17500	YEN 21600	YEN 26200	YEN 33400	
040-903-179			500 mm	YEN 17600	YEN 21400	YEN 27800	YEN 38600		
122-719-796			1000 mm	YEN 20800	YEN 25800	YEN 38400			
<b>IM307015</b>	Outside Diameter..... <b>0.196mm</b> Inside Diameter..... <b>0.166mm</b>	Wall Thickness..... <b>0.015mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
260-701-951			100 mm	YEN 13500	YEN 15600	YEN 18400	YEN 21800	YEN 26600	
846-139-233			200 mm	YEN 14900	YEN 17500	YEN 21600	YEN 26200	YEN 33400	
649-935-390			500 mm	YEN 17600	YEN 21400	YEN 27800	YEN 38600		
228-625-615			1000 mm	YEN 20800	YEN 25800	YEN 38400			
<b>IM307016</b>	Outside Diameter..... <b>0.201mm</b> Inside Diameter..... <b>0.157mm</b>	Wall Thickness..... <b>0.022mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
810-062-961			100 mm	YEN 13500	YEN 15600	YEN 18400	YEN 21800	YEN 26600	
405-080-855			200 mm	YEN 14900	YEN 17500	YEN 21600	YEN 26200	YEN 33400	
610-853-703			500 mm	YEN 17600	YEN 21400	YEN 27800	YEN 38600		
180-259-949			1000 mm	YEN 20800	YEN 25800	YEN 38400			
<b>IM307030</b>	Outside Diameter..... <b>0.30mm</b> Inside Diameter..... <b>0.25mm</b>	Wall Thickness..... <b>0.025mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
001-477-090			100 mm	YEN 13200	YEN 15200	YEN 17900	YEN 21000	YEN 25400	
184-625-390			200 mm	YEN 14500	YEN 17100	YEN 20800	YEN 25000	YEN 31200	
078-170-690			500 mm	YEN 17100	YEN 20600	YEN 26600	YEN 34800		
771-330-907			1000 mm	YEN 20000	YEN 24800	YEN 34600			
<b>IM307040</b>	Outside Diameter..... <b>0.35mm</b> Inside Diameter..... <b>0.3mm</b>	Wall Thickness..... <b>0.025mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
308-394-858			100 mm	YEN 13200	YEN 15200	YEN 17900	YEN 21000	YEN 25400	
948-109-905			200 mm	YEN 14500	YEN 17100	YEN 20800	YEN 25000	YEN 31200	
372-502-547			500 mm	YEN 17100	YEN 20600	YEN 26600	YEN 34800		
864-943-590			1000 mm	YEN 20000	YEN 24800	YEN 34600			
<b>IM307046</b>	Outside Diameter..... <b>0.46mm</b> Inside Diameter..... <b>0.41mm</b>	Wall Thickness..... <b>0.025mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	<b>50pcs</b>
410-149-433			100 mm	YEN 11800	YEN 13200	YEN 14700	YEN 16400	YEN 19000	YEN 24400
731-227-574			150 mm	YEN 12200	YEN 13700	YEN 15500	YEN 17600	YEN 20800	
578-618-727			317 mm	YEN 13100	YEN 15100	YEN 17700	YEN 20600		
<b>IM307050</b>	Outside Diameter..... <b>0.55mm</b> Inside Diameter..... <b>0.5mm</b>	Wall Thickness..... <b>0.025mm</b>							
<b>Size</b>			<b>Quantity</b>						
<b>Web Code</b>			<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
416-372-471			100 mm	YEN 13200	YEN 15100	YEN 17800	YEN 20800	YEN 25200	
046-560-909			200 mm	YEN 14400	YEN 16900	YEN 20600	YEN 24800	YEN 30800	
820-124-631			500 mm	YEN 17000	YEN 20600	YEN 26200	YEN 33800		
515-580-935			1000 mm	YEN 19800	YEN 24600	YEN 33600			

**Polymer – Polyimide**

**Polyimide**

**PI**



**Tube**

<b>IM307055</b>	Outside Diameter..... <b>0.67mm</b>	Wall Thickness..... <b>0.025mm</b>					
	Inside Diameter..... <b>0.62mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
130-598-731		317 mm	YEN 15600	YEN 18500	YEN 23200	YEN 28400	YEN 40200
<b>IM307100</b>	Outside Diameter..... <b>1.05mm</b>	Wall Thickness..... <b>0.025mm</b>					
	Inside Diameter..... <b>1.0mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
447-618-773		100 mm	YEN 13200	YEN 15200	YEN 17800	YEN 20800	YEN 25400
952-348-564		200 mm	YEN 14500	YEN 17000	YEN 20800	YEN 25000	YEN 31000
043-574-474		500 mm	YEN 17000	YEN 20600	YEN 26400	YEN 34400	
446-805-965		1000 mm	YEN 19900	YEN 24600	YEN 34200		
<b>IM307101</b>	Outside Diameter..... <b>1.105mm</b>	Wall Thickness..... <b>0.05mm</b>					
	Inside Diameter..... <b>1.00mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
327-942-079		100 mm	YEN 15100	YEN 15900	YEN 17900	YEN 22400	YEN 30600
395-907-478		200 mm	YEN 15800	YEN 16900	YEN 21800	YEN 30400	YEN 46400
316-152-195		500 mm	YEN 17500	YEN 21600	YEN 33800	YEN 54000	
402-677-394		1000 mm	YEN 21400	YEN 29400	YEN 53500	YEN 94000	
<b>IM307190</b>	Outside Diameter..... <b>1.90mm</b>	Wall Thickness..... <b>0.050mm</b>					
	Inside Diameter..... <b>1.80mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
246-264-484		100 mm	YEN 13400	YEN 15100	YEN 18500	YEN 22400	YEN 27800
962-487-409		200 mm	YEN 15000	YEN 17300	YEN 22000	YEN 27600	YEN 36200
654-324-154		500 mm	YEN 18200	YEN 21800	YEN 29200	YEN 42200	
357-429-663		1000 mm	YEN 21800	YEN 26800	YEN 41800		
<b>IM307199</b>	Outside Diameter..... <b>1.99mm</b>	Wall Thickness..... <b>0.032mm</b>					
	Inside Diameter..... <b>1.93mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
762-704-620		100 mm	YEN 14400	YEN 15700	YEN 18500	YEN 22000	YEN 27800
940-677-473		200 mm	YEN 15500	YEN 17300	YEN 21000	YEN 25600	
972-886-554		500 mm	YEN 17700	YEN 20400	YEN 27600		
049-882-123		1000 mm	YEN 20200	YEN 24000	YEN 42800		
014-301-762		1397 mm	YEN 21800	YEN 28800			
<b>IM307200</b>	Outside Diameter..... <b>2.10mm</b>	Wall Thickness..... <b>0.05mm</b>					
	Inside Diameter..... <b>2.0mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
850-737-559		100 mm	YEN 13800	YEN 16100	YEN 19200	YEN 22800	YEN 28200
342-198-637		200 mm	YEN 15400	YEN 18300	YEN 22600	YEN 27800	YEN 36400
774-836-058		500 mm	YEN 18400	YEN 22600	YEN 29600	YEN 42400	
854-511-269		1000 mm	YEN 22000	YEN 27400	YEN 42200	YEN 73500	
<b>IM307300</b>	Outside Diameter..... <b>3.0mm</b>	Wall Thickness..... <b>0.03mm</b>					
	Inside Diameter..... <b>2.94mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
278-183-541		100 mm	YEN 12400	YEN 14100	YEN 16100	YEN 18500	YEN 22000
753-674-578		200 mm	YEN 13400	YEN 15500	YEN 18300	YEN 21600	YEN 26200
661-190-581		500 mm	YEN 15300	YEN 18200	YEN 22600	YEN 27600	
501-316-517		1000 mm	YEN 17500	YEN 21200	YEN 27400	YEN 36000	
Thin-walled tube, spirally wound from Kapton® film.							
<b>IM307320</b>	Outside Diameter..... <b>3.48mm</b>	Wall Thickness..... <b>0.14mm</b>					
	Inside Diameter..... <b>3.2mm</b>						
<b>Size</b>		<b>Quantity</b>					
<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
072-777-002		100 mm	YEN 12400	YEN 14100	YEN 16200	YEN 18500	YEN 22000
547-874-729		200 mm	YEN 13400	YEN 15500	YEN 18300	YEN 21600	YEN 26400
041-694-488		500 mm	YEN 15400	YEN 18200	YEN 22600	YEN 27800	
763-516-532		1000 mm	YEN 17500	YEN 21400	YEN 27600	YEN 36000	

Polymer – Polyimide

## Polyimide

### PI



## Tube

<b>IM307400</b>	Outside Diameter . . . . .	<b>4.2mm</b>	Wall Thickness . . . . .					<b>0.07mm</b>
	Inside Diameter . . . . .	<b>4.06mm</b>						
	<b>Size</b>		<b>Quantity</b>					
	<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
	571-341-236	100 mm	YEN 12600	YEN 14300	YEN 16400	YEN 18900	YEN 22400	
	417-651-042	200 mm	YEN 13600	YEN 15700	YEN 18700	YEN 22000	YEN 27000	
	206-375-926	500 mm	YEN 15600	YEN 18600	YEN 23200	YEN 28600		
	796-991-453	1000 mm	YEN 17900	YEN 21800	YEN 28400			
Thin-walled tube, spirally wound from Kapton® film.								
<b>IM307500</b>	Outside Diameter . . . . .	<b>5.0mm</b>	Wall Thickness . . . . .					<b>0.075mm</b>
	Inside Diameter . . . . .	<b>4.85mm</b>						
	<b>Size</b>		<b>Quantity</b>					
	<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
	043-187-478	100 mm	YEN 11800	YEN 13200	YEN 14700	YEN 16400	YEN 19000	
	794-550-662	200 mm	YEN 12500	YEN 14200	YEN 16200	YEN 18600	YEN 22000	
	176-759-168	500 mm	YEN 13900	YEN 16100	YEN 19300	YEN 23000		
	054-556-833	1000 mm	YEN 15400	YEN 18300	YEN 22800			
Thin-walled tube, spirally wound from Kapton® film.								
<b>IM307600</b>	Outside Diameter . . . . .	<b>6.0mm</b>	Wall Thickness . . . . .					<b>0.075mm</b>
	Inside Diameter . . . . .	<b>5.85mm</b>						
	<b>Size</b>		<b>Quantity</b>					
	<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
	247-871-096	100 mm	YEN 11900	YEN 13300	YEN 14900	YEN 16800	YEN 19500	
	409-842-963	200 mm	YEN 12600	YEN 14400	YEN 16600	YEN 19100	YEN 22800	
	108-159-597	500 mm	YEN 14100	YEN 16500	YEN 19900	YEN 23800		
	578-936-757	1000 mm	YEN 15800	YEN 18900	YEN 23600			
Thin-walled tube, spirally wound from Kapton® film.								
<b>IM307820</b>	Outside Diameter . . . . .	<b>10.0mm</b>	Wall Thickness . . . . .					<b>0.085mm</b>
	Inside Diameter . . . . .	<b>9.83mm</b>						
	<b>Size</b>		<b>Quantity</b>					
	<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	924-696-512	100 mm	YEN 18800	YEN 23000	YEN 29800	YEN 46200		
	540-195-715	200 mm	YEN 22200	YEN 27800	YEN 46000			
	832-403-227	500 mm	YEN 29000	YEN 45800				
	346-162-463	1000 mm	YEN 45200					
Thin-walled tube, spirally wound from Kapton® film.								
<b>IM307828</b>	Outside Diameter . . . . .	<b>10.28mm</b>	Wall Thickness . . . . .					<b>0.14mm</b>
	Inside Diameter . . . . .	<b>10.0mm</b>						
	<b>Size</b>		<b>Quantity</b>					
	<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>
	670-059-521	100 mm	YEN 17700	YEN 21600	YEN 28000	YEN 45200	YEN 79500	
	689-544-734	200 mm	YEN 20800	YEN 26000	YEN 45000	YEN 79500	YEN 148000	
	127-069-947	500 mm	YEN 27200	YEN 45000	YEN 96000	YEN 182000		
	072-190-212	1000 mm	YEN 44200	YEN 79000	YEN 181000			
Thin-walled tube, spirally wound from Kapton® film.								
<b>IM307840</b>	Outside Diameter . . . . .	<b>30.6mm</b>	Wall Thickness . . . . .					<b>0.3mm</b>
	Inside Diameter . . . . .	<b>30.0mm</b>						
	<b>Size</b>		<b>Quantity</b>					
	<b>Web Code</b>		<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>		
	942-279-145	220 mm	YEN 27000	YEN 32400	YEN 41800			
Thin-walled tube, spirally wound from Kapton® film.								

## INDEX

### C

Chopped Fibre, Polyimide 27

### F

Film, Polyimide 20

### K

Kapton 20

Kinel 20

### L

Laminate, Polyimide 25

### M

Metallised Film, Polyimide 24

### P

Polyimide (PI) 20

### R

Rod, Polyimide 27

### S

Sheet, Polyimide 26

### T

Tube, Polyimide 28

### U

Upilex 20

Upimol 20

### V

Vespel 20