

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



**Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England

Tel: +44 1480 424 800  
or +44 1480 424 800  
Fax: +44 1480 424 900  
or +44 1480 424 900

**Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

**Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

**Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

**Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040

The People's Republic of China  
Tel: 00 86 21 6112 1560

# Standard Price List for Lead

## CONTENTS

<b>Introduction</b>	4
<b>Product Descriptions</b>	5
<b>Hazards Information</b>	10
<b>General Information</b>	11
<b>Order information</b>	12
<b>Company Details</b>	15
<b>Conditions of Sale</b>	16
<b>Metal</b>	20
<b>INDEX</b>	38

---

## Introduction

---

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at [www.goodfellow.com](http://www.goodfellow.com).

### Materials

#### ***Metals and Alloys***

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

#### ***Ceramics***

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit [www.goodfellow-ceramics.com](http://www.goodfellow-ceramics.com) for further information.

#### ***Polymers***

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

#### ***Compounds & Intermetallics***

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

#### ***Composites***

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

#### ***Glasses***

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

**Product Descriptions**



**Bar**

A straight length of rectangular, square or oval section material.

**Tolerances**

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



**Bolt**

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.6.7M-1985



**Chopped Fibre**

Fibres cut into short lengths called cut, staple or chopped fibre.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Crucible**

A vessel in which other materials may be heated or melted, usually at high temperatures.

**Tolerances**

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



**Fabric**

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

**Tolerances**

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



**Fibre**

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Film**

A non-metallic sheet material with a thickness < 0.5mm.

**Tolerances**

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



**Flake**

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Foam**

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



**Foil**

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

**Tolerances**

Thickness: < 0.010mm ± 25%  
 0.01-0.05mm ± 15%  
 > 0.050mm ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%



**Granule**

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

**Tolerances**

Dimensions shown are nominal



**Honeycomb**

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



**Insulated Wire**

A single or multiple flexible strand of metal or alloy with an insulating sheath.

**Tolerances**

Wire diameter: ± 10%  
 Length: + 5% / -1%  
 Insulation thickness: Nominal values only



**Laminate**

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

**Tolerances**

Thickness: ± 10%  
 Size (linear dimension): ≤ 100mm ± 1mm  
 > 100mm + 2% / -1%



**Lump**

A solid piece of material with no defined shape.

**Tolerances**

Dimensions shown are nominal



**Mesh**

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

**Tolerances**

Thickness: woven: ± 10%  
 electroformed: ± 20%  
 Wire diameter: ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%

**Product Descriptions**



**Metallised Film**

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

**Tolerances**

Thickness:  $\pm 10\%$   
 Size (linear dimension):  $< 100\text{mm}$   $\pm 1\text{mm}$   
 $\geq 100\text{mm}$   $+2\% / -1\%$



**Microfoil**

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Microleaf**

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Monofilament**

A single strand of a non-metallic material.

**Tolerances**

Diameter:  $\pm 20\%$   
 Length:  $+5\% / -1\%$



**Non-Woven Fabric**

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

**Tolerances**

Size (linear dimension):  $< 100\text{mm}$   $\pm 5\text{mm}$   
 $> 100\text{mm}$   $\pm 5\%$



**Nut**

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.2.4.1M-1979  
 (R1995)



**Powder**

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Rod**

A straight length of circular section material.

**Tolerances**

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Sheet**

Flat material with a thickness > 0.5mm.

**Tolerances**

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



**Single Crystal**

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

**Tolerances**

Orientation:	± 3°
Size:	Sizes shown are nominal



**Sphere**

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

**Tolerances**

Diameter (standard):	± 5%
Diameter (precision):	see item



**Sputtering Target**

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

**Tolerances**

Thickness:	± 0.5mm
Size:	± 0.5mm



**Tube**

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

**Tolerances**

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:		± 10%
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Washer**

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

**Tolerances**

Ceramics:	see item
-----------	----------



---

## Product Descriptions

---



### Wire

A single or multiple flexible strand of pure metal or alloy.

#### Tolerances

Wire diameter:  $\pm 10\%$   
Length:  $+ 5\% / -1\%$

## Hazards Information

### HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

### HAZARD SYMBOLS



C

#### Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

#### Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

#### Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

#### Extremely flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

#### Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

#### Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

#### Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

#### Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

#### Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

#### Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

## General Information

### Analyses

#### Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

#### Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

#### High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

### Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

### Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

### Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

### Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

### Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

---

## Order information

---

### General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

### Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

### Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Delivery

#### Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

#### Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

#### Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

#### Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

### Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

### Despatch

Orders will normally be despatched within 48 hours of receipt.

### Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

### Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

### Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

### Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

### Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

---

## Order information

---

### Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

### Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

### VAT

VAT number: GB 212 8527 79

### UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

### EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

### Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

### Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

### Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

### Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

### Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

### Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

### Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

---

## Order information

---

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at [www.goodfellow.com](http://www.goodfellow.com) or [www.goodfellowusa.com](http://www.goodfellowusa.com).

---

## Company Details

---

### Company Structure

The Goodfellow Group consists of five companies:

#### ***Goodfellow Cambridge Limited***

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

#### ***Goodfellow Corporation***

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

#### ***Goodfellow GmbH***

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

#### ***Goodfellow SARL***

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

#### ***Goodfellow (Shanghai) Trading Co., Ltd***

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England  
Registered in England and Wales no. 1188162  
VAT registration GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040  
The People's Republic of China

# Conditions of Sale

## 1 GENERAL

### 1.1 In these Conditions:

#### 1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

#### 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

### 8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

### 9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

### 10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

### 11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

### 12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Conditions of Sale

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

## Lead

## Pb

Lead has been known of and used since prehistoric times.

Lead is a soft, malleable and ductile metal. It has an abundance in the earth's crust of 14 ppm., the main source of the metal being the ore "galena", lead (II) sulphide (PbS) which occurs as grey cubic crystals, often in conjunction with "sphalerite", the equivalent sulphide of zinc.

Lead oxidises readily in moist air, is stable to oxygen and water, but dissolves in nitric acid. It is a poor electrical and thermal conductor but has reasonable corrosion resistance. Applications for this metal are wide and varied; for example, its relative imperviousness to radiation makes it ideal as radiation shielding material for use with X-ray equipment. Lead is also used in ceramic glazes, batteries, paints, as a fuel additive in petrol (lead tetraethyl) and as a prime constituent of soft solders. However, its use is now being discouraged as lead is now known to be detrimental to health, particularly to that of children.

### Atomic Properties

Atomic number	82
Atomic radius - Goldschmidt	0.175 nm
Atomic weight	207.2 amu
Crystal structure	Face centred cubic
Electronic structure	Xe 4f <sup>14</sup> 5d <sup>10</sup> 6s <sup>2</sup> 6p <sup>2</sup>
Photo-electric work function	4.0 eV
Thermal neutron absorption cross-section	0.18 Barns
Valences shown	2, 4

### Physical Properties

Boiling point	1740 C
Density @20C	11.35 g cm <sup>-3</sup>
Melting point	327.5 C

### Electrical Properties

Electrical resistivity @20C	20.6 µOhmcm
Temperature coefficient @0-100C	0.0042 K <sup>-1</sup>
Superconductivity critical temperature	7.196 K
Thermal emf against Pt (cold 0C - hot 100C)	+0.44 mV

### Natural isotope distribution

Mass No.	%
204	1.4
206	24.1
207	22.1
208	52.4

### Thermal Properties

Coefficient of thermal expansion @0-100C	29.0 x10 <sup>-6</sup> K <sup>-1</sup>
Latent heat of evaporation	862 J g <sup>-1</sup>
Latent heat of fusion	23.2 J g <sup>-1</sup>
Specific heat @25C	159 J K <sup>-1</sup> kg <sup>-1</sup>
Thermal conductivity @0-100C	35.3 W m <sup>-1</sup> K <sup>-1</sup>

### Ionisation potential

No.	eV
1	7.42
2	15.03
3	31.9
4	42.3
5	68.8

### Mechanical Properties

Material condition	Sand cast Polycrystalline
Bulk modulus	45.8 GPa
Hardness - Mohs	1.5
Poisson's ratio	0.44
Tensile modulus	16.1 GPa
Tensile strength	12 MPa
Yield strength	5.5 MPa



## Microfoil

CONTRACT COATING of customers' own components or assemblies is available to special order.

<b>PB004010</b>	Thinness.....	<b>0.001µm</b>	Area density.....	<b>1.135µg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5µm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
327-819-999	10 mm	EUR 370.00	EUR 516.00	EUR 955.00	EUR 1540.00

Typical Analysis : Starting Material : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PB004200</b>	Thinness.....	<b>0.025µm</b>	Area density.....	<b>30.9µg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5µm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
649-611-639	10 mm	EUR 262.00	EUR 355.00	EUR 633.00	EUR 1004.00

Typical Analysis : Starting Material : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PB004500</b>	Thinness.....	<b>0.1µm</b>	Area density.....	<b>103.4µg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5µm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
130-652-184	10 mm	EUR 272.00	EUR 370.00	EUR 662.00	EUR 1052.00

Typical Analysis : Starting Material : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.  
 This item is normally made to order for delivery within 4-5 weeks.

<b>PB004600</b>	Thinness.....	<b>0.25µm</b>	Area density.....	<b>266.7µg.cm<sup>-2</sup></b>	
	Purity.....	<b>99.99+%</b>	Support.....	<b>Permanent Mylar 3.5µm</b>	
<b>Quantity</b>					
<b>Web Code</b>	<b>Disc diam.</b>	<b>1 disc</b>	<b>2discs</b>	<b>5discs</b>	<b>10discs</b>
474-607-532	10 mm	EUR 301.00	EUR 414.00	EUR 750.00	EUR 1199.00
742-660-612	25 mm	EUR 451.00	EUR 638.00	EUR 1199.00	EUR 1946.00

Typical Analysis : Starting Material : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.  
 This item is normally made to order for delivery within 4-5 weeks.

**Lead**

**Pb**



**Microfoil**

**PB004850**

Thickness ..... **1.0µm** Area density ..... **1047.8µg.cm<sup>-2</sup>**  
 Purity ..... **99.99+%** Support ..... **Permanent Mylar 3.5µm**

Web Code	Disc diam.	Quantity			
		1 disc	2discs	5discs	10discs
898-320-330	10 mm	EUR 370.00	EUR 516.00	EUR 955.00	EUR 1540.00
255-146-700	25 mm	EUR 565.00	EUR 809.00	EUR 1540.00	EUR 2515.00

Typical Analysis : Starting Material : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.  
 This item is normally made to order for delivery within 4-5 weeks.



**Foil**

**PB000020**

Thickness ..... **0.001mm** Purity ..... **99.99%**  
 Support ..... **Temporary Acrylic**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
575-635-780	25 x 25 mm	EUR 351.00	EUR 457.00	EUR 678.00
727-094-540	50 x 50 mm	EUR 586.00	EUR 791.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000030**

Thickness ..... **0.002mm** Purity ..... **99.99%**  
 Support ..... **Temporary Acrylic**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
090-991-971	25 x 25 mm	EUR 337.00	EUR 438.00	EUR 648.00
673-694-385	50 x 50 mm	EUR 559.00	EUR 759.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000040**

Thickness ..... **0.0025mm** Purity ..... **99.99%**  
 Support ..... **Temporary Acrylic**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
871-247-872	25 x 25 mm	EUR 324.00	EUR 419.00	EUR 617.00
115-477-504	50 x 50 mm	EUR 532.00	EUR 731.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000050**

Thickness ..... **0.003mm** Purity ..... **99.99%**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
076-848-690	25 x 25 mm	EUR 311.00	EUR 401.00	EUR 588.00
425-927-325	50 x 50 mm	EUR 506.00	EUR 705.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000060**

Thickness ..... **0.004mm** Purity ..... **99.99%**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
958-858-141	25 x 25 mm	EUR 297.00	EUR 382.00	EUR 559.00
473-674-011	50 x 50 mm	EUR 480.00	EUR 677.00	
539-716-010	100 x 100 mm	EUR 1220.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000065**

Thickness ..... **0.0045mm** Purity ..... **99.99%**

Web Code	Size	Quantity		
		1pc	2pcs	3pcs
716-424-827	25 x 25 mm	EUR 288.00	EUR 374.00	EUR 440.00
125-617-808	50 x 50 mm	EUR 477.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000070**

Thickness ..... **0.005mm** Purity ..... **99.99%**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
679-597-147	25 x 25 mm	EUR 285.00	EUR 365.00	EUR 531.00
444-020-602	50 x 50 mm	EUR 455.00	EUR 651.00	
343-046-221	100 x 100 mm	EUR 1170.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

**PB000080**

Thickness ..... **0.006mm**

Purity..... **99.99%**

**Sizes LT**

**Web Code**  
 406-366-508  
 318-812-034  
 650-886-819

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 273.00	EUR 347.00	EUR 503.00
50 x 50 mm	EUR 430.00	EUR 623.00	
100 x 100 mm	EUR 1112.00		

**Discs**

**Web Code**  
 372-109-687  
 513-700-957  
 212-612-605  
 576-575-491  
 071-931-127

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 339.00	EUR 409.00	EUR 582.00
6 mm	EUR 384.00	EUR 473.00	EUR 685.00
8 mm	EUR 429.00	EUR 538.00	EUR 790.00
10 mm	EUR 475.00	EUR 603.00	EUR 955.00
15 mm	EUR 586.00	EUR 791.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000090**

Thickness ..... **0.007mm**

Purity..... **99.99%**

**NLT Sizes**

**Web Code**  
 054-279-639  
 973-042-610  
 362-390-692

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 271.00	EUR 345.00	EUR 500.00
50 x 50 mm	EUR 427.00	EUR 613.00	
100 x 100 mm	EUR 1093.00		

**Sizes LT**

**Web Code**  
 753-560-951

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 298.00	EUR 379.00	EUR 550.00

**Discs**

**Web Code**  
 769-699-408  
 212-435-297  
 554-402-559  
 300-315-464  
 539-432-954

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 338.00	EUR 408.00	EUR 580.00
6 mm	EUR 383.00	EUR 471.00	EUR 682.00
8 mm	EUR 428.00	EUR 535.00	EUR 786.00
10 mm	EUR 473.00	EUR 600.00	EUR 944.00
15 mm	EUR 583.00	EUR 781.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000100**

Thickness ..... **0.008mm**

Purity..... **99.99%**

**NLT Sizes**

**Web Code**  
 666-016-619  
 785-743-593  
 961-666-153

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 261.00	EUR 330.00	EUR 477.00
50 x 50 mm	EUR 407.00	EUR 597.00	
100 x 100 mm	EUR 1062.00		

**Sizes LT**

**Web Code**  
 448-589-534  
 037-392-825

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 287.00	EUR 363.00	EUR 525.00
50 x 50 mm	EUR 488.00	EUR 717.00	

**Discs**

**Web Code**  
 010-107-657  
 263-454-481  
 931-800-788  
 475-091-400  
 386-425-088

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 333.00	EUR 400.00	EUR 567.00
6 mm	EUR 374.00	EUR 459.00	EUR 663.00
8 mm	EUR 416.00	EUR 519.00	EUR 760.00
10 mm	EUR 458.00	EUR 580.00	EUR 926.00
15 mm	EUR 561.00	EUR 765.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000110**

Thickness ..... **0.009mm**

Purity..... **99.99%**

**NLT Sizes**

**Web Code**  
 539-910-298  
 179-592-255  
 953-731-649

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 251.00	EUR 317.00	EUR 455.00
50 x 50 mm	EUR 388.00	EUR 585.00	
100 x 100 mm	EUR 1036.00		

**Sizes LT**

**Web Code**  
 335-535-042  
 016-648-617

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 276.00	EUR 348.00	EUR 501.00
50 x 50 mm	EUR 465.00	EUR 702.00	

**Discs**

**Web Code**  
 244-085-922  
 510-749-731  
 843-719-574  
 464-937-692  
 117-203-937

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 327.00	EUR 392.00	EUR 555.00
6 mm	EUR 366.00	EUR 448.00	EUR 645.00
8 mm	EUR 405.00	EUR 504.00	EUR 736.00
10 mm	EUR 445.00	EUR 561.00	EUR 912.00
15 mm	EUR 541.00	EUR 752.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

**PB000120**

Thickness ..... **0.01mm**

Purity..... **99.99%**

**NLT Sizes**

**Web Code**

202-032-656  
 060-417-757  
 826-900-508

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 249.00	EUR 313.00	EUR 450.00
50 x 50 mm	EUR 383.00	EUR 569.00	
100 x 100 mm	EUR 1004.00		

**Sizes LT**

**Web Code**

265-209-488  
 944-493-589

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 274.00	EUR 345.00	EUR 495.00
50 x 50 mm	EUR 459.00	EUR 683.00	

**Discs**

**Web Code**

024-523-623  
 065-451-678  
 181-451-776  
 681-471-962  
 183-997-749

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 326.00	EUR 390.00	EUR 552.00
6 mm	EUR 364.00	EUR 445.00	EUR 640.00
8 mm	EUR 403.00	EUR 500.00	EUR 729.00
10 mm	EUR 442.00	EUR 556.00	EUR 893.00
15 mm	EUR 536.00	EUR 736.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000130**

Thickness ..... **0.0125mm**

Purity..... **99.99%**

**NLT Sizes**

**Web Code**

526-599-401  
 911-129-812  
 476-814-333

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 227.00	EUR 282.00	EUR 400.00
50 x 50 mm	EUR 338.00	EUR 515.00	
100 x 100 mm	EUR 896.00		

**Sizes LT**

**Web Code**

480-165-716  
 967-044-663

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 249.00	EUR 310.00	EUR 440.00
50 x 50 mm	EUR 406.00	EUR 618.00	

**Discs**

**Web Code**

316-905-828  
 613-227-232  
 653-411-778  
 676-473-476  
 559-177-266

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 314.00	EUR 373.00	EUR 524.00
6 mm	EUR 345.00	EUR 418.00	EUR 597.00
8 mm	EUR 378.00	EUR 464.00	EUR 672.00
10 mm	EUR 410.00	EUR 511.00	EUR 831.00
15 mm	EUR 489.00	EUR 681.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000140**

Thickness ..... **0.015mm**

Purity..... **99.99%**

**NLT Sizes**

**Web Code**

219-873-004  
 731-726-284  
 668-101-465

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 199.00	EUR 243.00	EUR 361.00
50 x 50 mm	EUR 284.00	EUR 461.00	
100 x 100 mm	EUR 789.00		

**Sizes LT**

**Web Code**

540-935-957  
 969-401-214

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 219.00	EUR 267.00	EUR 398.00
50 x 50 mm	EUR 340.00	EUR 553.00	

**Discs**

**Web Code**

985-339-748  
 167-470-386  
 933-789-437  
 723-687-476  
 460-930-463

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 298.00	EUR 351.00	EUR 490.00
6 mm	EUR 322.00	EUR 385.00	EUR 545.00
8 mm	EUR 347.00	EUR 420.00	EUR 630.00
10 mm	EUR 371.00	EUR 456.00	EUR 769.00
15 mm	EUR 431.00	EUR 626.00	

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

**PB000210**

Thickness ..... **0.016mm**  
 Temper ..... **As rolled**

Purity ..... **96%**  
 Composition ..... **Pb 96%, Sn 1.5%, Sb 2.5%**

**NLT Sizes**

**Web Code**  
 911-865-227

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
300 x 300 mm	EUR 162.00	EUR 196.00	EUR 266.00	EUR 348.00	

**Sizes LT**

**Web Code**  
 379-410-371  
 548-023-026  
 758-686-112  
 332-959-564

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 91.50	EUR 96.50	EUR 108.00	EUR 125.00	EUR 155.00
50 x 50 mm	EUR 98.00	EUR 105.00	EUR 122.00	EUR 145.00	EUR 183.00
100 x 100 mm	EUR 111.00	EUR 124.00	EUR 151.00	EUR 186.00	EUR 241.00
150 x 150 mm	EUR 124.00	EUR 142.00	EUR 180.00	EUR 226.00	EUR 298.00

**Coil**

**Web Code**  
 839-259-282  
 022-677-151  
 181-346-690  
 411-619-575

Length	Quantity	
	1 Reel	
0.5 m	EUR 219.00	
1 m	EUR 261.00	
2 m	EUR 320.00	
5 m	EUR 452.00	

Typical Analysis : Pb 96%, Sn 1.5%, Sb2.5%.  
 Tolerance on thickness : +/-20%.

**PB000150**

Thickness ..... **0.02mm**

Purity ..... **99.99%**

**NLT Sizes**

**Web Code**  
 961-620-371  
 160-990-160  
 590-732-177  
 299-697-241

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 198.00	EUR 241.00	EUR 355.00
50 x 50 mm	EUR 281.00	EUR 451.00	EUR 969.00
100 x 100 mm	EUR 769.00	EUR 1433.00	
150 x 150 mm	EUR 1587.00		

**Sizes LT**

**Web Code**  
 174-939-694  
 751-872-776

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 218.00	EUR 265.00	EUR 391.00
50 x 50 mm	EUR 337.00	EUR 542.00	EUR 1163.00

**Discs**

**Web Code**  
 683-797-993  
 474-749-161  
 343-643-819  
 955-482-814  
 435-355-725  
 419-466-335

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 298.00	EUR 350.00	EUR 488.00
6 mm	EUR 321.00	EUR 384.00	EUR 543.00
8 mm	EUR 345.00	EUR 418.00	EUR 623.00
10 mm	EUR 370.00	EUR 453.00	EUR 758.00
15 mm	EUR 428.00	EUR 616.00	EUR 1214.00
25 mm	EUR 709.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000160**

Thickness ..... **0.025mm**

Purity ..... **99.99%**

**NLT Sizes**

**Web Code**  
 919-765-961  
 009-283-355  
 093-163-792

Size	Quantity		
	1pc	2pcs	5pcs
50 x 50 mm	EUR 271.00	EUR 435.00	EUR 929.00
100 x 100 mm	EUR 738.00	EUR 1369.00	
150 x 150 mm	EUR 1516.00		

**Sizes LT**

**Web Code**  
 157-511-224  
 340-896-889  
 753-684-700

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 190.00	EUR 230.00	EUR 346.00
50 x 50 mm	EUR 298.00	EUR 479.00	EUR 1022.00
100 x 100 mm	EUR 885.00	EUR 1643.00	

**Discs**

**Web Code**  
 685-196-380  
 649-539-739  
 192-468-881  
 058-607-394  
 325-916-625  
 739-576-188

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 293.00	EUR 343.00	EUR 478.00
6 mm	EUR 314.00	EUR 374.00	EUR 527.00
8 mm	EUR 336.00	EUR 405.00	EUR 611.00
10 mm	EUR 358.00	EUR 437.00	EUR 740.00
15 mm	EUR 411.00	EUR 600.00	EUR 1173.00
25 mm	EUR 687.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**Metal – Lead**



**Lead**

**Pb**



**Foil**

**PB000220**

Thickness ..... **0.025mm**  
 Temper ..... **As rolled**

Purity ..... **97%**  
 Composition ..... **Pb 97%, Sn 1.5%, Sb 1.5%**

**NLT Sizes**

Web Code	Size	Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
408-558-003	250 x 300 mm	EUR 147.00	EUR 175.00	EUR 233.00	EUR 301.00	

**Sizes LT**

Web Code	Size	Quantity				
		1pc	2pcs	5pcs	10pcs	20pcs
925-561-315	25 x 25 mm	EUR 90.50	EUR 95.00	EUR 106.00	EUR 122.00	EUR 151.00
076-722-712	50 x 50 mm	EUR 96.50	EUR 103.00	EUR 119.00	EUR 140.00	EUR 177.00
381-827-652	100 x 100 mm	EUR 108.00	EUR 119.00	EUR 144.00	EUR 176.00	EUR 228.00
587-240-066	150 x 150 mm	EUR 119.00	EUR 135.00	EUR 170.00	EUR 212.00	EUR 278.00

Typical Analysis : Pb 97%, Sn 1.5%, Sb 1.5%.  
 Tolerance on thickness : +/-20%.

**PB000170**

Thickness ..... **0.03mm**

Purity ..... **99.99%**

**NLT Sizes**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
063-547-053	50 x 50 mm	EUR 281.00	EUR 451.00	EUR 969.00
804-278-432	100 x 100 mm	EUR 769.00	EUR 1433.00	
657-426-778	150 x 150 mm	EUR 1587.00		

**Sizes LT**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
889-893-273	25 x 25 mm	EUR 198.00	EUR 241.00	EUR 355.00
833-730-595	50 x 50 mm	EUR 309.00	EUR 496.00	EUR 1066.00
293-668-485	100 x 100 mm	EUR 923.00	EUR 1719.00	

**Discs**

Web Code	Diameter	Quantity		
		10 discs	20 discs	50 discs
599-726-869	4 mm	EUR 298.00	EUR 350.00	EUR 488.00
965-855-427	6 mm	EUR 321.00	EUR 384.00	EUR 543.00
731-935-422	8 mm	EUR 345.00	EUR 418.00	EUR 623.00
491-926-788	10 mm	EUR 370.00	EUR 453.00	EUR 758.00
490-841-394	15 mm	EUR 428.00	EUR 616.00	EUR 1214.00
355-166-289	25 mm	EUR 709.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000180**

Thickness ..... **0.04mm**

Purity ..... **99.99%**

**NLT Sizes**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
124-215-729	100 x 100 mm	EUR 789.00	EUR 1471.00	
445-069-974	150 x 150 mm	EUR 1630.00		

**Sizes LT**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
647-471-097	25 x 25 mm	EUR 199.00	EUR 243.00	EUR 361.00
275-917-673	50 x 50 mm	EUR 284.00	EUR 461.00	EUR 993.00
135-564-480	100 x 100 mm	EUR 867.00	EUR 1618.00	

**Discs**

Web Code	Diameter	Quantity		
		10 discs	20 discs	50 discs
015-673-028	4 mm	EUR 298.00	EUR 351.00	EUR 490.00
959-129-946	6 mm	EUR 322.00	EUR 385.00	EUR 545.00
891-241-830	8 mm	EUR 347.00	EUR 420.00	EUR 630.00
405-225-208	10 mm	EUR 371.00	EUR 456.00	EUR 769.00
653-153-588	15 mm	EUR 431.00	EUR 626.00	EUR 1238.00
644-197-568	25 mm	EUR 722.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000240**

Thickness ..... **0.05mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

Web Code	Size	Quantity		
		1pc	2pcs	5pcs
892-384-048	25 x 25 mm	EUR 193.00	EUR 233.00	EUR 323.00
548-008-160	50 x 50 mm	EUR 276.00	EUR 421.00	

Typical Analysis : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.

**PB000260**

Thickness ..... **0.05mm**  
 Temper ..... **As rolled**

Purity ..... **96%**  
 Composition ..... **Pb 96%, Sn 1.5%, Sb 2.5%**

**Sizes LT**

Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
296-712-186	150 x 150 mm	EUR 115.00	EUR 129.00	EUR 160.00	EUR 198.00

Typical Analysis : Pb 96%, Sn 1.5%, Sb2.5%.  
 Tolerance on thickness : +/-20%.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

**PB000190**

Thickness ..... **0.05mm**

Purity ..... **99.99%**

**NLT Sizes**

**Web Code**

582-855-369  
 037-822-801  
 255-064-132  
 456-163-618

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 208.00	EUR 255.00	EUR 372.00
50 x 50 mm	EUR 301.00	EUR 478.00	EUR 1036.00
100 x 100 mm	EUR 823.00	EUR 1541.00	
150 x 150 mm	EUR 1709.00		

**Sizes LT**

**Web Code**

080-566-499  
 544-296-113

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 229.00	EUR 281.00	EUR 410.00
50 x 50 mm	EUR 361.00	EUR 574.00	EUR 1244.00

**Discs**

**Web Code**

622-583-174  
 822-899-429  
 862-435-201  
 804-404-770  
 550-594-869  
 824-357-546

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 303.00	EUR 358.00	EUR 501.00
6 mm	EUR 330.00	EUR 396.00	EUR 562.00
8 mm	EUR 357.00	EUR 434.00	EUR 643.00
10 mm	EUR 384.00	EUR 474.00	EUR 789.00
15 mm	EUR 450.00	EUR 644.00	EUR 1282.00
25 mm	EUR 747.00		

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.

**PB000261**

Thickness ..... **0.05mm**  
 Temper ..... **As rolled**

Purity ..... **97%**  
 Composition ..... **Pb 97%, Sn 1.5%, Sb 1.5%**

**NLT Sizes**

**Web Code**

516-510-758  
 103-390-404

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
150 x 150 mm	EUR 117.00	EUR 133.00	EUR 166.00	EUR 207.00	EUR 270.00
300 x 300 mm	EUR 150.00	EUR 179.00	EUR 238.00	EUR 309.00	

**Sizes LT**

**Web Code**

058-583-761  
 928-019-762  
 133-793-068  
 790-555-676

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 90.50	EUR 95.00	EUR 106.00	EUR 121.00	EUR 150.00
50 x 50 mm	EUR 96.00	EUR 102.00	EUR 118.00	EUR 138.00	EUR 174.00
100 x 100 mm	EUR 107.00	EUR 118.00	EUR 142.00	EUR 173.00	EUR 222.00
150 x 150 mm	EUR 141.00	EUR 160.00	EUR 199.00	EUR 248.00	EUR 325.00

**Coil**

**Web Code**

183-535-834  
 010-439-300  
 261-067-917  
 480-251-227

Length	Quantity
	1 Reel
0.5 m	EUR 203.00
1 m	EUR 238.00
2 m	EUR 287.00
5 m	EUR 387.00

Typical Analysis : Pb 97%, Sn 1.5%, Sb 1.5%.  
 Tolerance on thickness : +/-20%.

**PB000280**

Thickness ..... **0.1mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

855-629-947  
 953-742-220  
 217-783-975  
 222-987-776  
 873-468-064

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 90.00	EUR 94.00	EUR 105.00	EUR 120.00	EUR 148.00
50 x 50 mm	EUR 95.00	EUR 101.00	EUR 116.00	EUR 135.00	EUR 170.00
100 x 100 mm	EUR 105.00	EUR 115.00	EUR 137.00	EUR 166.00	EUR 213.00
150 x 150 mm	EUR 114.00	EUR 129.00	EUR 159.00	EUR 197.00	EUR 257.00
300 x 300 mm	EUR 144.00	EUR 170.00	EUR 225.00	EUR 290.00	

**Coil**

**Web Code**

230-311-667  
 183-507-047  
 938-382-811  
 297-858-984  
 232-364-771

Length	Quantity
	1 Reel
0.5 m	EUR 195.00
1 m	EUR 227.00
2 m	EUR 272.00
5 m	EUR 363.00
10 m	EUR 508.00

**Discs**

**Web Code**

699-157-073  
 394-629-472  
 328-678-932  
 084-865-786  
 608-224-791  
 028-099-531  
 512-441-635

Diameter	Quantity
	10 discs
4 mm	EUR 181.00
6 mm	EUR 183.00
8 mm	EUR 184.00
10 mm	EUR 185.00
15 mm	EUR 188.00
25 mm	EUR 194.00
50 mm	EUR 210.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.  
 Tolerance on thickness : +/-20%.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

**PB000312**

Thickness ..... **0.12mm**  
 Purity ..... **99.95%**

Coil width ..... **25.4mm**  
 Temper ..... **As rolled**

**Coil**

**Width 25.4mm**

**Quantity**

**Web Code**

**Length**

**1 Reel**

080-971-509	1 m	EUR 116.00
121-448-661	2 m	EUR 132.00
181-077-609	5 m	EUR 163.00
634-712-144	10 m	EUR 200.00
339-017-928	20 m	EUR 254.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB000330**

Thickness ..... **0.125mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Quantity**

**Web Code**

**Size**

**1pc**

**2pcs**

**5pcs**

427-416-377	25 x 25 mm	EUR 202.00	EUR 232.00	EUR 293.00
427-049-179	50 x 50 mm	EUR 269.00	EUR 326.00	
286-738-710	100 x 100 mm	EUR 405.00		

Typical Analysis : Ag < 1, Al 1, Ca < 1, Cd 1, Cu 1, Fe 1, In 1, Mg < 1, Sn 10.

**PB000311**

Thickness ..... **0.125mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Quantity**

**Web Code**

**Size**

**1pc**

**2pcs**

**5pcs**

**10pcs**

**20pcs**

055-211-600	25 x 25 mm	EUR 83.00	EUR 88.50	EUR 104.00	EUR 128.00	EUR 173.00
901-457-068	50 x 50 mm	EUR 87.50	EUR 95.00	EUR 114.00	EUR 142.00	EUR 193.00
682-135-389	100 x 100 mm	EUR 96.50	EUR 108.00	EUR 134.00	EUR 171.00	EUR 233.00
266-922-636	150 x 150 mm	EUR 105.00	EUR 120.00	EUR 154.00	EUR 199.00	EUR 273.00
365-335-053	300 x 300 mm	EUR 132.00	EUR 159.00	EUR 215.00	EUR 284.00	

**Coil**

**Width 300mm**

**Quantity**

**Web Code**

**Length**

**1 Reel**

651-759-694	0.5 m	EUR 180.00
666-882-950	1 m	EUR 210.00
360-364-020	2 m	EUR 251.00
045-504-535	5 m	EUR 334.00

**Discs**

**Quantity**

**Web Code**

**Diameter**

**10 discs**

**20 discs**

**50 discs**

102-700-665	4 mm	EUR 191.00	EUR 231.00	EUR 287.00
837-587-202	6 mm	EUR 192.00	EUR 232.00	EUR 289.00
698-407-046	8 mm	EUR 193.00	EUR 234.00	EUR 292.00
300-886-275	10 mm	EUR 194.00	EUR 236.00	EUR 294.00
610-779-666	15 mm	EUR 197.00	EUR 240.00	EUR 301.00
347-461-163	25 mm	EUR 203.00	EUR 248.00	EUR 314.00
432-647-730	50 mm	EUR 217.00	EUR 268.00	EUR 345.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB000350**

Thickness ..... **0.15mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Quantity**

**Web Code**

**Size**

**1pc**

**2pcs**

**5pcs**

**10pcs**

**20pcs**

603-809-404	25 x 25 mm	EUR 83.50	EUR 89.50	EUR 105.00	EUR 129.00	EUR 175.00
262-678-345	50 x 50 mm	EUR 88.50	EUR 96.50	EUR 116.00	EUR 145.00	EUR 197.00
327-783-226	100 x 100 mm	EUR 98.00	EUR 110.00	EUR 138.00	EUR 176.00	EUR 241.00
869-842-292	150 x 150 mm	EUR 108.00	EUR 124.00	EUR 160.00	EUR 207.00	EUR 285.00
004-348-437	300 x 300 mm	EUR 137.00	EUR 166.00	EUR 226.00	EUR 300.00	

**Coil**

**Width 305mm**

**Quantity**

**Web Code**

**Length**

**1 Reel**

106-912-989	0.5 m	EUR 188.00
418-122-860	1 m	EUR 220.00
704-624-034	2 m	EUR 266.00
859-760-386	5 m	EUR 357.00
389-919-877	10 m	EUR 587.00

**Discs**

**Quantity**

**Web Code**

**Diameter**

**10 discs**

**20 discs**

**50 discs**

815-981-911	4 mm	EUR 191.00	EUR 231.00	EUR 287.00
144-973-200	6 mm	EUR 192.00	EUR 233.00	EUR 290.00
322-806-673	8 mm	EUR 193.00	EUR 235.00	EUR 293.00
109-691-173	10 mm	EUR 195.00	EUR 236.00	EUR 296.00
782-663-356	15 mm	EUR 198.00	EUR 241.00	EUR 303.00
728-792-507	25 mm	EUR 204.00	EUR 250.00	EUR 317.00
549-870-363	50 mm	EUR 220.00	EUR 272.00	EUR 351.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

**PB000360**

Thickness ..... **0.20mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

396-549-953  
 839-302-946  
 257-858-949  
 684-917-272  
 613-558-977

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 85.00	EUR 89.50	EUR 102.00	EUR 120.00	EUR 153.00
50 x 50 mm	EUR 90.00	EUR 97.00	EUR 113.00	EUR 136.00	EUR 176.00
100 x 100 mm	EUR 100.00	EUR 112.00	EUR 137.00	EUR 169.00	EUR 222.00
150 x 150 mm	EUR 111.00	EUR 126.00	EUR 160.00	EUR 202.00	EUR 269.00
300 x 300 mm	EUR 142.00	EUR 170.00	EUR 229.00	EUR 325.00	

**Coil**

**Web Code**

304-083-867  
 466-304-815  
 916-851-993  
 295-991-506

Width **305mm**

**Length 1 Reel**

0.5 m EUR 195.00  
 1 m EUR 228.00  
 2 m EUR 277.00  
 5 m EUR 492.00

**Discs**

**Web Code**

159-672-003  
 335-356-834  
 646-239-996  
 010-292-269  
 008-620-847  
 811-594-193  
 109-742-690

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 181.00	EUR 208.00	EUR 264.00
6 mm	EUR 182.00	EUR 210.00	EUR 267.00
8 mm	EUR 183.00	EUR 212.00	EUR 270.00
10 mm	EUR 184.00	EUR 213.00	EUR 273.00
15 mm	EUR 188.00	EUR 218.00	EUR 280.00
25 mm	EUR 194.00	EUR 227.00	EUR 295.00
50 mm	EUR 211.00	EUR 251.00	EUR 332.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB000382**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99 + %**

**Size**

**Web Code**

109-877-571  
 734-696-613  
 571-230-977

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 187.00	EUR 211.00	EUR 259.00
50 x 50 mm	EUR 239.00	EUR 283.00	EUR 374.00
100 x 100 mm	EUR 341.00	EUR 461.00	

**Discs**

**Web Code**

635-285-763  
 410-722-396  
 340-290-759  
 536-343-041  
 042-879-223  
 359-902-311

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 256.00	EUR 288.00	EUR 364.00
6 mm	EUR 269.00	EUR 307.00	EUR 394.00
8 mm	EUR 282.00	EUR 326.00	EUR 424.00
10 mm	EUR 295.00	EUR 345.00	EUR 454.00
15 mm	EUR 328.00	EUR 391.00	
25 mm	EUR 394.00		

Typical Analysis : Ag < 1, Al 1, Ca < 1, Cd 1, Cu 1, Fe 1, In 1, Mg < 1, Sn 10.

**PB000381**

Thickness ..... **0.25mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

744-355-194  
 044-389-198  
 548-640-417  
 580-053-013  
 506-627-731

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 85.00	EUR 90.00	EUR 102.00	EUR 120.00	EUR 153.00
50 x 50 mm	EUR 90.50	EUR 97.50	EUR 114.00	EUR 137.00	EUR 177.00
100 x 100 mm	EUR 101.00	EUR 112.00	EUR 138.00	EUR 170.00	EUR 224.00
150 x 150 mm	EUR 112.00	EUR 127.00	EUR 161.00	EUR 204.00	EUR 272.00
300 x 300 mm	EUR 143.00	EUR 172.00	EUR 233.00	EUR 336.00	

**Coil**

**Web Code**

360-641-551  
 328-467-224  
 058-401-318  
 300-167-417

Width **305mm**

**Length 1 Reel**

0.5 m EUR 197.00  
 1 m EUR 231.00  
 2 m EUR 281.00  
 5 m EUR 511.00

**Discs**

**Web Code**

115-712-290  
 464-033-996  
 004-238-298  
 529-780-900  
 222-615-083  
 826-887-096  
 360-879-033

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 181.00	EUR 208.00	EUR 264.00
6 mm	EUR 182.00	EUR 210.00	EUR 267.00
8 mm	EUR 183.00	EUR 212.00	EUR 270.00
10 mm	EUR 185.00	EUR 214.00	EUR 273.00
15 mm	EUR 188.00	EUR 218.00	EUR 281.00
25 mm	EUR 195.00	EUR 228.00	EUR 296.00
50 mm	EUR 212.00	EUR 252.00	EUR 334.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**Metal - Lead**

**Lead**

**Pb**



**Foil**

**PB000390**

Thickness ..... **0.40mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**  
 587-450-546  
 801-020-340  
 241-424-412  
 978-493-666  
 762-486-476

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 86.50	EUR 92.00	EUR 105.00	EUR 125.00	EUR 160.00
50 x 50 mm	EUR 93.00	EUR 101.00	EUR 120.00	EUR 146.00	EUR 190.00
100 x 100 mm	EUR 107.00	EUR 120.00	EUR 150.00	EUR 188.00	EUR 250.00
150 x 150 mm	EUR 120.00	EUR 139.00	EUR 180.00	EUR 231.00	EUR 316.00
300 x 300 mm	EUR 160.00	EUR 196.00	EUR 276.00	EUR 475.00	

**Coil**

**Web Code**  
 175-376-091  
 151-219-436  
 245-965-784  
 845-920-195

Length	Quantity	
	1 Reel	
0.5 m	EUR 218.00	
1 m	EUR 262.00	
2 m	EUR 367.00	
5 m	EUR 747.00	

**Discs**

**Web Code**  
 573-791-243  
 511-965-855  
 725-743-975  
 911-983-016  
 563-137-509  
 080-789-790  
 787-195-413

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 181.00	EUR 209.00	EUR 266.00
6 mm	EUR 183.00	EUR 211.00	EUR 270.00
8 mm	EUR 185.00	EUR 214.00	EUR 273.00
10 mm	EUR 186.00	EUR 216.00	EUR 277.00
15 mm	EUR 191.00	EUR 222.00	EUR 287.00
25 mm	EUR 199.00	EUR 234.00	EUR 306.00
50 mm	EUR 220.00	EUR 264.00	EUR 354.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB000402**

Thickness ..... **0.5mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99 + %**

**Size**

**Web Code**  
 688-981-881  
 122-726-004  
 590-708-873

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 157.00	EUR 176.00	EUR 215.00
50 x 50 mm	EUR 187.00	EUR 220.00	EUR 284.00
100 x 100 mm	EUR 249.00	EUR 323.00	

**Discs**

**Web Code**  
 594-815-137  
 351-897-922  
 987-239-193  
 404-890-490  
 611-311-149  
 413-890-500

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 254.00	EUR 295.00	EUR 411.00
6 mm	EUR 262.00	EUR 306.00	EUR 429.00
8 mm	EUR 270.00	EUR 317.00	EUR 447.00
10 mm	EUR 278.00	EUR 328.00	EUR 465.00
15 mm	EUR 297.00	EUR 356.00	
25 mm	EUR 336.00		

Typical Analysis : Ag < 1, Al 1, Ca < 1, Cd 1, Cu 1, Fe 1, In 1, Mg < 1, Sn 10.

**PB000401**

Thickness ..... **0.5mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**  
 730-818-527  
 352-317-787  
 039-721-023  
 965-125-976  
 640-740-341

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 82.50	EUR 88.00	EUR 102.00	EUR 120.00	EUR 153.00
50 x 50 mm	EUR 91.00	EUR 100.00	EUR 120.00	EUR 147.00	EUR 190.00
100 x 100 mm	EUR 108.00	EUR 124.00	EUR 158.00	EUR 200.00	EUR 266.00
150 x 150 mm	EUR 125.00	EUR 148.00	EUR 196.00	EUR 254.00	
300 x 300 mm	EUR 176.00	EUR 220.00	EUR 329.00		

**Coil**

**Web Code**  
 092-539-754  
 567-472-017  
 934-004-005

Length	Quantity	
	1 Reel	
0.5 m	EUR 239.00	
1 m	EUR 294.00	
2 m	EUR 437.00	

**Discs**

**Web Code**  
 813-691-209  
 711-410-049  
 926-260-058  
 782-500-462  
 812-551-578  
 568-940-029  
 117-511-841

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 172.00	EUR 195.00	EUR 253.00
6 mm	EUR 174.00	EUR 199.00	EUR 258.00
8 mm	EUR 177.00	EUR 202.00	EUR 263.00
10 mm	EUR 179.00	EUR 205.00	EUR 268.00
15 mm	EUR 184.00	EUR 212.00	EUR 280.00
25 mm	EUR 195.00	EUR 227.00	EUR 304.00
50 mm	EUR 222.00	EUR 265.00	EUR 364.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB000404**

Thickness ..... **0.5mm**  
 Temper ..... **As rolled**

Purity ..... **99.5%**

**Size**

**Web Code**  
 307-797-146  
 503-479-867  
 791-044-050

Size	Quantity		
	1pc	2pcs	5pcs
500 x 500 mm	EUR 172.00	EUR 204.00	EUR 303.00
500 x 1000 mm	EUR 202.00	EUR 258.00	EUR 498.00
1000 x 1000 mm	EUR 256.00	EUR 414.00	

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals < 5 each.

**Metal - Lead**

**Lead**

**Pb**



**Foil**

**PB000400**

Thickness ..... **0.5mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**  
 474-046-726  
 255-846-229  
 980-778-981

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
500 x 500 mm	EUR 175.00	EUR 208.00	EUR 320.00	EUR 542.00
500 x 1000 mm	EUR 206.00	EUR 271.00	EUR 532.00	
1000 x 1000 mm	EUR 269.00	EUR 441.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB000403**

Thickness ..... **0.55mm**  
 Temper ..... **As rolled**

High Purity ..... **99.999%**

**Size**

**Web Code**  
 039-857-248  
 982-157-912  
 769-743-405  
 217-933-727

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 219.00	EUR 254.00	EUR 328.00	EUR 418.00	EUR 556.00
50 x 50 mm	EUR 295.00	EUR 361.00	EUR 497.00	EUR 656.00	EUR 893.00
100 x 100 mm	EUR 445.00	EUR 574.00	EUR 834.00	EUR 1133.00	
150 x 150 mm	EUR 596.00	EUR 787.00	EUR 1171.00		

**Discs**

**Web Code**  
 241-718-584  
 214-812-755  
 851-591-212  
 448-905-881  
 113-236-400  
 154-551-782  
 318-965-793

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 292.00	EUR 347.00	EUR 457.00
6 mm	EUR 311.00	EUR 374.00	EUR 500.00
8 mm	EUR 330.00	EUR 401.00	EUR 543.00
10 mm	EUR 350.00	EUR 429.00	EUR 587.00
15 mm	EUR 397.00	EUR 496.00	EUR 694.00
25 mm	EUR 493.00	EUR 632.00	EUR 909.00
50 mm	EUR 734.00	EUR 975.00	

Typical Analysis : Ag < 1, As < 1, Bi < 2, Cd < 3, Cu < 1, Fe < 1, Ni < 1, Sb < 1, Sn < 1, Tl < 2.

**PB000406**

Thickness ..... **0.75mm**  
 Temper ..... **As rolled**

Purity ..... **99.5%**

**Size**

**Web Code**  
 111-016-996

Size	Quantity
	1pc
300 x 300 mm	EUR 336.00

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals < 5 each.

**PB000410**

Thickness ..... **1.0mm**  
 Purity ..... **99.95%**

Tolerance ..... **20 %**  
 Temper ..... **As rolled**

**Size**

**Web Code**  
 836-627-577  
 461-095-493  
 181-943-951

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 93.00	EUR 99.00	EUR 116.00	EUR 143.00
50 x 50 mm	EUR 97.00	EUR 105.00	EUR 125.00	
100 x 100 mm	EUR 105.00	EUR 116.00		

**Discs**

**Web Code**  
 711-484-835

Diameter	Quantity
	10 discs
8 mm	EUR 188.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

Tolerance on thickness : +/-20%.

**PB000412**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+ %**

**Size**

**Web Code**  
 853-493-464  
 686-683-631  
 835-461-524

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 161.00	EUR 183.00	EUR 226.00
50 x 50 mm	EUR 197.00	EUR 233.00	EUR 305.00
100 x 100 mm	EUR 268.00	EUR 386.00	

**Discs**

**Web Code**  
 432-689-682  
 086-201-853  
 775-236-995  
 904-623-823  
 077-984-619  
 748-085-137

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 256.00	EUR 298.00	EUR 417.00
6 mm	EUR 265.00	EUR 311.00	EUR 437.00
8 mm	EUR 275.00	EUR 324.00	EUR 458.00
10 mm	EUR 284.00	EUR 337.00	EUR 479.00
15 mm	EUR 306.00	EUR 369.00	EUR 529.00
25 mm	EUR 351.00		

Typical Analysis : Ag < 1, Al 1, Ca < 1, Cd 1, Cu 1, Fe 1, In 1, Mg < 1, Sn 10.

**Lead**

**Pb**



**Foil**

**PB000413**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

Purity ..... **99.5%**

**Size**

**Web Code**

900-251-292  
 067-766-918  
 735-238-426  
 742-597-939  
 063-454-798

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		<b>Quantity</b>				
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
EUR 110.00	EUR 140.00	EUR 147.00	EUR 156.00	EUR 171.00		
EUR 116.00	EUR 150.00	EUR 162.00	EUR 178.00	EUR 201.00		
EUR 130.00	EUR 169.00	EUR 193.00	EUR 220.00	EUR 262.00		
EUR 143.00	EUR 188.00	EUR 223.00	EUR 263.00			
EUR 184.00	EUR 245.00	EUR 387.00				

**Coil**

**Web Code**  
 603-799-827  
 244-925-957  
 433-216-104

**Width 300mm**  
**Length**  
 0.5 m  
 1 m  
 2 m

**Quantity**

**1 Reel**  
 EUR 212.00  
 EUR 278.00  
 EUR 449.00

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals <5 each.

**PB000411**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

557-640-410  
 705-060-751  
 132-594-486  
 574-306-385  
 788-287-551

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		<b>Quantity</b>				
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
EUR 110.00	EUR 141.00	EUR 149.00	EUR 159.00	EUR 174.00		
EUR 118.00	EUR 152.00	EUR 165.00	EUR 182.00	EUR 207.00		
EUR 133.00	EUR 173.00	EUR 199.00	EUR 229.00	EUR 278.00		
EUR 147.00	EUR 194.00	EUR 232.00	EUR 290.00			
EUR 192.00	EUR 257.00	EUR 441.00				

**Coil**

**Web Code**  
 535-943-211  
 992-900-760  
 112-591-214

**Width 300mm**  
**Length**  
 0.5 m  
 1 m  
 2 m

**Quantity**

**1 Reel**  
 EUR 223.00  
 EUR 314.00  
 EUR 521.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**PB000415**

Thickness ..... **1.0mm**  
 Temper ..... **As rolled**

Purity ..... **99.5%**

**Size**

**Web Code**

620-772-592  
 032-464-650  
 501-046-172

**Size**  
 500 x 500 mm  
 500 x 1000 mm  
 1000 x 1000 mm

**Quantity**

	<b>1pc</b>	<b>2pcs</b>
EUR 180.00	EUR 275.00	
EUR 271.00	EUR 457.00	
EUR 453.00		

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals <5 each.  
 Tolerance on thickness : +/-20%.

**PB000420**

Thickness ..... **1.5mm**  
 Temper ..... **As rolled**

High Purity ..... **99.99+%**

**Size**

**Web Code**

703-748-104  
 500-475-015  
 532-691-173

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm

**Quantity**

	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>
EUR 169.00	EUR 194.00	EUR 244.00	
EUR 213.00	EUR 256.00	EUR 341.00	
EUR 300.00	EUR 379.00		

Typical Analysis : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.

**PB000450**

Thickness ..... **2.0mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

830-800-100  
 850-024-435  
 253-059-931  
 632-494-194  
 061-766-953

**Size**  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		<b>Quantity</b>				
	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	<b>20pcs</b>	
EUR 89.00	EUR 95.50	EUR 111.00	EUR 132.00	EUR 168.00		
EUR 100.00	EUR 111.00	EUR 135.00	EUR 166.00	EUR 216.00		
EUR 122.00	EUR 142.00	EUR 184.00	EUR 244.00			
EUR 143.00	EUR 172.00	EUR 252.00				
EUR 210.00	EUR 345.00					

**Coil**

**Web Code**  
 909-942-368  
 661-004-303

**Width 305mm**  
**Length**  
 0.5 m  
 1 m

**Quantity**

**1 Reel**  
 EUR 336.00  
 EUR 561.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**PB000471**

Thickness ..... **2.7mm**  
 Temper ..... **As rolled**

Purity ..... **99.95%**

**Size**

**Web Code**

068-325-376  
 660-499-373

**Size**  
 50 x 50 mm  
 75 x 100 mm

**Quantity**

	<b>1pc</b>	<b>2pcs</b>
EUR 103.00	EUR 116.00	
EUR 122.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**Metal – Lead**

**Lead**

**Pb**



**Foil**

<b>PB000469</b>	Thickness ..... <b>2.7mm</b> Temper ..... <b>As rolled</b>	Purity ..... <b>99.99 + %</b>
<b>Discs</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Diameter</b>	<b>1 discs</b>
530-449-617	153 mm	EUR POA

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.

<b>PB000470</b>	Thickness ..... <b>3.0mm</b> Temper ..... <b>As rolled</b>	High Purity ..... <b>99.99 + %</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b>
229-007-669	25 x 25 mm	EUR 179.00    EUR 208.00    EUR 266.00
625-961-768	50 x 50 mm	EUR 232.00    EUR 283.00    EUR 385.00
245-213-291	100 x 100 mm	EUR 339.00    EUR 475.00

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.

<b>PB000472</b>	Thickness ..... <b>3.0mm</b> Temper ..... <b>As rolled</b>	Purity ..... <b>99.95%</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b>
315-576-969	50 x 50 mm	EUR 105.00    EUR 118.00    EUR 146.00    EUR 182.00
211-663-214	100 x 100 mm	EUR 131.00    EUR 156.00    EUR 206.00
600-477-603	250 x 250 mm	EUR 216.00    EUR 356.00
177-135-373	500 x 500 mm	EUR 629.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

<b>PB000474</b>	Thickness ..... <b>3.5mm</b> Temper ..... <b>As rolled</b>	Purity ..... <b>99.99 + %</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>
363-895-717	15 x 94 mm	EUR 212.00
460-095-934	23 x 89 mm	EUR 230.00
655-122-342	36 x 63 mm	EUR 235.00

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.

<b>PB000480</b>	Thickness ..... <b>6.0mm</b> Temper ..... <b>As rolled</b>	High Purity ..... <b>99.99 + %</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b>
644-125-249	50 x 50 mm	EUR 276.00    EUR 346.00
972-115-728	100 x 100 mm	EUR 468.00

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.

<b>PB000482</b>	Thickness ..... <b>6.0mm</b> Temper ..... <b>As rolled</b>	Purity ..... <b>99.95%</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b> <b>2pcs</b> <b>5pcs</b> <b>10pcs</b>
913-136-038	50 x 50 mm	EUR 116.00    EUR 134.00    EUR 171.00    EUR 216.00
071-698-783	100 x 100 mm	EUR 153.00    EUR 187.00    EUR 307.00
407-507-705	250 x 250 mm	EUR 354.00    EUR 631.00
654-811-619	500 x 500 mm	POA

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

<b>PB000490</b>	Thickness ..... <b>10.0mm</b> Temper ..... <b>As rolled</b>	Purity ..... <b>99.99 + %</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Size</b>	<b>1pc</b>
007-418-228	67 x 105 mm	EUR 552.00

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.



**Sputtering Target**

<b>PB009300</b>	Thickness ..... <b>3.0mm</b>	High Purity ..... <b>99.99 + %</b>
<b>Size</b>	<b>Quantity</b>	
<b>Web Code</b>	<b>Disc diam.</b>	<b>1disc</b>
070-336-099	50 mm	POA
792-011-880	75 mm	POA

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.  
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

**Metal – Lead**



**Lead**

**Pb**



**Sputtering Target**

**PB009600**

Thickness ..... **6.0mm**

High Purity ..... **99.99+%**

**Size**

**Web Code**  
 727-831-535  
 011-556-977

**Disc diam.**  
 50 mm  
 75 mm

**Quantity**

**1disc**  
 POA  
 POA

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.

These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

**PB009900**

Thickness ..... **10mm**

High Purity ..... **99.99+%**

**Size**

**Web Code**  
 347-971-892

**Disc diam.**  
 50 mm

**Quantity**

**1disc**  
 POA

Typical Analysis : Ag 3, Bi 10, Ca < 1, Cu 10, Fe < 1, Th 3.

These targets are normally available for immediate shipment from stock. Other sizes are available to special order.



**Wire**

**PB005106**

Diameter ..... **0.125mm**  
 Temper ..... **As drawn**

Purity ..... **99.5%**

**Length**

**Web Code**  
 613-919-325  
 739-913-023  
 489-127-236  
 140-902-512  
 612-812-882  
 072-012-683

Quantity	
Length	1 Reel
0.5 m	EUR 154.00
1 m	EUR 174.00
2 m	EUR 205.00
5 m	EUR 277.00
10 m	EUR 376.00
20 m	EUR 493.00

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals < 5 each.

**PB005111**

Diameter ..... **0.25mm**  
 Temper ..... **As drawn**

Purity ..... **99.95%**

**Length**

**Web Code**  
 312-965-516  
 657-837-841  
 105-559-272  
 660-081-678  
 119-302-842

Quantity	
Length	1 Reel
1 m	EUR 183.00
2 m	EUR 219.00
5 m	EUR 290.00
10 m	EUR 371.00
20 m	EUR 527.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Ti 5.

**PB005125**

Diameter ..... **0.5mm**  
 Temper ..... **As drawn**

High Purity ..... **99.999%**

**Length**

**Web Code**  
 976-566-760  
 070-849-203  
 856-161-305  
 020-171-670  
 521-454-901

Quantity	
Length	1 Reel
0.1 m	EUR 229.00
0.5 m	EUR 371.00
1 m	EUR 477.00
2 m	EUR 628.00
5 m	EUR 926.00

Typical Analysis : Ag < 1, As < 1, Bi < 2, Cd < 3, Cu < 1, Fe < 1, Ni < 1, Sb < 1, Sn < 1, Ti < 2.

**PB005120**

Diameter ..... **0.5mm**  
 Temper ..... **As drawn**

High Purity ..... **99.99+%**

**Length**

**Web Code**  
 258-165-079  
 270-636-262  
 829-535-919  
 691-997-679  
 499-710-555  
 463-812-596

Quantity	
Length	1 Reel
0.1 m	EUR 138.00
0.5 m	EUR 190.00
1 m	EUR 228.00
2 m	EUR 283.00
5 m	EUR 392.00
10 m	EUR 596.00

Typical Analysis : Ag < 1, Al 1, Ca < 1, Cd 1, Cu 1, Fe 1, In 1, Mg < 1, Sn 10.

**PB005128**

Diameter ..... **0.75mm**  
 Temper ..... **As drawn**

High Purity ..... **99.99+%**

**Length**

**Web Code**  
 110-950-065  
 395-297-835  
 591-473-104  
 515-933-510  
 384-274-311

Quantity	
Length	1 Reel
0.1 m	EUR 151.00
0.5 m	EUR 219.00
1 m	EUR 270.00
2 m	EUR 342.00
5 m	EUR 501.00

Typical Analysis : Ag < 1, Al 1, Ca < 1, Cd 1, Cu 1, Fe 1, In 1, Mg < 1, Sn 10.

**Metal – Lead**

**Lead**

**Pb**



**Wire**

**PB005130**

Diameter ..... **1.0mm**  
 Temper ..... **As drawn**

High Purity ..... **99.99+%**

**Length**

**Web Code**  
 069-934-123  
 741-765-114  
 720-646-504  
 080-816-707  
 102-092-049

Quantity	
Length	1 Reel
0.1 m	EUR 159.00
0.5 m	EUR 236.00
1 m	EUR 295.00
2 m	EUR 377.00
5 m	EUR 626.00

Typical Analysis : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.

**PB005140**

Diameter ..... **2.0mm**  
 Temper ..... **As drawn**

High Purity ..... **99.99+%**

**Length**

**Web Code**  
 929-155-782  
 979-129-855  
 423-231-162  
 514-800-649  
 364-128-716

Quantity	
Length	1 Reel
0.1 m	EUR 169.00
0.5 m	EUR 260.00
1 m	EUR 328.00
2 m	EUR 425.00
5 m	EUR 654.00

Typical Analysis : Ag <1, Al 1, Ca <1, Cd 1, Cu 1, Fe 1, In 1, Mg <1, Sn 10.

**PB005150**

Diameter ..... **3.0mm**  
 Temper ..... **As drawn**

Purity ..... **99.99%**

**Length**

**Web Code**  
 239-994-735  
 187-742-098  
 467-761-453  
 470-182-681  
 772-825-129

Quantity	
Length	1 Reel
0.1 m	EUR 180.00
0.5 m	EUR 283.00
1 m	EUR 361.00
2 m	EUR 470.00
5 m	EUR 688.00

Typical Analysis : Ag 1, Al 1, Au 2, B 1, Bi 4, Ca 15, Cd 1, Cr 8, Cu 25, Fe 1, Mg 1, Na 2, Si 1, Sn 8.



**Rod**

**PB007910**

Diameter ..... **3.2mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 679-364-833  
 920-604-892

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
500 mm	EUR 99.50	EUR 113.00	EUR 141.00	EUR 175.00	EUR 238.00
1000 mm	EUR 111.00	EUR 130.00	EUR 168.00	EUR 235.00	EUR 388.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**PB007914**

Diameter ..... **4.9mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 096-886-188

Quantity	
Length	1pc
132 mm	EUR 104.00

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**PB007915**

Diameter ..... **5.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 431-980-160  
 525-557-877  
 740-202-616  
 160-581-895

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 101.00	EUR 116.00	EUR 138.00	EUR 168.00	EUR 216.00
200 mm	EUR 109.00	EUR 127.00	EUR 156.00	EUR 193.00	EUR 266.00
500 mm	EUR 125.00	EUR 149.00	EUR 192.00	EUR 277.00	
1000 mm	EUR 143.00	EUR 175.00	EUR 266.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**PB007920**

Diameter ..... **6.35mm**

Purity ..... **99.95%**

**Size**

**Web Code**  
 075-604-350  
 450-538-838  
 317-352-452  
 669-061-971

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 103.00	EUR 119.00	EUR 143.00	EUR 175.00	EUR 226.00
200 mm	EUR 112.00	EUR 131.00	EUR 163.00	EUR 203.00	EUR 298.00
500 mm	EUR 130.00	EUR 156.00	EUR 203.00	EUR 317.00	
1000 mm	EUR 150.00	EUR 184.00	EUR 306.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg <1, Sn 70, Tl 5.

**Metal – Lead**

**Lead**

**Pb**



**Rod**

**PB007935**

Diameter ..... **9mm**

Purity ..... **99.95%**

**Size**

**Web Code**

290-164-027  
 445-893-369  
 398-188-290  
 339-525-073  
 176-622-599

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 109.00	EUR 126.00	EUR 154.00	EUR 190.00
200 mm	EUR 119.00	EUR 141.00	EUR 177.00	EUR 235.00
250 mm	EUR 123.00	EUR 147.00	EUR 187.00	
500 mm	EUR 139.00	EUR 170.00	EUR 253.00	
1000 mm	EUR 163.00	EUR 215.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB007940**

Diameter ..... **12.7mm**

Purity ..... **99.95%**

**Size**

**Web Code**

862-322-253  
 790-278-471  
 784-807-486  
 100-933-625

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 113.00	EUR 132.00	EUR 163.00	EUR 202.00
200 mm	EUR 125.00	EUR 149.00	EUR 190.00	EUR 277.00
500 mm	EUR 148.00	EUR 182.00		
1000 mm	EUR 175.00	EUR 257.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB007950**

Diameter ..... **19.0mm**

Purity ..... **99.95%**

**Size**

**Web Code**

052-666-720  
 583-347-111  
 918-391-453  
 798-934-442

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 126.00	EUR 151.00	EUR 191.00	EUR 252.00
200 mm	EUR 140.00	EUR 171.00	EUR 232.00	EUR 369.00
500 mm	EUR 169.00	EUR 219.00		
1000 mm	EUR 209.00	EUR 337.00		

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB007960**

Diameter ..... **50mm**

Purity ..... **99.95%**

**Size**

**Web Code**

657-934-825  
 557-223-590  
 991-530-852

Length	Quantity	
	1pc	2pcs
50 mm	EUR 167.00	EUR 215.00
100 mm	EUR 205.00	EUR 328.00
200 mm	EUR 318.00	

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB007980**

Diameter ..... **80mm**

Purity ..... **99.95%**

**Size**

**Web Code**

229-114-768  
 733-613-704  
 910-791-851

Length	Quantity
	1pc
50 mm	POA
100 mm	POA
200 mm	POA

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.

**PB007981**

Diameter ..... **85mm**

Purity ..... **99.95%**

**Size**

**Web Code**

089-849-194

Length	Quantity
	1pc
50 mm	POA

Typical Analysis : Ag 20, Bi 100, Cd 2, Cu 20, Fe 2, Mg < 1, Sn 70, Tl 5.



**Bar**

**PB008010**

Side Length ..... **20mm**  
 High Purity ..... **99.999+%**

Side Length (of longer side) **40mm**  
 Condition ..... **Semicircular cross section, rounded ends**

**Size**

**Web Code**

663-973-822

Length	Quantity
	1pc
175 mm	POA

Typical Analysis : Ag 1, Bi 1, Cd < 1, Cu 1, Fe < 1, Ni < 1, Sn < 1.  
 Nominal ingot weight : 1000g.

**Metal – Lead**

**Lead**

**Pb**



**Tube**

**PB007200**

Outside Diameter..... **6.78mm**  
 Inside Diameter..... **4.7mm**

Wall Thickness..... **1.04mm**  
 Purity..... **99.9%**

**Size**

**Web Code**  
 528-825-331  
 103-167-422  
 895-925-206  
 990-661-908

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 212.00	EUR 255.00	EUR 407.00	EUR 695.00
200 mm	EUR 248.00	EUR 336.00	EUR 661.00	
500 mm	EUR 379.00	EUR 640.00		
1000 mm	EUR 633.00			

Typical Analysis : Please ask.




**Powder**

**PB006022**

Max. Particle size ..... **45micron**

Purity..... **99.5%**



**Web Code**  
 360-642-560  
 255-828-990  
 928-893-870  
 798-600-668  
 513-284-697


Quantity	Weight	1 Pot
	100 g	EUR 153.00
	200 g	EUR 177.00
	500 g	EUR 229.00
	1000 g	EUR 291.00
	2000 g	EUR 462.00

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals <5 each.  
 Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

**PB006025**

Max. Particle size ..... **150micron**

Purity..... **99.5%**



**Web Code**  
 549-431-847  
 678-981-876  
 872-727-471  
 090-926-174  
 365-769-955

Quantity	Weight	1 Pot
	100 g	EUR 137.00
	200 g	EUR 155.00
	500 g	EUR 194.00
	1000 g	EUR 242.00
	2000 g	EUR 318.00

Typical Analysis : Ag 20, Bi 80, Cu 50, other metals <5 each.



**Lump**

**PB006100**

Max. Lump size..... **5mm**  
 Condition..... **Shot**

High Purity..... **99.999%**

**Web Code**  
 244-725-481  
 590-679-513  
 834-946-825  
 368-361-303

Quantity	Weight	1 Pot
	10 g	EUR 251.00
	20 g	EUR 305.00
	50 g	EUR 413.00
	100 g	EUR 534.00

Typical Analysis : Please ask.

**PB006120**

Max. Lump size..... **10mm**  
 Condition..... **Pellets**

High Purity..... **99.99+ %**

**Web Code**  
 166-169-106  
 898-070-912  
 203-690-772  
 175-539-668

Quantity	Weight	1 Pot
	50 g	EUR 167.00
	100 g	EUR 205.00
	200 g	EUR 265.00
	500 g	EUR 424.00

Typical Analysis : Ag 3, Bi 10, Ca <1, Cu 10, Fe <1, Th 3.  
 Nominally 6.35mm diameter x 6.35mm length pellets. Please ask for prices for larger quantities.



**Granule**

**PB006300**

Nominal Granule Size..... **3mm**

Purity..... **99.97%**

**Web Code**  
 045-163-764

Quantity	Weight	1 Pot
	10 g	EUR 115.00

Typical Analysis : Please ask.

**Metal – Lead**

**Lead**

**Pb**



**Single Crystal**

Although this crystal is normally held in stock ready for immediate shipment it is an example of crystals which may be grown to order with a delivery forecast of 4-10 weeks. When requesting a quotation please specify the material, dimensions, orientation, type and concentration of dopants, surface finish and quantity required.

<b>PB002111</b>	Oriented ..... <b>(100)</b> Diameter ..... <b>10mm</b> Condition ..... <b>Polished on 1 side to 1 micron</b>	Thickness ..... <b>2mm</b> Purity ..... <b>99.999%</b>
	<b>Quantity</b>	
	<b>Web Code</b> 094-735-429	<b>1pc</b> EUR POA
Typical Analysis : Not applicable		
<b>PB002110</b>	Oriented ..... <b>(100)</b> Diameter ..... <b>10mm</b> Condition ..... <b>Unpolished</b>	Thickness ..... <b>2mm</b> Purity ..... <b>99.999%</b>
	<b>Quantity</b>	
	<b>Web Code</b> 809-799-355	<b>1pc</b> EUR POA
Typical Analysis : Not applicable		
<b>PB002118</b>	Oriented ..... <b>(110)</b> Length ..... <b>5mm</b>	Diameter ..... <b>12mm</b> Purity ..... <b>99.999%</b>
	<b>Quantity</b>	
	<b>Web Code</b> 889-293-657	<b>1pc</b> EUR POA
Typical Analysis : Not applicable		
<b>PB002119</b>	Oriented ..... <b>(110)</b> Length ..... <b>10mm</b>	Diameter ..... <b>12mm</b> Purity ..... <b>99.999%</b>
	<b>Quantity</b>	
	<b>Web Code</b> 361-903-802	<b>1pc</b> EUR POA
Typical Analysis : Not applicable		
<b>PB002121</b>	Oriented ..... <b>(110)</b> Length ..... <b>25mm</b>	Diameter ..... <b>12mm</b> Purity ..... <b>99.999%</b>
	<b>Quantity</b>	
	<b>Web Code</b> 557-217-415	<b>1pc</b> EUR POA
Typical Analysis : Not applicable		
<b>PB002120</b>	Oriented ..... <b>(110)</b> Length ..... <b>50mm</b>	Diameter ..... <b>12mm</b> Purity ..... <b>99.999%</b>
	<b>Quantity</b>	
	<b>Web Code</b> 666-622-535	<b>1pc</b> EUR POA
Typical Analysis : Not applicable		

**Metal – Lead**

## INDEX

<b>B</b>	
Bar, Lead	35
<b>F</b>	
Foil, Lead	21
<b>G</b>	
Granule, Lead	36
<b>L</b>	
Lead (Pb)	20
Lump, Lead	36
<b>M</b>	
Microfoil, Lead	20
<b>P</b>	
Powder, Lead	36
<b>R</b>	
Rod, Lead	34
<b>S</b>	
Single Crystal, Lead	37
Sputtering Target, Lead	32
<b>T</b>	
Tube, Lead	36
<b>W</b>	
Wire .. Lead	33

**INDEX — B-W**