

# Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys  
Métaux et Alliages  
Metalle und Legierungen

Ceramics  
Céramiques  
Keramiken

Polymers  
Polymères  
Polymere

Composites  
Composites  
Verbundwerkstoffe



**Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England

Tel: +44 1480 424 800  
or +44 1480 424 800  
Fax: +44 1480 424 900  
or +44 1480 424 900

**Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA

Tel: 1-800-821-2870 (USA and Canada)  
or +1 724 695 7060  
Fax: 1-800-283-2020 (USA and Canada)  
or +1 724 695 7063

**Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France

Tel : 0800 917 241 (numéro vert)  
or +44 1480 424 813  
Fax : 0800 917 313 (numéro vert)  
or +44 1480 424 900

**Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany

Tel: 0800 1000 579 (freecall)  
or +44 1480 424 810  
Fax: 0800 1000 580 (freecall)  
or +44 1480 424 900

**Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040

The People's Republic of China  
Tel: 00 86 21 6112 1560

# Standard Price List for Stainless Steel - AISI 304 ( Fe/Cr18/Ni10 )

## CONTENTS

<b>Introduction</b>	4
<b>Product Descriptions</b>	5
<b>Hazards Information</b>	10
<b>General Information</b>	11
<b>Order information</b>	12
<b>Company Details</b>	15
<b>Conditions of Sale</b>	16
<b>Alloy</b>	20
<b>INDEX</b>	37

---

## Introduction

---

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at [www.goodfellow.com](http://www.goodfellow.com).

### Materials

#### ***Metals and Alloys***

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

#### ***Ceramics***

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit [www.goodfellow-ceramics.com](http://www.goodfellow-ceramics.com) for further information.

#### ***Polymers***

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

#### ***Compounds & Intermetallics***

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

#### ***Composites***

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

#### ***Glasses***

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

**Product Descriptions**



**Bar**

A straight length of rectangular, square or oval section material.

**Tolerances**

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



**Bolt**

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.6.7M-1985



**Chopped Fibre**

Fibres cut into short lengths called cut, staple or chopped fibre.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Crucible**

A vessel in which other materials may be heated or melted, usually at high temperatures.

**Tolerances**

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



**Fabric**

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

**Tolerances**

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



**Fibre**

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

**Tolerances**

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



**Film**

A non-metallic sheet material with a thickness < 0.5mm.

**Tolerances**

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



**Flake**

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Foam**

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



**Foil**

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

**Tolerances**

Thickness: < 0.010mm ± 25%  
 0.01-0.05mm ± 15%  
 > 0.050mm ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%



**Granule**

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

**Tolerances**

Dimensions shown are nominal



**Honeycomb**

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



**Insulated Wire**

A single or multiple flexible strand of metal or alloy with an insulating sheath.

**Tolerances**

Wire diameter: ± 10%  
 Length: + 5% / -1%  
 Insulation thickness: Nominal values only



**Laminate**

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

**Tolerances**

Thickness: ± 10%  
 Size (linear dimension): ≤ 100mm ± 1mm  
 > 100mm + 2% / -1%



**Lump**

A solid piece of material with no defined shape.

**Tolerances**

Dimensions shown are nominal



**Mesh**

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

**Tolerances**

Thickness: woven: ± 10%  
 electroformed: ± 20%  
 Wire diameter: ± 10%  
 Size (linear dimension): < 100mm ± 1mm  
 ≥ 100mm + 2% / -1%

**Product Descriptions**



**Metallised Film**

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

**Tolerances**

Thickness:  $\pm 10\%$   
 Size (linear dimension):  $< 100\text{mm}$   $\pm 1\text{mm}$   
 $\geq 100\text{mm}$   $+2\% / -1\%$



**Microfoil**

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Microleaf**

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

**Tolerances**

Thickness:  $\pm 30\%$   
 Size:  $\pm 20\%$



**Monofilament**

A single strand of a non-metallic material.

**Tolerances**

Diameter:  $\pm 20\%$   
 Length:  $+5\% / -1\%$



**Non-Woven Fabric**

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

**Tolerances**

Size (linear dimension):  $< 100\text{mm}$   $\pm 5\text{mm}$   
 $> 100\text{mm}$   $\pm 5\%$



**Nut**

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

**Tolerances**

Ceramics: ANSI B18.2.4.1M-1979  
 (R1995)



**Powder**

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

**Tolerances**

Dimensions shown are nominal

**Product Descriptions**



**Rod**

A straight length of circular section material.

**Tolerances**

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Sheet**

Flat material with a thickness > 0.5mm.

**Tolerances**

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



**Single Crystal**

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

**Tolerances**

Orientation:	± 3°
Size:	Sizes shown are nominal



**Sphere**

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

**Tolerances**

Diameter (standard):	± 5%
Diameter (precision):	see item



**Sputtering Target**

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

**Tolerances**

Thickness:	± 0.5mm
Size:	± 0.5mm



**Tube**

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

**Tolerances**

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:	± 10%	
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



**Washer**

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

**Tolerances**

Ceramics:	see item
-----------	----------



---

## Product Descriptions

---



### Wire

A single or multiple flexible strand of pure metal or alloy.

#### Tolerances

Wire diameter:  $\pm 10\%$   
Length:  $+5\% / -1\%$

## Hazards Information

### HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

### HAZARD SYMBOLS



C

#### Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

#### Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

#### Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

#### Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

#### Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

#### Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

#### Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

#### Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

#### Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

#### Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

## General Information

### Analyses

#### **Typical Analysis :**

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

#### **Purity**

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

#### **High Purity**

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

### Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

### Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

### Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of  $10^{-9}$  atm-cm<sup>3</sup>.s<sup>-1</sup>.

### Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

### Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

### Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

---

## Order information

---

### General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

### Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

### Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

### Delivery

#### Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

#### Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

#### Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

#### Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

### Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

### Despatch

Orders will normally be despatched within 48 hours of receipt.

### Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

### Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

### Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

### Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

### Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

---

## Order information

---

### Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

### Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

### VAT

VAT number: GB 212 8527 79

### UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

### EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

### Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

### Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

### Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

### Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

### Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

### Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

### Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

---

## Order information

---

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at [www.goodfellow.com](http://www.goodfellow.com) or [www.goodfellowusa.com](http://www.goodfellowusa.com).

---

## Company Details

---

### Company Structure

The Goodfellow Group consists of five companies:

#### ***Goodfellow Cambridge Limited***

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

#### ***Goodfellow Corporation***

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

#### ***Goodfellow GmbH***

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

#### ***Goodfellow SARL***

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

#### ***Goodfellow (Shanghai) Trading Co., Ltd***

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

### COMPANY DETAILS

#### **Goodfellow Cambridge Limited**

Ermine Business Park  
HUNTINGDON  
PE29 6WR  
England  
Registered in England and Wales no. 1188162  
VAT registration GB 212 8527 79

#### **Goodfellow Corporation**

125 Hookstown Grade Road  
Coraopolis, PA 15108-9302  
USA  
A Pennsylvania corporation  
EIN 23-2557381

#### **Goodfellow SARL**

229, rue Solférino  
F-59000 Lille  
France  
Registered in Lille : RCS : B 381 486 836  
Siren : 381486836  
Numéro de TVA Intracommunitaire :  
FR 06 381 486 836

#### **Goodfellow GmbH**

Am Edelspfad 4  
D-61169 Friedberg  
Germany  
Registered in Friedberg (Hessen) No. HRB 1309  
Import VAT number DE112610478

#### **Goodfellow (Shanghai) Trading Co., Ltd**

Fl. 23, 758 Nanjing Road West  
SHANGHAI  
200040  
The People's Republic of China

# Conditions of Sale

## 1 GENERAL

### 1.1 In these Conditions:

#### 1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

#### 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

## 2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

## 3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

## 4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

## 5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

## 6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

## 7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



## Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

### 8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

### 9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

### 10 SUSPENSION AND CANCELLATION

- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

### 11 INSPECTION AND CLAIMS FOR DEFECTS

- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

### 12 WARRANTY

- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

## Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

### 13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

### 14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

### 15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

### 16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

### 17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

### 18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

### 19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

### 20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

### 21 WAIVER

---

## Conditions of Sale

---

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10

Stainless steels are iron based alloys containing at least 10.5% Chromium. They achieve their stainless characteristics through the formation of an invisible and adherent Chromium rich oxide film. Alloy 304 is a general purpose austenitic stainless steel with a face centered cubic structure. It is essentially non-magnetic in the annealed condition and can only be hardened by cold working. The lower Carbon content compared with alloy 302 gives better corrosion resistance in welded structures.

#### Physical Properties

Density 7.93 g cm<sup>-3</sup>  
 Melting point 1400-1455 C

#### Thermal Properties

Coefficient of thermal expansion @20-100C 18.0 x10<sup>-6</sup> K<sup>-1</sup>  
 Thermal conductivity @23C 16.3 W m<sup>-1</sup> K<sup>-1</sup>

#### Electrical Properties

Electrical resistivity 70-72 µOhmcm

#### Mechanical Properties

Elongation at break < 60 %  
 Hardness - Brinell 160-190  
 Izod impact strength 20-136 J m<sup>-1</sup>  
 Modulus of elasticity 190-210 GPa  
 Tensile strength 460-1100 MPa



## Foil

**FE220200** Thickness ..... 0.005mm

Temper ..... As rolled

#### Sizes LT

##### Web Code

149-090-257  
 810-321-505  
 067-734-292

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 248.00	EUR 300.00	EUR 406.00	EUR 530.00	EUR 710.00
50 x 50 mm	EUR 369.00	EUR 472.00	EUR 678.00	EUR 914.00	EUR 1253.00
100 x 100 mm	EUR 612.00	EUR 815.00	EUR 1221.00	EUR 1681.00	

#### Coil

Web Code  
 600-487-497  
 417-304-100  
 452-735-390

#### Width 100mm

Length	1 Reel
	0.2 m EUR 865.00
0.5 m EUR 1291.00	
1 m EUR 1785.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220130** Thickness ..... 0.006mm



#### NLT Sizes

Web Code  
 020-533-709  
 321-836-143

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 205.00	EUR 251.00	EUR 358.00	EUR 581.00	EUR 1026.00
50 x 50 mm	EUR 295.00	EUR 456.00	EUR 981.00	EUR 1826.00	EUR 3515.00

#### Sizes LT

Web Code  
 743-840-511

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 226.00	EUR 276.00	EUR 394.00	EUR 639.00	EUR 1128.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220207** Thickness ..... 0.007mm

Temper ..... As rolled

#### Sizes LT

Web Code  
 845-770-788  
 163-108-876  
 530-046-202

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 239.00	EUR 288.00	EUR 387.00	EUR 502.00	EUR 671.00
50 x 50 mm	EUR 352.00	EUR 447.00	EUR 639.00	EUR 858.00	EUR 1175.00
100 x 100 mm	EUR 577.00	EUR 766.00	EUR 1142.00	EUR 1570.00	

#### Coil

Web Code  
 093-374-627  
 340-449-713  
 458-108-737

#### Width 100mm

Length	1 Reel
	0.2 m EUR 815.00
0.5 m EUR 1212.00	
1 m EUR 1674.00	

#### Discs

Web Code  
 408-316-799  
 998-730-849  
 779-474-645  
 439-321-805  
 123-978-779  
 198-839-318  
 831-866-573

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 291.00	EUR 341.00	EUR 452.00
6 mm	EUR 323.00	EUR 386.00	EUR 523.00
8 mm	EUR 354.00	EUR 430.00	EUR 593.00
10 mm	EUR 386.00	EUR 475.00	EUR 664.00
15 mm	EUR 464.00	EUR 586.00	EUR 840.00
25 mm	EUR 621.00	EUR 808.00	EUR 1192.00
50 mm	EUR 1016.00	EUR 1368.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

Fe/Cr18/Ni10



### Foil

**FE220150** Thickness ..... 0.008mm



#### NLT Sizes

Web Code  
043-407-979  
331-129-878

Size	Quantity		
	1pc	2pcs	5pcs
50 x 50 mm	EUR 277.00	EUR 437.00	EUR 934.00
100 x 100 mm	EUR 741.00	EUR 1376.00	

#### Sizes LT

Web Code  
045-137-113  
072-621-319

Size	Quantity		
	1pc	2pcs	5pcs
25 x 25 mm	EUR 196.00	EUR 239.00	EUR 347.00
50 x 50 mm	EUR 305.00	EUR 481.00	EUR 1027.00

#### Discs

Web Code  
285-093-741  
636-718-780  
589-849-143  
731-145-458  
393-176-763  
147-093-377

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 297.00	EUR 349.00	EUR 486.00
6 mm	EUR 320.00	EUR 382.00	EUR 539.00
8 mm	EUR 343.00	EUR 415.00	EUR 613.00
10 mm	EUR 367.00	EUR 450.00	EUR 742.00
15 mm	EUR 424.00	EUR 602.00	
25 mm	EUR 689.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220209** Thickness ..... 0.01mm

Temper ..... As rolled

#### NLT Sizes

Web Code  
439-794-396

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	EUR 350.00	EUR 447.00	EUR 642.00	EUR 891.00	

#### Sizes LT

Web Code  
487-604-431  
979-827-466  
160-502-602

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 178.00	EUR 204.00	EUR 258.00	EUR 321.00	EUR 418.00
50 x 50 mm	EUR 236.00	EUR 285.00	EUR 386.00	EUR 502.00	EUR 674.00
100 x 100 mm	EUR 385.00	EUR 492.00	EUR 706.00	EUR 981.00	

#### Coil

Web Code  
373-052-999  
780-872-687  
577-729-188  
219-642-825

Length	Quantity
	1 Reel
0.1 m	EUR 402.00
0.2 m	EUR 504.00
0.5 m	EUR 707.00
1 m	EUR 1027.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220170** Thickness ..... 0.01mm



#### NLT Sizes

Web Code  
340-650-751

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 705.00	EUR 1304.00		

#### Sizes LT

Web Code  
285-482-324  
391-590-073  
133-593-594

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
25 x 25 mm	EUR 188.00	EUR 227.00	EUR 335.00	EUR 535.00
50 x 50 mm	EUR 263.00	EUR 419.00	EUR 888.00	
100 x 100 mm	EUR 776.00	EUR 1434.00		

#### Discs

Web Code  
306-668-097  
333-500-829  
687-602-762  
950-349-446  
793-682-058  
210-250-447

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 292.00	EUR 342.00	EUR 475.00
6 mm	EUR 313.00	EUR 372.00	EUR 523.00
8 mm	EUR 334.00	EUR 402.00	EUR 599.00
10 mm	EUR 355.00	EUR 433.00	EUR 721.00
15 mm	EUR 407.00	EUR 584.00	
25 mm	EUR 664.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

FE220210

Thickness ..... 0.0125mm

Temper ..... Hard

### Size

#### Web Code

437-331-900  
 651-783-336  
 589-967-829  
 367-279-826  
 407-864-093

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

#### 2pcs

#### Quantity

#### 5pcs

#### 10pcs

#### 20pcs

EUR 152.00	EUR 167.00	EUR 199.00	EUR 238.00	EUR 300.00
EUR 183.00	EUR 210.00	EUR 267.00	EUR 335.00	EUR 437.00
EUR 244.00	EUR 297.00	EUR 405.00	EUR 530.00	
EUR 306.00	EUR 384.00	EUR 543.00		
EUR 490.00	EUR 646.00			

### Coil

#### Web Code

163-013-594  
 666-497-753

#### Width 300mm

#### Length

0.5 m  
 1 m

#### 1 Reel

#### Quantity

EUR 632.00  
 EUR 830.00

### Discs

#### Web Code

412-350-612  
 543-825-633  
 978-210-077  
 276-261-718  
 532-721-663  
 590-211-752  
 776-474-720

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

#### Quantity

EUR 240.00	EUR 271.00	EUR 344.00
EUR 249.00	EUR 283.00	EUR 364.00
EUR 257.00	EUR 295.00	EUR 383.00
EUR 266.00	EUR 307.00	EUR 402.00
EUR 287.00	EUR 338.00	EUR 450.00
EUR 330.00	EUR 398.00	EUR 546.00
EUR 438.00	EUR 551.00	EUR 788.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220211

Thickness ..... 0.015mm

Temper ..... As rolled

### NLT Sizes

#### Web Code

261-696-445

#### Size

300 x 300 mm

#### 1pc

#### 2pcs

#### Quantity

#### 5pcs

#### 10pcs

#### 20pcs

EUR 473.00	EUR 620.00			
------------	------------	--	--	--

### Sizes LT

#### Web Code

722-325-908  
 186-589-526  
 576-219-995  
 647-346-112  
 841-515-042

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

#### 2pcs

#### Quantity

#### 5pcs

#### 10pcs

#### 20pcs

EUR 150.00	EUR 165.00	EUR 195.00	EUR 233.00	EUR 293.00
EUR 180.00	EUR 206.00	EUR 261.00	EUR 326.00	EUR 424.00
EUR 238.00	EUR 289.00	EUR 392.00	EUR 511.00	
EUR 297.00	EUR 372.00	EUR 523.00		
EUR 496.00	EUR 651.00			

### Coil

#### Web Code

240-690-675  
 086-334-935

#### Width 300mm

#### Length

0.5 m  
 1 m

#### 1 Reel

#### Quantity

EUR 612.00  
 EUR 803.00

### Discs

#### Web Code

916-952-025  
 619-002-979  
 375-372-963  
 921-620-111  
 202-517-417  
 314-685-636  
 335-708-171

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

#### Quantity

EUR 239.00	EUR 270.00	EUR 343.00
EUR 247.00	EUR 281.00	EUR 361.00
EUR 256.00	EUR 293.00	EUR 379.00
EUR 264.00	EUR 304.00	EUR 398.00
EUR 284.00	EUR 333.00	EUR 443.00
EUR 325.00	EUR 391.00	EUR 535.00
EUR 427.00	EUR 536.00	EUR 765.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

**FE220215**

Thickness ..... 0.02mm

Temper ..... As rolled

### NLT Sizes

Web Code  
988-883-716

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
200 x 300 mm	EUR 388.00	EUR 501.00	EUR 727.00		

### Sizes LT

Web Code  
282-558-774  
138-664-971  
974-788-474  
639-741-550  
624-666-001

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 148.00	EUR 162.00	EUR 191.00	EUR 227.00	EUR 284.00
50 x 50 mm	EUR 176.00	EUR 200.00	EUR 252.00	EUR 313.00	EUR 406.00
100 x 100 mm	EUR 230.00	EUR 278.00	EUR 374.00	EUR 485.00	EUR 650.00
150 x 150 mm	EUR 285.00	EUR 355.00	EUR 496.00	EUR 658.00	EUR 929.00
200 x 300 mm	EUR 408.00	EUR 526.00	EUR 764.00		

### Coil

Web Code  
376-694-729  
423-139-807  
892-484-943

Length	Quantity	
	1 Reel	
0.5 m	EUR 500.00	
1 m	EUR 644.00	
2 m	EUR 846.00	

### Discs

Web Code  
601-860-014  
232-511-714  
063-966-334  
995-798-299  
474-778-858  
347-354-285  
419-281-495

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 238.00	EUR 268.00	EUR 340.00
6 mm	EUR 246.00	EUR 279.00	EUR 357.00
8 mm	EUR 253.00	EUR 290.00	EUR 374.00
10 mm	EUR 261.00	EUR 300.00	EUR 391.00
15 mm	EUR 280.00	EUR 327.00	EUR 434.00
25 mm	EUR 318.00	EUR 381.00	EUR 519.00
50 mm	EUR 413.00	EUR 516.00	EUR 733.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220221**

Thickness ..... 0.025mm

Temper ..... Hard

### Size

Web Code  
890-647-488  
330-928-052  
366-005-996  
750-746-656  
843-329-656

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 123.00	EUR 131.00	EUR 150.00	EUR 175.00	EUR 217.00
50 x 50 mm	EUR 138.00	EUR 153.00	EUR 185.00	EUR 225.00	EUR 287.00
100 x 100 mm	EUR 169.00	EUR 197.00	EUR 255.00	EUR 323.00	EUR 426.00
150 x 150 mm	EUR 200.00	EUR 241.00	EUR 324.00	EUR 421.00	
300 x 300 mm	EUR 293.00	EUR 373.00	EUR 532.00		

### Coil

Web Code  
086-844-112  
416-210-828  
026-355-013

Length	Quantity	
	1 Reel	
0.5 m	EUR 382.00	
1 m	EUR 482.00	
2 m	EUR 634.00	

### Discs

Web Code  
658-224-073  
278-003-444  
750-427-615  
803-454-155  
431-773-057  
971-626-899  
453-360-125

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 216.00	EUR 243.00	EUR 310.00
6 mm	EUR 220.00	EUR 249.00	EUR 320.00
8 mm	EUR 225.00	EUR 256.00	EUR 329.00
10 mm	EUR 229.00	EUR 262.00	EUR 339.00
15 mm	EUR 240.00	EUR 277.00	EUR 363.00
25 mm	EUR 262.00	EUR 308.00	EUR 412.00
50 mm	EUR 316.00	EUR 384.00	EUR 534.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220240**

Thickness ..... 0.038mm

Temper ..... Hard

### Size

Web Code  
051-588-747  
781-805-760  
783-446-808  
581-022-755  
737-827-603

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 118.00	EUR 125.00	EUR 141.00	EUR 162.00	EUR 199.00
50 x 50 mm	EUR 129.00	EUR 141.00	EUR 167.00	EUR 199.00	EUR 251.00
100 x 100 mm	EUR 153.00	EUR 174.00	EUR 219.00	EUR 273.00	EUR 355.00
150 x 150 mm	EUR 176.00	EUR 207.00	EUR 271.00		
300 x 300 mm	EUR 246.00	EUR 306.00	EUR 427.00		

### Coil

Web Code  
032-741-308  
977-682-547  
210-324-138

Length	Quantity	
	1 Reel	
0.5 m	EUR 336.00	
1 m	EUR 417.00	
2 m	EUR 531.00	

### Discs

Web Code  
428-201-304  
028-895-025  
099-746-948  
933-475-453  
856-434-003  
447-306-152  
818-865-395

Diameter	Quantity		
	10 discs	20 discs	50 discs
4 mm	EUR 206.00	EUR 230.00	EUR 289.00
6 mm	EUR 209.00	EUR 234.00	EUR 295.00
8 mm	EUR 212.00	EUR 238.00	EUR 302.00
10 mm	EUR 215.00	EUR 242.00	EUR 309.00
15 mm	EUR 222.00	EUR 253.00	EUR 325.00
25 mm	EUR 237.00	EUR 274.00	EUR 358.00
50 mm	EUR 274.00	EUR 326.00	EUR 441.00

Typical Analysis : Not applicable

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

**FE220250**

Thickness ..... 0.05mm

Temper ..... Hard

### Size

#### Web Code

290-517-823  
 314-736-486  
 342-055-988  
 756-999-490  
 624-925-319

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

EUR 90.00  
 EUR 95.00  
 EUR 105.00  
 EUR 115.00  
 EUR 145.00

#### 2pcs

EUR 94.50  
 EUR 101.00  
 EUR 115.00  
 EUR 130.00  
 EUR 172.00

#### 5pcs

EUR 105.00  
 EUR 116.00  
 EUR 138.00  
 EUR 161.00  
 EUR 228.00

#### 10pcs

EUR 120.00  
 EUR 136.00  
 EUR 168.00  
 EUR 199.00

#### 20pcs

EUR 148.00  
 EUR 171.00  
 EUR 215.00  
 EUR 260.00

### Coil

#### Web Code

478-445-240  
 115-662-565  
 457-820-173  
 227-515-355

#### Width 305mm

#### Length

0.5 m  
 1 m  
 2 m  
 5 m

#### Quantity

#### 1 Reel

EUR 197.00  
 EUR 230.00  
 EUR 277.00  
 EUR 413.00

### Discs

#### Web Code

646-836-039  
 854-510-581  
 813-820-356  
 727-548-038  
 943-504-496  
 938-057-469  
 257-178-773

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

#### Quantity

#### 10 discs

EUR 182.00  
 EUR 183.00  
 EUR 184.00  
 EUR 185.00  
 EUR 188.00  
 EUR 195.00  
 EUR 211.00

#### 20 discs

EUR 204.00  
 EUR 206.00  
 EUR 208.00  
 EUR 209.00  
 EUR 214.00  
 EUR 223.00  
 EUR 245.00

#### 50 discs

EUR 260.00  
 EUR 263.00  
 EUR 266.00  
 EUR 269.00  
 EUR 276.00  
 EUR 290.00  
 EUR 326.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220260**

Thickness ..... 0.075mm

Temper ..... Hard

### Size

#### Web Code

147-344-037  
 418-011-831  
 251-481-783  
 435-217-689  
 402-210-760

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

EUR 90.00  
 EUR 95.00  
 EUR 105.00  
 EUR 115.00  
 EUR 144.00

#### 2pcs

EUR 94.00  
 EUR 101.00  
 EUR 115.00  
 EUR 129.00  
 EUR 171.00

#### 5pcs

EUR 105.00  
 EUR 116.00  
 EUR 138.00  
 EUR 160.00  
 EUR 225.00

#### 10pcs

EUR 120.00  
 EUR 135.00  
 EUR 166.00  
 EUR 198.00

#### 20pcs

EUR 148.00  
 EUR 170.00  
 EUR 214.00  
 EUR 258.00

### Coil

#### Web Code

855-524-430  
 276-347-984  
 543-495-223  
 936-904-012

#### Width 300mm

#### Length

0.5 m  
 1 m  
 2 m  
 5 m

#### Quantity

#### 1 Reel

EUR 195.00  
 EUR 227.00  
 EUR 273.00  
 EUR 429.00

### Discs

#### Web Code

781-803-074  
 725-379-701  
 672-467-241  
 058-408-834  
 301-106-127  
 638-272-315  
 784-041-044

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

#### Quantity

#### 10 discs

EUR 181.00  
 EUR 183.00  
 EUR 184.00  
 EUR 185.00  
 EUR 188.00  
 EUR 195.00  
 EUR 210.00

#### 20 discs

EUR 204.00  
 EUR 206.00  
 EUR 207.00  
 EUR 209.00  
 EUR 214.00  
 EUR 222.00  
 EUR 244.00

#### 50 discs

EUR 260.00  
 EUR 263.00  
 EUR 266.00  
 EUR 268.00  
 EUR 275.00  
 EUR 289.00  
 EUR 324.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220271**

Thickness ..... 0.1mm

Temper ..... Hard

### Size

#### Web Code

652-671-744  
 906-693-149  
 732-514-029  
 340-690-910  
 087-691-237

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

EUR 90.00  
 EUR 94.50  
 EUR 104.00  
 EUR 114.00  
 EUR 143.00

#### 2pcs

EUR 94.00  
 EUR 101.00  
 EUR 114.00  
 EUR 128.00  
 EUR 169.00

#### 5pcs

EUR 104.00  
 EUR 115.00  
 EUR 137.00  
 EUR 158.00  
 EUR 222.00

#### 10pcs

EUR 120.00  
 EUR 135.00  
 EUR 165.00  
 EUR 195.00

#### 20pcs

EUR 147.00  
 EUR 169.00  
 EUR 212.00  
 EUR 255.00

### Coil

#### Web Code

500-081-592  
 689-365-297  
 893-802-006  
 183-799-521

#### Width 305mm

#### Length

0.5 m  
 1 m  
 2 m  
 5 m

#### Quantity

#### 1 Reel

EUR 194.00  
 EUR 226.00  
 EUR 270.00  
 EUR 454.00

### Discs

#### Web Code

411-477-823  
 840-498-694  
 927-052-386  
 621-121-811  
 160-351-735  
 671-663-214  
 425-558-652

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

#### Quantity

#### 10 discs

EUR 181.00  
 EUR 183.00  
 EUR 184.00  
 EUR 185.00  
 EUR 188.00  
 EUR 194.00  
 EUR 209.00

#### 20 discs

EUR 204.00  
 EUR 206.00  
 EUR 207.00  
 EUR 209.00  
 EUR 213.00  
 EUR 222.00  
 EUR 244.00

#### 50 discs

EUR 260.00  
 EUR 263.00  
 EUR 265.00  
 EUR 268.00  
 EUR 275.00  
 EUR 289.00  
 EUR 323.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.



## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

FE220270

Thickness ..... 0.1mm

Temper ..... Annealed

### Size

#### Web Code

005-134-149  
 641-763-182  
 220-391-742  
 548-965-520  
 620-688-442

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

### Quantity

1pc	2pcs	5pcs	10pcs	20pcs
EUR 90.00	EUR 94.00	EUR 104.00	EUR 120.00	EUR 147.00
EUR 94.50	EUR 101.00	EUR 115.00	EUR 135.00	EUR 169.00
EUR 104.00	EUR 114.00	EUR 137.00	EUR 165.00	EUR 212.00
EUR 114.00	EUR 128.00	EUR 158.00	EUR 195.00	EUR 255.00
EUR 143.00	EUR 169.00	EUR 222.00		

### Coil

#### Web Code

940-554-744  
 586-060-496  
 257-556-778  
 194-595-690

#### Width 305mm

#### Length

1 Reel
0.5 m EUR 194.00
1 m EUR 226.00
2 m EUR 270.00
5 m EUR 454.00

### Quantity

### Discs

#### Web Code

324-458-954  
 557-364-771  
 670-594-340  
 824-296-785  
 037-091-777  
 636-465-992  
 558-243-859

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

10 discs	20 discs	50 discs
EUR 181.00	EUR 204.00	EUR 260.00
EUR 183.00	EUR 206.00	EUR 263.00
EUR 184.00	EUR 207.00	EUR 265.00
EUR 185.00	EUR 209.00	EUR 268.00
EUR 188.00	EUR 213.00	EUR 275.00
EUR 194.00	EUR 222.00	EUR 289.00
EUR 209.00	EUR 244.00	EUR 323.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220280

Thickness ..... 0.125mm

Temper ..... Annealed

### Size

#### Web Code

780-475-561  
 559-440-416  
 930-053-330  
 256-670-282  
 083-775-772

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

### Quantity

1pc	2pcs	5pcs	10pcs	20pcs
EUR 90.00	EUR 94.00	EUR 104.00	EUR 120.00	EUR 147.00
EUR 94.50	EUR 101.00	EUR 115.00	EUR 135.00	EUR 169.00
EUR 104.00	EUR 114.00	EUR 137.00	EUR 165.00	EUR 212.00
EUR 114.00	EUR 128.00	EUR 158.00	EUR 196.00	EUR 255.00
EUR 143.00	EUR 169.00	EUR 223.00		

### Coil

#### Web Code

569-343-116  
 471-968-503  
 996-074-384  
 509-289-920

#### Width 300mm

#### Length

1 Reel
0.5 m EUR 194.00
1 m EUR 225.00
2 m EUR 269.00
5 m EUR 489.00

### Quantity

### Discs

#### Web Code

873-481-674  
 185-205-785  
 150-724-320  
 840-549-115  
 068-641-279  
 580-162-029  
 520-262-293

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

10 discs	20 discs	50 discs
EUR 181.00	EUR 204.00	EUR 260.00
EUR 183.00	EUR 206.00	EUR 263.00
EUR 184.00	EUR 207.00	EUR 265.00
EUR 185.00	EUR 209.00	EUR 268.00
EUR 188.00	EUR 213.00	EUR 275.00
EUR 194.00	EUR 222.00	EUR 289.00
EUR 209.00	EUR 244.00	EUR 323.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220290

Thickness ..... 0.15mm

Temper ..... Hard

### Size

#### Web Code

792-086-911  
 010-872-974  
 359-119-860  
 889-981-147  
 247-645-422

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

### Quantity

1pc	2pcs	5pcs	10pcs	20pcs
EUR 90.00	EUR 94.00	EUR 104.00	EUR 120.00	EUR 148.00
EUR 95.00	EUR 101.00	EUR 115.00	EUR 135.00	EUR 169.00
EUR 104.00	EUR 115.00	EUR 137.00	EUR 166.00	EUR 213.00
EUR 114.00	EUR 128.00	EUR 159.00	EUR 196.00	EUR 256.00
EUR 143.00	EUR 170.00	EUR 224.00	EUR 328.00	

### Coil

#### Web Code

244-929-666  
 586-025-397  
 058-614-480  
 315-537-933

#### Width 300mm

#### Length

1 Reel
0.5 m EUR 195.00
1 m EUR 226.00
2 m EUR 271.00
5 m EUR 496.00

### Quantity

### Discs

#### Web Code

955-683-401  
 460-434-346  
 554-297-799  
 287-217-306  
 902-168-068  
 771-005-880  
 375-737-024

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

10 discs	20 discs	50 discs
EUR 181.00	EUR 204.00	EUR 260.00
EUR 183.00	EUR 206.00	EUR 263.00
EUR 184.00	EUR 207.00	EUR 266.00
EUR 185.00	EUR 209.00	EUR 268.00
EUR 188.00	EUR 213.00	EUR 275.00
EUR 194.00	EUR 222.00	EUR 289.00
EUR 210.00	EUR 244.00	EUR 324.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

FE220291

Thickness ..... 0.15mm

Temper ..... Annealed

### Size

#### Web Code

796-819-005  
 358-609-892  
 371-963-879  
 818-603-510  
 232-625-444

Size  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs	
EUR 90.00	EUR 94.00	EUR 104.00	EUR 120.00	EUR 148.00		
EUR 95.00	EUR 101.00	EUR 115.00	EUR 135.00	EUR 169.00		
EUR 104.00	EUR 115.00	EUR 137.00	EUR 166.00	EUR 213.00		
EUR 114.00	EUR 128.00	EUR 159.00	EUR 196.00	EUR 256.00		
EUR 143.00	EUR 170.00	EUR 224.00				

### Coil

#### Web Code

334-148-250  
 640-751-813  
 537-431-701  
 182-249-840

Width 300mm

#### Length

0.5 m  
 1 m  
 2 m  
 5 m

### Quantity

#### 1 Reel

EUR 195.00  
 EUR 226.00  
 EUR 271.00  
 EUR 496.00

### Discs

#### Web Code

343-357-722  
 537-502-133  
 616-329-636  
 066-173-813  
 860-164-495  
 585-610-614  
 742-208-582

Diameter  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

	10 discs	20 discs	50 discs
EUR 181.00	EUR 204.00	EUR 260.00	
EUR 183.00	EUR 206.00	EUR 263.00	
EUR 184.00	EUR 207.00	EUR 266.00	
EUR 185.00	EUR 209.00	EUR 268.00	
EUR 188.00	EUR 213.00	EUR 275.00	
EUR 194.00	EUR 222.00	EUR 289.00	
EUR 210.00	EUR 244.00	EUR 324.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220320

Thickness ..... 0.2mm

Temper ..... Annealed



### Size

#### Web Code

314-325-863  
 290-736-410  
 342-050-261  
 756-284-134  
 535-518-301

Size  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs	
EUR 89.50	EUR 94.00	EUR 104.00	EUR 119.00	EUR 147.00		
EUR 94.50	EUR 100.00	EUR 115.00	EUR 134.00	EUR 168.00		
EUR 104.00	EUR 114.00	EUR 135.00	EUR 163.00	EUR 209.00		
EUR 113.00	EUR 127.00	EUR 156.00	EUR 193.00	EUR 251.00		
EUR 141.00	EUR 166.00	EUR 219.00				

### Coil

#### Web Code

167-892-690  
 939-792-986  
 474-124-792  
 265-591-536

Width 305mm

#### Length

0.5 m  
 1 m  
 2 m  
 5 m

### Quantity

EUR 192.00  
 EUR 223.00  
 EUR 279.00  
 EUR 519.00

### Discs

#### Web Code

573-706-977  
 713-364-596  
 170-564-583  
 320-563-987  
 070-499-105  
 812-396-651  
 549-583-489

Diameter  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

	10 discs	20 discs	50 discs
EUR 181.00	EUR 204.00	EUR 260.00	
EUR 183.00	EUR 205.00	EUR 263.00	
EUR 184.00	EUR 207.00	EUR 265.00	
EUR 185.00	EUR 209.00	EUR 268.00	
EUR 188.00	EUR 213.00	EUR 274.00	
EUR 194.00	EUR 221.00	EUR 288.00	
EUR 209.00	EUR 242.00	EUR 321.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220321

Thickness ..... 0.25mm

Temper ..... Hard



### Size

#### Web Code

128-415-452  
 235-766-109  
 192-001-693  
 353-144-776  
 782-435-540

Size  
 25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

		Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs	
EUR 89.00	EUR 93.00	EUR 103.00	EUR 117.00	EUR 144.00		
EUR 93.00	EUR 98.50	EUR 111.00	EUR 130.00	EUR 161.00		
EUR 101.00	EUR 110.00	EUR 129.00	EUR 155.00	EUR 197.00		
EUR 109.00	EUR 121.00	EUR 147.00	EUR 180.00	EUR 233.00		
EUR 133.00	EUR 155.00	EUR 201.00				

### Coil

#### Web Code

697-529-084  
 030-837-786  
 768-961-415  
 029-846-325

Width 300mm

#### Length

0.5 m  
 1 m  
 2 m  
 5 m

### Quantity

EUR 181.00  
 EUR 207.00  
 EUR 250.00  
 EUR 446.00

### Discs

#### Web Code

347-549-683  
 246-490-165  
 809-704-533  
 691-576-377  
 738-715-343  
 532-935-745  
 626-356-314

Diameter  
 4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

### Quantity

	10 discs	20 discs	50 discs
EUR 181.00	EUR 203.00	EUR 259.00	
EUR 182.00	EUR 205.00	EUR 261.00	
EUR 183.00	EUR 206.00	EUR 264.00	
EUR 184.00	EUR 208.00	EUR 266.00	
EUR 187.00	EUR 211.00	EUR 272.00	
EUR 192.00	EUR 218.00	EUR 283.00	
EUR 204.00	EUR 236.00	EUR 311.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

**FE220322**

Thickness ..... 0.25mm

Temper ..... Annealed



Xn

### Size

#### Web Code

697-936-004  
 242-011-776  
 251-469-522  
 433-697-796  
 212-221-008

#### Size

Size	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 89.00	EUR 93.00	EUR 103.00	EUR 117.00	EUR 144.00
50 x 50 mm	EUR 93.00	EUR 98.50	EUR 111.00	EUR 130.00	EUR 161.00
100 x 100 mm	EUR 101.00	EUR 110.00	EUR 129.00	EUR 155.00	EUR 197.00
150 x 150 mm	EUR 109.00	EUR 121.00	EUR 147.00	EUR 180.00	EUR 233.00
300 x 300 mm	EUR 133.00	EUR 155.00	EUR 201.00		

### Coil

#### Web Code

986-584-339  
 527-625-180  
 953-142-596  
 142-816-134

#### Width 300mm

#### Length

Length	1 Reel
0.5 m	EUR 181.00
1 m	EUR 207.00
2 m	EUR 250.00
5 m	EUR 446.00

#### Quantity

### Discs

#### Web Code

829-934-058  
 741-752-629  
 719-081-952  
 885-239-056  
 654-877-303  
 859-668-244  
 458-533-977

#### Diameter

Diameter	10 discs	20 discs	50 discs
4 mm	EUR 181.00	EUR 203.00	EUR 259.00
6 mm	EUR 182.00	EUR 205.00	EUR 261.00
8 mm	EUR 183.00	EUR 206.00	EUR 264.00
10 mm	EUR 184.00	EUR 208.00	EUR 266.00
15 mm	EUR 187.00	EUR 211.00	EUR 272.00
25 mm	EUR 192.00	EUR 218.00	EUR 283.00
50 mm	EUR 204.00	EUR 236.00	EUR 311.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220326**

Thickness ..... 0.40mm

Temper ..... Hard



Xn

### Size

#### Web Code

487-986-465  
 431-891-848  
 324-866-211  
 549-103-466  
 241-573-139

#### Size

Size	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 89.50	EUR 93.50	EUR 103.00	EUR 118.00	EUR 145.00
50 x 50 mm	EUR 94.00	EUR 99.50	EUR 113.00	EUR 132.00	EUR 165.00
100 x 100 mm	EUR 102.00	EUR 112.00	EUR 133.00	EUR 159.00	EUR 204.00
150 x 150 mm	EUR 111.00	EUR 124.00	EUR 152.00	EUR 187.00	EUR 243.00
300 x 300 mm	EUR 137.00	EUR 161.00	EUR 210.00		

### Coil

#### Web Code

659-644-938  
 144-844-167  
 441-461-552

#### Width 300mm

#### Length

Length	1 Reel
0.5 m	EUR 187.00
1 m	EUR 215.00
2 m	EUR 275.00

#### Quantity

### Discs

#### Web Code

460-139-921  
 307-933-166  
 535-797-842  
 005-697-077  
 581-667-036  
 484-915-340  
 151-123-921

#### Diameter

Diameter	10 discs	20 discs	50 discs
4 mm	EUR 181.00	EUR 204.00	EUR 260.00
6 mm	EUR 182.00	EUR 205.00	EUR 262.00
8 mm	EUR 183.00	EUR 207.00	EUR 264.00
10 mm	EUR 184.00	EUR 208.00	EUR 267.00
15 mm	EUR 187.00	EUR 212.00	EUR 273.00
25 mm	EUR 193.00	EUR 220.00	EUR 285.00
50 mm	EUR 207.00	EUR 240.00	EUR 317.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220324**

Thickness ..... 0.5mm

Surface treatment ..... Titanium Nitride coating 2-3 microns



Xn

### Size

#### Web Code

552-496-340

#### Size

Size	1pc	2pcs	3pcs
25 x 25 mm	EUR 136.00	EUR 151.00	EUR 164.00

Typical Analysis : Not applicable

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

FE220323

Thickness ..... 0.5mm

Temper ..... Annealed



### Size

#### Web Code

316-743-487  
 592-931-982  
 116-489-324  
 561-174-596  
 146-820-564

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

#### 2pcs

#### 5pcs

#### 10pcs

#### 20pcs

Quantity	1pc	2pcs	5pcs	10pcs	20pcs
25 x 25 mm	EUR 89.50	EUR 93.50	EUR 104.00	EUR 119.00	EUR 146.00
50 x 50 mm	EUR 94.00	EUR 100.00	EUR 114.00	EUR 133.00	EUR 166.00
100 x 100 mm	EUR 103.00	EUR 113.00	EUR 134.00	EUR 162.00	EUR 207.00
150 x 150 mm	EUR 112.00	EUR 126.00	EUR 155.00	EUR 190.00	EUR 253.00
300 x 300 mm	EUR 140.00	EUR 164.00	EUR 221.00	EUR 359.00	

### Coil

#### Web Code

323-038-431  
 352-565-955  
 070-745-259

#### Width 300mm

#### Length

0.5 m  
 1 m  
 2 m

#### Quantity

#### 1 Reel

Quantity	1 Reel
0.5 m	EUR 190.00
1 m	EUR 219.00
2 m	EUR 290.00

### Discs

#### Web Code

260-327-335  
 540-913-573  
 614-189-659  
 773-708-809  
 713-605-914  
 200-739-349  
 092-419-940

#### Diameter

4 mm  
 6 mm  
 8 mm  
 10 mm  
 15 mm  
 25 mm  
 50 mm

#### Quantity

Quantity	10 discs	20 discs	50 discs
4 mm	EUR 181.00	EUR 204.00	EUR 260.00
6 mm	EUR 182.00	EUR 205.00	EUR 262.00
8 mm	EUR 184.00	EUR 207.00	EUR 265.00
10 mm	EUR 185.00	EUR 209.00	EUR 267.00
15 mm	EUR 188.00	EUR 213.00	EUR 274.00
25 mm	EUR 193.00	EUR 221.00	EUR 287.00
50 mm	EUR 208.00	EUR 241.00	EUR 319.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220330

Thickness ..... 0.7mm

Temper ..... Annealed



### Size

#### Web Code

964-577-207  
 201-564-644  
 713-782-083  
 819-241-615

#### Size

50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 500 x 500 mm

#### 1pc

#### 2pcs

#### 5pcs

#### 10pcs

#### 20pcs

Quantity	1pc	2pcs	5pcs	10pcs	20pcs
50 x 50 mm	EUR 93.50	EUR 99.00	EUR 111.00	EUR 129.00	EUR 158.00
100 x 100 mm	EUR 102.00	EUR 111.00	EUR 131.00	EUR 156.00	EUR 197.00
150 x 150 mm	EUR 111.00	EUR 124.00	EUR 150.00	EUR 184.00	EUR 244.00
500 x 500 mm	EUR 172.00	EUR 226.00			

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220341

Thickness ..... 0.914mm

Surface treatment ..... Titanium Nitride coating 2-3 microns



### Size

#### Web Code

524-175-481  
 521-932-799  
 241-597-209

#### Size

25 x 25 mm  
 50 x 50 mm  
 100 x 100 mm

#### 1pc

#### 2pcs

#### 5pcs

Quantity	1pc	2pcs	5pcs
25 x 25 mm	EUR 135.00	EUR 161.00	EUR 219.00
50 x 50 mm	EUR 186.00	EUR 254.00	
100 x 100 mm	EUR 413.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

This item is shown as an example of Titanium Nitride (TiN) coated material.

FE220340

Thickness ..... 0.914mm

Temper ..... Annealed



### Size

#### Web Code

244-897-485  
 612-181-988  
 522-743-581  
 342-940-024  
 867-506-460

#### Size

50 x 50 mm  
 100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm  
 500 x 500 mm

#### 1pc

#### 2pcs

#### 5pcs

#### 10pcs

#### 20pcs

Quantity	1pc	2pcs	5pcs	10pcs	20pcs
50 x 50 mm	EUR 94.50	EUR 101.00	EUR 114.00	EUR 132.00	EUR 164.00
100 x 100 mm	EUR 105.00	EUR 115.00	EUR 137.00	EUR 164.00	EUR 208.00
150 x 150 mm	EUR 115.00	EUR 129.00	EUR 159.00	EUR 196.00	
300 x 300 mm	EUR 145.00	EUR 171.00	EUR 255.00		
500 x 500 mm	EUR 184.00	EUR 268.00			

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE220360

Thickness ..... 1.0mm

Temper ..... Annealed



### Size

#### Web Code

031-408-621

#### Size

25 x 25 mm

#### 1pc

Quantity	1pc
25 x 25 mm	EUR 94.00

### Discs

#### Web Code

532-600-958

#### Diameter

9.5 mm

Quantity	1 discs
9.5 mm	EUR 168.00

FE220375

Thickness ..... 1.5mm



### Size

#### Web Code

829-894-446  
 286-663-785  
 816-861-113

#### Size

100 x 100 mm  
 150 x 150 mm  
 300 x 300 mm

#### 1pc

#### 2pcs

#### 5pcs

#### 10pcs

#### 20pcs

Quantity	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	EUR 125.00	EUR 152.00	EUR 221.00	EUR 324.00	EUR 518.00
150 x 150 mm	EUR 138.00	EUR 169.00	EUR 248.00	EUR 363.00	
300 x 300 mm	EUR 175.00	EUR 222.00	EUR 332.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Foil

**FE220380**

Thickness ..... **2.0mm**

Temper ..... **Annealed**



**Size**

**Web Code**  
 670-004-528  
 297-142-835  
 914-092-617

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 x 100 mm	EUR 129.00	EUR 157.00	EUR 229.00	EUR 336.00	EUR 535.00
150 x 150 mm	EUR 144.00	EUR 178.00	EUR 261.00	EUR 382.00	
300 x 300 mm	EUR 187.00	EUR 238.00	EUR 385.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220390**

Thickness ..... **3.0mm**

Temper ..... **Annealed**



**Size**

**Web Code**  
 412-064-297  
 891-149-021  
 102-354-057  
 933-861-668

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 136.00	EUR 166.00	EUR 244.00	EUR 357.00
150 x 150 mm	EUR 153.00	EUR 191.00	EUR 283.00	
300 x 300 mm	EUR 206.00	EUR 266.00		
500 x 500 mm	EUR 284.00			

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE220400**

Thickness ..... **4.0mm**



**Size**

**Web Code**  
 452-750-582  
 111-479-925

Size	Quantity	
	1pc	2pcs
50 x 50 mm	EUR 121.00	EUR 145.00
250 x 300 mm	EUR 212.00	



## Mesh

**FE228710**

Nominal Aperture ..... **0.38mm**  
 Wire diameter ..... **0.25mm**  
 Open area ..... **37%**

Thickness ..... **0.75mm**  
 Wires/inch ..... **40x40**  
 Type ..... **Plain weave mesh**



**Size**

**Web Code**  
 530-570-990  
 321-365-009  
 170-634-909  
 329-370-596  
 171-322-395

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 140.00	EUR 169.00	EUR 242.00	EUR 319.00
150 x 150 mm	EUR 157.00	EUR 194.00	EUR 280.00	
300 x 300 mm	EUR 209.00	EUR 266.00	EUR 395.00	
600 x 600 mm	EUR 311.00	EUR 411.00		
900 x 900 mm	EUR 413.00	EUR 555.00		

**FE228720**

Nominal Aperture ..... **0.54mm**  
 Wire diameter ..... **0.30mm**  
 Open area ..... **37%**

Thickness ..... **0.6mm**  
 Wires/inch ..... **30x30**  
 Type ..... **Plain weave mesh**



**Size**

**Web Code**  
 224-156-993  
 994-243-124  
 487-436-354  
 580-212-317  
 505-502-859

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
100 x 100 mm	EUR 149.00	EUR 178.00	EUR 237.00	EUR 340.00
150 x 150 mm	EUR 181.00	EUR 222.00	EUR 307.00	
300 x 300 mm	EUR 275.00	EUR 355.00	EUR 518.00	
600 x 600 mm	EUR 463.00	EUR 622.00		
900 x 900 mm	EUR 651.00	EUR 888.00		



## Wire

**FE225110**

Diameter ..... **0.05mm**

Temper ..... **Annealed**



**Length**

**Web Code**  
 640-125-199  
 015-649-723  
 370-096-836  
 956-224-202  
 528-026-039  
 003-255-166

Length	Quantity
	1 Reel
50 m	EUR 114.00
100 m	EUR 132.00
200 m	EUR 160.00
500 m	EUR 223.00
1000 m	EUR 306.00
2000 m	EUR 387.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE225111**

Diameter ..... **0.05mm**  
 Condition ..... **Gold plated wire**

Temper ..... **Annealed**



**Length**

**Web Code**  
 306-169-160  
 245-416-352  
 277-127-061  
 822-189-551  
 464-172-265

Length	Quantity
	1 Reel
1 m	EUR 145.00
5 m	EUR 195.00
10 m	EUR 233.00
20 m	EUR 286.00
50 m	EUR 392.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Wire

<b>FE225121</b>	Diameter ..... <b>0.075mm</b>	Temper ..... <b>Hard</b>					
<b>Xn</b>	<b>Length</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>				
	592-589-319	198 m					
<b>FE225120</b>	Diameter ..... <b>0.075mm</b>	Temper ..... <b>Annealed</b>					
<b>Xn</b>	<b>Length</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>				
	294-850-750	50 m	EUR	111.00			
	783-568-633	100 m	EUR	128.00			
	130-155-504	200 m	EUR	155.00			
	798-770-317	500 m	EUR	214.00			
	091-757-879	1000 m	EUR	294.00			
	917-798-342	2000 m	EUR	370.00			
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE225310</b>	Diameter ..... <b>0.125mm</b>	Condition. .... <b>Straight wire</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>		
			0.00731g	#75.4 mm#	100pcs		
					EUR 86.50		
					EUR 107.50		
<b>FE225130</b>	Diameter ..... <b>0.25mm</b>	Temper ..... <b>Annealed</b>					
<b>Xn</b>	<b>Length</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>				
	501-742-986	10 m	EUR	97.50			
	212-847-374	20 m	EUR	107.00			
	763-352-956	50 m	EUR	128.00			
	954-554-027	100 m	EUR	155.00			
	154-117-549	200 m	EUR	201.00			
	722-666-769	500 m	EUR	372.00			
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE225131</b>	Diameter ..... <b>0.25mm</b>	Temper ..... <b>Annealed</b>					
	Condition. .... <b>Gold plated wire</b>						
<b>Xn</b>	<b>Length</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>				
	287-992-189	1 m	EUR	234.00			
	740-004-611	2 m	EUR	288.00			
	306-376-728	5 m	EUR	395.00			
	261-017-302	10 m	EUR	515.00			
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE225330</b>	Diameter ..... <b>0.5mm</b>	Condition. .... <b>Straight wire</b>					
	Temper ..... <b>As drawn</b>						
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>		
			1.6g	#1000 mm#	20pcs		
<b>FE225140</b>	Diameter ..... <b>0.5mm</b>	Temper ..... <b>Annealed</b>					
<b>Xn</b>	<b>Length</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>				
	122-684-691	10 m	EUR	101.00			
	941-500-762	20 m	EUR	112.00			
	929-241-181	50 m	EUR	136.00			
	144-100-661	100 m	EUR	165.00			
	800-585-288	200 m	EUR	236.00			
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE225141</b>	Diameter ..... <b>0.6mm</b>	Temper ..... <b>Annealed</b>					
<b>Xn</b>	<b>Length</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1 Reel</b>				
	511-502-605	10 m	EUR	103.00			
	751-968-170	20 m	EUR	115.00			
	345-079-085	50 m	EUR	141.00			
	155-923-051	100 m	EUR	172.00			
	202-961-446	200 m	EUR	262.00			
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE225340</b>	Diameter ..... <b>1.0mm</b>	Condition. .... <b>Straight wire</b>					
	Temper ..... <b>As drawn</b>						
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>		
			6.2g	#1000 mm#	20pcs		

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



### Wire

FE225150

Diameter ..... 1.0mm

Temper ..... Hard



#### Length

#### Web Code

672-797-756  
 503-269-503  
 099-714-886  
 464-357-982  
 388-059-705

#### Quantity

Length	1 Reel
10 m	EUR 108.00
20 m	EUR 122.00
50 m	EUR 153.00
100 m	EUR 191.00
200 m	EUR 272.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.



### Insulated Wire

FE225820

Conductor diameter ..... 0.10mm  
 Insulation ..... Polyimide

Insulation thickness ..... 0.025mm



#### Length

#### Web Code

112-539-901  
 499-976-593  
 503-720-526  
 733-482-745  
 406-871-406

#### Quantity

Length	1 Reel
5 m	EUR 137.00
10 m	EUR 158.00
20 m	EUR 188.00
50 m	EUR 330.00
100 m	EUR 573.00



### Rod

FE227902

Diameter ..... 2.0mm

Temper ..... As drawn



#### Size

Web Code  
 517-685-688  
 078-375-221

#### Quantity

Length	1pc	2pcs	5pcs	10pcs	20pcs
500 mm	EUR 67.50	EUR 79.00	EUR 101.00	EUR 130.00	EUR 178.00
1000 mm	EUR 75.50	EUR 90.00	EUR 119.00	EUR 155.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227903

Diameter ..... 3.0mm

Temper ..... As drawn



#### Size

Web Code  
 184-959-845  
 890-328-330

#### Quantity

Length	1pc	2pcs	5pcs	10pcs	20pcs
500 mm	EUR 67.50	EUR 79.00	EUR 101.00	EUR 130.00	EUR 178.00
1000 mm	EUR 75.50	EUR 90.00	EUR 119.00	EUR 155.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227904

Diameter ..... 4.0mm

Temper ..... As drawn



#### Size

Web Code  
 867-216-000  
 316-758-882

#### Quantity

Length	1pc	2pcs	5pcs	10pcs	20pcs
500 mm	EUR 69.50	EUR 81.50	EUR 106.00	EUR 137.00	EUR 187.00
1000 mm	EUR 78.00	EUR 94.00	EUR 125.00	EUR 164.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227908

Diameter ..... 5.0mm

Temper ..... As drawn



#### Size

Web Code  
 478-182-004  
 482-772-004

#### Quantity

Length	1pc	2pcs	5pcs	10pcs
500 mm	EUR 88.50	EUR 109.00	EUR 148.00	EUR 215.00
1000 mm	EUR 105.00	EUR 132.00	EUR 204.00	

FE227910

Diameter ..... 6.35mm

Temper ..... As drawn



#### Size

Web Code  
 325-019-885  
 177-154-723

#### Quantity

Length	1pc	2pcs	5pcs	10pcs
500 mm	EUR 89.50	EUR 110.00	EUR 151.00	EUR 223.00
1000 mm	EUR 107.00	EUR 134.00	EUR 211.00	

FE227915

Diameter ..... 10.0mm

Temper ..... As drawn



#### Size

Web Code  
 695-857-221  
 079-102-548  
 757-059-258  
 266-212-655

#### Quantity

Length	1pc	2pcs	5pcs	10pcs
100 mm	EUR 99.50	EUR 147.00	EUR 176.00	EUR 213.00
200 mm	EUR 111.00	EUR 163.00	EUR 201.00	EUR 250.00
500 mm	EUR 133.00	EUR 194.00	EUR 269.00	
1000 mm	EUR 158.00	EUR 231.00		

Typical Analysis : Not applicable

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

### Fe/Cr18/Ni10



## Rod

**FE227920**

Diameter ..... 12.7mm

Temper ..... As drawn



### Size

**Web Code**  
 831-482-173  
 847-661-685  
 787-014-307  
 917-723-433

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 98.00	EUR 145.00	EUR 173.00	EUR 208.00
200 mm	EUR 109.00	EUR 160.00	EUR 196.00	EUR 241.00
500 mm	EUR 129.00	EUR 190.00	EUR 252.00	
1000 mm	EUR 153.00	EUR 223.00		

**FE227930**

Diameter ..... 25mm

Temper ..... As drawn



### Size

**Web Code**  
 590-645-540  
 317-654-404  
 857-217-115  
 993-213-637

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 140.00	EUR 166.00	EUR 202.00	EUR 247.00
200 mm	EUR 154.00	EUR 187.00	EUR 235.00	EUR 342.00
500 mm	EUR 184.00	EUR 228.00	EUR 383.00	
1000 mm	EUR 217.00	EUR 324.00		



## Tube

**FE227105**

Outside Diameter ..... 0.2mm  
 Inside Diameter ..... 0.1mm

Wall Thickness ..... 0.05mm  
 Temper ..... Hard



### Size

**Web Code**  
 966-857-900  
 857-239-261  
 154-907-958  
 363-490-499

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 153.00	EUR 176.00	EUR 229.00	EUR 299.00	EUR 372.00
200 mm	EUR 169.00	EUR 199.00	EUR 264.00	EUR 349.00	EUR 479.00
500 mm	EUR 200.00	EUR 243.00	EUR 334.00	EUR 524.00	EUR 893.00
1000 mm	EUR 236.00	EUR 293.00	EUR 489.00	EUR 870.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227108**

Outside Diameter ..... 0.21mm  
 Inside Diameter ..... 0.08mm

Wall Thickness ..... 0.065mm  
 Temper ..... Hard



### Size

**Web Code**  
 381-935-547

Length	Quantity		
	10pcs	20pcs	50pcs
20 mm	EUR 328.00	EUR 473.00	EUR 855.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227100**

Outside Diameter ..... 0.25mm  
 Inside Diameter ..... 0.15mm

Wall Thickness ..... 0.05mm  
 Temper ..... Hard



### Size

**Web Code**  
 493-113-342  
 639-167-462  
 895-933-856  
 991-734-817

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 149.00	EUR 172.00	EUR 222.00	EUR 290.00	EUR 362.00
200 mm	EUR 165.00	EUR 194.00	EUR 258.00	EUR 340.00	EUR 468.00
500 mm	EUR 196.00	EUR 238.00	EUR 327.00	EUR 515.00	
1000 mm	EUR 232.00	EUR 288.00	EUR 483.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227150**

Outside Diameter ..... 0.5mm  
 Inside Diameter ..... 0.25mm

Wall Thickness ..... 0.125mm  
 Temper ..... Hard



### Size

**Web Code**  
 315-097-276  
 387-161-844  
 395-225-518  
 403-199-623

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 143.00	EUR 163.00	EUR 209.00	EUR 272.00	EUR 335.00
200 mm	EUR 157.00	EUR 182.00	EUR 239.00	EUR 314.00	EUR 395.00
500 mm	EUR 183.00	EUR 220.00	EUR 298.00	EUR 417.00	EUR 686.00
1000 mm	EUR 213.00	EUR 262.00	EUR 385.00	EUR 665.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227145**

Outside Diameter ..... 0.5mm  
 Inside Diameter ..... 0.28mm

Wall Thickness ..... 0.11mm  
 Temper ..... Hard



### Size

**Web Code**  
 372-989-317  
 623-671-499  
 958-932-170  
 866-520-740

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 145.00	EUR 166.00	EUR 213.00	EUR 277.00	EUR 342.00
200 mm	EUR 159.00	EUR 185.00	EUR 244.00	EUR 321.00	EUR 409.00
500 mm	EUR 187.00	EUR 225.00	EUR 306.00	EUR 442.00	EUR 736.00
1000 mm	EUR 218.00	EUR 269.00	EUR 409.00	EUR 714.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227140**

Outside Diameter ..... 0.5mm  
 Inside Diameter ..... 0.34mm

Wall Thickness ..... 0.08mm  
 Temper ..... As drawn



### Size

**Web Code**  
 658-661-467  
 332-675-731  
 584-471-871  
 058-983-924

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 147.00	EUR 169.00	EUR 218.00	EUR 284.00	EUR 354.00
200 mm	EUR 162.00	EUR 191.00	EUR 253.00	EUR 333.00	EUR 455.00
500 mm	EUR 193.00	EUR 234.00	EUR 322.00	EUR 502.00	EUR 859.00
1000 mm	EUR 228.00	EUR 283.00	EUR 471.00	EUR 838.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304



## Stainless Steel - AISI 304

Fe/Cr18/Ni10



### Tube

**FE227130**

Outside Diameter . . . . . **0.5mm**  
 Inside Diameter . . . . . **0.38mm**

Wall Thickness . . . . . **0.06mm**  
 Temper . . . . . **As drawn**



**Size**

**Web Code**  
 436-302-319  
 537-796-414  
 224-554-135  
 069-269-243

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 147.00	EUR 169.00	EUR 219.00	EUR 286.00	EUR 356.00
200 mm	EUR 163.00	EUR 192.00	EUR 254.00	EUR 335.00	EUR 462.00
500 mm	EUR 194.00	EUR 236.00	EUR 324.00	EUR 511.00	
1000 mm	EUR 229.00	EUR 286.00	EUR 480.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227158**

Outside Diameter . . . . . **0.58mm**  
 Inside Diameter . . . . . **0.46mm**

Wall Thickness . . . . . **0.06mm**  
 Temper . . . . . **Hard**



**Size**

**Web Code**  
 426-901-682

Length	Quantity				
	10pcs	20pcs	50pcs	100pcs	200pcs
3.175 mm	EUR 187.00	EUR 220.00	EUR 312.00	EUR 455.00	EUR 730.00

**FE227200**

Outside Diameter . . . . . **0.8mm**  
 Inside Diameter . . . . . **0.5mm**

Wall Thickness . . . . . **0.15mm**  
 Temper . . . . . **Hard**



**Size**

**Web Code**  
 733-697-830  
 712-225-431  
 028-183-910  
 522-991-750

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 139.00	EUR 157.00	EUR 199.00	EUR 256.00	EUR 314.00
200 mm	EUR 150.00	EUR 173.00	EUR 224.00	EUR 292.00	EUR 365.00
500 mm	EUR 173.00	EUR 204.00	EUR 274.00	EUR 364.00	EUR 550.00
1000 mm	EUR 198.00	EUR 240.00	EUR 331.00	EUR 529.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227180**

Outside Diameter . . . . . **0.8mm**  
 Inside Diameter . . . . . **0.5mm**

Wall Thickness . . . . . **0.15mm**  
 Temper . . . . . **Annealed**



**Size**

**Web Code**  
 399-953-081  
 994-134-992  
 266-862-996  
 357-869-533

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 139.00	EUR 157.00	EUR 200.00	EUR 259.00	EUR 317.00
200 mm	EUR 151.00	EUR 174.00	EUR 226.00	EUR 295.00	EUR 369.00
500 mm	EUR 174.00	EUR 207.00	EUR 278.00	EUR 368.00	EUR 567.00
1000 mm	EUR 200.00	EUR 243.00	EUR 336.00	EUR 546.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227185**

Outside Diameter . . . . . **0.85mm**  
 Inside Diameter . . . . . **0.065mm**

Wall Thickness . . . . . **0.393mm**  
 Temper . . . . . **Hard**



**Size**

**Web Code**  
 938-217-116

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
230 mm	EUR 156.00	EUR 181.00	EUR 237.00	EUR 318.00	EUR 488.00

Typical Analysis : Not applicable

**FE227201**

Outside Diameter . . . . . **0.9mm**  
 Inside Diameter . . . . . **0.6mm**

Wall Thickness . . . . . **0.15mm**  
 Temper . . . . . **Hard**



**Size**

**Web Code**  
 172-616-472

Length	Quantity				
	10pcs	20pcs	50pcs	100pcs	200pcs
35 mm	EUR 220.00	EUR 262.00	EUR 368.00	EUR 523.00	EUR 819.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

**FE227211**

Outside Diameter . . . . . **0.95mm**  
 Inside Diameter . . . . . **0.57mm**

Wall Thickness . . . . . **0.19mm**  
 Temper . . . . . **Hard**



**Size**

**Web Code**  
 672-111-314  
 583-690-239  
 891-839-533  
 599-273-384

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 138.00	EUR 156.00	EUR 197.00	EUR 254.00	EUR 311.00
250 mm	EUR 153.00	EUR 177.00	EUR 232.00	EUR 303.00	
500 mm	EUR 171.00	EUR 202.00	EUR 271.00		
1000 mm	EUR 196.00	EUR 237.00			

Typical Analysis : Not applicable

**FE227250**

Outside Diameter . . . . . **1.1mm**  
 Inside Diameter . . . . . **0.7mm**

Wall Thickness . . . . . **0.2mm**  
 Temper . . . . . **Hard**



**Size**

**Web Code**  
 373-964-242  
 745-533-183  
 191-642-361  
 955-297-522

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 133.00	EUR 150.00	EUR 189.00	EUR 243.00	EUR 297.00
200 mm	EUR 144.00	EUR 165.00	EUR 213.00	EUR 277.00	EUR 345.00
500 mm	EUR 165.00	EUR 195.00	EUR 261.00	EUR 344.00	EUR 502.00
1000 mm	EUR 189.00	EUR 229.00	EUR 314.00	EUR 482.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

Fe/Cr18/Ni10



### Tube

<b>FE227251</b>	Outside Diameter..... <b>1.1mm</b>	Wall Thickness..... <b>0.2mm</b>					
	Inside Diameter..... <b>0.7mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>10pcs</b>	<b>20pcs</b>	<b>50pcs</b>	<b>100pcs</b>	
	197-515-200	5 mm	EUR 179.00	EUR 216.00	EUR 300.00	EUR 475.00	
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227300</b>	Outside Diameter..... <b>1.47mm</b>	Wall Thickness..... <b>0.185mm</b>					
	Inside Diameter..... <b>1.1mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	412-199-390	100 mm	EUR 127.00	EUR 143.00	EUR 179.00	EUR 229.00	
	524-916-182	200 mm	EUR 137.00	EUR 157.00	EUR 202.00	EUR 261.00	
	614-513-661	500 mm	EUR 157.00	EUR 185.00	EUR 246.00	EUR 324.00	
	814-210-177	1000 mm	EUR 180.00	EUR 217.00	EUR 297.00	EUR 395.00	
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227320</b>	Outside Diameter..... <b>1.59mm</b>	Wall Thickness..... <b>0.5mm</b>					
	Inside Diameter..... <b>0.59mm</b>	Temper..... <b>Annealed</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	318-493-088	100 mm	EUR 126.00	EUR 140.00	EUR 175.00	EUR 223.00	
	758-271-772	200 mm	EUR 135.00	EUR 154.00	EUR 196.00		
	213-401-347	500 mm	EUR 154.00	EUR 180.00			
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227349</b>	Outside Diameter..... <b>2.0mm</b>	Wall Thickness..... <b>0.93mm</b>					
	Inside Diameter..... <b>0.14mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>		
	222-442-061	100 mm	EUR 156.00	EUR 184.00	EUR 281.00		
	045-780-710	200 mm	EUR 177.00	EUR 230.00			
	776-075-918	500 mm	EUR 253.00				
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227350</b>	Outside Diameter..... <b>2.05mm</b>	Wall Thickness..... <b>0.25mm</b>					
	Inside Diameter..... <b>1.55mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	776-274-813	100 mm	EUR 127.00	EUR 143.00	EUR 181.00	EUR 236.00	
	034-353-310	200 mm	EUR 136.00	EUR 155.00	EUR 201.00	EUR 264.00	
	294-171-482	500 mm	EUR 153.00	EUR 180.00	EUR 240.00	EUR 319.00	
	771-427-198	1000 mm	EUR 173.00	EUR 208.00	EUR 284.00	EUR 381.00	
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227400</b>	Outside Diameter..... <b>2.34mm</b>	Wall Thickness..... <b>0.32mm</b>					
	Inside Diameter..... <b>1.7mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	428-397-705	100 mm	EUR 123.00	EUR 137.00	EUR 169.00	EUR 215.00	
	549-715-453	200 mm	EUR 131.00	EUR 148.00	EUR 188.00	EUR 241.00	
	714-431-664	500 mm	EUR 148.00	EUR 172.00	EUR 225.00	EUR 293.00	
	303-959-656	1000 mm	EUR 166.00	EUR 198.00	EUR 266.00	EUR 390.00	
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227450</b>	Outside Diameter..... <b>2.95mm</b>	Wall Thickness..... <b>0.325mm</b>					
	Inside Diameter..... <b>2.3mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	994-961-319	100 mm	EUR 117.00	EUR 131.00	EUR 164.00	EUR 211.00	
	370-172-668	200 mm	EUR 125.00	EUR 142.00	EUR 182.00	EUR 237.00	
	271-586-878	500 mm	EUR 141.00	EUR 165.00	EUR 219.00	EUR 300.00	
	948-357-849	1000 mm	EUR 160.00	EUR 191.00	EUR 271.00	EUR 451.00	
Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.							
<b>FE227539</b>	Outside Diameter..... <b>3.94mm</b>	Wall Thickness..... <b>0.26mm</b>					
	Inside Diameter..... <b>3.42mm</b>	Temper..... <b>Hard</b>					
<b>Xn</b>	<b>Size</b>	<b>Quantity</b>					
	<b>Web Code</b>	<b>Length</b>	<b>1pc</b>	<b>2pcs</b>	<b>5pcs</b>	<b>10pcs</b>	
	541-705-248	165.6 mm	EUR 123.00	EUR 139.00	EUR 176.00	EUR 228.00	
						EUR 289.00	
						EUR 531.00	

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

Fe/Cr18/Ni10



### Tube

FE227600

Outside Diameter . . . . . 5.0mm  
 Inside Diameter . . . . . 4mm

Wall Thickness . . . . . 0.5mm  
 Temper . . . . . Annealed



**Size**

**Web Code**  
 544-728-338  
 091-041-619  
 380-209-131  
 526-145-252

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 120.00	EUR 135.00	EUR 171.00	EUR 220.00	EUR 277.00
200 mm	EUR 129.00	EUR 148.00	EUR 192.00	EUR 258.00	EUR 386.00
500 mm	EUR 148.00	EUR 175.00	EUR 256.00	EUR 421.00	EUR 713.00
1000 mm	EUR 169.00	EUR 212.00	EUR 393.00	EUR 694.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227700

Outside Diameter . . . . . 8.0mm  
 Inside Diameter . . . . . 7mm

Wall Thickness . . . . . 0.5mm  
 Temper . . . . . Annealed



**Size**

**Web Code**  
 768-159-519  
 019-942-054  
 492-755-353  
 594-419-244

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 112.00	EUR 126.00	EUR 161.00	EUR 210.00	EUR 269.00
200 mm	EUR 120.00	EUR 138.00	EUR 180.00	EUR 237.00	EUR 357.00
500 mm	EUR 137.00	EUR 162.00	EUR 228.00	EUR 371.00	EUR 628.00
1000 mm	EUR 156.00	EUR 189.00	EUR 341.00	EUR 597.00	

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227710

Outside Diameter . . . . . 9.0mm  
 Inside Diameter . . . . . 8mm

Wall Thickness . . . . . 0.5mm  
 Temper . . . . . Hard



**Size**

**Web Code**  
 302-411-124  
 801-395-396  
 174-415-026  
 801-886-348

Length	Quantity			
	1pc	2pcs	5pcs	10pcs
100 mm	EUR 113.00	EUR 128.00	EUR 164.00	EUR 214.00
200 mm	EUR 122.00	EUR 141.00	EUR 184.00	EUR 247.00
500 mm	EUR 140.00	EUR 166.00	EUR 243.00	
1000 mm	EUR 161.00	EUR 199.00		

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227800

Outside Diameter . . . . . 10.0mm  
 Inside Diameter . . . . . 6mm

Wall Thickness . . . . . 2.0mm  
 Temper . . . . . Annealed



**Size**

**Web Code**  
 235-792-975  
 474-120-756  
 265-099-895  
 137-481-487

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 119.00	EUR 140.00	EUR 188.00	EUR 251.00	EUR 351.00
200 mm	EUR 134.00	EUR 161.00	EUR 221.00	EUR 321.00	
500 mm	EUR 164.00	EUR 203.00	EUR 338.00		
1000 mm	EUR 197.00	EUR 274.00			

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

FE227850

Outside Diameter . . . . . 15.0mm  
 Inside Diameter . . . . . 11mm

Wall Thickness . . . . . 2.0mm  
 Temper . . . . . Annealed



**Size**

**Web Code**  
 185-179-342  
 147-416-363  
 427-041-972  
 380-244-563

Length	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
100 mm	EUR 125.00	EUR 149.00	EUR 202.00	EUR 272.00	EUR 423.00
200 mm	EUR 143.00	EUR 174.00	EUR 242.00	EUR 393.00	
500 mm	EUR 178.00	EUR 224.00			
1000 mm	EUR 218.00	EUR 345.00			

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.



### Powder

FE226010

Max. Particle size . . . . . 45micron



**Web Code**  
 028-638-418  
 579-809-864  
 476-229-333  
 528-671-545  
 083-944-972

Weight	Quantity
	1 Pot
100 g	EUR 124.00
200 g	EUR 140.00
500 g	EUR 172.00
1000 g	EUR 210.00
2000 g	EUR 265.00

Typical Analysis : Cr 17-20%, Mn <2%, Ni 8-11%, C <800, Fe balance.

Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.

Alloy – Stainless Steel - AISI 304

## Stainless Steel - AISI 304

Fe/Cr18/Ni10



### Powder

**FE226011**

Max. Particle size ..... **45micron**  
 Condition..... **Spherical**

Condition..... **Atomised**



**Web Code**  
 772-533-074  
 221-658-486  
 567-628-602  
 892-165-123  
 670-383-859

Quantity		Weight	1 Pot
		100 g	EUR 218.00
		200 g	EUR 292.00
		500 g	EUR 601.00
		1000 g	EUR 1115.00
		2000 g	EUR 2143.00

May be suitable for additive manufacturing research and development purposes.  
 Hazardous goods, additional shipment charges apply which are dependent on destination. Please check the individual item on our website or contact us for further details.



### Sphere

**FE226805**

Diameter..... **0.5mm**  
 Sphericity..... **2.50µm**  
 Condition..... **Grade 100**

Tolerance..... **±12.7µm**  
 Grade..... **Precision Sphere**



**Quantity**  
**Web Code**  
 196-747-152  
 125-787-996  
 687-630-229

Quantity		Spheres	1 Pot
		50 pcs	EUR 146.00
		100 pcs	EUR 199.00
		200 pcs	EUR 277.00

Typical Analysis : Not applicable

**Alloy – Stainless Steel - AISI 304**

## INDEX

### F

Foil, Stainless Steel - AISI 304 20

### I

Insulated Wire, Stainless Steel - AISI 304 31

### M

Mesh, Stainless Steel - AISI 304 29

### P

Powder, Stainless Steel - AISI 304 35

### R

Rod, Stainless Steel - AISI 304 31

### S

Sphere, Stainless Steel - AISI 304 36

Stainless Steel - AISI 304 (Fe/Cr18/Ni10) 20

### T

Tube, Stainless Steel - AISI 304 32

### W

Wire  
 .. Stainless Steel - AISI 304 29

INDEX — F-W