

Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys
Métaux et Alliages
Metalle und Legierungen

Ceramics
Céramiques
Keramiken

Polymers
Polymères
Polymere

Composites
Composites
Verbundwerkstoffe



Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
Inglaterra

Tel: 00 44 1480 424 800
or +44 1480 424 800
Fax: 00 44 1480 424 900
or +44 1480 424 900

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA

Tel: 1-800-821-2870 (USA and Canada)
or +1 724 695 7060
Fax: 1-800-283-2020 (USA and Canada)
or +1 724 695 7063

Goodfellow SARL

229, rue Solférino
F-59000 Lille
Francia

Tel : 0800 917 241 (numéro vert)
or +44 1480 424 813
Fax : 0800 917 313 (numéro vert)
or +44 1480 424 900

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Alemania

Tel: 0800 1000 579 (freecall)
or +44 1480 424 810
Fax: 0800 1000 580 (freecall)
or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070

República Popular China
Tel: 00 86 21 6112 1560

**Lista de los precios estándar para
Inconel[®] alloy 600 - Aleación Resistente al
Calor (Ni72/Cr16/Fe 8)**

INDICE DE MATERIAS

Introducción	4
Descripción de los productos	5
Clasificación de Materiales Peligrosos	10
Información General	12
Pedidos Contenido	13
Company Details	15
Condiciones de venta	16
Aleación	20
INDICE	30

Introducción

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

Materiales

Metales y Aleaciones

Goodfellow suministra casi todos los metales puros del Aluminio al Zirconio así como una amplia gama de aleaciones. La mayoría de ellos está disponible en varias formas que incluyen vara, hilo, lámina, etc...

Cerámicas

Los materiales cerámicos suministrados por Goodfellow han sido elegidos con mucho esmero e incluyen tanto los materiales conocidos como los que son el fruto de los últimos desarrollos. Todos están disponibles como artículo estándar o producto fabricado en una amplia variedad de formas y tamaños.

Polímeros

La gama de polímeros suministrada por Goodfellow es amplia e incluye tanto los polímeros comunes como los más avanzados e inusitados actualmente existentes. Los polímeros están disponibles en una amplia variedad de formas y tamaños.

Compuestos e Intermetálicos

Goodfellow puede suministrar aluminuros, boruros, siliciuros así como otros intermetálicos y compuestos.

Composites

Algunos ejemplos figuran en el catálogo Goodfellow.

Vidrios

Goodfellow ofrece dos tipos distintos de productos de vidrio:

Los primeros son generalmente sólidos con base de sílice, no cristalinos (amorfo), que presentan una transición vítrea y son frágiles y transparentes. Las propiedades de los materiales de vidrio pueden ser fácilmente modificadas para alterar su rendimiento óptico y otras características. Este tipo está disponible en la División Cerámica y Vidrio de Goodfellow. Por lo general, estos productos se hacen por encargo para los clientes, así que no figuran en el Catálogo. Póngase en contacto con nosotros para poder estudiar sus necesidades.

El segundo tipo de producto de vidrio se conoce comúnmente como "vidrios metálicos" o "metales vítreos". En contraste con los metales y aleaciones cristalinas con estructuras atómicas altamente ordenadas, estos son metales no cristalinos (amorfo) o, más generalmente, aleaciones. Nuestro sitio web detalla los metales vítreos que están disponibles en stock. Por favor póngase en contacto con nosotros si no encuentra el artículo que específicamente necesita.

Descripción de los productos



Arandela

Una pieza fina y plana de material con un agujero en el medio, se utiliza junto con pernos y tuercas para distribuir la carga de un sujetador roscado.

Tolerancias

Ver artículo



Barra

Longitud recta de material de sección cuadrada, oval o rectangular.

Tolerancias

Dimensiones de la sección:	$\leq 10 \text{ mm}$	
	$\pm 10\%$	
	$> 10 \text{ mm}$	$\pm 1\text{mm}$
Longitud:	$< 100 \text{ mm}$	$\pm 1\text{mm}$
	$\geq 100 \text{ mm}$	$+5\% / -1\%$



Blanco de sputtering

Material de alta pureza utilizado como fuente de sputtering, proceso de evaporación en frío donde los átomos son desplazados de la superficie del blanco por bombardeo iónico.

Tolerancias

Espesor:	$\pm 0,5 \text{ mm}$
Tamaño:	$\pm 0,5 \text{ mm}$



Copo

Piezas de material planas e irregularmente formadas. El tamaño máximo del copo está indicado pero copos individuales pueden tener tamaños sensiblemente superiores.

Tolerancias

Las dimensiones indicadas son nominales



Crisol

Un recipiente en el que otros materiales pueden calentarse o derretirse normalmente a altas temperaturas.

Tolerancias

Altura:	$\pm 10\%$
Dimensiones Int.:	$\pm 10\%$
Dimensiones Ext.:	$\pm 10\%$



Esfera

Una forma sólida regular o hueca tridimensional en la que cada sección transversal es un círculo. Las esferas están disponibles con las tolerancias estándar o de precisión, y pueden suministrarse con diferentes acabados de superficie dependiendo del material.

Tolerancias

Diámetro (estándar):	$\pm 5 \%$
Diámetro (precisión):	ver artículo



Espuma

Estructura de baja densidad permeable compuesta por celdas y ligamentos continuos que ofrecen una relación superficie/volumen elevada así como una alta relación resistencia/peso. Debido a la naturaleza de este material, las dimensiones son nominales.

Descripción de los productos



Fibra

Hilos o estopas formados por varios filamentos individuales más o menos paralelos. Cada filamento suele tener un diámetro inferior al de un monofilamento. Los hilos contienen un número definido de filamentos, típicamente desde tres hasta varios centenares; las estopas contienen millares de filamentos. Su número sólo puede definirse aproximadamente. Ambos se especifican por su densidad lineal medida en "tex", el peso en gramos de 1 km de material.

Tolerancias

Diámetro de la fibra:	± 25%
Número de torones:	± 10%
Número Tex:	± 10%
Longitud:	+ 5%/-1%



Fibra picada

Fibras cortadas en pequeñas longitudes llamadas fibra cortada o picada

Tolerancias

Diámetro de la fibra:	+ 25%
Número de torones:	+ 10%
Número Tex:	+ 10%
Longitud:	+ 5% / -1%



Gránulo

Pastillas de forma casi regular. El tamaño de los gránulos puede variar y de hecho las dimensiones indicadas son nominales. Cabe destacar que la forma del gránulo puede variar de un artículo al otro.

Tolerancias

Las dimensiones indicadas son nominales



Hilo

Torón flexible único o múltiple de metal puro o aleación.

Tolerancias

Diámetro del hilo:	± 10%
Longitud:	+ 5%/-1%



Hilo aislado

Toron flexible simple o multiple de metal o aleación con una cubierta aislante.

Tolerancias

Diámetro del hilo:	± 10%
Longitud:	+ 5% / -1%
Espesor de aislamiento:	Valores nominales únicamente



Hoja

Planchas delgadas de metales puros y aleaciones metálicas. Debido a su fragilidad, algunas de nuestras hojas vienen cubiertas por una cara con un soporte acrílico o poliéster.

Tolerancias

Espesor:	< 0,010 mm	± 25 %
	0,01-0,05mm	± 15 %
	> 0,050 mm	± 10 %
Tamaño (dimensiones lineales):	< 100 mm	± 1 mm
	> 100 mm	+ 2 % / -1 %



Laminado

Capas de material aglomeradas mediante calor, presión y posiblemente con un adhesivo.

Tolerancias

Espesor:	± 10%	
Tamaño (dimensiones lineales):	≤ 100mm	± 1mm
	> 100mm	+ 2% / -1%

Descripción de los productos



Malla

Las mallas están disponibles tejidas o electromoldeadas, en ambos casos, los tamaños de aperturas indicados son nominales. Malla de hilo. Material tejido a partir de hilos metálicos para formar una red fina con series regulares de agujeros. Malla electroformada Producto obtenido por electroplastia a través de una máscara sobre un sustrato posteriormente eliminado.

Tolerancias

Espesor: tejida: $\pm 10\%$
 electromoldeada: $\pm 20\%$
 Diámetro de hilo: $\pm 10\%$
 Tamaño(dimensiones lineales): $\leq 100\text{mm}$
 $\pm 1\text{mm}$



Microhoja

Plancha extremadamente delgada de metal o aleación montada sobre un soporte permanente. Las microhojas vienen montadas en un soporte permanente de Poliéster de 3,5 μm de espesor. Este soporte no puede retirarse sin destruir la Microhoja.

Tolerancias

Espesor: $\pm 30\%$
 Tamaño: $\pm 20\%$



Microlámina

Plancha extremadamente delgada de metal montada en un soporte provisional. No existen microláminas para los materiales demasiado quebradizos para poder sostenerse sin soporte. Las microláminas vienen montadas en un soporte especialmente tratado que permite su separación del metal. Las instrucciones necesarias para la separación se incluyen con cada Microlámina suministrada.

Tolerancias

Espesor: $\pm 30\%$
 Tamaño: $\pm 20\%$



Monocristal

Material crecido en monocristal, siguiendo orientaciones, dimensiones y acabados de superficie específicos. Puede contener un dopante. Los monocristales suelen fabricarse a medida.

Tolerancias

Orientación: $\pm 3^\circ$
 Tamaño: Las dimensiones indicadas son nominales.



Monofilamento

Torón único de material no-metálico.

Tolerancias

Diámetro: $\pm 20\%$
 Longitud: $+5\%/-1\%$



Nido de Abeja

Estructura celular similar a un nido de abeja natural. Debido a la naturaleza de este material, las dimensiones son nominales.



Película

Plancha de material no metálico con un espesor $< 0,5\text{mm}$.

Tolerancias

Espesor: 20%
 Tamaño (dimensiones lineales): $\leq 100\text{mm} + 1\text{mm}$
 $\leq 100\text{mm} + 2\%/-1\%$

Descripción de los productos



Película metalizada

Film recubierto con un metal. El espesor del metal se mide y se describe en terminos de resistencia eléctrica específica del material en Ohms por cuadrado.

Tolerancias

Espesor: $\pm 10\%$
 Tamaño (dimensiones lineales): $\leq 100\text{mm}$
 $\pm 1\text{mm}$
 $> 100\text{mm}$ $+2\% / -1\%$



Perno

Un espárrago que puede atornillarse en una tuerca o agujero roscado para juntar elementos. Los pernos se encuentran disponibles con diferentes modelos de cabeza y también con tamaños del roscado en medidas métricas y en pulgadas.

Tolerancias

Ver artículo



Plancha

Material plano con un espesor $< 0,5\text{mm}$.

Tolerancias

Espesor: $\pm 10\%$
 Ceramica $\pm 20\%$
 Composito $\pm 20\%$
 Polimer $\pm 20\%$
 Tamaño(dimensiones lineales): $\leq 100\text{mm}$
 $\pm 1\text{mm}$
 $> 100\text{mm}$ $+2\% / -1\%$
 $< 100\text{mm}$ $\pm 1\text{mm}$
 $> 100\text{mm}$ $+2\% / -1\%$



Polvo

Pequeñas partículas con una gama de tamaños definida aproximadamente. Los materiales descritos como prealeaciones no son verdaderas aleaciones - se obtienen sinterizando una mezcla de polvos de los diferentes componentes para conseguir la aleación por difusión. El lingote resultante se rectifica y se tamiza para obtener la granulometría requerida. Salvo indicación contraria, las granulometrías indicadas sólo son una orientación. No garantizamos ninguna distribución entre el mínimo y el máximo indicados ni una forma de grano específica.

Tolerancias

Las dimensiones indicadas son nominales



Tela

Las telas tejidas se elaboran entrelazando dos sistemas de hilos a angulo recto entre ellos : los hilos de cadena y los hilos de trama (véase también tela No-tejida).

Tolerancias

Espesor de la tela: $\pm 25\%$
 Número Tex: $\pm 10\%$
 Tamaño (dimensiones lineales): $\leq 100\text{mm}$
 $\pm 5\text{mm}$



Tela no tejida

Las telas no-tejidas se elaboran por otros métodos que el tejido. Los hilos no se entrelazan geoméricamente. Estas telas pueden provenir de diferentes fieltros con estructuras abiertas y sueltas, compuestas por fibras al azar.

Tolerancias

Tamaño (dimensiones lineales): $\leq 100\text{mm}$
 $\pm 5\text{mm}$
 $> 100\text{mm}$ $\pm 5\%$

Descripción de los productos



Terrón

Piezas sólidas de material sin forma definida.

Tolerancias

Las dimensiones indicadas son nominales



Tubo

Longitud hueca normalmente circular de material. La mayoría de los tubos son rectos excepto para los polímeros flexibles.

Tolerancias

Diámetro exterior: (Polímeros $\pm 10\%$)	$\leq 2\text{mm}$	$\pm 0.05\text{mm}$
	$\leq 5\text{mm}$	$\pm 0.1\text{mm}$
	$> 5\text{mm}$	$\pm 5\%$
Espesor de pared: (Polímeros $\pm 20\%$)		$\pm 10\%$
Longitud:	$< 100\text{mm}$	$\pm 1\text{mm}$
	$> 100\text{mm}$	$+ 5\% / -1\%$




Tuerca

En general, un perno puede atornillarse en una pieza plana del material con un agujero roscado para juntar los elementos. Las tuercas normalmente tienen una forma externa hexagonal. Las tuercas se encuentran disponibles con tamaños del roscado en medidas métricas y en pulgadas.

Tolerancias

Ver artículo



Vara

Longitud recta de material de sección circular.

Tolerancias

Diámetro:	$< 10\text{mm}$	$\pm 10\%$
	$> 10\text{mm}$	$\pm 5\%$
Longitud:	$< 100\text{mm}$:	$\pm 1\text{mm}$
	$> 100\text{mm}$:	$+ 5\% / -1\%$

Clasificación de Materiales Peligrosos

PELIGROS

Suministramos todos los materiales listados en este catálogo para fines de investigación o desarrollo. No garantizamos su adecuación para un fin particular. Al adquirir materiales de este catálogo, es preciso recordar que pueden existir peligros relacionados con su utilización o su manipulación. El cliente es responsable de las investigaciones toxicológicas o de peligro completas asociadas al material. La ingestión o el contacto con el cuerpo humano pueden resultar nocivas. El cliente es responsable de la utilización segura de los productos. Todos los materiales deben ser manipulados por personal capacitado familiarizado con los procesos de laboratorio, la naturaleza del material y las precauciones necesarias para su uso y almacenaje. El cliente es responsable del control y utilización de los productos listados en este catálogo ya sean sólo o combinados con otros artículos o sustancias.

SIMBOLOS DE PELIGRO



C

Corrosivo

Sustancias químicas que pueden destruir la piel viva en contacto con ella.



Xn

Dañoso

Sustancia que puede implicar riesgos limitados para la salud por ingestión o al penetrar la piel.



E

Explosivo

Sustancias químicas que pueden reaccionar exotérmicamente sin oxígeno atmosférico, liberando gases rápidamente, y que en condiciones de pruebas definidas detonan, con una deflagración rápida. Peligro de explosión en caso de calentamiento al ser reducidas parcialmente.



F+

Extremadamente inflamable

i) Productos químicos gaseosos inflamables en contacto con el aire a temperatura ambiente o
ii) Productos químicos con temperatura de inflamabilidad inferior a 0C



F

Facilmente inflamable

Productos químicos que : i) tienden a inflamarse en contacto con el aire a temperatura ambiente o después de un breve contacto con una fuente de ignición o : ii) desprenden gases inflamables en cantidades peligrosas en contacto con agua o aire húmedo



Xi

Irritante

Sustancia que puede causar inflamación en caso de contacto seguido o por inhalación.



T+

Muy Tóxico

Sustancia que puede causar altos riesgos para la salud o la muerte por ingestión o al penetrar la piel.



D

Peligroso en estado húmedo

Sustancia espontáneamente combustible o que libera un gas inflamable en contacto con el agua.



R

Radiactivo

Sustancias de actividad baja - las precauciones generales para las sustancias tóxicas son aplicables. Regulaciones especiales se aplican para sustancias de actividad alta y media.

Clasificación de Materiales Peligrosos



T

Tóxico

Sustancia que puede causar riesgos extremadamente altos para la salud o la muerte por ingestión o al penetrar la piel.

Información General

Análisis

Análisis Típico :

Los análisis típicos se indican cuando disponemos de ellos. Los valores son las partes por millón (ppm) en peso salvo indicación contraria. Recuerde que estos datos son "típicos" y no garantizamos que el material suministrado será conforme a ellos. Las composiciones indicadas para las aleaciones son un porcentaje de peso excepto para los imanes de tierras raras y las aleaciones vidriosas donde seguimos la convención que implica el uso del porcentaje atómico.

Pureza

Las purezas en el catálogo se indican con respecto al total de las impurezas metálicas. Los análisis típicos pueden ofrecer información adicional sobre las impurezas no-metálicas.

Alta Pureza

Suministramos un certificado de análisis gratuito de las impurezas metálicas para los materiales de Alta Pureza (High Purity). Para otros artículos, podemos suministrar un análisis preciso mediante un recargo adicional. Si requiere un análisis, no olvide precisar si desea conocer las impurezas metálicas únicamente o si desea las impurezas metálicas y gaseosas. En caso de solicitar un análisis preciso, la entrega de su pedido se demorará.

Soportes

Algunas de nuestras hojas necesitan estar soportadas por una cara para permitirle manipularlas pese a su fragilidad. Se utilizan dos tipos de soporte, dependiendo del material. Tratamos de utilizar soportes provisionales pero materiales quebradizos como el Cromo o el Manganeso necesitan un soporte permanente.

El soporte provisional es Acrílico, de unos 0,2 mm de espesor. Puede disolverse en 2-Propanone (Acetona).

El soporte permanente es Poliéster de 0,125 mm de espesor laminado a una cara de la hoja por prensado en caliente. No puede retirarse sin destruir la hoja.

Las microhojas vienen montadas en un soporte permanente de Poliéster de 3,5 μm de espesor. Este soporte no puede retirarse sin destruir la Microhoja.

Las microláminas vienen montadas en un soporte especialmente tratado que permite su separación del metal. Las instrucciones necesarias para la separación se incluyen con cada Microlámina suministrada.

Estanco a la Luz

Las hojas EL se suministran sin agujeros visibles. Las hojas NEL contienen normalmente agujeros. Es posible que ocasionalmente no contengan dichos agujeros. Las hojas con espesores desde 0,025 mm son EL salvo indicación contraria en el catálogo. Las hojas de espesores inferiores a 0,025 mm suelen ser NEL. No dude en solicitar hojas EL incluso para estos espesores. Un recargo adicional será añadido si podemos suministrarlas.

Estanqueidad al vacío:

Las hojas estancas al vacío no muestran ninguna fuga al testarlas con un espectrómetro de masa de helio con una sensibilidad de 10^{-9} atm-cm³.s⁻¹.

Longitudes Continuas

Si necesita el material en longitudes continuas, no olvide indicarlo al pasar su pedido. Salvo indicación previa, nos reservamos el derecho de suministrar el material en más de una longitud.

Datos técnicos e información

Todos los datos técnicos e informaciones sirven para su orientación únicamente. A pesar de todos nuestros esfuerzos para asegurar que toda la información es correcta, no podemos garantizar su perfección ni su precisión.

Tolerancias

Para los detalles sobre nuestras tolerancias estándar, vease la sección Descripción de los Productos. En numerosos casos podemos suministrar el material con tolerancias más precisas mediante un recargo adicional. En caso de tener requisitos específicos (tolerancias específicas, uniformidad de las dimensiones, acabado, etiquetado, embalaje...), indíquenoslo al realizar su pedido. Haremos todo lo posible para satisfacerle.

Pedidos Contenido

General Information

Disponemos de más de 70000 artículos en stock catalogados y si a pesar de ello no encuentra lo que necesita entre ellos, no dude en solicitar tamaños, espesores, tolerancias, dimensiones especiales o cantidades mayores. Nos es posible ofrecer muchos más metales, aleaciones, polímeros y cerámicas según sus requisitos.

Precios

Todos los precios de este catálogo son totales (lote) para las dimensiones y cantidades listadas. Los precios están sujetos a modificación sin previo aviso. Los precios incluyen la entrega. No incluyen el IVA, los aranceles de importación ni los impuestos locales.

Envío peligroso

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Entrega

Los precios incluyen la entrega por servicios urgentes de transporte "puerta a puerta".

Entregada fraccionada

Acceptamos los pedidos para su entrega total a una misma dirección con la misma fecha. Se añadirá un recargo para los pedidos fraccionados solicitados por el cliente.

Análisis, Soportes y Tolerancias especiales

Un recargo adicional se aplica para soportes no estándar, tolerancias específicas y certificados de análisis. Los artículos "High Purity" (Alta Pureza) incluyen el certificado de análisis gratuito.

Cancelaciones

Un recargo por cancelación de pedido puede ser cargado. El importe dependerá de las circunstancias.

Express Service

An administration charge will be made for any order received for which same day shipment is requested.

Envío

Nuestro propósito es tener en stock todos los artículos de este catálogo en las cantidades y dimensiones indicadas. Sólo podemos comprometernos a enviar el pedido con una fecha determinada. La fecha de entrega a su domicilio está sujeta a las variaciones normales del servicio de entrega utilizado.

Envío

Las mercancías se envían normalmente en las 48 horas después de su recepción. Podemos realizar una entrega inmediata con nuestro Servicio Express si es necesario.

Demoras

Gracias por contactar con nosotros si no recibe la mercancía en los 7 días posteriores al aviso de envío.

Seguro

Todos los envíos están asegurados contra los riesgos habituales salvo indicación contraria escrita del cliente.

Restricciones de Exportacion

Una licencia de exportación del Gobierno Británico puede ser necesaria para algunos artículos. Si el artículo que pide requiere esta licencia se le informará al colocar el pedido.

Manipulado de los Materiales

Muchos de nuestros materiales son extramadamente delicados y es imprescindible el mayor cuidado al manipularlos. Se requiere un cuidado especial para las Microhojas, las Microláminas y los materiales delgados.

Embalamos todos los materiales con el mayor cuidado para asegurar su transporte seguro hasta Usted. No aceptamos ninguna responsabilidad para los daños causados después de la apertura del embalaje exterior.

Condiciones de Pago

Nuestras condiciones de pago habituales son de 30 días desde la fecha de factura. Cualquier condición alternativa sólo es válida tras nuestro acuerdo escrito. Podemos solicitar el pago

Pedidos Contenido

anticipado o por Proforma para el primer pedido. Para abrirle una cuenta necesitamos sus datos bancarios. Las facturas españolas pueden abonarse en Pesetas enviando un talón a nuestras oficinas o directamente a nuestro banco o por transferencia. Rogamos indiquen las referencias de la factura.

Cuenta crédito

Les rogamos abonen sus facturas en los plazos indicados. Nos reservamos el derecho de demorar el envío de sus mercancías en caso de tener facturas pendientes. Las facturas pendientes pueden incurrir en intereses de un 2% por cada mes de retraso.

Tarjetas de Crédito

Aceptamos el pago con las siguientes tarjetas : Mastercard, VISA, American Express, DELTA y Switch.

IVA

NIF : GB 212 8527 79

UK

Vat willbe translate

Europa

Los clientes que nos indiquen su NIF no pagarán el IVA inglés.

Los clientes exentos de IVA no pagarán el IVA inglés siempre que nos envíen una copia del certificado de exención.

Los clientes que no nos comuniquen su NIF/CIF pagarán el IVA inglés.

Exportaciones

Los países fuera de la Unión Europea no pagan el IVA inglés.

Retorno de Marcancias

Sólo aceptamos retorno de mercancías si se contacta con nosotros ANTES de devolverlas. No puede devolver las mercancías sin un número de autorización que le indicaremos.

Reclamaciones

Fabricamos y embalamos nuestros productos con el mayor cuidado. Asimismo inspectamos todos los artículos antes del envío. Cualquier reclamación con respecto a una entrega incompleta, un material incorrecto o una calidad defectuosa debe ser remitida por escrito en los tres días posteriores a la recepción de las mercancías. Conserve TODOS los embalajes para su inspección. Nuestra responsabilidad se limita a la sustitución del material o al reembolso del importe facturado.

Materiales pedidos por error

No nos consideramos responsables por los errores de nuestros clientes en sus pedidos. Si aceptamos el retorno de las mercancías el importe del reembolso quedará a nuestra discreción. Siempre que nos devuelva una mercancía pedida por error le cobraremos un recargo de almacenamiento.

Condiciones de Venta

Todos los pedidos, contratos y ofertas están sujetos a nuestras

Las informaciones y declaraciones de este catálogo son indicativas y no forman parte de ningun contrato u oferta.

Exclusiones

Suminramos los materiales según nuestras especificaciones. Todas las garantías e interpretaciones acerca de la calidad, la aptitud al uso, el estado, las dimensiones, la forma, la capacidad y el color implicadas por la ley común o los estatutos se excluyen por el presente párrafo. No podemos ser considerados responsables ni por los daños causados directamente por nuestros productos o su utilización (cualquier daño que sea), ni por las demoras en la entrega.

Ley

Los contratos entre Goodfellow y el cliente están sujetos desde todos los puntos de vista a la ley Inglesa salvo aceptación previa por escrito.

Company Details

Company Structure

El Grupo Goodfellow consiste en diversas compañías:

Goodfellow Cambridge Limited

Goodfellow fue fundada en la City en Londres en 1946. Las sucursales de Alemania, Francia y Estados Unidos administran sus mercados respectivos. La administración central, los laboratorios de investigación y los talleres se ubican en la Sede de la Compañía en Huntingdon, Inglaterra.

Goodfellow Corporation

Creada al mismo tiempo que nuestra sucursal de Alemania, Goodfellow Corporation está al servicio de nuestros clientes americanos.

Goodfellow GmbH

Desde 1989, este miembro del grupo Goodfellow está al servicio de nuestros clientes Germanoparlantes en Europa.

Goodfellow SARL

Goodfellow se instaló en Francia en 1993, para atender las necesidades de los clientes Francófonos en Europa.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
Inglaterra
Registrado en Inglaterra y Wales no. 1188162
NIF GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA
A Pennsylvania corporation
EIN 23-2557381

Goodfellow SARL

229, rue Solférino
F-59000 Lille
Francia
Registered in Lille : RCS : B 381 486 836
Siren : 381486836
Numéro de TVA Intracommunitaire :
FR 06 381 486 836

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Alemania
Registered in Friedberg (Hessen) No. HRB 1309
Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070
República Popular China

Condiciones de venta

1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

5 QUOTATIONS

5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in

Condiciones de venta

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3
- 8 QUANTITIES INSTALMENTS AND STORAGE**
- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4
- 9 TERMS OF PAYMENT**
- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.
- 10 SUSPENSION AND CANCELLATION**
- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination
- 11 INSPECTION AND CLAIMS FOR DEFECTS**
- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods
- 12 WARRANTY**
- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

Condiciones de venta

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER

Condiciones de venta

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

Inconel[®] alloy 600 - Aleación Resistente al Calor Ni72/Cr16/Fe 8

Marcas Comerciales : INCONEL[®] alloy 600

Aleación de níquel/cromo con una buena resistencia a la oxidación a temperaturas elevadas. Resiste a la grietas de corrosión bajo carga causadas por el ión cloruro. Se utiliza en componentes de hornos, en procesos químicos y alimenticios, en la ingeniería nuclear y para electrodos de chispas.

Propiedades Físicas

Densidad 8,42 g cm⁻³
 Punto de Fusión 1370-1425 C

Propiedades Magnéticas

Initial permeability 1,010
 Temperatura Curie -124 C

Propiedades Eléctricas

Resistividad Eléctrica 103 μOhmcm

Propiedades Térmicas

Calor Especifico a 23C 444 J K⁻¹ kg⁻¹
 Coeficiente de Expansión Térmica @20-100C 11,5-13,3 x10⁻⁶ K⁻¹
 Conductividad Térmica a 23C 14,8 W m⁻¹ K⁻¹

Propiedades Mecánicas

Alargamiento < 50 %
 Dureza Brinell 120-290
 Impacto Izod 160 J m⁻¹
 Módulo de Elasticidad 157 GPa
 Resistencia a la Cizalla 420-570 MPa
 Resistencia a la Tracción 600-1200 MPa



Hoja

NI020203 Espesor. 0,0125 mm

Estado. recocido

Tamaños NLT

Código Web	Tamaño	Cantidad			
		1 Pza	2 Pzas	5 Pzas	10 Pzas
939-275-165	150 x 150 mm	GBP 136,00	GBP 162,00	GBP 216,00	GBP 279,00
077-773-233	300 x 300 mm	GBP 196,00	GBP 247,00	GBP 350,00	

Tamaños - LT

Código Web	Tamaño	Cantidad			
		1 Pza	2 Pzas	5 Pzas	10 Pzas
989-906-342	150 x 150 mm	GBP 149,00	GBP 178,00	GBP 237,00	GBP 307,00
098-163-850	300 x 300 mm	GBP 244,00	GBP 308,00	GBP 437,00	

Rollo

Código Web	Anchura 305mm	Longitud	Cantidad
			1 Bobina
218-535-828		0,5 m	GBP 256,00
699-460-710		1 m	GBP 321,00
900-252-538		2 m	GBP 451,00

Discos

Código Web	Diámetro	Cantidad		
		10 discos	20 discos	50 discos
246-451-464	4 mm	GBP 158,00	GBP 178,00	GBP 229,00
230-636-116	6 mm	GBP 161,00	GBP 183,00	GBP 236,00
155-834-629	8 mm	GBP 164,00	GBP 187,00	GBP 243,00
193-406-588	10 mm	GBP 167,00	GBP 191,00	GBP 250,00
115-892-408	15 mm	GBP 174,00	GBP 202,00	GBP 267,00
606-011-262	25 mm	GBP 189,00	GBP 223,00	GBP 301,00
375-815-546	50 mm	GBP 227,00	GBP 277,00	GBP 386,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020201 Espesor. 0,025 mm

Temple Duro

Tamaño

Código Web	Tamaño	Cantidad		
		1 Pza	2 Pzas	5 Pzas
642-603-455	25 x 25 mm	GBP 85,50	GBP 91,00	GBP 104,00
339-548-359	50 x 50 mm	GBP 95,50	GBP 105,00	GBP 125,00

Discos

Código Web	Diámetro	Cantidad		
		10 discos	20 discos	50 discos
572-647-011	4 mm	GBP 157,00	GBP 178,00	GBP 229,00
023-574-891	6 mm	GBP 160,00	GBP 182,00	GBP 236,00
761-131-439	8 mm	GBP 163,00	GBP 186,00	GBP 242,00
262-057-686	10 mm	GBP 166,00	GBP 191,00	GBP 249,00
881-920-977	15 mm	GBP 174,00	GBP 201,00	GBP 265,00
974-251-196	25 mm	GBP 188,00		

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

Aleación - Inconel[®] alloy 600 - Aleación Resistente al Calor

Inconel[®] alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Hoja

NI020202

Espesor. 0,025 mm

Estado. recocido

Tamaño

Código Web
 740-137-358
 448-136-620

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
150 x 150 mm	GBP 134,00	GBP 160,00	GBP 213,00	GBP 274,00
300 x 300 mm	GBP 193,00	GBP 243,00	GBP 343,00	

Rollo

Código Web
 806-512-357
 705-260-775
 843-545-106

Anchura 305mm

Longitud	1 Bobina
	0,5 m
1 m	GBP 315,00
2 m	GBP 434,00

Discos

Código Web
 034-229-113
 264-083-471
 398-697-790
 665-377-607
 315-297-185
 986-603-460
 559-853-493

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	GBP 157,00	GBP 178,00	GBP 229,00
6 mm	GBP 160,00	GBP 182,00	GBP 236,00
8 mm	GBP 163,00	GBP 186,00	GBP 242,00
10 mm	GBP 166,00	GBP 191,00	GBP 249,00
15 mm	GBP 174,00	GBP 201,00	GBP 265,00
25 mm	GBP 188,00	GBP 222,00	GBP 299,00
50 mm	GBP 226,00	GBP 275,00	GBP 382,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020204

Espesor. 0,05 mm

Estado. recocido

Tamaño

Código Web
 396-247-237
 770-805-078

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
150 x 150 mm	GBP 133,00	GBP 158,00	GBP 210,00	GBP 270,00
300 x 300 mm	GBP 190,00	GBP 239,00	GBP 338,00	

Rollo

Código Web
 665-583-363
 150-810-058
 412-136-184

Anchura 305mm

Longitud	1 Bobina
	0,5 m
1 m	GBP 311,00
2 m	GBP 420,00

Discos

Código Web
 909-121-352
 809-305-161
 466-656-036
 912-801-892
 167-082-375
 348-313-468
 563-071-468

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	GBP 157,00	GBP 178,00	GBP 229,00
6 mm	GBP 160,00	GBP 182,00	GBP 235,00
8 mm	GBP 163,00	GBP 186,00	GBP 242,00
10 mm	GBP 166,00	GBP 190,00	GBP 248,00
15 mm	GBP 173,00	GBP 200,00	GBP 264,00
25 mm	GBP 188,00	GBP 221,00	GBP 297,00
50 mm	GBP 224,00	GBP 272,00	GBP 378,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020200

Espesor. 0,075 mm

Temple Recocido

Tamaño

Código Web
 277-603-504
 700-449-152
 556-143-046
 866-176-714
 735-911-519

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	GBP 83,50	GBP 88,50	GBP 99,50	GBP 115,00	GBP 140,00
50 x 50 mm	GBP 91,50	GBP 100,00	GBP 117,00	GBP 140,00	GBP 176,00
100 x 100 mm	GBP 108,00	GBP 122,00	GBP 153,00	GBP 190,00	GBP 247,00
140 x 150 mm	GBP 122,00	GBP 143,00	GBP 185,00	GBP 235,00	
300 x 300 mm	GBP 171,00	GBP 212,00	GBP 295,00		

Rollo

Código Web
 695-392-713
 988-940-085
 617-500-219

Anchura 305mm

Longitud	1 Bobina
	0,5 m
1 m	GBP 276,00
2 m	GBP 350,00

Discos

Código Web
 441-118-104
 139-773-447
 471-683-986
 960-490-316
 061-293-891
 661-729-124
 716-142-237

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	GBP 156,00	GBP 177,00	GBP 227,00
6 mm	GBP 159,00	GBP 180,00	GBP 232,00
8 mm	GBP 161,00	GBP 183,00	GBP 237,00
10 mm	GBP 164,00	GBP 187,00	GBP 243,00
15 mm	GBP 170,00	GBP 195,00	GBP 256,00
25 mm	GBP 182,00	GBP 212,00	GBP 283,00
50 mm	GBP 212,00	GBP 255,00	GBP 351,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

Aleación – Inconel[®] alloy 600 - Aleación Resistente al Calor

Inconel® alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Hoja

NI020206

Espesor..... **0,1 mm**
 Temple..... **Recocido**

Anchura del rollo **76 mm**

Rollo		Anchura 76mm	Cantidad
Código Web	Longitud	1 Bobina	
230-814-200	0,5 m	GBP 170,00	
723-594-118	1 m	GBP 199,00	
390-057-603	2 m	GBP 241,00	
204-412-140	5 m	GBP 324,00	
067-155-939	10 m	GBP 457,00	

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020205

Espesor..... **0,1 mm**

Temple..... **Recocido**

Tamaño		Cantidad				
Código Web	Tamaño	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
517-776-476	25 x 25 mm	GBP 85,00	GBP 90,00	GBP 102,00	GBP 118,00	GBP 145,00
722-053-433	50 x 50 mm	GBP 93,50	GBP 103,00	GBP 122,00	GBP 146,00	GBP 185,00
256-680-293	100 x 100 mm	GBP 112,00	GBP 128,00	GBP 162,00	GBP 203,00	GBP 265,00
085-027-461	150 x 150 mm	GBP 130,00	GBP 153,00	GBP 202,00	GBP 260,00	GBP 345,00
628-430-702	300 x 300 mm	GBP 183,00	GBP 230,00	GBP 323,00		

Rollo		Anchura 305mm	Cantidad
Código Web	Longitud	1 Bobina	
594-441-857	0,5 m	GBP 240,00	
553-846-019	1 m	GBP 299,00	
230-756-811	2 m	GBP 383,00	

Discos		Cantidad		
Código Web	Diámetro	10 discos	20 discos	50 discos
844-606-429	4 mm	GBP 152,00	GBP 171,00	GBP 217,00
575-802-293	6 mm	GBP 154,00	GBP 174,00	GBP 223,00
975-282-144	8 mm	GBP 157,00	GBP 178,00	GBP 228,00
910-274-367	10 mm	GBP 159,00	GBP 181,00	GBP 234,00
784-299-650	15 mm	GBP 166,00	GBP 190,00	GBP 248,00
037-454-700	25 mm	GBP 178,00	GBP 208,00	GBP 276,00
681-839-941	50 mm	GBP 209,00	GBP 252,00	GBP 346,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020210

Espesor..... **0,2 mm**

Temple..... **Recocido**

Tamaño		Cantidad				
Código Web	Tamaño	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
229-997-644	25 x 25 mm	GBP 88,50	GBP 93,50	GBP 105,00	GBP 120,00	GBP 146,00
749-700-960	50 x 50 mm	GBP 96,50	GBP 105,00	GBP 123,00	GBP 146,00	GBP 183,00
712-616-704	100 x 100 mm	GBP 113,00	GBP 129,00	GBP 160,00	GBP 199,00	GBP 268,00
077-089-560	150 x 150 mm	GBP 130,00	GBP 152,00	GBP 198,00	GBP 273,00	
480-878-494	300 x 300 mm	GBP 180,00	GBP 225,00	GBP 444,00		

Rollo		Anchura 305mm	Cantidad
Código Web	Longitud	1 Bobina	
548-939-085	0,5 m	GBP 234,00	
524-045-663	1 m	GBP 347,00	
505-705-467	2 m	GBP 590,00	

Discos		Cantidad		
Código Web	Diámetro	10 discos	20 discos	50 discos
213-176-993	4 mm	GBP 161,00	GBP 181,00	GBP 231,00
647-117-516	6 mm	GBP 163,00	GBP 185,00	GBP 237,00
889-692-243	8 mm	GBP 166,00	GBP 188,00	GBP 243,00
211-525-069	10 mm	GBP 168,00	GBP 192,00	GBP 248,00
440-632-106	15 mm	GBP 175,00	GBP 201,00	GBP 263,00
079-021-436	25 mm	GBP 187,00	GBP 219,00	GBP 291,00
877-680-510	50 mm	GBP 219,00	GBP 264,00	GBP 364,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020240

Espesor..... **0,4 mm**

Estado..... **recocido**

Tamaño		Cantidad	
Código Web	Tamaño	1 Pza	2 Pzas
083-873-322	25 x 25 mm	GBP 96,00	GBP 104,00
993-974-560	50 x 50 mm	GBP 112,00	GBP 127,00
349-273-869	63 x 125 mm	GBP 137,00	GBP 162,00
653-033-550	67 x 115 mm	GBP 137,00	
443-300-264	100 x 150 mm	GBP 159,00	

NI020401

Espesor..... **0,5 mm**

Tratamiento de Superficie. **Revestimiento 2-3 micras TiN**



Tamaño		Cantidad			
Código Web	Tamaño	1 Pza	2 Pzas	5 Pzas	10 Pzas
294-966-066	25 x 25 mm	GBP 122,00	GBP 144,00	GBP 192,00	GBP 251,00
870-758-381	50 x 50 mm	GBP 166,00	GBP 207,00	GBP 291,00	
844-788-879	100 x 100 mm	GBP 256,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.
 El artículo indicado es un ejemplo de material recubierto con Nitruro de Titanio (TiN). Recubrimos sus materiales, consúltenos.

Aleación – Inconel® alloy 600 - Aleación Resistente al Calor

Inconel[®] alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Hoja

NI020400

Espesor. 0,5 mm

Temple Recocido



Tamaño

Código Web
 758-666-648
 245-910-907
 470-804-926
 590-462-173

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
50 x 50 mm	GBP 112,00	GBP 129,00	GBP 163,00	GBP 204,00	GBP 267,00
100 x 100 mm	GBP 148,00	GBP 180,00	GBP 244,00	GBP 319,00	
150 x 150 mm	GBP 185,00	GBP 231,00	GBP 325,00		
300 x 300 mm	GBP 293,00				

Rollo

Código Web
 599-615-725
 080-746-506

Anchura 305mm

Longitud
 0,2 m GBP 279,00
 0,5 m GBP 383,00

Cantidad

Discos

Código Web
 833-332-911
 166-614-594
 826-814-091
 351-759-557
 969-938-824
 242-359-724

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	GBP 163,00	GBP 185,00	GBP 240,00
6 mm	GBP 168,00	GBP 193,00	GBP 253,00
8 mm	GBP 174,00	GBP 201,00	GBP 265,00
10 mm	GBP 179,00	GBP 209,00	GBP 278,00
15 mm	GBP 193,00	GBP 228,00	GBP 309,00
25 mm	GBP 220,00	GBP 267,00	

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020450

Espesor. 0,635 mm

Temple Recocido



Tamaño

Código Web
 584-221-807
 027-736-169
 467-022-907
 377-869-995
 566-426-103

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
25 x 25 mm	GBP 96,00	GBP 106,00	GBP 128,00	GBP 154,00
50 x 50 mm	GBP 117,00	GBP 135,00	GBP 173,00	GBP 219,00
100 x 100 mm	GBP 158,00	GBP 193,00	GBP 265,00	
150 x 150 mm	GBP 198,00	GBP 251,00		
300 x 300 mm	GBP 321,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020520

Espesor. 1,0 mm

Temple Recocido



Tamaño

Código Web
 433-826-281
 983-011-130
 272-948-684
 618-586-605
 595-619-720

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
25 x 25 mm	GBP 93,50	GBP 100,00	GBP 116,00	GBP 138,00
50 x 50 mm	GBP 105,00	GBP 117,00	GBP 143,00	GBP 175,00
100 x 100 mm	GBP 129,00	GBP 150,00	GBP 195,00	
150 x 150 mm	GBP 152,00	GBP 184,00		
300 x 300 mm	GBP 223,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020550

Espesor. 2,0 mm

Temple Recocido



Tamaño

Código Web
 512-242-407
 030-311-863
 788-977-405
 622-176-262
 772-026-938

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
25 x 25 mm	GBP 98,00	GBP 107,00	GBP 127,00	GBP 153,00
50 x 50 mm	GBP 115,00	GBP 131,00	GBP 165,00	GBP 206,00
100 x 100 mm	GBP 148,00	GBP 178,00	GBP 239,00	
150 x 150 mm	GBP 182,00	GBP 225,00		
300 x 300 mm	GBP 303,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020560

Espesor. 3,0 mm

Temple Recocido



Tamaño

Código Web
 784-448-725
 561-725-841
 833-115-896

Tamaño	Cantidad		
	1 Pza	2 Pzas	5 Pzas
50 x 50 mm	GBP 122,00	GBP 141,00	GBP 181,00
100 x 100 mm	GBP 163,00	GBP 199,00	
200 x 200 mm	GBP 245,00		

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020575

Espesor. 5,0 mm

Temple Recocido



Tamaño

Código Web
 358-042-579

Tamaño	Cantidad	
	1 Pza	2 Pzas
150 x 150 mm	GBP 231,00	GBP 324,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI020600

Espesor. 8,0 mm

Temple Recocido



Tamaño

Código Web
 470-907-748
 534-322-767
 312-673-462
 841-318-491

Tamaño	Cantidad		
	1 Pza	2 Pzas	5 Pzas
50 x 100 mm	GBP 175,00	GBP 234,00	PAP
50 x 150 mm	GBP 194,00	GBP 260,00	PAP
102 x 102 mm	GBP 212,00	GBP 286,00	
150 x 150 mm	GBP 268,00		

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

Aleación - Inconel[®] alloy 600 - Aleación Resistente al Calor

Inconel[®] alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Hoja

NI020650

Espesor 12 mm



Tamaño
Código Web
 233-058-568
 881-933-684
 435-744-415

Tamaño	Cantidad	1 Pza
103 x 103 mm	GBP	240,00
108 x 210 mm	GBP	343,00
210 x 210 mm	GBP	579,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.



Hilo

NI025100

Diámetro 0,05 mm

Temple Duro



Longitud
Código Web
 027-137-118
 392-144-693
 110-994-714
 259-894-962
 486-867-097

Longitud	Cantidad	1 Bobina
50 m	GBP	86,50
100 m	GBP	95,00
500 m	GBP	141,00
1000 m	GBP	187,00
2000 m	GBP	229,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025110

Diámetro 0,10 mm

Temple Duro



Longitud
Código Web
 014-441-939
 120-312-210
 494-155-535
 074-145-016
 994-996-515

Longitud	Cantidad	1 Bobina
10 m	GBP	93,00
20 m	GBP	103,00
50 m	GBP	124,00
100 m	GBP	149,00
200 m	GBP	181,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025125

Diámetro 0,20 mm

Temple Duro



Longitud
Código Web
 598-132-646
 760-589-831
 423-022-368
 631-408-918
 168-077-872

Longitud	Cantidad	1 Bobina
10 m	GBP	95,00
20 m	GBP	106,00
50 m	GBP	128,00
100 m	GBP	154,00
200 m	GBP	188,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025130

Diámetro 0,25 mm

Temple Duro



Longitud
Código Web
 920-283-933
 680-548-788
 683-358-699
 383-542-160
 866-558-974

Longitud	Cantidad	1 Bobina
10 m	GBP	96,50
20 m	GBP	108,00
50 m	GBP	132,00
100 m	GBP	159,00
200 m	GBP	196,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025133

Diámetro 0,30 mm

Temple Duro



Longitud
Código Web
 013-759-383
 034-858-080
 581-143-579
 511-097-585
 555-686-491

Longitud	Cantidad	1 Bobina
10 m	GBP	102,00
20 m	GBP	115,00
50 m	GBP	143,00
100 m	GBP	175,00
200 m	GBP	229,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025136

Diámetro 0,40 mm

Temple Duro



Longitud
Código Web
 325-437-041
 484-432-617
 657-661-568
 392-393-768
 347-765-913

Longitud	Cantidad	1 Bobina
5 m	GBP	99,00
10 m	GBP	111,00
20 m	GBP	129,00
50 m	GBP	165,00
100 m	GBP	206,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

Aleación – Inconel[®] alloy 600 - Aleación Resistente al Calor

Inconel[®] alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Hilo

NI025137

Diámetro 0,40 mm

Estado recocido



Longitud

Código Web
 931-625-063
 548-266-341
 187-494-147
 643-530-568
 739-795-998

Longitud	Cantidad	1 Bobina
5 m	1	GBP 99,00
10 m	1	GBP 111,00
20 m	1	GBP 129,00
50 m	1	GBP 165,00
100 m	1	GBP 206,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025140

Diámetro 0,5 mm

Temple Duro



Longitud

Código Web
 602-560-657
 213-037-177
 221-310-219
 232-333-950
 839-800-205

Longitud	Cantidad	1 Bobina
5 m	1	GBP 106,00
10 m	1	GBP 121,00
20 m	1	GBP 143,00
50 m	1	GBP 187,00
100 m	1	GBP 275,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025143

Diámetro 0,60 mm

Temple Duro



Longitud

Código Web
 391-231-322
 240-588-852
 357-511-570
 629-011-322
 444-771-305

Longitud	Cantidad	1 Bobina
5 m	1	GBP 107,00
10 m	1	GBP 123,00
20 m	1	GBP 145,00
50 m	1	GBP 190,00
100 m	1	GBP 285,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025149

Diámetro 0,9 mm

Temple Duro



Longitud

Código Web
 326-315-113
 190-426-917
 915-160-241
 656-151-370
 412-081-842

Longitud	Cantidad	1 Bobina
5 m	1	GBP 110,00
10 m	1	GBP 127,00
20 m	1	GBP 152,00
50 m	1	GBP 200,00
100 m	1	GBP 323,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI025150

Diámetro 1,0 mm

Temple Duro



Longitud

Código Web
 297-064-974
 133-123-031
 640-378-084
 047-255-141
 906-894-067

Longitud	Cantidad	1 Bobina
5 m	1	GBP 112,00
10 m	1	GBP 130,00
20 m	1	GBP 155,00
50 m	1	GBP 207,00
100 m	1	GBP 344,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.



Vara

NI027902

Diámetro 2,0 mm

Temple Recocido



Tamaño

Código Web
 856-741-897
 464-859-950
 454-619-431
 922-109-142

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 77,50	GBP 94,00	GBP 107,00	GBP 124,00	GBP 152,00
200 mm	GBP 81,50	GBP 99,50	GBP 115,00	GBP 136,00	GBP 170,00
500 mm	GBP 89,50	GBP 111,00	GBP 133,00	GBP 161,00	
1000 mm	GBP 98,50	GBP 123,00	GBP 153,00		

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027904

Diámetro 2,5 mm

Estado recocido



Tamaño

Código Web
 809-980-820
 973-887-467
 669-100-465
 250-331-373

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 80,00	GBP 97,50	GBP 112,00	GBP 132,00	GBP 164,00
200 mm	GBP 85,00	GBP 104,00	GBP 124,00	GBP 148,00	GBP 194,00
500 mm	GBP 95,00	GBP 119,00	GBP 146,00	GBP 198,00	
1000 mm	GBP 106,00	GBP 135,00	GBP 190,00		

Aleación – Inconel[®] alloy 600 - Aleación Resistente al Calor

Inconel® alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Vara

NI027905

Diámetro 3,2 mm

Temple Recocido



Tamaño

Código Web
 475-446-776
 540-569-876
 368-917-594
 653-638-674

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 82,50	GBP 101,00	GBP 117,00	GBP 139,00	GBP 174,00
200 mm	GBP 88,50	GBP 109,00	GBP 131,00	GBP 158,00	GBP 227,00
500 mm	GBP 100,00	GBP 126,00	GBP 159,00	GBP 241,00	
1000 mm	GBP 114,00	GBP 145,00	GBP 233,00		

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027910

Diámetro 6,0 mm

Temple Recocido



Tamaño

Código Web
 690-329-762
 291-213-425
 401-684-709
 210-589-168

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 94,00	GBP 107,00	GBP 137,00	GBP 177,00
200 mm	GBP 103,00	GBP 119,00	GBP 156,00	GBP 236,00
500 mm	GBP 120,00	GBP 144,00		
1000 mm	GBP 139,00	GBP 202,00		

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027920

Diámetro 12,7 mm

Temple Recocido



Tamaño

Código Web
 323-643-128
 455-396-131
 924-515-178
 564-392-108

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 103,00	GBP 120,00	GBP 156,00	GBP 200,00	GBP 326,00
200 mm	GBP 118,00	GBP 141,00	GBP 190,00	GBP 305,00	
500 mm	GBP 148,00	GBP 183,00			
1000 mm	GBP 181,00	GBP 288,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027930

Diámetro 20,0 mm

Temple Recocido



Tamaño

Código Web
 819-216-411
 549-017-735
 627-215-145
 401-898-999
 237-366-525

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
50 mm	GBP 110,00	GBP 134,00	GBP 193,00	GBP 322,00
100 mm	GBP 126,00	GBP 156,00	GBP 282,00	PAP
200 mm	GBP 149,00	GBP 223,00	PAP	
500 mm	GBP 251,00	PAP		
1000 mm	PAP			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027935

Diámetro 25 mm

Temple Recocido



Tamaño

Código Web
 691-039-640
 380-855-540
 819-943-590
 252-801-754
 311-726-665

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
50 mm	GBP 119,00	GBP 146,00	GBP 237,00	GBP 408,00
100 mm	GBP 138,00	GBP 187,00	GBP 369,00	PAP
200 mm	GBP 179,00	GBP 293,00	PAP	
500 mm	GBP 338,00	PAP		
1000 mm	PAP			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027940

Diámetro 40 mm

Temple Recocido



Tamaño

Código Web
 444-610-213
 434-565-300
 676-010-559

Longitud	Cantidad	
	1 Pza	2 Pzas
50 mm	GBP 138,00	GBP 181,00
100 mm	GBP 173,00	GBP 277,00
200 mm	GBP 269,00	

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.



Tubo

NI027100

Diámetro exterior 1,0 mm
 Diámetro interior 0,4 mm

Espesor de pared 0,3 mm
 Temple Estirado



Tamaño

Código Web
 189-041-700
 710-123-370
 407-750-927
 864-369-402

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 110,00	GBP 127,00	GBP 164,00	GBP 211,00
200 mm	GBP 123,00	GBP 145,00	GBP 204,00	GBP 321,00
500 mm	GBP 149,00	GBP 193,00		
1000 mm	GBP 189,00	GBP 304,00		

NI027130

Diámetro exterior 1,33 mm
 Diámetro interior 0,83 mm

Espesor de pared 0,25 mm



Tamaño

Código Web
 361-762-380

Longitud	Cantidad
	1 Pza
100 mm	GBP 109,00

Aleación – Inconel® alloy 600 - Aleación Resistente al Calor

Inconel® alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Tubo

NI027150

Diámetro exterior 1,5 mm
 Diámetro interior 1 mm

Espesor de pared 0,25 mm



Tamaño

Código Web
 877-752-626
 529-058-095
 908-254-084
 995-763-323

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 107,00	GBP 123,00	GBP 158,00	GBP 193,00
200 mm	GBP 119,00	GBP 140,00	GBP 187,00	GBP 286,00
500 mm	GBP 143,00	GBP 175,00		
1000 mm	GBP 172,00	GBP 268,00		

NI027200

Diámetro exterior 1,96 mm
 Diámetro interior 1,22 mm

Espesor de pared 0,37 mm



Tamaño

Código Web
 993-261-556
 157-697-052
 712-132-844
 016-605-754

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 106,00	GBP 121,00	GBP 155,00	GBP 193,00
200 mm	GBP 117,00	GBP 137,00	GBP 180,00	GBP 268,00
500 mm	GBP 140,00	GBP 169,00		
1000 mm	GBP 165,00	GBP 251,00		

NI027221

Diámetro exterior 2,1 mm
 Diámetro interior 1,7 mm

Espesor de pared 0,2 mm



Tamaño

Código Web
 116-978-025

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
150 mm	GBP 121,00	GBP 142,00	GBP 193,00	GBP 299,00

NI027225

Diámetro exterior 2,5 mm
 Diámetro interior 2,0 mm

Espesor de pared 0,25 mm



Tamaño

Código Web
 515-094-375
 836-187-473
 364-457-988
 870-337-190

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 110,00	GBP 127,00	GBP 164,00	GBP 210,00
200 mm	GBP 123,00	GBP 145,00	GBP 204,00	GBP 320,00
500 mm	GBP 148,00	GBP 193,00		
1000 mm	GBP 189,00	GBP 303,00		

NI027230

Diámetro exterior 3,02 mm
 Diámetro interior 2,5 mm

Espesor de pared 0,26 mm



Tamaño

Código Web
 218-961-745
 472-329-744
 656-218-647
 191-839-894

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 111,00	GBP 128,00	GBP 166,00	GBP 219,00
200 mm	GBP 125,00	GBP 147,00	GBP 213,00	GBP 339,00
500 mm	GBP 151,00	GBP 202,00		
1000 mm	GBP 198,00	GBP 321,00		

NI027351

Diámetro exterior 6,0 mm
 Diámetro interior 4,0 mm

Espesor de pared 1 mm
 Temple Recocido



Tamaño

Código Web
 187-716-443
 965-247-923
 892-497-323
 698-836-886

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 117,00	GBP 136,00	GBP 175,00	GBP 265,00	GBP 446,00
200 mm	GBP 132,00	GBP 158,00	GBP 260,00	GBP 436,00	
500 mm	GBP 164,00	GBP 254,00			
1000 mm	GBP 250,00	GBP 424,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027350

Diámetro exterior 6,15 mm
 Diámetro interior 5,15 mm

Espesor de pared 0,5 mm
 Temple Recocido



Tamaño

Código Web
 724-521-019
 418-563-859
 327-172-244
 781-294-676

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 117,00	GBP 136,00	GBP 175,00	GBP 265,00	GBP 446,00
200 mm	GBP 132,00	GBP 158,00	GBP 260,00	GBP 436,00	
500 mm	GBP 164,00	GBP 254,00	GBP 515,00		
1000 mm	GBP 250,00	GBP 424,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027400

Diámetro exterior 7,5 mm
 Diámetro interior 6,1 mm

Espesor de pared 0,7 mm
 Temple Recocido



Tamaño

Código Web
 075-716-625
 370-174-026
 549-851-792
 828-824-025

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 119,00	GBP 140,00	GBP 187,00	GBP 288,00	GBP 492,00
245 mm	GBP 141,00	GBP 178,00	GBP 327,00	GBP 569,00	
490 mm	GBP 174,00	GBP 273,00	GBP 563,00		
980 mm	GBP 269,00	GBP 462,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

Aleación – Inconel® alloy 600 - Aleación Resistente al Calor

Inconel[®] alloy 600 - Aleación Resistente al Calor

Ni72/Cr16/Fe 8



Tubo

NI027410

Diámetro exterior 7,8 mm
 Diámetro interior 6,5 mm

Espesor de pared 0,65 mm
 Temple Recocido



Tamaño

Código Web
 036-814-912

Longitud	Cantidad			
	5 Pzas	10 Pzas	20 Pzas	50 Pzas
35 mm	GBP 142,00	GBP 169,00	GBP 241,00	GBP 476,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027450

Diámetro exterior 9,5 mm
 Diámetro interior 6,1 mm

Espesor de pared 1,7 mm
 Temple Recocido



Tamaño

Código Web
 437-764-349
 720-544-249
 068-031-536
 503-942-693

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 108,00	GBP 129,00	GBP 190,00	GBP 315,00	GBP 533,00
200 mm	GBP 123,00	GBP 154,00	GBP 290,00	GBP 515,00	
500 mm	GBP 169,00	GBP 274,00	GBP 589,00		
1000 mm	GBP 269,00	GBP 474,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027500

Diámetro exterior 12,7 mm
 Diámetro interior 9,44 mm

Espesor de pared 1,63 mm
 Temple Recocido



Tamaño

Código Web
 992-833-487
 104-186-997
 023-374-987
 921-864-005

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	GBP 99,50	GBP 117,00	GBP 158,00	GBP 252,00	GBP 407,00
200 mm	GBP 112,00	GBP 135,00	GBP 226,00	GBP 389,00	
500 mm	GBP 137,00	GBP 211,00			
1000 mm	GBP 206,00	GBP 347,00			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027600

Diámetro exterior 19,0 mm
 Diámetro interior 12,5 mm

Espesor de pared 3,25 mm
 Temple Recocido



Tamaño

Código Web
 885-202-503

Longitud	Cantidad		
	1 Pza	2 Pzas	5 Pzas
200 mm	GBP 133,00	GBP 169,00	GBP 326,00

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027660

Diámetro exterior 25,4 mm
 Diámetro interior 18,9 mm

Espesor de pared 3,25 mm
 Temple Recocido



Tamaño

Código Web
 212-365-435
 545-685-360
 210-668-142
 333-522-648

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	
100 mm	GBP 134,00	GBP 158,00	GBP 246,00	PAP	
200 mm	GBP 156,00	GBP 208,00	PAP		
500 mm	GBP 237,00	PAP			
1000 mm	PAP				

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.

NI027661

Diámetro exterior 25,4 mm
 Diámetro interior 22,1 mm

Espesor de pared 1,65 mm
 Temple Recocido



Tamaño

Código Web
 933-709-346
 901-511-303
 633-098-108
 845-324-517

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	GBP 129,00	GBP 152,00	GBP 221,00	PAP
200 mm	GBP 149,00	GBP 187,00	PAP	
500 mm	GBP 211,00	PAP		
1000 mm	PAP			

Análisis Típico : Cr 15,5%, Cu <5000, Fe 8%, Mn <1%, Si 5000, C <1500, S <150, Ni + Co resto.




Polvo

NI026030

Tamaño máximo 45 micron
 Estado Polvo esférico

Condition Gas atomized



Código Web
 217-291-680

Cantidad	
Peso	1 Bote
100 g	PAP

Podría ser apropiado para la investigación y el desarrollo de la fabricación aditiva.
 Artículo peligroso. Consultamos por favor.

Aleación – Inconel[®] alloy 600 - Aleación Resistente al Calor

Inconel[®] alloy 600 - Aleación Resistente al Calor Ni72/Cr16/Fe 8



Polvo

NI026075

Tamaño máximo 106 micron
Estado..... Polvo esférico

Condition..... Gas atomized



Código Web
729-811-757

Cantidad

Peso
100 g

1 Bote
PAP

Articulo peligroso. Consultamos por favor.

Aleación – Inconel[®] alloy 600 - Aleación Resistente al Calor

INDICE

H

Hilo, Inconel [®] alloy 600 - Aleación Resistente al Calor	24
Hoja, Inconel [®] alloy 600 - Aleación Resistente al Calor	20

I

INCONEL [®] alloy 600	20
Inconel [®] alloy 600 - Aleación Resistente al Calor (Ni72/ Cr16/Fe 8)	20

P

Polvo, Inconel [®] alloy 600 - Aleación Resistente al Calor	28
--	----

T

Tubo, Inconel [®] alloy 600 - Aleación Resistente al Calor	26
---	----

V

Vara .. Inconel [®] alloy 600 - Aleación Resistente al Calor	25
--	----