

Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys
Métaux et Alliages
Metalle und Legierungen

Ceramics
Céramiques
Keramiken

Polymers
Polymères
Polymere

Composites
Composites
Verbundwerkstoffe



Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA

Tel: 1-800-821-2870 (USA and Canada)
or +1 724 695 7060
Fax: 1-800-283-2020 (USA and Canada)
or +1 724 695 7063

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
Inglaterra

Tel: 00 44 1480 424 800
or +44 1480 424 800
Fax: 00 44 1480 424 900
or +44 1480 424 900

Goodfellow SARL

229, rue Solférino
F-59000 Lille
Francia

Tel : 0800 917 241 (numéro vert)
or +44 1480 424 813
Fax : 0800 917 313 (numéro vert)
or +44 1480 424 900

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Alemania

Tel: 0800 1000 579 (freecall)
or +44 1480 424 810
Fax: 0800 1000 580 (freecall)
or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

Fl. 23, 758 Nanjing Road West
SHANGHAI
200040

República Popular China
Tel: 00 86 21 6112 1560

Lista de los precios estándar para Níquel/Cromo (Ni80/Cr20)

INDICE DE MATERIAS

Introducción	4
Descripción de los productos	5
Clasificación de Materiales Peligrosos	10
Información General	12
Pedidos Contenido	13
Company Details	15
Condiciones de venta	16
Aleación	20
INDICE	32

Introducción

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

A lo largo de los últimos 30 años, Goodfellow ha ganado una fama de proveedor especializado en pequeñas cantidades de metales y materiales para la investigación, el desarrollo, los prototipos y el diseño. Somos concientes de que "pequeñas cantidades" puede tener un significado diferente para diferentes personas, pero consideramos como pequeña cantidad cualquiera comprendida entre unos gramos y unos kilos.

También podemos suministrar cantidades mayores de metales y materiales o productos fabricados por encargo.

Materiales

Metales y Aleaciones

Goodfellow suministra casi todos los metales puros del Aluminio al Zirconio así como una amplia gama de aleaciones. La mayoría de ellos está disponible en varias formas que incluyen vara, hilo, lámina, etc...

Cerámicas

Los materiales cerámicos suministrados por Goodfellow han sido elegidos con mucho esmero e incluyen tanto los materiales conocidos como los que son el fruto de los últimos desarrollos. Todos están disponibles como artículo estándar o producto fabricado en una amplia variedad de formas y tamaños.

Polímeros

La gama de polímeros suministrada por Goodfellow es amplia e incluye tanto los polímeros comunes como los más avanzados e inusitados actualmente existentes. Los polímeros están disponibles en una amplia variedad de formas y tamaños.

Compuestos e Intermetálicos

Goodfellow puede suministrar aluminuros, boruros, siliciuros así como otros intermetálicos y compuestos.

Composites

Algunos ejemplos figuran en el catálogo Goodfellow.

Vidrios

Goodfellow ofrece dos tipos distintos de productos de vidrio:

Los primeros son generalmente sólidos con base de sílice, no cristalinos (amorfo), que presentan una transición vítrea y son frágiles y transparentes. Las propiedades de los materiales de vidrio pueden ser fácilmente modificadas para alterar su rendimiento óptico y otras características. Este tipo está disponible en la División Cerámica y Vidrio de Goodfellow. Por lo general, estos productos se hacen por encargo para los clientes, así que no figuran en el Catálogo. Póngase en contacto con nosotros para poder estudiar sus necesidades.

El segundo tipo de producto de vidrio se conoce comúnmente como "vidrios metálicos" o "metales vítreos". En contraste con los metales y aleaciones cristalinas con estructuras atómicas altamente ordenadas, estos son metales no cristalinos (amorfo) o, más generalmente, aleaciones. Nuestro sitio web detalla los metales vítreos que están disponibles en stock. Por favor póngase en contacto con nosotros si no encuentra el artículo que específicamente necesita.

Descripción de los productos



Arandela

Una pieza fina y plana de material con un agujero en el medio, se utiliza junto con pernos y tuercas para distribuir la carga de un sujetador roscado.

Tolerancias

Cerámicas: ver artículo



Barra

Longitud recta de material de sección cuadrada, oval o rectangular.

Tolerancias

Dimensiones de la sección: $\leq 10 \text{ mm}$
 $\pm 10\%$

Longitud: $> 10 \text{ mm}$ $\pm 1\text{mm}$
 $< 100 \text{ mm}$ $\pm 1\text{mm}$
 $\geq 100 \text{ mm}$ $+5\% / -1\%$



Blanco de sputtering

Material de alta pureza utilizado como fuente de sputtering, proceso de evaporación en frío donde los átomos son desplazados de la superficie del blanco por bombardeo iónico.

Tolerancias

Espesor: $\pm 0,5 \text{ mm}$
 Tamaño: $\pm 0,5 \text{ mm}$



Copo

Piezas de material planas e irregularmente formadas. El tamaño máximo del copo está indicado pero copos individuales pueden tener tamaños sensiblemente superiores.

Tolerancias

Las dimensiones indicadas
 son nominales



Crisol

Un recipiente en el que otros materiales pueden calentarse o derretirse normalmente a altas temperaturas.

Tolerancias

Altura: $\pm 10\%$
 Dimensiones Int.: $\pm 10\%$
 Dimensiones Ext.: $\pm 10\%$



Esfera

Una forma sólida regular o hueca tridimensional en la que cada sección transversal es un círculo. Las esferas están disponibles con las tolerancias estándar o de precisión, y pueden suministrarse con diferentes acabados de superficie dependiendo del material.

Tolerancias

Diámetro (estándar): $\pm 5\%$
 Diámetro (precisión): ver artículo



Espuma

Estructura de baja densidad permeable compuesta por celdas y ligamentos continuos que ofrecen una relación superficie/volumen elevada así como una alta relación resistencia/peso. Debido a la naturaleza de este material, las dimensiones son nominales.

Descripción de los productos



Fibra

Hilos o estopas formados por varios filamentos individuales más o menos paralelos. Cada filamento suele tener un diámetro inferior al de un monofilamento. Los hilos contienen un número definido de filamentos, típicamente desde tres hasta varios centenares; las estopas contienen millares de filamentos. Su número sólo puede definirse aproximadamente. Ambos se especifican por su densidad lineal medida en "tex", el peso en gramos de 1 km de material.

Tolerancias

Diámetro de la fibra:	± 25%
Número de torones:	± 10%
Número Tex:	± 10%
Longitud:	+ 5%/-1%



Fibra picada

Fibras cortadas en pequeñas longitudes llamadas fibra cortada o picada

Tolerancias

Diámetro de la fibra:	+ 25%
Número de torones:	+ 10%
Número Tex:	+ 10%
Longitud:	+ 5% / -1%



Gránulo

Pastillas de forma casi regular. El tamaño de los gránulos puede variar y de hecho las dimensiones indicadas son nominales. Cabe destacar que la forma del gránulo puede variar de un artículo al otro.

Tolerancias

Las dimensiones indicadas son nominales



Hilo

Torón flexible único o múltiple de metal puro o aleación.

Tolerancias

Diámetro del hilo:	± 10%
Longitud:	+ 5%/-1%



Hilo aislado

Toron flexible simple o multiple de metal o aleación con una cubierta aislante.

Tolerancias

Diámetro del hilo:	± 10%
Longitud:	+ 5% / -1%
Espesor de aislamiento:	Valores nominales únicamente



Hoja

Planchas delgadas de metales puros y aleaciones metálicas. Debido a su fragilidad, algunas de nuestras hojas vienen cubiertas por una cara con un soporte acrílico o poliéster.

Tolerancias

Espesor:	< 0,010 mm	± 25 %
	0,01-0,05mm	± 15 %
	> 0,050 mm	± 10 %
Tamaño (dimensiones lineales):	< 100 mm	± 1 mm
	> 100 mm	+ 2 % / -1 %



Laminado

Capas de material aglomeradas mediante calor, presión y posiblemente con un adhesivo.

Tolerancias

Espesor:	± 10%	
Tamaño (dimensiones lineales):	≤ 100mm	± 1mm
	> 100mm	+ 2% / -1%

Descripción de los productos



Malla

Las mallas están disponibles tejidas o electromoldeadas, en ambos casos, los tamaños de aperturas indicados son nominales. Malla de hilo. Material tejido a partir de hilos metálicos para formar una red fina con series regulares de agujeros. Malla electroformada Producto obtenido por electroplastia a través de una máscara sobre un sustrato posteriormente eliminado.

Tolerancias

Espesor: tejida: $\pm 10\%$
electromol-
deada: $\pm 20\%$
Diámetro de hilo: $\pm 10\%$
Tamaño(dimensiones lineales): $\leq 100\text{mm}$
 $\pm 1\text{mm}$
 $> 100\text{mm}$ +2% / -1%



Microhoja

Plancha extremadamente delgada de metal o aleación montada sobre un soporte permanente. Las microhojas vienen montadas en un soporte permanente de Poliéster de 3,5 μm de espesor. Este soporte no puede retirarse sin destruir la Microhoja.

Tolerancias

Espesor: $\pm 30\%$
Tamaño: $\pm 20\%$



Microlámina

Plancha extremadamente delgada de metal montada en un soporte provisional. No existen microláminas para los materiales demasiado quebradizos para poder sostenerse sin soporte. Las microláminas vienen montadas en un soporte especialmente tratado que permite su separación del metal. Las instrucciones necesarias para la separación se incluyen con cada Microlámina suministrada.

Tolerancias

Espesor: $\pm 30\%$
Tamaño: $\pm 20\%$



Monocristal

Material crecido en monocristal, siguiendo orientaciones, dimensiones y acabados de superficie específicos. Puede contener un dopante. Los monocristales suelen fabricarse a medida.

Tolerancias

Orientación: $\pm 3^\circ$
Tamaño: Las
dimensiones indicadas son nominales.



Monofilamento

Torón único de material no-metálico.

Tolerancias

Diámetro: $\pm 20\%$
Longitud: +5%/-1%



Nido de Abeja

Estructura celular similar a un nido de abeja natural. Debido a la naturaleza de este material, las dimensiones son nominales.



Película

Plancha de material no metálico con un espesor $< 0,5\text{mm}$.

Tolerancias

Espesor: 20%
Tamaño (dimensiones lineales): \leq
100mm + 1mm
 $\leq 100\text{mm} + 2\%/-1\%$

Descripción de los productos



Película metalizada

Film recubierto con un metal. El espesor del metal se mide y se describe en terminos de resistencia eléctrica específica del material en Ohms por cuadrado.

Tolerancias

Espesor:	$\pm 10\%$	
Tamaño (dimensiones lineales):	$\leq 100\text{mm}$	
$\pm 1\text{mm}$	$> 100\text{mm}$	$+2\% / -1\%$



Perno

Un espárrago que puede atornillarse en una tuerca o agujero roscado para juntar elementos. Los pernos se encuentran disponibles con diferentes modelos de cabeza y también con tamaños del roscado en medidas métricas y en pulgadas.

Tolerancias

Cerámicas: ANSI B18.6.7M-1985



Plancha

Material plano con un espesor $< 0,5\text{mm}$.

Tolerancias

Espesor:		$\pm 10\%$
	Ceramica	$\pm 20\%$
	Composito	$\pm 20\%$
	Polimer	$\pm 20\%$
Tamaño(dimensiones lineales):	$\leq 100\text{mm}$	
$\pm 1\text{mm}$	$> 100\text{mm}$	$+2\% / -1\%$
	$< 100\text{mm}$	$\pm 1\text{mm}$
	$> 100\text{mm}$	$+2\% / -1\%$



Polvo

Pequeñas partículas con una gama de tamaños definida aproximadamente. Los materiales descritos como prealeaciones no son verdaderas aleaciones - se obtienen sinterizando una mezcla de polvos de los diferentes componentes para conseguir la aleación por difusión. El lingote resultante se rectifica y se tamiza para obtener la granulometría requerida. Salvo indicación contraria, las granulometrías indicadas sólo son una orientación. No garantizamos ninguna distribución entre el mínimo y el máximo indicados ni una forma de grano específica.

Tolerancias

Las dimensiones indicadas son nominales



Tela

Las telas tejidas se elaboran entrelazando dos sistemas de hilos a angulo recto entre ellos : los hilos de cadena y los hilos de trama (véase también tela No-tejida).

Tolerancias

Espesor de la tela:	$\pm 25\%$
Número Tex:	$\pm 10\%$
Tamaño (dimensiones lineales):	$\leq 100\text{mm}$
	$\pm 5\text{mm}$



Tela no tejida

Las telas no-tejidas se elaboran por otros métodos que el tejido. Los hilos no se entrelazan geoméricamente. Estas telas pueden provenir de diferentes fieltros con estructuras abiertas y sueltas, compuestas por fibras al azar.

Tolerancias

Tamaño (dimensiones lineales):	$\leq 100\text{mm}$
	$\pm 5\text{mm}$
	$> 100\text{mm}$ $\pm 5\%$

Descripción de los productos



Terrón

Piezas sólidas de material sin forma definida.

Tolerancias

Las dimensiones indicadas son nominales



Tubo

Longitud hueca normalmente circular de material. La mayoría de los tubos son rectos excepto para los polímeros flexibles.

Tolerancias

Diámetro exterior: (Polímeros ± 10%)	≤ 2mm	± 0.05mm
	≤ 5mm	± 0.1mm
	> 5mm	± 5%
(Polímeros ± 10%)		
Espesor de pared: (Polímeros ± 20%)		± 10%
Longitud:	< 100mm	± 1mm
	> 100mm	+ 5% / -1%




Tuerca

En general, un perno puede atornillarse en una pieza plana del material con un agujero roscado para juntar los elementos. Las tuercas normalmente tienen una forma externa hexagonal. Las tuercas se encuentran disponibles con tamaños del roscado en medidas métricas y en pulgadas.

Tolerancias

Cerámicas: ANSI B18.2.4.1M-1979 (R1995)



Vara

Longitud recta de material de sección circular.

Tolerancias

Diámetro:	< 10mm	± 10%
(Polímeros +20% / -10%)	> 10mm	± 5%
(Polímeros +20% / -10%)		
Longitud:	< 100mm:	± 1mm
	> 100mm:	+ 5% / -1%

Clasificación de Materiales Peligrosos

PELIGROS

Suministramos todos los materiales listados en este catálogo para fines de investigación o desarrollo. No garantizamos su adecuación para un fin particular. Al adquirir materiales de este catálogo, es preciso recordar que pueden existir peligros relacionados con su utilización o su manipulación. El cliente es responsable de las investigaciones toxicológicas o de peligro completas asociadas al material. La ingestión o el contacto con el cuerpo humano pueden resultar nocivas. El cliente es responsable de la utilización segura de los productos. Todos los materiales deben ser manipulados por personal capacitado familiarizado con los procesos de laboratorio, la naturaleza del material y las precauciones necesarias para su uso y almacenaje. El cliente es responsable del control y utilización de los productos listados en este catálogo ya sean sólo o combinados con otros artículos o sustancias.

SIMBOLOS DE PELIGRO



C

Corrosivo

Sustancias químicas que pueden destruir la piel viva en contacto con ella.



Xn

Dañoso

Sustancia que puede implicar riesgos limitados para la salud por ingestión o al penetrar la piel.



E

Explosivo

Sustancias químicas que pueden reaccionar exotérmicamente sin oxígeno atmosférico, liberando gases rápidamente, y que en condiciones de pruebas definidas detonan, con una deflagración rápida. Peligro de explosión en caso de calentamiento al ser reducidas parcialmente.



F+

Extremadamente inflamable

i) Productos químicos gaseosos inflamables en contacto con el aire a temperatura ambiente o
ii) Productos químicos con temperatura de inflamabilidad inferior a 0C



F

Facilmente inflamable

Productos químicos que : i) tienden a inflamarse en contacto con el aire a temperatura ambiente o después de un breve contacto con una fuente de ignición o : ii) desprenden gases inflamables en cantidades peligrosas en contacto con agua o aire húmedo



Xi

Irritante

Sustancia que puede causar inflamación en caso de contacto seguido o por inhalación.



T+

Muy Tóxico

Sustancia que puede causar altos riesgos para la salud o la muerte por ingestión o al penetrar la piel.



D

Peligroso en estado húmedo

Sustancia espontáneamente combustible o que libera un gas inflamable en contacto con el agua.



R

Radiactivo

Sustancias de actividad baja - las precauciones generales para las sustancias tóxicas son aplicables. Regulaciones especiales se aplican para sustancias de actividad alta y media.

Clasificación de Materiales Peligrosos



T

Tóxico

Sustancia que puede causar riesgos extremadamente altos para la salud o la muerte por ingestión o al penetrar la piel.

Información General

Análisis

Análisis Típico :

Los análisis típicos se indican cuando disponemos de ellos. Los valores son las partes por millón (ppm) en peso salvo indicación contraria. Recuerde que estos datos son "típicos" y no garantizamos que el material suministrado será conforme a ellos. Las composiciones indicadas para las aleaciones son un porcentaje de peso excepto para los imanes de tierras raras y las aleaciones vidriosas donde seguimos la convención que implica el uso del porcentaje atómico.

Pureza

Las purezas en el catálogo se indican con respecto al total de las impurezas metálicas. Los análisis típicos pueden ofrecer información adicional sobre las impurezas no-metálicas.

Alta Pureza

Suministramos un certificado de análisis gratuito de las impurezas metálicas para los materiales de Alta Pureza (High Purity). Para otros artículos, podemos suministrar un análisis preciso mediante un recargo adicional. Si requiere un análisis, no olvide precisar si desea conocer las impurezas metálicas únicamente o si desea las impurezas metálicas y gaseosas. En caso de solicitar un análisis preciso, la entrega de su pedido se demorará.

Soportes

Algunas de nuestras hojas necesitan estar soportadas por una cara para permitirle manipularlas pese a su fragilidad. Se utilizan dos tipos de soporte, dependiendo del material. Tratamos de utilizar soportes provisionales pero materiales quebradizos como el Cromo o el Manganeso necesitan un soporte permanente.

El soporte provisional es Acrílico, de unos 0,2 mm de espesor. Puede disolverse en 2-Propanone (Acetona).

El soporte permanente es Poliéster de 0,125 mm de espesor laminado a una cara de la hoja por prensado en caliente. No puede retirarse sin destruir la hoja.

Las microhojas vienen montadas en un soporte permanente de Poliéster de 3,5 μm de espesor. Este soporte no puede retirarse sin destruir la Microhoja.

Las microláminas vienen montadas en un soporte especialmente tratado que permite su separación del metal. Las instrucciones necesarias para la separación se incluyen con cada Microlámina suministrada.

Estanco a la Luz

Las hojas EL se suministran sin agujeros visibles. Las hojas NEL contienen normalmente agujeros. Es posible que ocasionalmente no contengan dichos agujeros. Las hojas con espesores desde 0,025 mm son EL salvo indicación contraria en el catálogo. Las hojas de espesores inferiores a 0,025 mm suelen ser NEL. No dude en solicitar hojas EL incluso para estos espesores. Un recargo adicional será añadido si podemos suministrarlas.

Estanqueidad al vacío:

Las hojas estancas al vacío no muestran ninguna fuga al testarlas con un espectrómetro de masa de helio con una sensibilidad de 10^{-9} atm-cm³.s⁻¹.

Longitudes Continuas

Si necesita el material en longitudes continuas, no olvide indicarlo al pasar su pedido. Salvo indicación previa, nos reservamos el derecho de suministrar el material en más de una longitud.

Datos técnicos e información

Todos los datos técnicos e informaciones sirven para su orientación únicamente. A pesar de todos nuestros esfuerzos para asegurar que toda la información es correcta, no podemos garantizar su perfección ni su precisión.

Tolerancias

Para los detalles sobre nuestras tolerancias estándar, vease la sección Descripción de los Productos. En numerosos casos podemos suministrar el material con tolerancias más precisas mediante un recargo adicional. En caso de tener requisitos específicos (tolerancias específicas, uniformidad de las dimensiones, acabado, etiquetado, embalaje...), indíquenoslo al realizar su pedido. Haremos todo lo posible para satisfacerle.

Pedidos Contenido

General Information

Disponemos de más de 70000 artículos en stock catalogados y si a pesar de ello no encuentra lo que necesita entre ellos, no dude en solicitar tamaños, espesores, tolerancias, dimensiones especiales o cantidades mayores. Nos es posible ofrecer muchos más metales, aleaciones, polímeros y cerámicas según sus requisitos.

Precios

Todos los precios de este catálogo son totales (lote) para las dimensiones y cantidades listadas. Los precios están sujetos a modificación sin previo aviso. Los precios incluyen la entrega. No incluyen el IVA, los aranceles de importación ni los impuestos locales.

Envío peligroso

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Entrega

Los precios incluyen la entrega por servicios urgentes de transporte "puerta a puerta".

Entregada fraccionada

Acceptamos los pedidos para su entrega total a una misma dirección con la misma fecha. Se añadirá un recargo para los pedidos fraccionados solicitados por el cliente.

Análisis, Soportes y Tolerancias especiales

Un recargo adicional se aplica para soportes no estándar, tolerancias específicas y certificados de análisis. Los artículos "High Purity" (Alta Pureza) incluyen el certificado de análisis gratuito.

Cancelaciones

Un recargo por cancelación de pedido puede ser cargado. El importe dependerá de las circunstancias.

Express Service

An administration charge will be made for any order received for which same day shipment is requested.

Envío

Nuestro propósito es tener en stock todos los artículos de este catálogo en las cantidades y dimensiones indicadas. Sólo podemos comprometernos a enviar el pedido con una fecha determinada. La fecha de entrega a su domicilio está sujeta a las variaciones normales del servicio de entrega utilizado.

Envío

Las mercancías se envían normalmente en las 48 horas después de su recepción. Podemos realizar una entrega inmediata con nuestro Servicio Express si es necesario.

Demoras

Gracias por contactar con nosotros si no recibe la mercancía en los 7 días posteriores al aviso de envío.

Seguro

Todos los envíos están asegurados contra los riesgos habituales salvo indicación contraria escrita del cliente.

Restricciones de Exportacion

Una licencia de exportación del Gobierno Británico puede ser necesaria para algunos artículos. Si el artículo que pide requiere esta licencia se le informará al colocar el pedido.

Manipulado de los Materiales

Muchos de nuestros materiales son extramadamente delicados y es imprescindible el mayor cuidado al manipularlos. Se requiere un cuidado especial para las Microhojas, las Microláminas y los materiales delgados.

Embalamos todos los materiales con el mayor cuidado para asegurar su transporte seguro hasta Usted. No aceptamos ninguna responsabilidad para los daños causados después de la apertura del embalaje exterior.

Condiciones de Pago

Nuestras condiciones de pago habituales son de 30 días desde la fecha de factura. Cualquier condición alternativa sólo es válida tras nuestro acuerdo escrito. Podemos solicitar el pago

Pedidos Contenido

anticipado o por Proforma para el primer pedido. Para abrirle una cuenta necesitamos sus datos bancarios. Las facturas españolas pueden abonarse en Pesetas enviando un talón a nuestras oficinas o directamente a nuestro banco o por transferencia. Rogamos indiquen las referencias de la factura.

Cuenta crédito

Les rogamos abonen sus facturas en los plazos indicados. Nos reservamos el derecho de demorar el envío de sus mercancías en caso de tener facturas pendientes. Las facturas pendientes pueden incurrir en intereses de un 2% por cada mes de retraso.

Tarjetas de Crédito

Aceptamos el pago con las siguientes tarjetas : Mastercard, VISA, American Express, DELTA y Switch.

IVA

NIF : GB 212 8527 79

UK

Vat willbe translate

Europa

Los clientes que nos indiquen su NIF no pagarán el IVA inglés.

Los clientes exentos de IVA no pagarán el IVA inglés siempre que nos envíen una copia del certificado de exención.

Los clientes que no nos comuniquen su NIF/CIF pagarán el IVA inglés.

Exportaciones

Los países fuera de la Unión Europea no pagan el IVA inglés.

Retorno de Marcancias

Sólo aceptamos retorno de mercancías si se contacta con nosotros ANTES de devolverlas. No puede devolver las mercancías sin un número de autorización que le indicaremos.

Reclamaciones

Fabricamos y embalamos nuestros productos con el mayor cuidado. Asimismo inspectamos todos los artículos antes del envío. Cualquier reclamación con respecto a una entrega incompleta, un material incorrecto o una calidad defectuosa debe ser remitida por escrito en los tres días posteriores a la recepción de las mercancías. Conserve TODOS los embalajes para su inspección. Nuestra responsabilidad se limita a la sustitución del material o al reembolso del importe facturado.

Materiales pedidos por error

No nos consideramos responsables por los errores de nuestros clientes en sus pedidos. Si aceptamos el retorno de las mercancías el importe del reembolso quedará a nuestra discreción. Siempre que nos devuelva una mercancía pedida por error le cobraremos un recargo de almacenamiento.

Condiciones de Venta

Todos los pedidos, contratos y ofertas están sujetos a nuestras

Las informaciones y declaraciones de este catálogo son indicativas y no forman parte de ningun contrato u oferta.

Exclusiones

Suminramos los materiales según nuestras especificaciones. Todas las garantías e interpretaciones acerca de la calidad, la aptitud al uso, el estado, las dimensiones, la forma, la capacidad y el color implicadas por la ley común o los estatutos se excluyen por el presente párrafo. No podemos ser considerados responsables ni por los daños causados directamente por nuestros productos o su utilización (cualquier daño que sea), ni por las demoras en la entrega.

Ley

Los contratos entre Goodfellow y el cliente están sujetos desde todos los puntos de vista a la ley Inglesa salvo aceptación previa por escrito.

Company Details

Company Structure

El Grupo Goodfellow consiste en diversas compañías:

Goodfellow Cambridge Limited

Goodfellow fue fundada en la City en Londres en 1946. Las sucursales de Alemania, Francia y Estados Unidos administran sus mercados respectivos. La administración central, los laboratorios de investigación y los talleres se ubican en la Sede de la Compañía en Huntingdon, Inglaterra.

Goodfellow Corporation

Creada al mismo tiempo que nuestra sucursal de Alemania, Goodfellow Corporation está al servicio de nuestros clientes americanos.

Goodfellow GmbH

Desde 1989, este miembro del grupo Goodfellow está al servicio de nuestros clientes Germanoparlantes en Europa.

Goodfellow SARL

Goodfellow se instaló en Francia en 1993, para atender las necesidades de los clientes Francófonos en Europa.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
Inglaterra
Registrado en Inglaterra y Wales no. 1188162
NIF GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA
A Pennsylvania corporation
EIN 23-2557381

Goodfellow SARL

229, rue Solférino
F-59000 Lille
Francia
Registered in Lille : RCS : B 381 486 836
Siren : 381486836
Numéro de TVA Intracommunitaire :
FR 06 381 486 836

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Alemania
Registered in Friedberg (Hessen) No. HRB 1309
Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

Fl. 23, 758 Nanjing Road West
SHANGHAI
200040
República Popular China

Condiciones de venta

1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

5 QUOTATIONS

5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in

Condiciones de venta

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3
- 8 QUANTITIES INSTALMENTS AND STORAGE**
- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4
- 9 TERMS OF PAYMENT**
- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.
- 10 SUSPENSION AND CANCELLATION**
- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, or any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination
- 11 INSPECTION AND CLAIMS FOR DEFECTS**
- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods
- 12 WARRANTY**
- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

Condiciones de venta

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller
- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations
- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing
- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER

Condiciones de venta

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

Níquel/Cromo Ni80/Cr20

Marcas Comerciales : Nichrome V[®], Tophet A[®]

Propiedades Físicas

Densidad 8,4 g cm⁻³
 Punto de Fusión 1400 C

Propiedades Eléctricas

Resistividad Eléctrica 108 μOhmcm
 Coeficiente de Temperatura 0,00005 K⁻¹

Propiedades Térmicas

Coeficiente de Expansión Térmica @20-100C 14 x10⁻⁶ K⁻¹
 Conductividad Térmica a 23C 13,4 W m⁻¹ K⁻¹
 Temperatura Máxima de Utilización al Aire 1150-1250 C

Propiedades Mecánicas

Alargamiento < 40 %
 Resistencia a la Tracción 650-1100 MPa



Microhoja

NI054700 Delgadez..... 0,5 μm Densidad de área 420 μg.cm⁻²
 Soporte..... 3,5μm Mylar permanente

Código Web	Diám. del Disco	Cantidad			
		1 disco	2discos	5discos	10discos
002-166-163	10 mm	USD 505,00	USD 704,00	USD 1300,00	USD 2095,00
846-120-906	25 mm	USD 770,00	USD 1102,00	USD 2095,00	USD 3420,00

Artículo fabricado por encargo en 4-5 semanas.



Hoja

NI050200 Espesor..... 0,005 mm Temple Laminado



Tamaños - LT

Código Web
 975-267-841
 172-798-933
 655-833-118

Tamaño	Cantidad		
	1 Pza	2 Pzas	5 Pzas
25 x 25 mm	USD 395,00	USD 462,00	USD 793,00
50 x 50 mm	USD 550,00	USD 681,00	
100 x 100 mm	USD 860,00		

Discos

Código Web
 201-061-994
 132-742-548
 592-813-533
 101-692-543
 711-568-192
 946-018-971

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	USD 549,00	USD 624,00	USD 793,00
6 mm	USD 597,00	USD 691,00	USD 898,00
8 mm	USD 644,00	USD 758,00	USD 1004,00
10 mm	USD 691,00	USD 824,00	USD 1109,00
15 mm	USD 808,00	USD 991,00	
25 mm	USD 1044,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050221 Espesor..... 0,025 mm Estado..... recocido



Tamaño

Código Web
 489-840-250
 123-316-289
 676-218-889

Tamaño	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
25 x 25 mm	USD 182,00	USD 207,00	USD 264,00	USD 341,00
50 x 50 mm	USD 222,00	USD 263,00	USD 353,00	
100 x 100 mm	USD 302,00	USD 376,00		

Discos

Código Web
 431-378-179
 200-337-058
 269-073-855
 197-294-356
 718-219-426
 146-827-202

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	USD 369,00	USD 427,00	USD 592,00
6 mm	USD 381,00	USD 445,00	USD 620,00
8 mm	USD 393,00	USD 462,00	USD 647,00
10 mm	USD 406,00	USD 479,00	USD 675,00
15 mm	USD 436,00	USD 522,00	USD 743,00
25 mm	USD 497,00	USD 608,00	

NI050220 Espesor..... 0,025 mm Temple Laminado



Tamaño

Código Web
 733-163-811
 249-240-890
 155-105-637
 388-211-470

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	USD 182,00	USD 207,00	USD 264,00	USD 341,00	USD 433,00
50 x 50 mm	USD 222,00	USD 263,00	USD 353,00	USD 467,00	USD 612,00
100 x 100 mm	USD 302,00	USD 376,00	USD 531,00	USD 720,00	
150 x 150 mm	USD 382,00	USD 489,00	USD 729,00		

Rollo

Código Web
 491-199-363
 645-483-115

Anchura 200mm Longitud	Cantidad
	1 Bobina
0,3 m	USD 601,00
0,5 m	USD 731,00

Discos

Código Web
 332-888-249
 611-025-724
 378-217-193
 277-146-963
 643-362-828
 420-350-376
 543-797-728

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	USD 369,00	USD 427,00	USD 592,00
6 mm	USD 381,00	USD 445,00	USD 620,00
8 mm	USD 393,00	USD 462,00	USD 647,00
10 mm	USD 406,00	USD 479,00	USD 675,00
15 mm	USD 436,00	USD 522,00	USD 743,00
25 mm	USD 497,00	USD 608,00	USD 880,00
50 mm	USD 650,00	USD 826,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación - Níquel/Cromo

Níquel/Cromo
Ni80/Cr20



Hoja

NI050223

Espesor..... **0,030 mm** Anchura del rollo **7,5 mm**
 Temple **Laminado**



Rollo		Anchura 7.5mm	Cantidad
Código Web	Longitud	1 Bobina	
365-344-166	1 m	USD 178,00	
208-583-849	2 m	USD 211,00	
252-543-456	5 m	USD 286,00	
636-807-002	10 m	USD 384,00	
112-708-439	20 m	USD 626,00	
819-172-971	35 m	USD 1012,00	

Análisis Típico : Not applicable

NI050225

Espesor..... **0,05 mm** Temple **Laminado**



Tamaño		Cantidad				
Código Web	Tamaño	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
987-101-848	25 x 25 mm	USD 199,00	USD 230,00	USD 301,00	USD 393,00	USD 507,00
764-973-958	50 x 50 mm	USD 255,00	USD 310,00	USD 427,00	USD 572,00	USD 760,00
628-342-163	100 x 100 mm	USD 368,00	USD 470,00	USD 679,00	USD 1201,00	
667-489-554	150 x 150 mm	USD 481,00	USD 629,00	USD 1284,00		

Rollo		Anchura 150mm	Cantidad
Código Web	Longitud	1 Bobina	
919-491-922	0,5 m	USD 966,00	
819-156-229	1 m	USD 1747,00	

Discos		Cantidad		
Código Web	Diámetro	10 discos	20 discos	50 discos
444-840-711	4 mm	USD 379,00	USD 442,00	USD 615,00
293-033-443	6 mm	USD 396,00	USD 466,00	USD 654,00
927-888-246	8 mm	USD 414,00	USD 491,00	USD 693,00
489-788-263	10 mm	USD 431,00	USD 515,00	USD 732,00
614-162-994	15 mm	USD 474,00	USD 576,00	USD 829,00
514-989-515	25 mm	USD 560,00	USD 698,00	USD 1023,00
315-348-373	50 mm	USD 778,00	USD 1009,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050231

Espesor..... **0,075 mm** Anchura del rollo **2 mm**
 Estado..... **recocido**



Rollo		Anchura 2mm	Cantidad
Código Web	Longitud	1 Bobina	
872-223-040	1 m	USD 138,00	
396-516-887	2 m	USD 155,00	
064-468-539	5 m	USD 196,00	
777-014-844	10 m	USD 257,00	
106-772-580	20 m	USD 368,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050238

Espesor..... **0,10 mm** Anchura del rollo **0,8 mm**
 Estado..... **recocido**



Rollo		Anchura 0.8mm	Cantidad
Código Web	Longitud	1 Bobina	
245-335-800	1 m	USD 315,00	
118-368-074	2 m	USD 348,00	
171-135-647	5 m	USD 431,00	
008-877-991	10 m	USD 553,00	
099-806-358	20 m	USD 782,00	

NI050236

Espesor..... **0,10 mm** Anchura del rollo **10 mm**
 Temple **Laminado**



Rollo		Anchura 10mm	Cantidad
Código Web	Longitud	1 Bobina	
908-814-881	1 m	USD 310,00	
440-379-749	2 m	USD 357,00	
413-912-559	5 m	USD 452,00	
192-676-340	10 m	USD 560,00	
745-962-476	20 m	USD 716,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050237

Espesor..... **0,10 mm** Anchura del rollo **25,4 mm**
 Temple **Laminado**



Rollo		Anchura 25.4mm	Cantidad
Código Web	Longitud	1 Bobina	
073-733-708	0,5 m	USD 323,00	
483-832-868	1 m	USD 376,00	
622-638-070	2 m	USD 450,00	
427-893-703	5 m	USD 600,00	
159-908-579	10 m	USD 769,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo
Ni80/Cr20



Hoja

NI050235

Espesor. 0,10 mm

Temple Laminado



Tamaño

Código Web
 880-852-788
 286-053-827
 758-951-945
 606-825-182

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	USD 178,00	USD 192,00	USD 224,00	USD 265,00	USD 331,00
50 x 50 mm	USD 205,00	USD 232,00	USD 286,00	USD 353,00	USD 456,00
100 x 100 mm	USD 261,00	USD 310,00	USD 411,00	USD 529,00	USD 705,00
200 x 200 mm	USD 373,00	USD 468,00	USD 660,00	USD 882,00	

Rollo

Código Web
 928-749-985
 063-828-415
 158-172-715

Anchura 200mm

Longitud	1 Bobina
	0,5 m
1 m	USD 697,00
2 m	USD 904,00

Discos

Código Web
 011-335-581
 195-171-048
 129-718-202
 042-709-135
 081-512-858
 533-825-407
 218-753-288

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	USD 316,00	USD 359,00	USD 464,00
6 mm	USD 325,00	USD 371,00	USD 483,00
8 mm	USD 333,00	USD 383,00	USD 502,00
10 mm	USD 342,00	USD 395,00	USD 521,00
15 mm	USD 363,00	USD 425,00	USD 568,00
25 mm	USD 405,00	USD 485,00	USD 663,00
50 mm	USD 511,00	USD 635,00	USD 901,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050240

Espesor. 0,125 mm

Temple Laminado



Tamaño

Código Web
 974-723-245
 840-402-867
 050-357-552
 294-696-733
 837-096-580

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	USD 181,00	USD 197,00	USD 231,00	USD 275,00	USD 346,00
50 x 50 mm	USD 212,00	USD 241,00	USD 301,00	USD 374,00	USD 485,00
100 x 100 mm	USD 274,00	USD 329,00	USD 440,00	USD 571,00	USD 764,00
150 x 150 mm	USD 337,00	USD 417,00	USD 580,00	USD 768,00	USD 1042,00
150 x 300 mm	USD 414,00	USD 526,00	USD 753,00		

Rollo

Código Web
 393-993-959
 637-073-959
 634-239-743
 279-964-631

Anchura 150mm

Longitud	1 Bobina
	0,5 m
1 m	USD 681,00
2 m	USD 882,00
5 m	USD 1460,00

Discos

Código Web
 447-688-520
 961-065-747
 133-221-792
 652-716-298
 589-525-157
 690-644-093
 330-507-866

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	USD 318,00	USD 362,00	USD 468,00
6 mm	USD 328,00	USD 375,00	USD 490,00
8 mm	USD 337,00	USD 389,00	USD 511,00
10 mm	USD 347,00	USD 402,00	USD 532,00
15 mm	USD 370,00	USD 436,00	USD 585,00
25 mm	USD 418,00	USD 503,00	USD 691,00
50 mm	USD 536,00	USD 670,00	USD 957,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050270

Espesor. 0,18 mm

Temple Laminado



Tamaño

Código Web
 158-502-670
 589-648-776
 016-511-154
 861-478-719

Tamaño	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	USD 187,00	USD 206,00	USD 245,00	USD 295,00	USD 374,00
50 x 50 mm	USD 224,00	USD 258,00	USD 329,00	USD 413,00	USD 541,00
100 x 100 mm	USD 299,00	USD 364,00	USD 496,00	USD 650,00	USD 876,00
150 x 150 mm	USD 374,00	USD 470,00	USD 663,00	USD 886,00	

Rollo

Código Web
 567-386-945
 843-003-646
 626-894-831

Anchura 185mm

Longitud	1 Bobina
	0,5 m
1 m	USD 841,00
2 m	USD 1109,00

Discos

Código Web
 135-912-343
 202-113-104
 816-807-774
 264-137-704
 229-281-821
 862-049-108
 072-782-283

Diámetro	Cantidad		
	10 discos	20 discos	50 discos
4 mm	USD 322,00	USD 367,00	USD 477,00
6 mm	USD 333,00	USD 383,00	USD 502,00
8 mm	USD 345,00	USD 400,00	USD 528,00
10 mm	USD 356,00	USD 416,00	USD 553,00
15 mm	USD 384,00	USD 456,00	USD 617,00
25 mm	USD 441,00	USD 536,00	USD 744,00
50 mm	USD 584,00	USD 738,00	USD 1064,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación - Níquel/Cromo

Níquel/Cromo

Ni80/Cr20



Hoja

NI050274

Espesor. **0,20 mm**
 Estado. **recocido**

Anchura del rollo **1 mm**



Rollo

Código Web
 229-795-263
 117-417-127
 207-003-465
 267-228-853
 305-174-447

Anchura 1mm

Longitud	1 Bobina
1 m	USD 141,00
2 m	USD 159,00
5 m	USD 202,00
10 m	USD 266,00
20 m	USD 381,00

Cantidad

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050275

Espesor. **0,20 mm**
 Estado. **recocido**

Anchura del rollo **10 mm**



Rollo

Código Web
 086-464-979
 673-777-181
 568-431-415
 930-688-481
 698-838-136

Anchura 10mm

Longitud	1 Bobina
1 m	USD 199,00
2 m	USD 241,00
5 m	USD 332,00
10 m	USD 450,00
20 m	USD 720,00

Cantidad

Análisis Típico : Not applicable

NI050280

Espesor. **0,25 mm**

Temple **Laminado**



Tamaño

Código Web
 756-099-060
 243-576-291
 895-522-015
 781-646-137

Tamaño

Tamaño	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	USD 194,00	USD 215,00	USD 260,00	USD 316,00	USD 404,00
50 x 50 mm	USD 238,00	USD 277,00	USD 359,00	USD 455,00	USD 601,00
100 x 100 mm	USD 326,00	USD 402,00	USD 556,00	USD 734,00	USD 995,00
150 x 150 mm	USD 414,00	USD 527,00	USD 753,00	USD 1013,00	

Cantidad

Rollo

Código Web
 734-756-684
 063-368-737
 168-778-524

Anchura 150mm

Longitud	1 Bobina
0,5 m	USD 680,00
1 m	USD 881,00
2 m	USD 1206,00

Cantidad

Discos

Código Web
 527-258-879
 407-268-292
 761-250-453
 896-250-661
 750-044-110
 606-099-666
 504-645-824

Diámetro	10 discos	20 discos	50 discos
4 mm	USD 326,00	USD 373,00	USD 486,00
6 mm	USD 339,00	USD 392,00	USD 516,00
8 mm	USD 353,00	USD 411,00	USD 546,00
10 mm	USD 366,00	USD 430,00	USD 576,00
15 mm	USD 400,00	USD 477,00	USD 651,00
25 mm	USD 467,00	USD 572,00	USD 801,00
50 mm	USD 635,00	USD 810,00	USD 1178,00

Cantidad

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050300

Espesor. **0,4 mm**

Temple **Laminado**



Tamaño

Código Web
 464-016-563
 482-514-377

Tamaño

Tamaño	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
50 x 50 mm	USD 261,00	USD 310,00	USD 411,00	USD 529,00	USD 705,00
100 x 100 mm	USD 373,00	USD 468,00	USD 660,00	USD 882,00	USD 1281,00

Cantidad

Rollo

Código Web
 216-805-468
 674-837-271
 730-455-373

Anchura 100mm

Longitud	1 Bobina
0,5 m	USD 696,00
1 m	USD 903,00
2 m	USD 1273,00

Cantidad

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050311

Espesor. **0,50 mm**
 Temple **Estirado**

Anchura del rollo **2,5 mm**



Rollo

Código Web
 711-364-572
 557-201-880
 006-293-996
 468-478-634
 969-165-737

Anchura 2.5mm

Longitud	1 Bobina
1 m	USD 173,00
2 m	USD 204,00
5 m	USD 275,00
10 m	USD 368,00
20 m	USD 525,00

Cantidad

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Níquel/Cromo

Ni80/Cr20



Hoja

NI050310

Espesor..... **0,50 mm**
 Estado..... **recocido**

Anchura del rollo **2,5 mm**



Rollo

Código Web
 915-934-786
 568-731-338
 930-100-477
 970-733-543
 808-100-180

Anchura 2.5mm

Longitud
 1 m
 2 m
 5 m
 10 m
 20 m

Cantidad

1 Bobina
 USD 173,00
 USD 204,00
 USD 275,00
 USD 368,00
 USD 525,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI050320

Espesor..... **0,50 mm**

Temple **Laminado**



Tamaño

Código Web
 295-355-326
 589-786-361
 514-863-072
 744-017-475

Tamaño
 25 x 25 mm
 50 x 50 mm
 100 x 100 mm
 200 x 200 mm

Cantidad

	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
25 x 25 mm	USD 204,00	USD 229,00	USD 282,00	USD 347,00	USD 448,00
50 x 50 mm	USD 258,00	USD 305,00	USD 403,00	USD 518,00	USD 689,00
100 x 100 mm	USD 365,00	USD 458,00	USD 644,00	USD 859,00	
200 x 200 mm	USD 581,00	USD 763,00	USD 1167,00		

Rollo

Código Web
 226-396-196
 370-172-884

Anchura 230mm

Longitud
 0,5 m
 1 m

Cantidad

1 Bobina
 USD 929,00
 USD 1354,00

Discos

Código Web
 379-431-744
 282-618-964
 825-196-011
 710-077-138
 972-973-297
 668-271-884
 765-143-847

Diámetro
 4 mm
 6 mm
 8 mm
 10 mm
 15 mm
 25 mm
 50 mm

Cantidad

	10 discos	20 discos	50 discos
4 mm	USD 332,00	USD 382,00	USD 499,00
6 mm	USD 348,00	USD 405,00	USD 536,00
8 mm	USD 365,00	USD 428,00	USD 573,00
10 mm	USD 381,00	USD 451,00	USD 610,00
15 mm	USD 422,00	USD 509,00	USD 702,00
25 mm	USD 504,00	USD 625,00	USD 885,00
50 mm	USD 710,00	USD 917,00	USD 1348,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.



Plancha

NI053150

Espesor..... **1,0 mm**

Temple **Recocido**



Tamaño

Código Web
 676-939-440
 779-405-359

Tamaño
 100 x 100 mm
 200 x 200 mm

Cantidad

1 Pza
 PAP
 PAP

Análisis Típico : Cr 19%, Cu 0,5%, Fe 5%, Si 0,5%, Ti 0,4%.

NI053200

Espesor..... **1,6 mm**

Temple **Recocido**



Tamaño

Código Web
 154-673-062
 968-519-868

Tamaño
 100 x 100 mm
 200 x 200 mm

Cantidad

1 Pza
 PAP
 PAP

Análisis Típico : Cr 19%, Cu 0,5%, Fe 5%, Si 0,5%, Ti 0,4%.

NI053250

Espesor..... **3,0 mm**

Temple **Recocido**



Tamaño

Código Web
 710-797-238
 301-242-689

Tamaño
 100 x 100 mm
 200 x 200 mm

Cantidad

1 Pza
 PAP
 PAP

Análisis Típico : Cr 19%, Cu 0,5%, Fe 5%, Si 0,5%, Ti 0,4%.

NI053400

Espesor..... **6,35 mm**

Temple **Recocido**



Tamaño

Código Web
 281-796-362

Tamaño
 100 x 100 mm

Cantidad

1 Pza
 PAP

Análisis Típico : Cr 19%, Cu 0,5%, Fe 5%, Si 0,5%, Ti 0,4%.

Níquel/Cromo

Ni80/Cr20



Blanco de sputtering

NI059300

Espesor **3,0 mm**



Tamaño
Código Web
 157-938-034
 920-766-441

Cantidad	
Diám. del Disco	1 disco
50,8 mm	PAP
75 mm	PAP

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.



Hilo

NI055076

Diámetro **0,0076 mm**

Temple **Estirado**



Longitud
Código Web
 436-054-911

Cantidad	
Longitud	1 Bobina
10 m	USD 724,00

Análisis Típico : Not applicable
 10 m reels only.

NI055100

Diámetro **0,01 mm**

Temple **Estirado**



Longitud
Código Web
 458-298-954
 287-373-229
 921-658-787

Cantidad	
Longitud	1 Bobina
1 m	USD 281,00
5 m	USD 442,00
10 m	USD 690,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.
 Bobinas de longitudes fijas: 1 m y 5 m.

NI055101

Diámetro **0,0125 mm**

Temple **Estirado**



Longitud
Código Web
 892-422-520
 635-634-526
 969-595-698

Cantidad	
Longitud	1 Bobina
1 m	USD 271,00
5 m	USD 419,00
10 m	USD 608,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.
 Bobinas de longitudes fijas: 1 m y 5 m.

NI055102

Diámetro **0,015 mm**

Temple **Estirado**



Longitud
Código Web
 155-508-602
 981-846-067
 730-697-686

Cantidad	
Longitud	1 Bobina
1 m	USD 271,00
5 m	USD 419,00
10 m	USD 608,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.
 Bobinas de longitudes fijas: 1 m y 5 m.

NI055105

Diámetro **0,020 mm**

Temple **Estirado**



Longitud
Código Web
 918-182-656
 772-827-699
 603-456-595
 432-068-038
 008-507-226

Cantidad	
Longitud	1 Bobina
1 m	USD 232,00
5 m	USD 312,00
10 m	USD 373,00
20 m	USD 459,00
50 m	USD 631,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055110

Diámetro **0,025 mm**

Temple **Duro**



Longitud
Código Web
 063-406-329
 925-792-599
 724-072-918
 509-120-746
 640-095-150
 011-894-707

Cantidad	
Longitud	1 Bobina
50 m	USD 178,00
100 m	USD 198,00
200 m	USD 230,00
500 m	USD 303,00
1000 m	USD 402,00
2000 m	USD 492,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo
Ni80/Cr20



Hilo

NI055111

Diámetro **0,035 mm**

Estado **recocido**



Longitud
Código Web
 469-245-002

	Cantidad
Longitud	1 Bobina
5 m	USD 190,00

NI055114

Diámetro **0,04 mm**

Temple **Recocido**



Longitud
Código Web
 856-791-517
 098-939-191
 367-396-045
 962-964-404
 223-703-742
 370-552-467

	Cantidad
Longitud	1 Bobina
50 m	USD 151,00
100 m	USD 169,00
200 m	USD 197,00
500 m	USD 263,00
1000 m	USD 355,00
2000 m	USD 441,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055113

Diámetro **0,045 mm**

Temple **Recocido**



Longitud
Código Web
 761-552-626
 742-874-910
 885-290-790
 242-595-960
 133-951-359
 655-303-680

	Cantidad
Longitud	1 Bobina
50 m	USD 151,00
100 m	USD 169,00
200 m	USD 197,00
500 m	USD 263,00
1000 m	USD 355,00
2000 m	USD 441,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055115

Diámetro **0,05 mm**

Temple **Duro**



Longitud
Código Web
 924-509-092
 563-632-164
 454-022-851
 752-853-777
 106-722-536
 340-322-594

	Cantidad
Longitud	1 Bobina
25 m	USD 133,00
100 m	USD 157,00
200 m	USD 180,00
500 m	USD 236,00
1000 m	USD 316,00
2000 m	USD 387,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055112

Diámetro **0,06 mm**

Estado **recocido**



Longitud
Código Web
 945-919-964

	Cantidad
Longitud	1 Bobina
5 m	USD 197,00

NI055116

Diámetro **0,07 mm**

Temple **Recocido**



Longitud
Código Web
 130-977-185
 204-573-342
 609-855-926
 651-412-656

	Cantidad
Longitud	1 Bobina
5 m	USD 199,00
10 m	USD 236,00
20 m	USD 289,00
50 m	USD 423,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055117

Diámetro **0,08 mm**

Temple **Recocido**



Longitud
Código Web
 659-517-254
 837-851-027
 265-479-257
 063-031-691

	Cantidad
Longitud	1 Bobina
5 m	USD 199,00
10 m	USD 236,00
20 m	USD 289,00
50 m	USD 423,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055118

Diámetro **0,10 mm**

Temple **Recocido**



Longitud
Código Web
 318-434-699
 145-456-831
 066-547-191
 481-035-450

	Cantidad
Longitud	1 Bobina
5 m	USD 199,00
10 m	USD 236,00
20 m	USD 289,00
50 m	USD 423,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo

Ni80/Cr20



Hilo

NI055120

Diámetro **0,125 mm**

Temple **Duro**



Longitud
Código Web
 540-205-407
 525-676-787
 709-597-965
 699-747-466
 468-434-872
 554-359-230

Longitud	Cantidad	1 Bobina
25 m	USD 136,00	
50 m	USD 146,00	
100 m	USD 162,00	
500 m	USD 249,00	
1000 m	USD 335,00	
2000 m	USD 425,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055125

Diámetro **0,15 mm**

Estado **recocido**



Longitud
Código Web
 158-988-432
 747-769-005
 289-321-727
 648-135-071
 562-081-467
 251-404-395

Longitud	Cantidad	1 Bobina
25 m	USD 140,00	
50 m	USD 152,00	
100 m	USD 171,00	
500 m	USD 267,00	
1000 m	USD 360,00	
2000 m	USD 462,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055130

Diámetro **0,25 mm**

Temple **Duro**



Longitud
Código Web
 863-292-886
 911-603-661
 950-462-404
 807-808-344
 004-732-845
 591-605-840

Longitud	Cantidad	1 Bobina
5 m	USD 129,00	
10 m	USD 135,00	
50 m	USD 163,00	
100 m	USD 186,00	
500 m	USD 301,00	
1000 m	USD 407,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055131

Diámetro **0,25 mm**

Temple **Recocido**



Longitud
Código Web
 702-457-168
 902-558-546
 869-445-067
 168-348-660
 787-419-739
 879-873-571

Longitud	Cantidad	1 Bobina
50 m	USD 163,00	
100 m	USD 186,00	
200 m	USD 221,00	
500 m	USD 301,00	
1000 m	USD 407,00	
2000 m	USD 616,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055135

Diámetro **0,30 mm**

Temple **Recocido**



Longitud
Código Web
 182-801-443
 426-571-502
 419-638-122
 972-517-345
 060-142-702
 713-491-495

Longitud	Cantidad	1 Bobina
50 m	USD 171,00	
100 m	USD 197,00	
200 m	USD 236,00	
500 m	USD 325,00	
1000 m	USD 442,00	
2000 m	USD 734,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055140

Diámetro **0,5 mm**

Temple **Duro**



Longitud
Código Web
 950-728-892
 841-112-308
 139-049-280
 381-159-306
 644-922-412
 615-302-293

Longitud	Cantidad	1 Bobina
2 m	USD 134,00	
5 m	USD 145,00	
25 m	USD 184,00	
100 m	USD 263,00	
250 m	USD 368,00	
500 m	USD 551,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055141

Diámetro **0,5 mm**

Estado **recocido**



Longitud
Código Web
 756-017-514
 360-957-224
 683-880-145
 100-929-900
 715-562-392
 962-540-062

Longitud	Cantidad	1 Bobina
2 m	USD 134,00	
5 m	USD 145,00	
25 m	USD 184,00	
100 m	USD 263,00	
250 m	USD 368,00	
500 m	USD 551,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo
Ni80/Cr20



Hilo

NI055145

Diámetro **0,75 mm**

Temple **Recocido**



Longitud
Código Web
 208-877-578
 310-615-959
 109-692-304
 711-540-207
 942-532-058

Longitud	Cantidad	1 Bobina
5 m	USD	161,00
10 m	USD	181,00
25 m	USD	221,00
100 m	USD	338,00
250 m	USD	585,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055150

Diámetro **1,0 mm**

Temple **Duro**



Longitud
Código Web
 948-010-249
 501-276-567
 659-569-005
 446-133-233
 407-408-582
 766-650-334

Longitud	Cantidad	1 Bobina
0,5 m	USD	137,00
1 m	USD	145,00
5 m	USD	184,00
25 m	USD	272,00
50 m	USD	342,00
100 m	USD	512,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055151

Diámetro **1,0 mm**

Estado **recocido**



Longitud
Código Web
 637-570-086
 078-689-860
 878-747-898
 507-918-550
 397-500-268
 205-554-895

Longitud	Cantidad	1 Bobina
0,5 m	USD	137,00
1 m	USD	145,00
5 m	USD	184,00
25 m	USD	272,00
50 m	USD	342,00
100 m	USD	512,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055160

Diámetro **2,0 mm**

Temple **Duro**



Longitud
Código Web
 911-670-591
 958-822-041
 852-752-104
 594-013-356
 251-672-704

Longitud	Cantidad	1 Bobina
1 m	USD	176,00
2 m	USD	205,00
5 m	USD	269,00
10 m	USD	352,00
20 m	USD	517,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055165

Diámetro **2,5 mm**

Temple **Duro**



Longitud
Código Web
 971-805-662

Longitud	Cantidad	1 Bobina
47 m	USD	848,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.



Hilo aislado

NI055820

Diámetro conductor **0,0125 mm**
 Aislamiento **Poliimida**

Espesor del aislamiento . . **0,003 mm**



Longitud
Código Web
 624-306-569

Longitud	Cantidad	1 Bobina
10 m	USD	1133,00

Análisis Típico : Cr 17 - 20%, Mn <2%, Ni 7 - 11%, C < 1600, Fe resto.

NI055850

Diámetro conductor **0,025 mm**
 Aislamiento **Epoxy**

Espesor del aislamiento . . **0,004 mm**



Longitud
Código Web
 388-541-879
 567-736-372
 967-039-932
 879-993-388

Longitud	Cantidad	1 Bobina
5 m	USD	248,00
10 m	USD	299,00
20 m	USD	371,00
50 m	USD	574,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo

Ni80/Cr20



Hilo aislado

NI055840

Diámetro conductor **0,025 mm**
 Aislamiento **Poliimida**

Espesor del aislamiento . . . **0,004 mm**



Longitud

Código Web
 386-167-901
 270-994-679
 874-328-801
 291-108-344

Longitud	Cantidad	1 Bobina
5 m	USD 214,00	
10 m	USD 251,00	
20 m	USD 303,00	
50 m	USD 408,00	

Análisis Típico : Cr 17 - 20%, Mn <2%, Ni 7 - 11%, C <1600, Fe resto.

NI055880

Diámetro conductor **0,125 mm**
 Aislamiento **Poliimida**

Espesor del aislamiento . . . **0,008 mm**



Longitud

Código Web
 999-166-774
 895-840-824
 980-111-995
 513-994-890

Longitud	Cantidad	1 Bobina
5 m	USD 265,00	
10 m	USD 323,00	
20 m	USD 405,00	
50 m	USD 591,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055890

Diámetro conductor **0,25 mm**
 Aislamiento **Poliimida**

Espesor del aislamiento . . . **0,025 mm**



Longitud

Código Web
 647-955-175
 168-447-880
 336-244-688
 686-958-464

Longitud	Cantidad	1 Bobina
5 m	USD 294,00	
10 m	USD 364,00	
20 m	USD 464,00	
50 m	USD 805,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI055892

Diámetro conductor **0,30 mm**
 Aislamiento **Poliimida**

Espesor del aislamiento . . . **0,030 mm**



Longitud

Código Web
 211-625-854
 424-477-319
 226-828-867
 935-739-280

Longitud	Cantidad	1 Bobina
5 m	USD 309,00	
10 m	USD 385,00	
20 m	USD 493,00	
50 m	USD 930,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.



Vara

NI057910

Diámetro **3,0 mm**



Tamaño

Código Web
 305-371-212
 349-414-389
 930-044-339
 740-754-963

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	USD 145,00	USD 165,00	USD 197,00	USD 238,00	USD 304,00
200 mm	USD 156,00	USD 182,00	USD 224,00	USD 275,00	USD 357,00
500 mm	USD 180,00	USD 215,00	USD 276,00	USD 350,00	
1000 mm	USD 207,00	USD 253,00	USD 336,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057915

Diámetro **4,0 mm**



Tamaño

Código Web
 733-901-920
 779-164-373
 686-634-929
 228-693-889

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	USD 159,00	USD 185,00	USD 229,00	USD 282,00	USD 367,00
200 mm	USD 176,00	USD 210,00	USD 268,00	USD 338,00	USD 446,00
500 mm	USD 211,00	USD 260,00	USD 347,00	USD 463,00	
1000 mm	USD 251,00	USD 316,00	USD 448,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057917

Diámetro **5,0 mm**

Estado **recocido**



Tamaño

Código Web
 810-121-368
 933-562-427
 118-276-831
 868-140-525

Longitud	Cantidad				
	1 Pza	2 Pzas	5 Pzas	10 Pzas	20 Pzas
100 mm	USD 139,00	USD 154,00	USD 177,00	USD 205,00	USD 248,00
200 mm	USD 149,00	USD 168,00	USD 199,00	USD 236,00	USD 313,00
500 mm	USD 168,00	USD 195,00	USD 242,00	USD 344,00	
1000 mm	USD 190,00	USD 226,00	USD 337,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo
Ni80/Cr20



Vara

NI057919

Diámetro **6,0 mm**

Estado **recocido**



Tamaño

Código Web
 220-649-145
 397-451-439
 259-879-442
 607-747-343

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 170,00	USD 200,00	USD 253,00	USD 317,00
200 mm	USD 192,00	USD 232,00	USD 303,00	USD 388,00
500 mm	USD 236,00	USD 294,00		
1000 mm	USD 286,00	USD 365,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057920

Diámetro **6,3 mm**



Tamaño

Código Web
 994-767-466
 013-782-902
 819-084-884
 585-933-697

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 171,00	USD 202,00	USD 256,00	USD 322,00
200 mm	USD 194,00	USD 235,00	USD 307,00	USD 394,00
500 mm	USD 239,00	USD 299,00		
1000 mm	USD 290,00	USD 371,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057930

Diámetro **9,0 mm**



Tamaño

Código Web
 246-873-225
 871-579-961
 900-879-037
 758-949-682

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 192,00	USD 232,00	USD 303,00	USD 387,00
200 mm	USD 223,00	USD 276,00	USD 373,00	USD 546,00
500 mm	USD 286,00	USD 365,00		
1000 mm	USD 356,00	USD 523,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057933

Diámetro **9,7 mm**



Tamaño

Código Web
 883-145-985

Longitud	Cantidad
	1 Pza
328 mm	USD 295,00

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057950

Diámetro **12,0 mm**



Tamaño

Código Web
 067-259-438
 407-427-821
 928-482-365
 060-287-815

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 243,00	USD 299,00	USD 403,00	USD 595,00
200 mm	USD 285,00	USD 358,00	USD 559,00	
500 mm	USD 367,00	USD 537,00		
1000 mm	USD 523,00			

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057961

Diámetro **20,0 mm**



Tamaño

Código Web
 070-146-975
 307-981-202
 730-414-987
 546-546-660

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 319,00	USD 406,00	USD 600,00	USD 1055,00
200 mm	USD 385,00	USD 501,00	USD 952,00	
500 mm	USD 518,00	USD 891,00		
1000 mm	USD 870,00			

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.



Tubo

NI057050

Diámetro exterior **0,56 mm**

Espesor de pared **0,025 mm**

Diámetro interior **0,51 mm**



Tamaño

Código Web
 063-202-819
 900-356-360
 544-538-097
 402-682-796

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 294,00	USD 359,00	USD 473,00	USD 667,00
200 mm	USD 350,00	USD 438,00	USD 662,00	
500 mm	USD 460,00	USD 659,00		
1000 mm	USD 650,00			

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

NI057130

Diámetro exterior **1,3 mm**

Espesor de pared **0,25 mm**

Diámetro interior **0,8 mm**



Tamaño

Código Web
 660-090-235
 473-317-838
 046-312-512
 856-671-703

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 217,00	USD 254,00	USD 315,00	USD 393,00
200 mm	USD 241,00	USD 287,00	USD 368,00	USD 510,00
500 mm	USD 288,00	USD 353,00	USD 560,00	
1000 mm	USD 341,00	USD 470,00		

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.

Aleación – Níquel/Cromo

Níquel/Cromo
Ni80/Cr20



Tubo

NI057200

Diámetro exterior **2,15 mm**
 Diámetro interior **1,65 mm**

Espesor de pared **0,25 mm**
 Temple **Duro**



Tamaño
Código Web
 441-910-760

Longitud 1,5 mm	Cantidad			
	10 Pzas	20 Pzas	50 Pzas	100 Pzas
	USD 265,00	USD 320,00	USD 443,00	USD 597,00

NI057250

Diámetro exterior **2,5 mm**
 Diámetro interior **2,0 mm**

Espesor de pared **0,25 mm**



Tamaño
Código Web
 348-313-912
 572-792-799
 409-918-782
 565-978-223

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 220,00	USD 256,00	USD 320,00	USD 399,00
200 mm	USD 244,00	USD 291,00	USD 375,00	USD 532,00
500 mm	USD 293,00	USD 360,00	USD 587,00	
1000 mm	USD 347,00	USD 492,00		

NI057301

Diámetro exterior **3,0 mm**
 Diámetro interior **2,5 mm**

Espesor de pared **0,25 mm**



Tamaño
Código Web
 027-232-394
 085-229-848
 212-547-451
 690-547-786

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 223,00	USD 261,00	USD 327,00	USD 410,00
200 mm	USD 249,00	USD 297,00	USD 385,00	USD 568,00
500 mm	USD 300,00	USD 370,00	USD 631,00	
1000 mm	USD 357,00	USD 528,00		

NI057341

Diámetro exterior **4,1 mm**
 Diámetro interior **4,0 mm**

Espesor de pared **0,05 mm**



Tamaño
Código Web
 115-658-958
 041-447-220
 664-468-268
 475-920-529

Longitud	Cantidad			
	1 Pza	2 Pzas	5 Pzas	10 Pzas
100 mm	USD 316,00	USD 390,00	USD 530,00	USD 787,00
200 mm	USD 383,00	USD 485,00	USD 775,00	
500 mm	USD 515,00	USD 768,00		
1000 mm	USD 760,00			



Polvo

NI056020

Tamaño máximo **75 micron**



Código Web
 928-036-538
 764-900-842
 857-761-719
 337-538-100

Cantidad	Peso	
	Peso	1 Bote
100 g	USD 303,00	
200 g	USD 377,00	
500 g	USD 530,00	
1000 g	USD 788,00	

Análisis Típico : Al 1000, Cr 18 - 20%, Fe 2000, Mn 2000, Si 1,5%, Ni + Co resto.
 Artículo peligroso. Consultamos por favor.



Terrón

NI056100

Tamaño máximo **10 mm**

Estado **Granalla**



Código Web
 785-738-208
 802-052-854
 052-185-783

Cantidad	Peso	
	Peso	1 Bote
20 g	USD 245,00	
50 g	USD 352,00	
100 g	USD 577,00	

Gránulos - tamaño nominal 6,35 mm de diámetro x 6,35 mm de longitud. Consúltenos para los precios relativos a cantidades importantes.

Aleación – Níquel/Cromo

INDICE

B

Blanco de sputtering, Níquel/Cromo 25

H

Hilo, Níquel/Cromo 25

Hilo aislado, Níquel/Cromo 28

Hoja, Níquel/Cromo 20

M

Microhoja, Níquel/Cromo 20

N

Nichrome V[®] 20

Níquel/Cromo (Ni80/Cr20) 20

P

Plancha, Níquel/Cromo 24

Polvo, Níquel/Cromo 31

T

Terrón, Níquel/Cromo 31

Tophet A[®] 20

Tubo, Níquel/Cromo 30

V

Vara

.. Níquel/Cromo 29