

Goodfellow

Serving The Needs of Science and Industry Worldwide

Au service de la Science et de l'Industrie dans le monde entier

Weltweiter Lieferant für Wissenschaft und Industrie

Metals and Alloys
Métaux et Alliages
Metalle und Legierungen

Ceramics
Céramiques
Keramiken

Polymers
Polymères
Polymere

Composites
Composites
Verbundwerkstoffe



Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England

Tel: +44 1480 424 800
or +44 1480 424 800
Fax: +44 1480 424 900
or +44 1480 424 900

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA

Tel: 1-800-821-2870 (USA and Canada)
or +1 724 695 7060
Fax: 1-800-283-2020 (USA and Canada)
or +1 724 695 7063

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France

Tel : 0800 917 241 (numéro vert)
or +44 1480 424 813
Fax : 0800 917 313 (numéro vert)
or +44 1480 424 900

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Germany

Tel: 0800 1000 579 (freecall)
or +44 1480 424 810
Fax: 0800 1000 580 (freecall)
or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070

The People's Republic of China
Tel: 00 86 21 6112 1560

Standard Price List for Carbon

CONTENTS

Introduction	4
Product Descriptions	5
Hazards Information	10
General Information	11
Order information	12
Company Details	15
Conditions of Sale	16
Metal	20
INDEX	33

Introduction

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at www.goodfellow.com.

Materials

Metals and Alloys

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

Ceramics

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalog details those items which are

available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit www.goodfellow-ceramics.com for further information.

Polymers

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

Compounds & Intermetallics

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

Composites

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

Glasses

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.

Product Descriptions



Bar

A straight length of rectangular, square or oval section material.

Tolerances

Section dimensions:	≤ 10mm	± 10%
	> 10mm	± 1mm
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / - 1%



Bolt

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

Tolerances

See item



Chopped Fibre

Fibres cut into short lengths called cut, staple or chopped fibre.

Tolerances

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



Crucible

A vessel in which other materials may be heated or melted, usually at high temperatures.

Tolerances

Height:	± 10%
Inside Dimensions:	± 10%
Outside Dimensions:	± 10%



Fabric

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

Tolerances

Fabric thickness:	± 25%
Number of yarns:	± 10%
Tex number:	± 10%
Size (linear dimension):	< 100mm ± 5mm
	≥ 100mm ± 5%



Fibre

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

Tolerances

Fibre diameter:	± 25%
Number of strands:	± 10%
Tex number:	± 10%
Length:	+ 5% / - 1%



Film

A non-metallic sheet material with a thickness < 0.5mm.

Tolerances

Thickness:	± 20%
Size (linear dimension):	< 100mm ± 1mm
	≥ 100mm + 2% / - 1%



Flake

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

Tolerances

Dimensions shown are nominal

Product Descriptions



Foam

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



Foil

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

Tolerances

Thickness:	< 0.010mm	± 25%
	0.01-0.05mm	± 15%
	> 0.050mm	± 10%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



Granule

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

Tolerances

Dimensions shown are nominal



Honeycomb

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



Insulated Wire

A single or multiple flexible strand of metal or alloy with an insulating sheath.

Tolerances

Wire diameter:	± 10%
Length:	+ 5% / -1%
Insulation thickness:	Nominal values only



Laminate

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

Tolerances

Thickness:	± 10%
Size (linear dimension):	≤ 100mm ± 1mm
	> 100mm + 2% / -1%



Lump

A solid piece of material with no defined shape.

Tolerances

Dimensions shown are nominal



Mesh

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal.

Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

Tolerances

Thickness:	woven:	± 10%
	electroformed:	± 20%
Wire diameter:	± 10%	
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%

Product Descriptions



Metallised Film

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

Tolerances

Thickness: $\pm 10\%$
 Size (linear dimension): < 100mm $\pm 1\text{mm}$
 $\geq 100\text{mm}$ $+2\% / -1\%$



Microfoil

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Microleaf

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

Tolerances

Thickness: $\pm 30\%$
 Size: $\pm 20\%$



Monofilament

A single strand of a non-metallic material.

Tolerances

Diameter: $\pm 20\%$
 Length: $+5\% / -1\%$



Non-Woven Fabric

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

Tolerances

Size (linear dimension): < 100mm $\pm 5\text{mm}$
 $> 100\text{mm}$ $\pm 5\%$



Nut

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inch-threaded sizes.

Tolerances

See item



Powder

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

Tolerances

Dimensions shown are nominal

Product Descriptions



Rod

A straight length of circular section material.

Tolerances

Diameter:	≤ 10mm	± 10%
	Polymer	+ 20%/-10%
	Ceramic	+ 20%/-10%
> 10mm	± 5%	
	Ceramic	+ 20%/-10%
	Polymer	+ 20%/-10%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



Sheet

Flat material with a thickness > 0.5mm.

Tolerances

Thickness:		± 10%
	Ceramic	± 20%
	Composite	± 20%
	Polymer	± 20%
Size (linear dimension):	< 100mm	± 1mm
	≥ 100mm	+ 2% / -1%



Single Crystal

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

Tolerances

Orientation:	± 3°
Size:	Sizes shown are nominal



Sphere

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

Tolerances

Diameter (standard):	± 5%
Diameter (precision):	see item



Sputtering Target

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

Tolerances

Thickness:	± 0.5mm
Size:	± 0.5mm



Tube

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

Tolerances

Outside diameter:	≤ 2mm	± 0.05mm
	Polymer	± 10%
	Ceramic	± 10%
≤ 5mm	± 0.1mm	
	Polymer	± 10%
	Ceramic	± 10%
> 5mm	± 5%	
	Polymer	± 10%
	Ceramic	± 10%
Wall thickness:	± 10%	
	Polymer	± 20%
	Ceramic	± 20%
Length:	< 100mm	± 1mm
	≥ 100mm	+ 5% / -1%



Washer

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

Tolerances

See item

Product Descriptions



Wire

A single or multiple flexible strand of pure metal or alloy.

Tolerances

Wire diameter: $\pm 10\%$
Length: $+ 5\% / -1\%$

Hazards Information

HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

HAZARD SYMBOLS



C

Corrosive

Chemicals which may destroy living tissue when in contact with them.



D

Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



E

Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



F+

Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Xn

Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



F

Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Xi

Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



R

Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



T

Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



T+

Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.

General Information

Analyses

Typical Analysis :

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent 3.5µm polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of 10^{-9} atm-cm³.s⁻¹.

Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.

Order information

General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Delivery

Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

Despatch

Orders will normally be despatched within 48 hours of receipt.

Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.

Order information

Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

VAT

VAT number: GB 212 8527 79

UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing

Order information

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing.

Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at www.goodfellow.com or www.goodfellowusa.com.

Company Details

Company Structure

The Goodfellow Group consists of five companies:

Goodfellow Cambridge Limited

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

Goodfellow Corporation

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

Goodfellow GmbH

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

Goodfellow SARL

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England
Registered in England and Wales no. 1188162
VAT registration GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road
Coraopolis, PA 15108-9302
USA
A Pennsylvania corporation
EIN 23-2557381

Goodfellow SARL

229, rue Solférino
F-59000 Lille
France
Registered in Lille : RCS : B 381 486 836
Siren : 381486836
Numéro de TVA Intracommunitaire :
FR 06 381 486 836

Goodfellow GmbH

Am Edelspfad 4
D-61169 Friedberg
Germany
Registered in Friedberg (Hessen) No. HRB 1309
Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

Room 803, Centro Build, No. 568 Hengfeng Road
SHANGHAI
200070
The People's Republic of China

Conditions of Sale

1 GENERAL

1.1 In these Conditions:

1.1.1 the following expressions shall have the following meanings:-

- "Buyer" the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;
- "Conditions" the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller;
- "Contract" a contract for the Supply of Goods and/or Services by the Seller to the Buyer;
- "Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7;
- "Goods" the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not;
- "Prepayment" a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;
- "Recommendations for Use" the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a Supplier);
- "Seller" Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company;
- "Services" the work or services or any of them to be provided by the Seller under the Contract;
- "Supplier" any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships

- 1.2 If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- 1.3 The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of the Seller
- 1.4 In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- 1.5 The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only

2 ORDERS

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

- 2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

3 DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- 3.2 The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

4 SPECIFICATIONS AND INTELLECTUAL PROPERTY

- 4.1 Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design but also that such specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller indemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- 4.2 The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever
- 4.3 Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

5 QUOTATIONS

- 5.1 The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

6 PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:-
- 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or
- 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or
- 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as follows:-
- 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the Contract;
- 6.2.2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

7 DELIVERY

- 7.1 Delivery of Goods shall be deemed to be effected by the Seller at the following times:-
- 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in

Conditions of Sale

- accordance with a means of delivery specifically requested by the Buyer, when the same are collected;
- 7.1.2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's premises;
- 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3
- 8 QUANTITIES INSTALMENTS AND STORAGE**
- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall be liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4
- 9 TERMS OF PAYMENT**
- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily basis
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withhold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.
- 10 SUSPENSION AND CANCELLATION**
- 10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:-
- 10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or
- 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of any cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination
- 11 INSPECTION AND CLAIMS FOR DEFECTS**
- 11.1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
- 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
- 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
- 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods
- 12 WARRANTY**
- 12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,

Conditions of Sale

the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease if:
- 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
- 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
- 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
- 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
- 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
- 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
- 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

- 13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in full in respect of
- 14.1.1 The Goods; and
- 14.1.2 All other sums which become due and owing by the Buyer to the Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

- 16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract

- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

- 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract
- 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations

- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing

- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such country

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
- 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
- 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
- 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
- 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

- 18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

- 19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been served:
- 20.2.1 if delivered by hand, on the first Business Day following delivery;
- 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;
- 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully transmitted
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER

Conditions of Sale

21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach

of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer

Carbon

C

Carbon has been known since prehistoric times.

Carbon occurs naturally in two allotropic forms, namely graphite and diamond; the discovery in 1985 of fullerenes has increased the number of allotropic forms of this element. Its abundance in the Earth's crust is 480 ppm. The study of carbon and its organic compounds is the basis of organic chemistry.

The applications for carbon are many and include its use as an alloying element with iron in the manufacture of steel, its use as brushes in electrical generators and motors, the use of colloidal graphite or carbon to coat surfaces (e.g. glass), in electrical assemblies to absorb microwaves and inhibit photoelectrons and secondary electrons, and the use of high purity carbon (graphite) in nuclear reactors to moderate neutrons.

Diamond has unique properties, being one of the hardest materials known and with excellent corrosion resistance and thermal transfer. Industrial diamond is used in rock drilling equipment and abrasive materials. CVD diamond has been the subject of extensive research and development over the past several years and applications for this material are only just being realised.

Carbon is a fundamental part of all life, it being a prime constituent of DNA. On average, the human body contains approximately 16kg of carbon in one form or another.

Atomic Properties

Atomic number	6
Atomic radius - Goldschmidt	0.077 nm
Atomic weight	12.011 amu
Crystal structure	Hexagonal/Diamond
Electronic structure	He 2s ² 2p ²
Photo-electric work function	4.8 eV
Thermal neutron absorption cross-section	0.0034 Barns
Valences shown	2, 3, 4

Physical Properties

Boiling point	5000 C
Density @20C	2.25 g cm ⁻³
Melting point	3650 C

Electrical Properties

Electrical resistivity @0C	1375 μOhmcm
Thermal emf against Pt (cold 0C - hot 100C)	+0.70 mV

Thermal Properties

Coefficient of thermal expansion @0-100C	0.6-4.3 x10 ⁻⁶ K ⁻¹
Specific heat @25C	712 J K ⁻¹ kg ⁻¹
Thermal conductivity @0-100C	80-240 W m ⁻¹ K ⁻¹

Natural isotope distribution	Mass No.	%
	12	98.89
	13	1.11

Ionisation potential	No.	eV
	1	11.26
	2	24.38
	3	47.9
	4	64.5
	5	392
6	490	

Mechanical Properties

Material condition	Graphite	Diamond	
Bulk modulus	33	542	GPa
Hardness - Mohs	0.5-1.0	10	
Tensile modulus	4.8 GPa		



Microleaf

All Carbon Microleaf is supplied on a temporary Glass support, full instructions for removal supplied with each order. The density of the Carbon Microleaf is in the range 1.84-2.0g.cm⁻³. These foils are manufactured according to the surface density and the figures quoted for thinness are nominal only.

C 004905

Thinness..... **0.0025μm** Specific density **0.5μg.cm⁻²**
 Purity..... **99.997%** Support..... **Temporary Glass**

		Quantity		
Size		1pc	2pcs	5pcs
Web Code				
867-106-207	25 x 70 mm	YEN 49200	YEN 56000	YEN 76000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

C 004910

Thinness..... **0.025μm** Specific density **5μg.cm⁻²**
 Purity..... **99.997%** Support..... **Temporary Glass**

		Quantity		
Size		1pc	2pcs	5pcs
Web Code				
388-276-827	25 x 70 mm	YEN 54000	YEN 63000	YEN 91000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

C 004920

Thinness..... **0.050μm** Specific density **10μg.cm⁻²**
 Purity..... **99.997%** Support..... **Temporary Glass**

		Quantity		
Size		1pc	2pcs	5pcs
Web Code				
534-611-006	25 x 70 mm	YEN 57500	YEN 67000	YEN 95000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

C 004940

Thinness..... **0.25μm** Specific density **50μg.cm⁻²**
 Purity..... **99.997%** Support..... **Temporary Glass**

		Quantity		
Size		1pc	2pcs	5pcs
Web Code				
826-380-290	25 x 70 mm	YEN 63500	YEN 79500	YEN 126000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

Carbon

C



Microleaf

C 004961

Thickness **0.50µm**
 Purity **99.997%**
 Temper **Annealed**

Specific density **100µg.cm⁻²**
 Support **Temporary Glass**

Size	Quantity		
	1pc	2pcs	5pcs
Web Code			
049-680-965	25 x 70 mm	YEN 69500	YEN 92500
		YEN 161000	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

C 004980

Thickness **1.25µm**
 Purity **99.997%**

Specific density **250µg.cm⁻²**

Size	Quantity		
	1pc	2pcs	5pcs
Web Code			
191-773-974	25 x 70 mm	YEN 76500	YEN 107000
245-484-633	50 x 70 mm	YEN 99000	YEN 139000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

C 004990

Thickness **2.5µm**
 Purity **99.997%**

Specific density **500µg.cm⁻²**

Size	Quantity		
	1pc	2pcs	5pcs
Web Code			
971-748-402	25 x 70 mm	YEN 82500	YEN 122000
468-559-304	50 x 70 mm	YEN 107000	YEN 159000
		YEN 240000	YEN 315000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.

C 004995

Thickness **5.0µm**
 Purity **99.997%**

Specific density **1000µg.cm⁻²**

Size	Quantity
	1pc
Web Code	
317-805-715	24 x 70 mm
	YEN 145000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 This item is normally made to order for delivery within 4-5 weeks. This foil has a limited shelf-life and should be used within 7-10 days of receipt. Returns will not be accepted unless we are notified within 14 days of our invoice date.



Foil

Material		Pyrolytic	Flexible	Rigid	Glassy
Coefficient of thermal expansion	x10 ⁻⁶ K ⁻¹	0.9-14	1-25	7	2.6
Density	g cm ⁻³	2.2	0.9-1.3	1.8	1.4
Flexural strength	MPa	80		90	260
Resistivity	µOhmcm	0.5-250	1000-50000	1200	4000-5500
Thermal Conductivity	W m ⁻¹ K ⁻¹	1.7-300	4-160	150	6.3

C 000205

Thickness **0.075mm**
 Condition **Flexible graphite**

Purity **99.8%**

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
Web Code				
055-618-490	100 x 100 mm	YEN 16300	YEN 18400	YEN 23200
715-410-316	150 x 150 mm	YEN 18100	YEN 21000	YEN 27600
028-617-824	300 x 300 mm	YEN 23800	YEN 29000	YEN 44800

Typical Analysis : Ash 0.2%.

C 000720

Thickness **0.1mm**
 Condition **Pyrolytic Graphite**

Purity **99.99%**

Size	Quantity
Web Code	1pc
004-629-120	25 x 25 mm
	YEN 68000

Typical Analysis :
 Thickness is nominal.

C 000721

Thickness **0.1mm**
 Condition **Pyrolytic Graphite**

Purity **99.99%**

Size	Quantity
Web Code	1pc
041-192-526	50 x 50 mm
	YEN 82000

Typical Analysis :
 Thickness is nominal.

Carbon

C



Foil

C 000400 Thickness **0.125mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
151-632-975 12.5 x 12.5 mm	YEN 12700	YEN 14100	YEN 17500	YEN 22400
606-856-564 25 x 25 mm	YEN 14600	YEN 16800	YEN 21800	YEN 28400
857-064-008 50 x 50 mm	YEN 18500	YEN 22200	YEN 33000	
133-003-221 100 x 100 mm	YEN 26600	YEN 43200		
958-683-657 150 x 150 mm	YEN 46400			

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000208 Thickness **0.125mm** Purity..... **99.8%**
 Condition..... **Flexible graphite**

Size LT	Quantity			
	1pc	2pcs	5pcs	10pcs
422-909-391 150 x 150 mm	YEN 19800	YEN 23400	YEN 31200	YEN 41000
778-419-060 300 x 300 mm	YEN 27000	YEN 33800	YEN 53500	

Typical Analysis : Ash 0.2%.

C 000405 Thickness **0.15mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
577-185-036 25 x 25 mm	YEN 15000	YEN 17300	YEN 22600	YEN 29600

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000731 Thickness **0.2mm** Purity..... **99.99%**
 Condition..... **Pyrolytic Graphite**

Size	Quantity
	1pc
464-250-786 50 x 50 mm	YEN 89500

Typical Analysis :
 Thickness is nominal.

C 000305 Thickness **0.2mm** Purity..... **99.8%**
 Condition..... **Flexible graphite**

Size	Quantity				
	1pc	2pcs	5pcs	10pcs	20pcs
396-660-770 25 x 25 mm	YEN 15000	YEN 16000	YEN 18100	YEN 21000	YEN 25600
582-594-690 50 x 50 mm	YEN 16700	YEN 18400	YEN 22000	YEN 26400	YEN 33400
824-335-387 100 x 100 mm	YEN 20200	YEN 23200	YEN 29600	YEN 37200	
041-919-716 150 x 150 mm	YEN 23600	YEN 28000	YEN 38400		
239-962-903 300 x 300 mm	YEN 33800	YEN 52500			
995-363-388 500 x 500 mm	YEN 67000				

Typical Analysis : Ash 0.2%.

Discs

Web Code	Diameter	Quantity			
		10 discs	20 discs	50 discs	100 discs
420-419-441	4 mm	YEN 26000	YEN 29200	YEN 36800	YEN 49200
552-425-582	6 mm	YEN 26400	YEN 29800	YEN 38000	YEN 51000
053-194-688	8 mm	YEN 27000	YEN 30400	YEN 39000	YEN 52500
649-329-471	10 mm	YEN 27400	YEN 31200	YEN 40000	YEN 54000
166-183-270	15 mm	YEN 28600	YEN 32800	YEN 42800	YEN 57500
772-901-622	25 mm	YEN 31000	YEN 36200	YEN 48200	YEN 65000
612-710-185	50 mm	YEN 37000	YEN 44800	YEN 64500	

C 000411 Thickness **0.25mm** Purity..... **99.997%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
271-361-004 25 x 25 mm	YEN 16100	YEN 18400	YEN 23800	YEN 30800
866-940-696 50 x 50 mm	YEN 20400	YEN 24600	YEN 39000	
311-108-594 100 x 100 mm	YEN 31600	YEN 52000		

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 000410 Thickness **0.25mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity			
	1pc	2pcs	5pcs	10pcs
625-402-320 25 x 25 mm	YEN 14500	YEN 16700	YEN 21600	YEN 28200
175-297-010 50 x 50 mm	YEN 18400	YEN 22200	YEN 33000	
912-125-115 100 x 100 mm	YEN 26600	YEN 43000		
369-781-046 150 x 150 mm	YEN 46400			

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

Carbon

C



Foil

C 000315	Thickness 0.35mm	Purity 99.8%
	Condition Flexible graphite	
	Size	Quantity
Web Code	Size	1pc 2pcs 5pcs 10pcs
011-717-638	50 x 50 mm	YEN 14700 YEN 16200 YEN 19500 YEN 23600
464-709-449	100 x 100 mm	YEN 17800 YEN 20600 YEN 29600 YEN 48000
088-683-147	150 x 150 mm	YEN 20800 YEN 27200 YEN 51000
085-389-700	250 x 250 mm	YEN 33000 YEN 54500
376-428-229	500 x 500 mm	YEN 97000

Typical Analysis : Ash 0.2%.

C 000423	Thickness 0.5mm	Purity 99.95%
	Condition Rigid graphite	Grain size Fine
	Size	Quantity
Web Code	Size	1pc 2pcs 3pcs 4pcs
227-691-181	10 x 10 mm	YEN 14400 YEN 16500 YEN 18200 YEN 19800

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000422	Thickness 0.5mm	Purity 99.95%
	Condition Rigid graphite	Grain size Fine
	Discs	Quantity
Web Code	Diameter	1 discs 2 discs 5 discs 10 discs
831-779-493	12 mm	YEN 16300 YEN 19100 YEN 24800 YEN 37400

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000735	Thickness 0.5mm	Purity 99.99%
	Condition Pyrolytic Graphite	
	Size	Quantity
Web Code	Size	1pc
412-849-534	25 x 25 mm	YEN 35600

Typical Analysis :
 Thickness is nominal.

C 000421	Thickness 0.5mm	Purity 99.997%
	Condition Rigid graphite	Grain size Fine
	Size	Quantity
Web Code	Size	1pc 2pcs 5pcs 10pcs
376-887-545	25 x 25 mm	YEN 16100 YEN 18400 YEN 23800 YEN 30800
110-939-361	50 x 50 mm	YEN 20400 YEN 24600 YEN 39000
867-421-202	100 x 100 mm	YEN 31600 YEN 52000

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 000420	Thickness 0.5mm	Purity 99.95%
	Condition Rigid graphite	Grain size Fine
	Size	Quantity
Web Code	Size	1pc 2pcs 5pcs 10pcs
015-640-178	25 x 25 mm	YEN 14400 YEN 16500 YEN 21200 YEN 27600
955-017-293	50 x 50 mm	YEN 18000 YEN 21600 YEN 30600
377-151-829	100 x 100 mm	YEN 25200 YEN 39200
319-120-397	150 x 150 mm	YEN 42000

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000321	Thickness 0.5mm	Purity 99.8%
	Condition Flexible graphite	
	Size	Quantity
Web Code	Size	1pc 2pcs 5pcs 10pcs
871-628-572	50 x 50 mm	YEN 13800 YEN 15400 YEN 18700 YEN 22800
238-790-090	100 x 100 mm	YEN 17000 YEN 19800 YEN 26600 YEN 42800
783-612-857	150 x 150 mm	YEN 20000 YEN 24400 YEN 45400
134-066-338	250 x 250 mm	YEN 29400 YEN 48400
294-468-147	500 x 500 mm	YEN 85500

Typical Analysis : Ash 0.2%.

C 000432	Thickness 1.0mm	Purity 99.95%
	Condition Rigid graphite	Grain size Fine
	Discs	Quantity
Web Code	Diameter	1 discs 2 discs 5 discs 10 discs
916-241-039	12 mm	YEN 16300 YEN 19000 YEN 24800 YEN 36600

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

Metal – Carbon

Carbon

C



Foil

C 000740 Thickness **1.0mm** Purity..... **99.99%**
 Condition..... **Pyrolytic Graphite**

Discs	Quantity
Web Code	Diameter 1 discs
135-925-168	25 mm YEN 30800

Typical Analysis :
 Thickness is nominal.

C 000745 Thickness **1.0mm** Purity..... **99.99%**
 Condition..... **Pyrolytic Graphite**

Size	Quantity
Web Code	Size 1pc
800-074-877	100 x 100 mm POA

Typical Analysis :
 Thickness is nominal.

C 000430 Thickness **1.0mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity
Web Code	1pc 2pcs 5pcs 10pcs
143-975-212	25 x 25 mm YEN 15700 YEN 18400 YEN 24200 YEN 31800
996-905-081	50 x 50 mm YEN 20600 YEN 25400 YEN 35400
613-136-009	100 x 100 mm YEN 30600 YEN 39400
829-858-447	150 x 150 mm YEN 40400

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000431 Thickness **1.0mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity
Web Code	Size 1pc
295-797-877	200 x 200 mm YEN 56000

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000433 Thickness **1.0mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity
Web Code	Size 1pc
116-759-980	305 x 305 mm POA

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000330 Thickness **1.0mm** Purity..... **99.8%**
 Condition..... **Flexible graphite**

Size	Quantity
Web Code	1pc 2pcs 5pcs 10pcs
137-873-325	50 x 50 mm YEN 14000 YEN 15800 YEN 19700 YEN 24400
234-174-347	100 x 100 mm YEN 17800 YEN 21200 YEN 32800 YEN 55500
271-792-861	150 x 150 mm YEN 21600 YEN 30000 YEN 60000
974-107-080	250 x 250 mm YEN 37200 YEN 64500
763-378-712	500 x 500 mm YEN 118000

Typical Analysis : Ash 0.2%.

C 000620 Thickness **2.0mm** Condition..... **HOPG**

Size	Quantity
Web Code	1pc 2pcs 5pcs
714-699-396	5 x 5 mm YEN 23000 YEN 33200 YEN 59500
784-247-357	5 x 10 mm YEN 27000 YEN 38600
349-021-090	10 x 10 mm YEN 32400 YEN 53500
092-889-062	15 x 15 mm YEN 51500

Highly oriented pyrolytic graphite. Dimensions are nominal.

C 000438 Thickness **2.0mm** Purity..... **99.95%**
 Condition..... **Rigid graphite** Grain size..... **Fine**

Size	Quantity
Web Code	Size 1pc
182-289-990	305 x 305 mm POA

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

Metal – Carbon

Carbon

C



Foil

C 000440

Thickness **2.5mm**
 Condition..... **Rigid graphite**

Purity..... **99.95%**
 Grain size..... **Fine**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
642-012-497	25 x 25 mm	YEN 16400	YEN 19400	YEN 25800	YEN 34200
251-550-088	50 x 50 mm	YEN 22000	YEN 27400	YEN 38400	
443-756-096	100 x 100 mm	YEN 33400	YEN 45000		

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000460

Thickness **3.0mm**
 Condition..... **Rigid graphite**

Purity..... **99.95%**
 Grain size..... **Fine**

Size Web Code	Size	Quantity	
		1pc	2pcs
819-059-463	50 x 250 mm	YEN 41600	YEN 69500

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000470

Thickness **5.0mm**
 Condition..... **Rigid graphite**

Purity..... **99.95%**
 Grain size..... **Fine**

Discs Web Code	Diameter	Quantity	
		1 disc	
628-678-071	30 mm	YEN 34200	
532-263-453	45 mm	YEN 35800	
123-224-937	50.8 mm	YEN 36600	

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000350

Thickness **5.0mm**
 Condition..... **Rigid graphite**

Purity..... **99.5%**
 Grain size..... **Medium**

Size Web Code	Size	Quantity			
		1pc	2pcs	5pcs	10pcs
424-912-914	50 x 50 mm	YEN 19700	YEN 23800	YEN 33400	YEN 47600
114-124-701	100 x 100 mm	YEN 25400	YEN 31800	YEN 58000	
265-595-131	150 x 150 mm	YEN 31200	YEN 49400		

Typical Analysis : 0.5% Ash comprising 0.25% Iron oxide Remainder includes oxide, Silica and Aluminium.

C 000480

Thickness **7.8mm**
 Condition..... **Rigid graphite**

Purity..... **99.95%**
 Grain size..... **Fine**

Size Web Code	Size	Quantity	
		1pc	
672-975-516	52 x 78 mm	POA	
348-724-861	100 x 105 mm	POA	

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000490

Thickness **10.0mm**
 Condition..... **Rigid graphite**

Purity..... **99.95%**
 Grain size..... **Fine**

Size Web Code	Size	Quantity	
		1pc	
187-612-725	48.5 x 110 mm	POA	

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 000360

Thickness **10.0mm**
 Condition..... **Rigid graphite**

Purity..... **99.5%**
 Grain size..... **Medium**

Size Web Code	Size	Quantity		
		1pc	2pcs	5pcs
073-025-856	48 x 150 mm	YEN 26600	YEN 33800	
884-118-115	50 x 50 mm	YEN 21400	YEN 26200	YEN 37200
741-946-231	100 x 100 mm	YEN 28800	YEN 41000	
811-016-520	150 x 150 mm	YEN 42600		

Typical Analysis : 0.5% Ash comprising 0.25% Iron oxide Remainder includes oxide, Silica and Aluminium.



Sputtering Target

C 009025

Thickness **0.25mm**

Purity..... **99.997%**

Size Web Code	Disc diam.	Quantity	
		1disc	
720-862-275	50 mm	POA	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

Metal - Carbon

Carbon

C



Sputtering Target

C 009050

Thickness **0.5mm** Purity **99.997%**

Size	Quantity	
Web Code	Disc diam.	1disc
004-596-488	40 mm	POA
138-732-822	50 mm	POA

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

C 009100

Thickness **1.0mm** Purity **99.997%**

Size	Quantity	
Web Code	Disc diam.	1disc
071-978-799	50.8 mm	POA
408-746-764	57 mm	POA

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 009200

Thickness **2.0mm** Purity **99.997%**

Size	Quantity	
Web Code	Disc diam.	1disc
813-291-936	10 mm	POA

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

C 009300

Thickness **3.0mm** Purity **99.997%**

Size	Quantity	
Web Code	Disc diam.	1disc
809-691-253	25 mm	POA
632-937-224	50 mm	POA
628-903-973	75 mm	POA
572-441-695	76 mm	POA
037-291-571	100 mm	POA

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

C 009400

Thickness **4.0mm** Purity **99.997%**

Size	Quantity	
Web Code	Disc diam.	1disc
998-869-546	25 mm	POA

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.

C 009600

Thickness **6.0mm** Purity **99.997%**

Size	Quantity	
Web Code	Disc diam.	1disc
886-057-374	25 mm	POA
145-935-300	50 mm	POA
322-311-350	76 mm	POA
788-630-240	100 mm	POA

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.
 These targets are normally available for immediate shipment from stock. Other sizes are available to special order.



Fabric

We also supply Carbon fibre/polyaramid blend fabrics.

C 003510

Weight **92g.m⁻²** Thickness **0.15mm**
 Warp Yarn **66Tex** Weft Yarn **66Tex**
 Ends x Picks/10cm **69x69** Weave **Plain**



Size	Quantity				
Web Code	Size	1pc	2pcs	5pcs	10pcs
393-377-246	250 x 250 mm	POA	POA	POA	POA
108-565-492	500 x 500 mm	POA	POA	POA	
570-679-599	500 x 1000 mm	POA	POA		
334-949-573	1000 x 1000 mm	POA			

Carbon fibre: Laminates based on this have high tensile, compressive and flexural strength and are very stiff. Plain weave: Warp (longitudinal) yarns (ends) pass over and under alternate weft (transverse) yarns (picks) and vice-versa.

Metal – Carbon

Carbon

C



Fabric

C 003550



Weight..... **110g.m⁻²**
 Ends x Picks/10cm **130x130**

Thickness..... **0.5mm**
 Weave..... **Plain**

Size

Web Code
 333-490-021

Size
 300 x 300 mm

Quantity

1pc **2pcs** **5pcs** **10pcs**
 POA POA POA POA

Coil

Web Code
 281-702-776
 782-711-404
 838-926-514

Width 1140mm

Length
 0.5 m
 1 m
 2 m

Quantity

1 Reel
 YEN POA
 YEN POA
 YEN POA

This is made from ACTIVATED CHARCOAL and should be kept in an air-tight container to maintain the chemical absorptive properties. Will be sent sealed under Argon in Polythene.

C 003531



Weight..... **200g.m⁻²**
 Warp Yarn **200Tex**
 Ends x Picks/10cm **50x50**

Thickness..... **0.3mm**
 Weft Yarn **200Tex**
 Weave..... **Plain**

Size

Web Code
 019-626-939
 453-371-586
 671-448-777
 931-093-382

Size
 150 x 150 mm
 300 x 300 mm
 500 x 500 mm
 1000 x 1000 mm

Quantity

1pc **2pcs** **5pcs** **10pcs**
 POA POA POA POA

Carbon fibre: Laminates based on this have high tensile, compressive and flexural strength and are very stiff. Plain weave: Warp (longitudinal) yarns (ends) pass over and under alternate weft (transverse) yarns (picks) and vice-versa.

C 003581



Weight..... **375g.m⁻²**
 Warp Yarn **400(T)Tex**
 Ends x Picks/10cm **47x47**

Thickness..... **0.4mm**
 Weft Yarn **400(T)Tex**
 Weave..... **2x2 Twill**

Size

Web Code
 070-918-616
 864-833-807
 104-230-994
 028-873-422

Size
 150 x 150 mm
 300 x 300 mm
 500 x 500 mm
 1000 x 1000 mm

Quantity

1pc **2pcs** **5pcs** **10pcs**
 POA POA POA POA

C 003580



Weight..... **406g.m⁻²**
 Warp Yarn **400(T)Tex**
 Ends x Picks/10cm **50x50**

Thickness..... **0.4mm**
 Weft Yarn **400(T)Tex**
 Weave..... **2x2 Twill**

Size

Web Code
 843-663-330

Size
 150 x 150 mm

Quantity

1pc **2pcs** **5pcs** **10pcs**
 POA POA POA POA



Fibre

Material		XAS,HTA,T300	34-700, T650/35	UMS2526	HM	HS40	P25	P100	F180	F500
Coefficient of thermal expansion - Longitudinal	x10 ⁻⁶ K ⁻¹	-0.1to-0.5	-0.6	-0.7	-1.3	-0.5	-	-1.5		
Coefficient of thermal expansion - Transverse	x10 ⁻⁶ K ⁻¹	+26	-	+37	+25					
Density	g cm ⁻³	1.76-1.8	1.77-1.8	1.78	1.86	1.85	1.87	2.15	-	2.1
Extension to break	%	1.5-1.7	1.7-1.9	1.2	0.8	0.9	1.0	0.3	-	2.1
Filament diameter	µm	7	7	4.8	8	5	11	10	-	9
Precursor		PAN	PAN	PAN	PAN	PAN	Pitch	Pitch	Pitch	Pitch
Tensile modulus	GPa	230-40	230-40	380	350-70	450	140-60	720	180	500
Tensile strength	GPa	3.6-4	4.5	4.9	2.5-2.7	4.4	1.4	2.2	2.0	3.0
Thermal Conductivity	W m ⁻¹ K ⁻¹	17-24	14	46	105	52	22	520		
Volume Resistivity	µOhmcm	1400-1600	1500	1000	900	1000	1300	250	1100	400

Continuous multi-filament TOW. The most common form of carbon fibre is the high strength, high stiffness form commonly used in composites. These are made by a complicated process from textile pre-cursor yarns made from either polyacrylonitrile (PAN) or pitch that results in a predominantly graphitic structure highly oriented in the direction of the fibre axis. This high orientation gives them their remarkable properties which include a small negative coefficient of thermal expansion in the axial direction as well as remarkably high specific strength and stiffness. These fibres are available from stock in a range of stiffnesses and, to a lesser extent, strengths, together with several types of fabric all made from carbon fibre of the most

C 005735



Tex Number..... **200**
 Number of filaments **3000**
 Condition..... **Epoxy sized**

Filament diameter **0.007mm**
 Grade **Tenax HTA**

Length

Web Code
 356-795-611
 785-492-053
 599-453-271
 931-657-343

Quantity

1 Reel
 POA
 POA
 POA
 POA

Carbon

C



Fibre

C 005780

Tex Number **280** Filament diameter **0.009mm**
 Number of filaments **2000** Grade **F500**
 Condition **Epoxy sized (1.0%)**



Length		Quantity	
Web Code	Length	1 Reel	
917-720-954	10 m	POA	
715-115-441	50 m	POA	
389-432-766	100 m	POA	
679-092-695	200 m	POA	
886-585-447	500 m	POA	

C 005785

Tex Number **320** Filament diameter **0.01mm**
 Number of filaments **2000** Grade **P100**
 Condition **Epoxy sized**



Length		Quantity	
Web Code	Length	1 Reel	
576-250-724	5 m	POA	

Typical Analysis : Not applicable

C 005711

Tex Number **400** Filament diameter **0.007mm**
 Number of filaments **6000** Grade **Tenax HTA**
 Condition **Epoxy sized (1.2%)**



Length		Quantity	
Web Code	Length	1 Reel	
239-507-620	10 m	POA	
938-455-827	20 m	POA	
306-978-471	50 m	POA	
372-303-424	100 m	POA	
537-930-182	200 m	POA	

C 005731

Tex Number **400** Filament diameter **0.0048mm**
 Number of filaments **12000** Condition **Continuous multi-filament TOW.**
 Grade **Tenax UMS2526**



Length		Quantity	
Web Code	Length	1 Reel	
380-636-621	10 m	POA	

Typical Analysis : Not applicable

C 005732

Tex Number **430** Number of filaments **12000**



Length		Quantity	
Web Code	Length	1 Reel	
928-135-645	10 m	POA	
689-951-207	50 m	POA	
345-798-064	100 m	POA	
428-837-791	200 m	POA	

C 005725

Tex Number **795** Filament diameter **0.007mm**
 Number of filaments **12000** Grade **XAS**
 Condition **Epoxy sized (1.6%)**



Length		Quantity	
Web Code	Length	1 Reel	
618-131-889	10 m	POA	

Typical Analysis : Not applicable

C 005722

Tex Number **795** Filament diameter **0.007mm**
 Number of filaments **12000** Grade **34-700**
 Condition **Unsize**



Length		Quantity	
Web Code	Length	1 Reel	
946-245-330	10 m	POA	
822-037-912	20 m	POA	
280-664-846	50 m	POA	
083-110-922	100 m	POA	

Metal – Carbon

Carbon

C



Fibre

C 005730

Tex Number 900
 Number of filaments 10000
 Condition Epoxy sized (0.7%)
 Filament diameter 0.008mm
 Grade HM



Length

Web Code	Length	Quantity
852-659-499	10 m	1 Reel POA
121-301-648	20 m	POA
582-435-186	50 m	POA
804-397-678	100 m	POA



Chopped Fibre

C 006510

Nominal Diameter 0.007mm
 Condition Epoxy sized (1.2%)
 Fibre length 1mm
 Grade 34-700



Web Code

Web Code	Weight	1 Pot
122-224-699	100 g	POA
278-084-217	200 g	POA
760-530-670	500 g	POA

Typical Analysis : Not applicable

C 006560

Nominal Diameter 0.007mm
 Condition Epoxy sized (1.2%)
 Fibre length 6mm
 Grade 34-700



Web Code

Web Code	Weight	1 Pot
290-930-589	100 g	POA
366-324-260	200 g	POA
790-532-732	500 g	POA

Typical Analysis : Not applicable



Rod

C 007905

Diameter 0.5mm
 Condition Graphite
 Purity 99.95%
 Particle size Ultrafine 1-5 microns

Size

Web Code	Length	10pcs	20pcs	50pcs	100pcs
464-303-996	2 mm	YEN 18900	YEN 24200	YEN 35400	YEN 53500

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007906

Diameter 0.5mm
 Condition Graphite
 Purity 99.95%
 Particle size Ultrafine 1-5 microns

Size

Web Code	Length	1pc	2pcs	5pcs	10pcs
989-736-137	50 mm	YEN 14600	YEN 16700	YEN 21200	YEN 29400

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007908

Diameter 1.0mm
 Condition Graphite
 Purity 99.95%
 Particle size Ultrafine 1-5 microns

Size

Web Code	Length	1pc	2pcs	5pcs	10pcs
121-996-087	50 mm	YEN 13900	YEN 15800	YEN 19800	YEN 25000
979-210-865	100 mm	YEN 15500	YEN 18100	YEN 23600	

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007909

Diameter 1.5mm
 Condition Graphite
 Purity 99.997%
 Particle size Ultrafine 1-5 microns

Size

Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs
478-387-524	50 mm	YEN 13200	YEN 15600	YEN 21600	YEN 31800	YEN 49200

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007911

Diameter 2.0mm
 Condition Graphite
 Purity 99.997%
 Particle size Ultrafine 1-5 microns

Size

Web Code	Length	1pc	2pcs	5pcs	10pcs	20pcs
935-061-712	100 mm	YEN 14400	YEN 17300	YEN 26000	YEN 42800	YEN 71000
304-232-936	150 mm	YEN 15300	YEN 18600	YEN 31200	YEN 53000	
707-074-385	300 mm	YEN 17300	YEN 24200	YEN 46800		

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

Carbon

C



Rod

C 007910

Diameter **3.0mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Medium 21-100 microns**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
494-159-799	100 mm	YEN 14400	YEN 17300	YEN 26000	YEN 42800
769-969-840	150 mm	YEN 15300	YEN 18600	YEN 31200	YEN 53000
246-231-082	300 mm	YEN 17300	YEN 24200	YEN 46800	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007912

Diameter **3.0mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Ultrafine 1-5 microns**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
706-668-253	100 mm	YEN 14400	YEN 17300	YEN 26000	YEN 42800
770-425-619	150 mm	YEN 15300	YEN 18600	YEN 31200	YEN 53000
386-415-851	300 mm	YEN 17300	YEN 24200	YEN 46800	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007920

Diameter **5.0mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Ultrafine 1-5 microns**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
778-881-213	100 mm	YEN 18200	YEN 22600	YEN 32400	YEN 45400
360-152-306	150 mm	YEN 19900	YEN 24800	YEN 36000	YEN 50500
019-040-158	300 mm	YEN 23600	YEN 30000	YEN 44200	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007921

Diameter **6.35mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Medium 21-100 microns**

Size Web Code	Length	Quantity			
		1pc	2pcs	5pcs	10pcs
742-455-078	100 mm	YEN 19900	YEN 24800	YEN 36000	YEN 50500
224-514-082	150 mm	YEN 21800	YEN 27600	YEN 40600	YEN 63000
730-058-253	300 mm	YEN 26400	YEN 34000	YEN 56500	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007930

Diameter **10.0mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Medium 21-100 microns**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
246-409-509	100 mm	YEN 25800	YEN 33400	YEN 49200
801-188-282	150 mm	YEN 29400	YEN 38400	
148-531-791	300 mm	YEN 37400	YEN 49600	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007940

Diameter **13.0mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Medium 21-100 microns**

Size Web Code	Length	Quantity	
		1pc	2pcs
566-472-114	100 mm	YEN 33200	YEN 43800
809-013-128	150 mm	YEN 38400	YEN 51000
126-643-806	300 mm	YEN 49600	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

C 007950

Diameter **25mm**
 Condition..... **Graphite**

Purity..... **99.95%**
 Particle size **Ultrafine 1-5 microns**

Size Web Code	Length	Quantity	
		1pc	2pcs
830-485-196	50 mm	YEN 22800	YEN 32800
810-640-766	100 mm	YEN 31600	YEN 53500
330-089-473	150 mm	YEN 41800	YEN 74000
261-176-363	300 mm	YEN 72500	

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007955

Diameter **25mm**
 Condition..... **Graphite**

Purity..... **99.997%**
 Particle size **Ultrafine 1-5 microns**

Size Web Code	Length	Quantity		
		1pc	2pcs	5pcs
545-697-510	50 mm	YEN 26000	YEN 38200	YEN 75000
212-188-026	100 mm	YEN 37000	YEN 60000	
523-512-424	150 mm	YEN 48000	YEN 82000	

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

Carbon

C



Rod

C 007975	Diameter 50mm Condition Graphite	Purity 99.95% Particle size Ultrafine 1-5 microns
Size	Quantity	
Web Code	Length	1pc 2pcs
407-055-125	25 mm	YEN 33000 YEN 42000
958-211-959	50 mm	YEN 39200 YEN 62000
776-487-982	100 mm	YEN 59500 YEN 102000
060-996-667	150 mm	YEN 79500

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007980	Diameter 70mm Condition Graphite	Purity 99.95% Particle size Ultrafine 1-5 microns
Size	Quantity	
Web Code	Length	1pc
196-282-089	150 mm	POA

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.



Tube

C 007200	Outside Diameter 3.18mm Inside Diameter 1.18mm Condition Graphite	Wall Thickness 1.0mm Purity 99.95%
Size	Quantity	
Web Code	Length	1pc 2pcs
816-591-661	50 mm	YEN 21800 YEN 26800
073-955-212	100 mm	YEN 25800
244-411-065	150 mm	YEN 28800

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007201	Outside Diameter 3.18mm Inside Diameter 1.58mm Condition Graphite	Wall Thickness 0.8mm Purity 99.95%
Size	Quantity	
Web Code	Length	1pc 2pcs
414-176-699	50 mm	YEN 21800 YEN 26800
239-308-942	100 mm	YEN 25800 YEN 33800
319-252-137	150 mm	YEN 28800 YEN 44000

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007300	Outside Diameter 6.35mm Inside Diameter 3.15mm Condition Graphite	Wall Thickness 1.6mm Purity 99.95%
Size	Quantity	
Web Code	Length	1pc
551-385-290	50 mm	YEN 23200
923-152-249	100 mm	YEN 27800
394-027-167	150 mm	YEN 32800

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.

C 007400	Outside Diameter 12.7mm Inside Diameter 9.5mm Condition Graphite	Wall Thickness 1.6mm Purity 99.95%
Size	Quantity	
Web Code	Length	1pc
253-398-229	50 mm	YEN 25600
674-783-615	100 mm	YEN 32800
347-953-230	150 mm	YEN 43000

Typical Analysis : Al 5, Ba 1, Ca 50, Co <5, Cr <5, Cu <5, Fe 5, Ni 50, Si <5, Ti 30, V 100, Zr <20.



Powder

C 006011	Max. Particle size 75micron Condition Graphite	High Purity 99.997%
	Quantity	
Web Code	Weight	1 Pot
015-116-265	10 g	YEN 22600
141-236-851	20 g	YEN 27800
445-382-958	50 g	YEN 35600
523-523-557	100 g	YEN 46400

Typical Analysis : Al 0.2, B 1, Ca 0.05, Cu 0.01, Fe 0.2, Mg 0.05, Na 0.02, Si 1.

Metal – Carbon

Carbon

C



Lump

C 006101

Max. Lump size **1.5mm**

Purity..... **99.5%**



Web Code
 653-712-717
 608-088-442
 992-942-721
 098-566-486
 532-415-999

Quantity		1 Pot
Weight		
50 g		YEN 15900
100 g		YEN 18200
200 g		YEN 21400
500 g		YEN 27600
1000 g		YEN 37600

Typical Analysis : 0.5% Ash comprising 0.25% Iron oxide Remainder includes oxide, Silica and Aluminium.

C 006100

Max. Lump size **1.5mm**

Purity..... **99.8%**



Web Code
 261-800-305
 725-047-161

Quantity		1 Pot
Weight		
50 g		YEN 15900
100 g		YEN 18200

Typical Analysis : Ash 0.2%.

Metal – Carbon

INDEX

C

Carbon (C)	20
Chopped Fibre, Carbon	29

F

Fabric, Carbon	26
Fibre, Carbon	27
Foil, Carbon	21

L

Lump, Carbon	32
--------------	----

M

Microleaf, Carbon	20
-------------------	----

P

Powder, Carbon	31
----------------	----

R

Rod, Carbon	29
-------------	----

S

Sputtering Target, Carbon	25
---------------------------	----

T

Tube	
.. Carbon	31