Good Fellow





Goodfellow Cambridge Limited

Ermine Business Park
HUNTINGDON
PE29 6WR
England

Tel: +44 1480 424 800 or +44 1480 424 800 Fax: +44 1480 424 900 or +44 1480 424 900

Goodfellow Corporation

125 Hookstown Grade Road Coraopolis, PA 15108-9302 USA

Tel: 1-800-821-2870 (USA and Canada) or +1 724 695 7060 Fax: 1-800-283-2020 (USA and Canada) or +1 724 695 7063

Goodfellow SARL

229, rue Solférino F-59000 Lille France

Tel: 0800 917 241 (numéro vert) or +44 1480 424 813 Fax: 0800 917 313 (numéro vert) or +44 1480 424 900

Goodfellow GmbH

Am Edelspfad 4 D-61169 Friedberg Germany

Tel: 0800 1000 579 (freecall) or +44 1480 424 810 Fax: 0800 1000 580 (freecall) or +44 1480 424 900

Goodfellow (Shanghai) Trading Co., Ltd

FI. 23, 758 Nanjing Road West SHANGHAI 200040

The People's Republic of China

Tel: 00 86 21 6112 1560



Standard Price List for Cobalt

CONTENTS

Introduction	4
Product Descriptions	5
Hazards Information	10
General Information	11
Order information	12
Company Details	15
Conditions of Sale	16
Metal	20
INDEX	34



Introduction

Goodfellow is well known as a specialist supplier of small to medium size quantities of metals, alloys, ceramics, polymers and other materials to meet the research, development and specialist production requirements of science and industry worldwide. We realise that "small" means different things to different people, but we consider small to mean any quantity from a few grammes to a few kilos.

Goodfellow offers two distinct services to meet the requirements of our customers:

- The first meets the needs of our customers who need small quantities of products from our standard range of materials within 24-48 hours.
- The second service is for those who require larger quantities or further processing of our standard products or who need an item which falls within our general area of supply expertise.

The range of materials offered by Goodfellow is extensive, as are the forms in which the various products are available. This Catalogue provides a detailed overview of our standard products which are available from stock. Full details of all of these items, including prices and technical information, can be found in our web Catalogue at www.goodfellow.com.

Materials

Metals and Alloys

Goodfellow supplies virtually all of the pure metals from Aluminium to Zirconium as well as a comprehensive range of alloys. Most are available in a variety of forms, including rod, wire and foil. The Catalog details those materials which are available as standard products from stock. Custom-made items are also available, so please contact us if you are unable to identify the item you require.

Ceramics

The ceramic materials offered by Goodfellow have been carefully chosen, and include both the established as well as more recently developed products. All are available as either standard or custom-made products in a variety of forms and sizes. The Catalogue details those items which are available from stock. For ceramic components made to customer drawings, our Ceramic and Glass Division would be delighted to help. Please visit www.goodfellow-ceramics.com for further information.

Polymers

The range of polymers supplied by Goodfellow is broad and includes both the familiar as well as some of the more unusual or recently developed materials. The Catalog details those items which are available from stock; please contact us if you are unable to find the item you specifically require.

Compounds & Intermetallics

Goodfellow can supply aluminides, borides and silicides as well as other intermetallics and compounds. The majority of these items are made to order and the Catalog details those which are available. Please contact us with details of your requirements.

Composites

Some examples of these materials are listed in the Catalog. As some of these are manufactured on a custom-made basis, please contact us with details of your requirements.

Glasses

Goodfellow offers two distinct types of glass products. The first are generally silica-based and transparent. Generally, these products are made to order for customers, so we do not list them in our Catalog, however, they are available through the Goodfellow Ceramic and Glass Division. Please contact us with your requirements.

The second type of glass product is commonly referred to as "metallic glasses" or "glassy metals". In contrast to crystalline metals and alloys with highly ordered atomic structures, these are non-crystalline (amorphous) metals or, more usually, alloys. Our Catalogue details those glassy metals which are available from stock; please contact us if you are unable to find the item you specifically require.





Bar

A straight length of rectangular, square or oval section material.

Tolerances

Section dimensions: $\leq 10 \text{mm}$ $\pm 10\%$ > 10 mm $\pm 1 \text{mm}$ Length: < 100 mm $\pm 1 \text{mm}$ $\geq 100 \text{mm}$ + 5% / -1%



Bolt

A threaded pin that can be screwed into a nut or a tapped hole to fasten items together. Bolts are available with different head styles and also in metric and inch-threaded sizes.

Tolerances

Ceramics: ANSI B18.6.7M-1985



Chopped Fibre

Fibres cut into short lengths called cut, staple or chopped fibre.

Tolerances

Fibre diameter: $\pm 25\%$ Number of strands: $\pm 10\%$ Tex number: $\pm 10\%$ Length: $\pm 5\%$ / - 1%



Crucible

A vessel in which other materials may be heated or melted, usually at high temperatures.

Tolerances

Height: $\pm 10\%$ Inside Dimensions: $\pm 10\%$ Outside Dimensions: + 10%



Fabric

Woven fabrics are made by the regular interlacing of two arrays of yarns at right angles to each other, these being referred to as the warp and weft (see also Non-woven fabric).

Tolerances

Fabric thickness: $\pm 25\%$ Number of yarns: $\pm 10\%$ Tex number: $\pm 10\%$

Size (linear dimension): $< 100 \text{mm} \pm 5 \text{mm}$

 \geqslant 100mm \pm 5%



Fibre

Yarns or tows consisting of several approximately parallel individual filaments, each filament usually being smaller in diameter than a monofilament. Yarns contain a defined number of filaments, typically three to several hundred; tows contain thousands of filaments whose number is only defined approximately. Both are primarily specified by their linear density measured in "tex", the weight in grams of a 1km length of material.

Tolerances

Fibre diameter: $\pm 25\%$ Number of strands: $\pm 10\%$ Tex number: $\pm 10\%$ Length: + 5% / -1%



Film

A non-metallic sheet material with a thickness < 0.5mm.

Tolerances

Thickness: $\pm 20\%$

Size (linear dimension): $< 100 \text{mm} \qquad \pm 1 \text{mm}$ $\geq 100 \text{mm} \qquad + 2\% / -1\%$



Flake

Flat, irregularly shaped pieces of material. A maximum flake size is indicated but individual flakes may vary greatly in size.

Tolerances

Dimensions shown are nominal





Foam

A low density, permeable structure of cells and continuous ligaments offering a high surface area to volume ratio, and also a high strength to weight ratio. Owing to the nature of this material, dimensions are nominal.



Foil

Thin sheets of pure metal and metal alloys. Due to their fragile nature, some foils are coated on one side with an acrylic or polyester support. Where foils are supported they are indicated in the detailed item description.

Tolerances

Thickness: < 0.010mm $\pm 25\%$

 $0.01\text{-}0.05\text{mm} \pm 15\%$

> 0.050mm $\pm 10\%$ Size (linear dimension): < 100mm + 1mm

≥ 100mm + 2% / -1%



Granule

Pellets of an approximately regular shape. Granules may vary in size and, therefore, the dimensions stated are nominal. In addition, the shape of a granule may vary from item to item.

Tolerances

Dimensions shown are nominal



Honeycomb

A cellular structure similar in appearance to natural honeycomb. Owing to the nature of this material, dimensions are nominal.



Insulated Wire

A single or multiple flexible strand of metal or alloy with an insulating sheath.

Tolerances

Wire diameter: $\pm 10\%$ Length: +5% / -1%

Insulation thickness: Nominal values only



Laminate

Layers of material which have been bonded together by the use of heat, pressure and, possibly, adhesive.

Tolerances

Thickness: $\pm 10\%$

Size (linear dimension): ≤ 100 mm ± 1 mm

> 100mm + 2% / -1%



Lump

A solid piece of material with no defined shape.

Tolerances

Dimensions shown are nominal



Mesh

Mesh is available as either a woven wire or electroformed product; in all cases, the quoted aperture sizes are nominal. Wire mesh: a material which is woven from metal wires to provide a thin grid with a regular series of holes. Electroformed mesh: a product made by electroplating the mesh geometry through a mask onto a substrate which is subsequently etched away.

Tolerances

Thickness: woven: $\pm 10\%$

electroformed: ±20%

Wire diameter: $\pm 10\%$

Size (linear dimension): < 100 mm $\pm 1 \text{mm}$

≥ 100mm + 2% / -1%





Metallised Film

Film which is coated with a metal. The thickness of the metal is measured and described in terms of the material's specific electrical resistance in ohms per square.

Tolerances

Thickness: $\pm 10\%$

Size (linear dimension): < 100 mm $\pm 1 \text{mm}$ $\geq 100 \text{mm}$ + 2% / -1%



Microfoil

An extremely thin sheet of metal or alloy mounted on a permanent support. This support **cannot** be removed without destroying the Microfoil.

Tolerances

Thickness: $\pm 30\%$ Size: $\pm 20\%$



Microleaf

An extremely thin sheet of metal mounted on a removable support. Microleaf is not available for metals which are too brittle to be free standing.

Tolerances

Thickness: $\pm 30\%$ Size: $\pm 20\%$



Monofilament

A single strand of a non-metallic material.

Tolerances

Diameter: $\pm 20\%$ Length: $\pm 5\% / -1\%$



Non-Woven Fabric

Non-woven fabrics are made by methods other than weaving or knitting, the yarns and fibres being held together, often quite loosely, by means other than geometric interlacing. Due to the open and porous nature of this material, all other dimensions are nominal. conventional textile fabrics. Due to the open and porous nature of this material, all other dimensions are nominal.

Tolerances

Size (linear dimension): $< 100 \text{mm} \qquad \pm 5 \text{mm}$ $> 100 \text{mm} \qquad + 5\%$



Nut

Generally a flat piece of material with a threaded hole which can be screwed onto a bolt to fasten items together. Nuts typically have a hexagonal external shape. Nuts are available in metric and inchthreaded sizes.

Tolerances

Ceramics: ANSI B18.2.4.1M-1979 (R1995)



Powder

Small particles with an approximately defined size range. Those materials described as alloy precursors are not true alloys - they are made by sintering a blend of powders of the component metals to achieve alloying by diffusion. The resultant cake is ground and sieved to the required particle size range. Unless otherwise stated, the particle sizes shown are for guidance only. We do not guarantee either any particular size distribution between the quoted minimum and maximum sizes, or a specific particle shape.

Tolerances

Dimensions shown are nominal





Rod

A straight length of circular section material.

Tolerances

Diameter: ≤ 10 mm $\pm 10\%$

Polymer +20%/-10%Ceramic +20%/-10%

> 10mm ± 5 %

Ceramic +20%/-10%Polymer +20%/-10%

+5% / -1%

Length: < 100mm ± 1 mm

≥ 100mm



Sheet

Flat material with a thickness > 0.5mm.

Tolerances

Thickness: $\pm 10\%$

Ceramic $\pm 20\%$ Composite $\pm 20\%$

Polymer $\pm 20\%$

Size (linear dimension): < 100mm ± 1 mm

 \geqslant 100mm + 2% / -1%



Single Crystal

A material grown as a monocrystal, generally to a specific orientation, dimension and surface finish. It may contain a dopant. Single crystals are usually made to order.

Tolerances

Orientation: $\pm 3^{\circ}$

Size: Sizes shown are nominal



Sphere

A regular solid or hollow three-dimensional form in which every cross-section is a circle. Spheres are available with standard or precision tolerances, and can be supplied with different surface finishes depending on the material.

Tolerances

Diameter (standard): $\pm 5\%$ Diameter (precision): see item



Sputtering Target

A high purity material used as a source for sputtering, a cold vapourisation process in which atoms are physically removed from the target surface by ion bombardment.

Tolerances

Thickness: ± 0.5 mm Size: ± 0.5 mm



Tube

A hollow length of material normally circular in section. Most tubes are straight except those made of flexible polymer.

Tolerances

Outside diameter: ≤ 2 mm ± 0.05 mm

Polymer $\pm 10\%$ Ceramic $\pm 10\%$

 \leq 5mm \pm 0.1mm Polymer \pm 10% Ceramic \pm 10%

> 5mm $\pm 5\%$ Polymer $\pm 10\%$ Ceramic $\pm 10\%$

Wall thickness: + 10%

Polymer $\pm 20\%$ Ceramic $\pm 20\%$

Length: < 100 mm + 1 mm

≥ 100mm + 5% / -1%



Washer

A thin, flat piece of material with a hole in the middle, used in conjunction with bolts and nuts to distribute the load of a threaded fastener.

Tolerances

Ceramics: see item





Wire

A single or multiple flexible strand of pure metal or alloy.

Tolerances

Wire diameter: \pm 10% Length: \pm 5% / -1%

Hazards Information

HAZARDS

All materials listed in this catalogue, whatever the quantity supplied, are sold for research or development purposes. We make no warranty that the materials are fit for a particular purpose. In purchasing materials from this catalogue, customers should be aware that there may be hazards associated with their use and in the handling of them. Complete toxicological or hazard investigations are the responsibility of the customer. Ingestion or contact with the human body may be harmful. The responsibility for the safe use of our products rests with the customer. All materials should be handled by qualified personnel familiar with laboratory procedures and who are familiar with the nature of the material and any necessary precautions which should be taken in the handling, use and storage of the products. The customer shall be responsible for the control and use of the products offered in this catalogue whether alone or in combination with other articles or substances or in any other manner whatsoever.

HAZARD SYMBOLS



Corrosive

Chemicals which may destroy living tissue when in contact with them.



Dangerous when wet

Chemicals which, in contact with water or damp air, evolve highly flammable or toxic gases and vapours in dangerous quantities.



Explosive

Chemicals which may react exothermically without atmospheric oxygen, quickly evolving gases, and which under defined test conditions detonate, quickly deflagrate or upon heating explode when partially confined.



Extremely Flammable

Chemicals which when finely divided (small particle size) are liable to ignite spontaneously.



Harmful

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



Highly flammable

Chemicals which will ignite after contact with flame, or which will evolve highly flammable gases in contact with water.



Irritant

Non-corrosive chemicals which, through immediate, prolonged or repeated contact with the skin or mucous membrane may cause inflammation.



Radioactive

Chemicals which will emit ionising radiation without being subject to irradiation. General precautions for Toxic chemicals apply to those of low activity. For chemicals of medium or high activity special regulations apply.



Toxic

Chemicals which may cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



Very Toxic

Chemicals which in low quantities cause death or acute or chronic damage to health when inhaled, ingested or absorbed via the skin.



General Information

Analyses

Typical Analysis:

Where appropriate a typical analysis is given. All figures are parts per million (ppm) by weight unless otherwise stated. It must be emphasised that this data is "typical" and no guarantee is given that the material supplied will conform to these analyses. The compositions shown under alloy headings are generally weight percent. Exceptions are the glassy alloys and the rare earth magnets where the convention of using atomic ratio is followed.

Purity

Purities listed are quoted with respect to total metallic impurities. Typical analyses may give additional information about likely non-metallic impurities.

High Purity

For materials described as High Purity, the actual analysis of metallic impurities will be supplied free of charge. For other items, an actual analysis can be supplied and a charge will be made for the analysis and for the sample used.

If you require an analysis please tell us whether you require analysis of metallic impurities only or metallic and gaseous. Where an analysis is required the shipment of your order may be delayed.

Supports

Some items from our range of foils need to be supported on one side of the foil to enable both you and us to handle these very delicate materials. Two types of support can be used, the choice being governed by the material. Wherever possible we use a temporary support, a permanent support only being used when the material is brittle (for example Chromium or Manganese).

The temporary support is Acrylic, approximately 0.2mm thick. This may be removed by dissolving in 2-Propanone (Acetone).

Our permanent support is Polyester, thickness 0.125mm, which is hot-press laminated to one face of the foil. It **cannot** be removed without destroying the foil.

Microfoil is mounted on a permanent $3.5\mu m$ polyester support. This support **cannot** be removed without destroying the Microfoil.

Microleaf is mounted on a specially treated support which allows separation of the metal film from the support. Full instructions on the method of removal are issued with each Microleaf supplied.

Light Tight (LT) & Not Light Tested (NLT)

Light tight (LT) foils are supplied without visible pinholes after examination without magnification. Foils 0.025mm or more in thickness are supplied LT unless otherwise stated.

Foils less than 0.025mm thick are normally supplied Not-Light Tested (NLT), and will normally contain pinholes but may occasionally be free from pinholes. Foils less than 0.025mm in thickness can often be supplied LT but may incur additional charges. Please specify if you require LT foils

Vacuum tight

Vacuum tight foils show no detectable leakage when tested with a helium mass spectrometer with a sensitivity of 10⁻⁹ atm-cm³.s⁻¹.

Continuous Lengths

If you require material in continuous lengths please tell us when you place your order. Unless otherwise specified, we reserve the right to supply in more than one length.

Technical Data and Information

All information and technical data are given as a guide only. Although every effort has been made to ensure that the information is correct, no warranty is given as to its completeness or accuracy.

Tolerances

For details of our standard tolerances, please refer to the Product Description section. In many cases, closer tolerances are available but may be subject to an extra charge. If you have any special requirements it is important that you tell us at the time of ordering. This includes special tolerances, dimensional uniformity or any other special requirement which you may have (for example edge finish, packaging, labelling etc.). Please indicate precisely what is required and we shall do our best to meet your specification.



Order information

General Information

There are over 70,000 stock packs listed and if you cannot find what you need amongst them, please ask for special sizes, thicknesses, tolerances, dimensions or larger quantities. We are also able to offer many other pure metals, alloys, polymers and ceramics to special order.

Prices

All the prices listed are total (lot) prices for the sizes and quantities listed. Prices are subject to change without notice.

Prices shown include delivery except for those items marked as "special offer" or dangerous goods with transport restriction. They do not include value added tax, any import duties or local taxes.

Transport Restriction

Some of the materials supplied by Goodfellow are subject to special transport restrictions. Additional shipment charges may apply which are dependent on destination. Please check the individual item on our website or contact us for details of the charges.

If you intend to have the material transported or sent onwards please ensure that you are aware of the relevant transport restrictions.

Delivery

Split shipment

All orders are accepted for one shipment on one date to one address. A charge will be made for split shipments made at the customer's request.

Special Analysis, Supports or Tolerances

An extra charge is made for non-standard supports, alternative tolerances and certificates of analysis. The analysis is free of charge for items marked "High Purity".

Cancellations

A charge for cancellation of orders may be made. The amount will depend on the circumstances.

Express Service

An administration charge of £10 will be made for any order received for which same day shipment within the UK is requested.

Shipment

We aim to have all items listed in this catalogue in stock in the quantities and sizes listed. We can only undertake to despatch an order on a particular date. The date of delivery at the customer's address is subject to the normal variations of the delivery service used.

Despatch

Orders will normally be despatched within 48 hours of receipt.

Non delivery

If we have notified you of despatch of goods and you have not received delivery within 7 days, please contact us.

Insurance

All consignments will be insured by us against the usual risks unless we are instructed in writing to the contrary.

Export Restrictions

A UK Government export licence may be required for some items to some destinations. If the item you require needs a special export licence or an end-use statement we will inform you at the time you order.

Materials Handling

Many of our materials are extremely delicate and it is essential every care is taken when handling them. Special attention is drawn to the extreme fragility of Microfoil, Microleaf and thinner and finer materials.

All materials are carefully packed to ensure safe transport of goods to your address. We do not accept responsibility for damage caused by mishandling once the outer transit packaging has been removed.

Terms of payment

Our normal terms of payment are net 30 days from date of invoice. Any alternative terms of payment are to be agreed with us in writing at the time of placing an order. Customers may be asked to pay cash with order or cash against pro-forma invoice with their first order. In order to establish a credit account we will require details of your bankers, along with two trade references.



Order information

Credit account

We endeavour to keep our costs down and customers are requested to pay our invoices on time. We reserve the right to delay delivery if there are overdue invoices on the account. Accounts which remain unpaid beyond the due date may incur an interest charge at a rate of 2% per month.

Credit card payments

We also accept payment using the following credit and charge cards:

Mastercard, VISA, American Express, DELTA and Switch.

VAT

VAT number: GB 212 8527 79

UK

VAT will be added to the invoice at the rate ruling at the date of invoice. Where a customer is exempt, VAT will be charged unless we receive a copy of the exemption form at the time the order is placed.

EU

Customers registered for VAT who provide their local registration number will not be charged UK VAT.

Customers who are exempt from VAT will not be charged UK VAT provided we are given a copy of their exemption form at the time the goods are ordered.

Customers not registered for VAT or who fail to give us their registration number will be charged UK VAT at the current rate.

Export

All exports to countries outside the EU are zero-rated for UK VAT unless the invoice is being paid from within the EU.

Return of goods

We will only accept return of goods provided we are contacted BEFORE the goods are returned. When we agree to the return we will issue a Goods Return Number and give instructions for the method of return of the goods. Goods will not be accepted for return without a valid Goods Return Number. Due to the nature of some of our materials, it is imperative that you check any possible transport restrictions with your proposed freight company.

Claims

Great care is taken during manufacture and packing and all items are carefully inspected before shipment. Any claim in respect of short delivery, incorrect material or defective quality must be notified to us in writing within three days of delivery. Please retain ALL packaging for our inspection. Our liability for any such claim shall not exceed the cost of replacement of the goods free of charge, or crediting the customer with the invoice value thereof.

Goods ordered in error

We do not accept responsibility for customers' errors in ordering. The amount of credit for returned goods will be at our discretion. Where we accept returned goods a restocking charge will be made.

Conditions of sale

All orders, contracts and quotations are subject to our standard terms and conditions of sale.

Information and statements provided are indicative only and do not form part of any offer or contract.

Exclusions

We supply materials according to our specification. All conditions warranties and representations regarding the quality, fitness for purpose or state, size, shape, capacity or colour of goods supplied whether expressed or implied by common law or statute or otherwise are hereby expressly excluded. We shall not be liable for any damage direct or consequential arising from the use of goods supplied by us however such damage is caused, nor for delay in delivery.

Law

Customers in the USA: Contracts between Goodfellow Corporation and the customer shall be deemed to be subject in all respects to the laws of the Commonwealth of Pennsylvania, or the United States of America.

Customers in France: Contracts between Goodfellow SARL and the customer shall be deemed to be subject in all respects to French law unless otherwise agreed in writing

Customers in Germany: Contracts between Goodfellow GmbH and the customer shall be deemed to be subject in all respects to German law unless otherwise agreed in writing



Order information

Customers in the UK and all other countries: Contracts between Goodfellow Cambridge Limited and the customer shall be deemed to be subject in all respects to English law unless otherwise agreed in writing. Copies of our General Terms and Conditions are available upon request or can be downloaded from our websites at www.goodfellow.com or www.goodfellowusa.com.



Company Details

Company Structure

The Goodfellow Group consists of five companies:

Goodfellow Cambridge Limited

Goodfellow was established in the City of London in 1946. The Company now has subsidiary operations in France, Germany and North America with the Group's research laboratories, workshop facilities & central administration located in Huntingdon, England.

Goodfellow Corporation

Established at the same time as our associate company in Germany, Goodfellow Corporation was set up to service the requirements of our customers in the USA.

Goodfellow GmbH

Since 1989, this member of the Goodfellow group of companies has been serving the needs of our German speaking customers within Europe.

Goodfellow SARL

Goodfellow established an operation in France in 1993 to meet the needs of our French-speaking customers in Europe.

Goodfellow (Shanghai) Trading Co., Ltd

Goodfellow established a representative office in Shanghai in 2006, and in 2012 followed this with the creation of a fully-fledged trading company, servicing the research and specialist manufacturing requirements of the Chinese market.

COMPANY DETAILS

Ermine Business Park

Goodfellow Cambridge Limited

HUNTINGDON
PE29 6WR
England
Registered in England and Wales no. 1188162
VAT registration GB 212 8527 79

Goodfellow Corporation

125 Hookstown Grade Road Coraopolis, PA 15108-9302 USA A Pennsylvania corporation EIN 23-2557381

Goodfellow SARL

229, rue Solférino F-59000 Lille France

Registered in Lille: RCS: B 381 486 836

Siren: 381486836

Numéro de TVA Intracommunitaire :

FR 06 381 486 836

Goodfellow GmbH

Am Edelspfad 4 D-61169 Friedberg Germany Registered in Friedberg (Hessen) No. HRB 1309 Import VAT number DE112610478

Goodfellow (Shanghai) Trading Co., Ltd

FI. 23, 758 Nanjing Road West SHANGHAI 200040 The People's Republic of China



GENERAL

1.1 In these Conditions:
1.1.1 the following expressions shall have the following meanings:-

the individual firm company or other party from whom an order to supply Goods and/or Services is received by the Seller;

"Conditions"

the standard terms and conditions of sale of the Seller as set out herein and includes any additional terms and conditions of sale agreed in writing by the Seller; a contract for the Supply of Goods and/or Services by the Seller to the Buyer;

"Contract"

"Date of Delivery" the date on which delivery of the Goods or Services takes place pursuant to Condition 7; the goods which the Seller is to supply (or, in relation to Condition 11, the goods in respect of which the Seller is to provide Services) under the Contract and includes any of them or any part of them and where the context so admits includes raw materials, processed materials and/or manufactured products whether processed or manufactured by the Seller or not; a payment to be made by the Buyer pursuant to Condition 6.2 to be used at the Seller's discretion for the purchase of materials and/or towards the costs of labour and other costs relating to the supply of Goods;

"Recommendations

ons the recommendations (if any) relating to the storage, handling, application and/or use of the Goods contained in the published literature of the Seller (or, if relevant, a Supplier) or any recommendations made in Writing by an authorised representative of the Seller (or, if relevant, a

"Seller

Supplier); Goodfellow Cambridge Limited and any subsidiary or holding company or associate (as such terms are defined in the Companies Act 1985 (as amended)) of the said company; the work or services or any of them to be

provided by the Seller under the Contract;

"Supplier"

any person, firm or company who or which supplies materials to the Seller which make up the Goods which are to be supplied to the Buyer;

- 1.1.2 words importing the singular number shall include the plural and vice versa, words importing one gender shall include all genders, and words importing persons shall include bodies corporate, unincorporated associations and partnerships
- If satisfactory references and information on the Buyer are not provided within seven days of a request therefore by the Seller, or if, following the provision of such information, the Seller is unable to obtain satisfactory trade indemnity or similar cover in respect of its dealings with the Buyer, the Seller may terminate the Contract and the rights and liabilities of the parties shall be the same as if the Contract had been cancelled in accordance with the provisions of Condition 10.2
- The seller reserves the right to assign, sub-contract the Contract or any part thereof. The Buyer shall not be entitled to assign the benefit or burden of the Contract without the consent in writing of
- In relation to all obligations of the Buyer under these Conditions, the time of performance is of the essence
- The legal construction of these Conditions shall not be effected by their headings which are for convenience of reference only **ORDERS**

- 2.1 Notwithstanding that the Seller may have given a detailed quotation or estimate either verbally or in writing no order shall be binding on the Seller unless and until it has been acknowledged in writing by the Seller or the Goods are delivered or the Services are provided by the Seller to the Buyer pursuant to the order
- 2.2 In order to avoid duplication of orders the Buyer shall be responsible In order to avoid duplication of orders the Buyer shall be responsible for ensuring that any confirmation of an order previously placed is prominently marked as being a confirmation and not a new order. The Buyer acknowledges that any order or confirmation of order which is not so marked may be treated and accepted by the Seller as a new order to create a Contract in addition to any Contract arising out of the previously placed order
- 2.3 These Conditions are incorporated in the Contract and together with any matter set out in the Seller's quotation or acceptance/acknowledgement of order contain the entire obligations between the Seller and the Buyer. In the case of any inconsistency between any letter or quotation incorporating or referring to these Conditions and any order, letter or form of contract sent by the Buyer to the Seller, whatever may be their respective dates, the provisions of these Conditions shall prevail. In the event of the Seller entering into the Contract without the Seller having submitted a written quotation or other letter or document incorporating or referring to these Conditions but in circumstances where the Buyer has had prior notice of these Conditions then all Goods or Services supplied shall be subject to these Conditions
- 2.4 No variation of the Contract by the Buyer shall be binding upon the Seller unless made in Writing and signed on behalf of the Seller. In the event of such variation the Buyer shall indemnify and keep indemnified the Seller in full against all loss, which term shall include (but without prejudice to the generality thereof) loss of profit, costs (including the cost of labour and materials), damages, charges and expenses incurred (directly or indirectly) by the Seller as a result of such variation

2.5 Any representations (except fraudulent misrepresentations) or warranties made by or on behalf of the Seller prior to the Contract (whether verbally or in writing) are hereby expressly excluded and shall be of no effect

DESCRIPTION

- 3.1 Any figures, statements, descriptions, illustrations, photographs, drawings, weights or any other matters contained in the Seller's catalogues, pamphlets, price lists or advertising literature are not guaranteed to be accurate and are intended merely to represent a general picture of the Seller's products and shall not form part of the Contract nor be regarded as a warranty or representation relating to the Goods or Services
- The Seller reserves the right to amend the specification of its products and services from time to time so that the descriptions thereof as set out in its catalogues, pamphlets, price lists or advertising literature may not be identical with those set out in the Seller's quotation and the Buyer is advised to check the specification set out in the Seller's quotation before placing an order

SPECIFICATIONS AND INTELLECTUAL PROPERTY

- Where goods are supplied to the Buyer's own specification, or where standard goods of the Seller are altered in accordance with the Buyer's instructions the Buyer warrants and undertakes full responsibility for the suitability and fitness of the specification, pattern or design does not infringe any patent, trade mark, registered design, copyright or any other proprietary right of any third party and the Buyer shall indemnify and keep the Seller idemnified in full against any loss, damage or expense whatsoever (including costs) which the Seller may incur in or arising from the performance of the Contract by reason of any infringement of any such patent, trade mark, registered design, copyright or any other proprietary right
- The Seller reserves the right to change the Buyer's specification as required to ensure that the Goods comply with any health, safety or other statutory requirement or provision and no such change by the Seller will constitute a breach of contract or impose upon the Seller any liability whatsoever Unless otherwise agreed in writing, the Seller will be the sole owner of all inventions, formulations, tools, patterns, designs or other similar items and the copyright in all documents and drawings made or produced by it in preparing a quotation for the Buyer or in the course of work on any Contract with the Buyer

QUOTATIONS

The Seller's quotations are provisional in so far as they are subject to alteration by reference to any changes in the price of raw materials, any item to be acquired by the Seller from a third party, rates of wages, other costs of production and any other circumstances beyond the Seller's control taking place between the date of the quotation and the Buyer's placing of an order in respect thereof

PRICE

- 6.1 The Seller shall be entitled to adjust the Contract price of the Goods or Services whether before or after the making of the Contract in the event of any variation in the cost to the Seller of supplying the same or any part thereof caused by:

 6.1.1 any increase in the cost of materials required by the Seller for the completion of the Contract; or

 6.1.2 any increase in wages or production and manufacturing costs or other overheads; or

 6.1.3 any other reason whatsoever beyond the control of the Seller including (but without prejudice to the generality of the foregoing) fluctuations in exchange rates between monetary currencies the action of any government or any other authority or any labour problems
- 6.2 In the Seller's absolute discretion, a Prepayment in respect of the Contract may be required to be paid by the Buyer to the Seller on the terms set out in this Condition. The Prepayment shall be applied as
 - 6.2.1 in the event that the Contract is performed in full by both parties the Prepayment shall be retained by the Seller in reduction of the total price payable by the Buyer under the
 - Teduction of the total price payable by the buyer times the Contract;

 2 in the event that the Buyer is either in default of any of its obligations under the Contract or cancels or suspends the Contract in accordance with Condition 10 the Prepayment shall be set off by the Seller against its proper costs losses or damages arising in connection with the default and/or cancellation or suspension
- 6.3 Unless otherwise stated, the price set out in the Seller's quotation includes the cost of packaging, carriage, and (save as provided in Condition 6.4) insurance. In respect of supplies of Goods in the United States of America, Canada and Japan the price also includes import duties and sales taxes (if any). In respect of supplies of Goods in other countries the price does not include import duties or VAT or sales taxes which will be extra charges based on prevailing rates
- 6.4 Where the Buyer requests a particular means of delivery, the price set out in the Seller's quotation does not include insurance, which is to be arranged at the responsibility of the Buyer.

- Delivery of Goods shall be deemed to be effected by the Seller at the
 - 7.1.1 where Goods are collected by or on behalf of the Buyer by its servants or agents, or where Goods are collected in



- accordance with a means of delivery specifically requested by the Buyer, when the same are collected; .2 where delivery of the Goods is to be the responsibility of the Seller, when they arrive prior to unloading at the Buyer's
- premises;
 7.1.3 where Goods are sold FOB or CIF, when they pass the ship's rail or are loaded onto the aircraft
- 7.2 Delivery of Services shall be deemed to be effected by the Seller at the time of completion by the Seller of the Services
- 7.3 Whilst the Seller will make every reasonable effort to complete the Contract by the date or dates therein specified for delivery of Goods or provision of Services such date or dates shall only constitute the times by which the Seller expects to effect such delivery and if no time is agreed delivery will be within a reasonable time but the performance of the Contract by the Seller shall not be the essence of the Contract, the Seller's failure to so deliver by the due date or dates shall not constitute a breach of Contract and the Seller shall not in any circumstances be responsible for any direct or consequential loss or damage of any kind whatsoever resulting therefrom. The Seller may wholly or partly suspend deliveries of Goods or provision of Services and the Buyer shall accept late delivery of such Goods or Services unless the Buyer has cancelled the Contract in accordance with the provisions of Condition 10.3

8 QUANTITIES INSTALMENTS AND STORAGE

- 8.1 Where Goods are delivered or Services are by instalment each instalment shall be deemed to be sold under a separate Contract and the party in default in respect of any instalment shall fbe liable accordingly, but no default in respect of any one instalment shall effect due performance of the Contract as regards other instalments
- 8.2 The Seller will endeavour to deliver the quantity of Goods ordered and every delivery shall be deemed to comply with the order. If there is a surplus or shortage of Goods which is no more than 10% of the quantity specified in the order the Buyer shall be deemed to have accepted the Goods and shall pay for the actual quantity delivered
- 8.3 If Goods or Services are to be delivered by instalments, the Seller shall be entitled to invoice each instalment as and when delivery is made and payment for all delivered instalments shall be due notwithstanding the non-delivery of other instalments or other default by the Seller. Failure by the Buyer to make payment by the due date for any one instalment for whatever reason shall entitle the Seller to suspend deliveries of Goods or provision of Services under the Contract but without prejudice to any other right the Seller may have under any of the other provisions of these Conditions
- 8.4 Notwithstanding that risk shall have passed to the Buyer pursuant to Condition 15 the Seller may in its absolute discretion arrange for storage of the Goods either at the request of the Buyer or as a result of the failure by the Buyer to take delivery of the Goods under Condition 7. The Seller may insure the goods whilst in storage and the Buyer shall indemnify and keep indemnified the Seller in full against all costs, losses, damages and expenses whatsoever arising in connection with the storage provided for hereunder and such costs, losses, damages and expenses will be added to and form part of the price of the Goods
- 8.5 Unless otherwise agreed between the Buyer and the Seller, the Seller shall be entitled in its absolute discretion and without giving prior notice to the Buyer at the expiration of 3 months to sell or otherwise dispose of Goods kept in storage as provided in Condition 8.4

9 TERMS OF PAYMENT

- 9.1 Unless otherwise agreed the price shall be due and payable at the Seller's offices 30 days after the date of the Seller's invoice
- 9.2 If the Buyer does not pay the whole or any part of the price on the required day then the Buyer shall pay to the Seller on request interest on the amount outstanding from the required day until the actual date of payment at the rate of 2% p.a. over the base rate of Barclays Bank plc from time to time in force which shall accrue on a daily beginning.
- 9.3 Condition 12 shall apply in the event of any alleged defect or failure in or of the Goods or Services and the Buyer shall not delay or refuse to make payment in any such event
- 9.4 The Buyer shall not be entitled to withold payment of any amount due to the Seller by reason of any disputed claim by the Buyer in connection with the Contract nor shall the Buyer be entitled to set off against any amount payable under the Contract to the Seller any amount which is not then due and payable by the Seller or for which the Seller disputes liability. disputes liability
- 9.5 All payments payable to the Seller under the Contract shall become due immediately upon termination of the Contract despite any other provision.

10 SUSPENSION AND CANCELLATION

10.1 If the Buyer shall commit any breach of the Contract and fail to remedy the same within 7 days of receiving the Seller's request in writing so to do or any distress or execution is levied upon any goods or property of the Buyer or the Buyer makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being an incorporated company) passes a resolution for winding up (otherwise than for the purpose of amalgamation or reconstruction), or a Court makes an order to that effect, or an encumbrancer takes possession, or an administrative receiver or receiver is appointed, of any of the property or assets of the Buyer, or the Buyer ceases, or threatens to cease, to carry on business or is unable to pay its debts within the meaning of section 123 Insolvency Act, 1986, or the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly, the Seller may:

may:-10.1.1 stop any Goods in transit and suspend any further deliveries;

and/or

- 10.1.2 suspend work on the Contract; and/or 10.1.3 determine the Contract forthwith and if the Goods or Services, or any part of them have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement to the contrary but without prejudice to the Seller's right to any unpaid price for Goods or Services delivered under the Contract and to damages for loss (both direct and consequential) suffered in consequence of such determination
- 10.2 If the Buyer requires cancellation of the Contract this will only be accepted at the sole discretion of the Seller and unless otherwise agreed in writing only upon condition that any costs, charges or expenses (both direct and consequential) incurred by the Seller up to the date of cancellation and the value of all loss or damage (both direct and consequential) incurred by the Seller by reason of such cancellation will be reimbursed by the Buyer to the Seller forthwith. Acceptance by the Seller of y cancellation by the Buyer will only be binding upon the Seller if it is made in writing
- binding upon the Seller if it is made in writing

 10.3 In the event of the Seller other than in any of the circumstances set out in Condition 10.1 being prevented or hindered from completing the Contract either wholly or in part in accordance with the terms thereof for any reason whatsoever beyond its reasonable control which, for the avoidance of doubt and without prejudice to the generality of the foregoing, shall include governmental action, war, riot, civil commotion, fire, flood, epidemic, labour disputes (including labour disputes involving the work force or any part thereof of the Seller or Supplier), restraints or delays affecting shipping or carriers, licensing, exporting or importing restrictions, currency restrictions and Acts of God then further performance of the Contract shall be suspended for the period during which the Seller is so prevented provided that in the event of the Contract being suspended for a continuous period of more than 3 months then either party may give the other notice in writing to terminate the Contract forthwith and in such circumstances the Buyer shall pay for all Goods or Services supplied to the date of such termination such payment to be made on or before the last day following the month during which termination was effected. The Seller shall be under no liability whatsoever to the Buyer for any direct or consequential loss or damage suffered by the Buyer as a result of the Seller's inability to perform its obligations under the Contract in these circumstances
- 10.4 The Seller's rights contained in Condition 17 (but not the Buyer's rights) shall continue beyond the discharge of the parties' primary obligations under the Contract consequent upon its termination
- 10.5 The termination of the Contract for whatever reason will be without prejudice to the rights and duties of either party accrued prior to termination

11 INSPECTION AND CLAIMS FOR DEFECTS

- .1 The Goods are of a highly specialised nature and must be treated with the utmost care. It is essential that the Buyer checks that they correspond in all respects with the Buyer's requirements. Any discrepancies should be notified to the Seller immediately. The Buyer undertakes to ensure that all Goods are unpacked and handled only by persons qualified to deal with such specialised products, to safeguard against injury to the Goods or to the Buyer's personnel
- 11.2 The Buyer shall inspect the Goods and carry out tests to ensure the 2 The Buyer standing the Goods and carry out tests to ensure the Goods conform with the description of the Goods or Services in the Buyer's orders within 7 days of Delivery and whether or not the Buyer carries out such obligation to inspect and test no claims for non-delivery, shortages in quantity of units delivered, defective Goods or Services, non-conformity to description or partial loss or damage to Goods will be accepted by the Seller unless:-
 - 11.2.1 they are notified in writing by the Buyer to the Seller within 10 days after the Date of Delivery (in the case of partial loss, damage, non-conforming or defective Goods or Services) or 14 days after the date of the invoice (in the case of non-delivery);
 - 11.2.2 the Goods in respect of which a claim is made together with all the relevant packing are preserved intact as received for a period of 35 days from notification of any such claim and the Buyer permits the Seller or its servants or agents full and free right of access to inspect the Goods and investigate the claim; and
 - 11.2.3 if the Buyer fails to give the appropriate notice as specified in Condition 11.2.1, the Buyer's claim will be deemed to have been waived and will be absolutely barred
- 11.3 It is in all cases the responsibility of the Buyer to ensure by testing or otherwise that the Goods are fit and suitable for the purposes for which the Buyer requires them in the conditions in which they will be used. The Buyer acknowledges that the Seller shall be under no liability of any description to the Buyer if the Goods prove to be unsuitable for whatever reason for application or use notwithstanding that the Seller may, at the request of the Buyer, have given in good faith technical or other advice in relation to the proposed application or use of the Goods and the Buyer shall indemnify and keep indemnified the Seller in full against any and all liability of any kind arising out of or connected with the application or use of the Goods
- 11.4 Section 3 Sale and Supply of Goods Act 1994 shall not apply
- 11.5 The Seller will not accept the return of Goods in any circumstances unless it has first issued a Goods return number and such number is quoted with the returned Goods

12 WARRANTY

12.1 In substitution for all and any other rights which the Buyer might or would have had but for these Conditions and subject to Condition 11,



the Seller shall make good by replacement any failure in the Goods or Services which results from defects in the Seller's materials or workmanship and which appear not later than 2 months after the Date of Delivery and shall replace any Goods or Services which do not conform with the description in the Buyer's order

- 12.2 Notwithstanding the provisions of Condition 12.1, in the case of a claim falling within Condition 12.1, the Seller reserves the right at its sole discretion to credit the Buyer in full the price paid by the Buyer to the Seller
- 12.3 The Seller's liability under this Condition shall automatically cease
 - 12.3.1 the Buyer has not paid for all Goods or Services supplied under any Contract by the due date or is otherwise in breach of this or any other Contract made with the Seller; or
 - 12.3.2 the Seller or its servants or agents are denied full and free right of access to the allegedly defective Goods; or
 - 12.3.3 the Buyer has not properly maintained the Goods or has not complied with any Recommendations for Use; or
 - 12.3.4 the defect or failure is caused by a breach by the Buyer of its undertakings and warranties contained in Condition 17; or
 - 12.3.5 the Buyer has failed to notify the Seller in writing of any defect or suspected defect within 14 days of the same coming to the knowledge of the Buyer
- 12.4 The warranty set out in Condition 12.1 shall be in lieu of any warranties conditions or undertakings whether express or implied by statute, common law or otherwise howsoever which warranties, conditions and undertakings are hereby expressly excluded, except that such exclusions will not apply to any implied condition that the Seller has or will have the right to sell the Goods when the property is to pass
- 12.5 Nothing in these Conditions excludes or limits the liability of the Seller for death or personal injury caused by the Seller's negligence or fraudulent misrepresentation
- 12.6 SUBJECT TO CONDITIONS 12.4 AND 12.5
 12.6.1 the seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation or otherwise, arising in connection with the performance or contemplated performance of the contract shall be limited to the price paid for the goods or services under the contract; and
 - 12.6.2 the seller shall not be liable to the buyer for any indirect or consequential loss or damage (whether for loss of profit, loss of business, depletion of goodwill or otherwise), costs, expenses or other claims for consequential compensation whatsoever (however caused) which arise out of or in connection with the contract

13 CONSUMER SALES

13.1 Where the Goods are sold under a consumer sale (as defined by the Sale of Goods Act 1979) the statutory rights of the Buyer are not affected by these conditions

14 TITLE TO GOODS

- 14.1 Full legal and beneficial ownership of the Goods shall be retained by the Seller notwithstanding that the risk in the same shall pass to the Buyer at the time of delivery until the Seller has received payment in
 - full in respect of
 14.1.1 The Goods; and
 14.1.2 All other sums which become due and owing by the Buyer to the
 Seller on any account whatsoever
- 14.2 Until ownership of the Goods has passed to the Buyer the Buyer shall hold the Goods in a fiduciary capacity and as bailee of the Seller and shall at all times take proper care of the same and will not obliterate or obscure any identifying mark or their packaging and will keep the Goods separate from any other goods and in such manner that they may be clearly identified as belonging to the Seller and the Buyer hereby grants to the Seller the right to enter on the Buyer's premises at any time during the continuation of the Contract to check that the Buyer is complying with the obligation contained in this Condition. The Buyer will return the Goods to the Seller if it receives a request whether verbally or in Writing so to do prior to payment in full as aforesaid having been made and the Seller will then repay any part of the purchase price it has already received in respect of the Goods less a reasonable amount in respect of its costs and expenses in connection with the Contract
- 14.3 For the purposes of Condition 14.1, the expression "the Buyer" includes any subsidiary or holding company or associate of the Buyer (as such terms are defined in the Companies Act 1985 (as amended))
- 14.4 The Seller will have the right to maintain an action against the Buyer for the price of the Goods notwithstanding that property in the Goods has not been passed

15 RISK AND INSURANCE

- 15.1 The risk in the Goods shall pass to the Buyer at the time of delivery as provided for in Condition 7
- 15.2 Notwithstanding the reservation of title contained in Condition 14, the Buyer shall insure the Goods and/or any products made wholly or partly therefrom for the full amount of the price payable under the Contract with an insurance office of repute from the time of delivery of the Goods until the date title in the Goods passes to the Buyer pursuant to Condition 14.1

16 EXPORT TERMS

16.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce

- as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms has the same meaning in the Contract
- 16.2 Where the Goods are supplied for export from the United Kingdom then unless otherwise agreed in writing between the Buyer and the Seller

 - uniess ornerwise agreed in writing between the Buyer and the Seller

 16.2.1 the provisions of Incoterms shall (subject to any special terms agreed in writing between the Buyer and the Seller) apply but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.

 16.2.2 the Buyer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and (save in respect of the United States of America, Canada and Japan) for the payment of any duties and taxes thereon unless payment for these is included in the Contract

 16.2.3 the Buyer shall be deemed to have satisfied itself that such Goods comply with the safety regulations of any country or state in which the Goods are to be used outside the United Kingdom and the Buyer shall indemnify and keep indemnified the Seller in full for any loss or damage whatsoever which the Seller may incur if such Goods do not comply with such safety regulations
- 16.3 The Goods shall not be used in any country other than that for which the Seller was aware they were originally ordered without the Seller's consent in writing
- 16.4 The Buyer undertakes not to offer the Goods for resale in any country notified by the Seller at or before the time the Buyer's order is placed, or to sell the Goods to any person if the Buyer knows or has reason to believe that person intends to resell the Goods in any such

17 BUYER'S WARRANTIES

- 17.1 The Buyer warrants to the Seller that:
 17.1.1 the Buyer will install, operate or otherwise use or store the Goods strictly in accordance with the Recommendations for Use and with all relevant or applicable statutory or other regulations governing the installation, operation, use or storage of the Goods; and
 17.1.2 any collection vehicle, container, ship or other means of transport provided by the Buyer or any agent of the Buyer will comply with all relevant legislation and regulations relating to health and safety requirements; and
 17.1.3 the storage and transport facilities and all parts thereof and all equipment used in connection therewith is suitable for storage (both short term and long term) and transport of the Goods and complies with any statute, regulation, bye law or other rule having the force of law and relating to the storage of goods of the nature of the Goods; and
 17.1.4 the Buyer will ensure that the Goods are stored in conditions appropriate to goods of that nature and will comply with any recommendations as to the storage of Goods notified to it by the Seller from time to time; and
 17.2 The Buyer shall indemnify and keen indemnified the Seller in full
- 17.2 The Buyer shall indemnify and keep indemnified the Seller in full against any claim, loss or damage (including, without limitation, damage to the reputation of the Seller) arising directly or indirectly from any breach of the warranty contained in Condition 17.1

18 SEVERANCE

18.1 If at any time any one or more of the provisions or part thereof of these Conditions becomes or is invalid, illegal or unenforceable in any respect under any law or is held by a court to be invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions hereof and the remainder of such provision shall not in any way be affected or impaired thereby

19 JURISDICTION

19.1 These Conditions and each and every Contract made pursuant to them shall be governed by and construed in all respects in accordance with the laws of England and the Seller and the Buyer hereby agree to submit to the non-exclusive jurisdiction of the English Courts

20 NOTICES

- 20.1 Any notice required or permitted to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business or such other address as may at the relevant time have been notified pursuant to this provision to the party giving notice
- 20.2 Any notice given pursuant to clause 20.1 shall be deemed to have been

 - 20.2.1 if delivered by hand, on the first Business Day following delivery;

 20.2.2 if sent by post, on the third Business Day after posting if the address of the recipient is in the country of despatch, otherwise on the seventh Business Day after posting;

 20.2.3 if sent by facsimile transmission, on the first Business Day following successful transmission
- 20.3 In proving service it shall be sufficient proof in the case of a notice sent by post, that the envelope containing the same was properly stamped, addressed and placed in the post and, in the case of facsimile transmission, that it was properly addressed and successfully
- 20.4 In this Condition 20, "Business Day" shall mean any day other than Saturday, Sunday or any other day which is a public holiday in the place at which the notice is left or to which such notice is despatched

21 WAIVER



Conditions of Sale					
21.1 No waiver by the Seller of any breach of any provision of the Contract by the Buyer shall be considered as a waiver of any subsequent breach	of the same or any other provision and the Seller shall not be prejudiced by any forbearance or indulgence granted by it to the Buyer				



Co

Discovered in 1735 by G. Brandt in Stockholm, Sweden.

Cobalt is a hard, grey metal which is ferromagnetic. It is usually found in association with nickel in arsenical ores, its abundancy in the Earth's crust being 20 ppm. Cobalt is relatively unreactive, being stable in air and only slowly attacked by dilute acids. It does not combine with hydrogen and nitrogen but it does react with carbon, oxygen and steam at elevated temperatures, producing CoO in the latter cases.

Cobalt salts (primarily cobalt aluminate, known as "Cobalt Blue", or "Thenard's Blue") have been known of and used for centuries to provide a blue colouration to paints and ceramics. Cobalt alloys have good thermal and oxidation used in electroplating and its radioactive isotope, block to be a compared to the colouration of the colour

Atomic Properties Atomic number Atomic radius - Goldschmidt Atomic weight Crystal structure	27 0.125 nm 58.9332 amu Hexagonal close	nacked	Physical Properties Boiling point Density @20C Melting point			2870 C 8.9 g cm ⁻³ 1495 C	
Electronic structure Photo-electric work function Thermal neutron absorption cross-section Valences shown	Ar 3d ⁷ 4s ² 5.0 eV 37.5 Barns 2, 3	puoned	Electrical Properties Electrical resistivity @20C Temperature coefficient @0-100C Thermal emf against Pt (cold 0C - h			6.34 μOhmon 0.0066 K ⁻¹ -1.33 mV	n
Natural isotope distribution	Mass No. 59	% 100	Thermal Properties Coefficient of thermal expansion @C Latent heat of evaporation)-100C		12.5 x10 ⁻⁶ K ⁻¹	1
lonisation potential	No. 1 2 3	eV 7.86 17.06 33.5	Latent heat of fusion Specific heat @25C Thermal conductivity @0-100C			263 J g ⁻¹ 456 J K ⁻¹ kg ⁻¹ 100 W m ⁻¹ K ⁻¹	
	4 5 6	51.3 79.5 102	Mechanical Properties Material condition Bulk modulus Hardness - Vickers	Soft 170	Hard 320	Polycrystallii 181.5	ne GPa
			Poisson's ratio Tensile modulus Tensile strength Yield strength	760 345-48	1135	0.32 211 MPa	GPa



Microfoil

CONTRACT COATING of customers' own components or assemblies is available to special order.

CO004500	Thinness 0.1μm Purity 99.9%	Specific density				
	•	Quantity				
	Web Code 334-288-316 254-981-873	Disc diam. 1 disc 2discs 5discs 10discs 10 mm USD 435.00 USD 599.00 USD 1090.00 USD 1745.00 25 mm USD 654.00 USD 926.00 USD 1745.00 USD 2836.00				
	Typical Analysis : Fe 180, Ni 800, C 30, S This item is normally made to order					
CO004600	Thinness 0.25μm Purity 99.9%	Specific density 222µg.cm ⁻² Support Permanent Mylar 3.5µm				
		Quantity				
	Web Code 416-061-319 958-621-344	Disc diam. 1 disc 2discs 5discs 10discs 10 mm USD 484.00 USD 673.00 USD 1237.00 USD 1990.00 25 mm USD 735.00 USD 1049.00 USD 1990.00 USD 3245.00				
	Typical Analysis : Fe 180, Ni 800, C 30, S This item is normally made to order					
CO004700	Thinness 0.5μm Purity 99.9%	Specific density 434µg.cm ⁻² Support Permanent Mylar 3.5µm				
	Web Code 397-746-173 783-717-473	Quantity Disc diam. 1 disc 2discs 5discs 10discs 10 mm USD 517.00 USD 722.00 USD 1336.00 USD 2154.00 25 mm USD 790.00 USD 1131.00 USD 2154.00 USD 3518.00				
	Typical Analysis : Fe 180, Ni 800, C 30, S This item is normally made to order					
CO004850	Thinness1.0μm Purity99.9%	Specific density				
0000-000	. u,					
0000-000		Quantity				
00004000	Web Code 652-199-795 621-666-297	Quantity Disc diam. 1 disc 2discs 5discs 10discs 10 mm USD 599.00 USD 845.00 USD 1581.00 USD 2563.00 25 mm USD 926.00 USD 1336.00 USD 2563.00 USD 4200.00				



Co



Foil

CO000050

Thickness <u>0</u>.001mm Support Temporary Acrylic Purity..... 99.9%

Sizes LT Quantity Web Code 775-736-506 **Size 1pc 2pcs** 25 x 25 mm USD 498.00 USD 651.00 423-870-603 50 x 50 mm USD 836.00 USD 1142.00

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000060

Thickness 0.002mm Support Temporary Acrylic

Purity..... 99.9%



Sizes LT Quantity Size Web Code 306-166-685 005-612-048

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000070 ××

Thickness 0.0025mm Purity..... 99.9% Support..... Temporary Acrylic

Sizes LT Quantity Web Code 716-223-018 Size **1pc 2pcs**USD 459.00 USD 596.00
USD 758.00 USD 1062.00 25 x 25 mm 50 x 50 mm USD 878.00

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000080

Thickness 0.003mm

Purity..... 99.9%



370-044-648

Quantity Size

DISCS			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
453-723-151	4 mm	USD 508.00	USD 620.00	USD 890.00
715-392-296	6 mm	USD 588.00	USD 733.00	USD 1072.00
424-033-282	8 mm	USD 668.00	USD 848.00	USD 1258.00
004-154-268	10 mm	USD 749.00	USD 965.00	USD 1514.00
519-275-657	15 mm	USD 947.00	USD 1263.00	

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000090

Thickness 0.004mm

Purity..... 99.9%



Sizes LT Quantity
 Size
 1pc
 2pcs
 5pcs

 25 x 25 mm
 USD 422.00
 USD 543.00
 USD 795.00

 50 x 50 mm
 USD 683.00
 USD 983.00
 Web Code 932-952-995 402-906-676 100 x 100 mm USD 1781.00 213-481-323

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
085-602-894	4 mm	USD 498.00	USD 605.00	USD 866.00
700-358-693	6 mm	USD 572.00	USD 711.00	USD 1036.00
544-833-188	8 mm	USD 647.00	USD 818.00	USD 1210.00
104-139-754	10 mm	USD 722.00	USD 927.00	USD 1465.00
017-474-035	15 mm	USD 907.00	USD 1220.00	

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000100

Thickness 0.005mm Purity..... 99.9%



		·=		
Sizes LT			Quantity	
Web Code	Size	1pc	2pcs	5pcs
406-737-073	25 x 25 mm	USD 404.00	USD 518.00	USD 755.00
763-028-393	50 x 50 mm	USD 648.00	USD 946.00	
905-403-902	100 x 100 mm	USD 1706.00		

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
895-593-437	4 mm	USD 488.00	USD 591.00	USD 844.00
949-177-188	6 mm	USD 557.00	USD 690.00	USD 1003.00
647-144-062	8 mm	USD 627.00	USD 790.00	USD 1165.00
893-000-229	10 mm	USD 697.00	USD 891.00	USD 1423.00
625-032-202	15 mm	USD 869.00	USD 1182.00	

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.



Co



Foil

CO000110



Thiskness	0.000

Thickness 0.006mm		Purity.		99.9%
Sizes LT			Quantity	
Web Code	Size	1pc	2pcs	5pcs
922-961-541	25 x 25 mm	USD 387.00	USD 492.00	USD 715.00
799-497-382	50 x 50 mm	USD 612.00	USD 904.00	
997-158-765	100 x 100 mm	USD 1622.00		

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
483-920-516	4 mm	USD 478.00	USD 577.00	USD 821.00
490-064-585	6 mm	USD 542.00	USD 668.00	USD 968.00
258-070-358	8 mm	USD 607.00	USD 761.00	USD 1119.00
258-789-878	10 mm	USD 672.00	USD 855.00	USD 1375.00
348-733-201	15 mm	USD 831 00	USD 1140 00	

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000120



I nickness		Purity.		99.9%
Sizes LT			Quantity	
Web Code	Size	1pc	2pcs	5pcs
853-393-893	25 x 25 mm	USD 384.00	USD 489.00	USD 710.00
737-787-768	50 x 50 mm	USD 608.00	USD 890.00	
451-449-853	100 x 100 mm	USD 1595.00		

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
559-548-739	4 mm	USD 476.00	USD 575.00	USD 818.00
943-598-533	6 mm	USD 540.00	USD 666.00	USD 964.00
949-814-494	8 mm	USD 604.00	USD 757.00	USD 1113.00
726-805-648	10 mm	USD 669.00	USD 850.00	USD 1358.00
850-700-003	15 mm	USD 827 00	USD 1126 00	

 $Typical\ Analysis: Ag\ 1,\ Al\ 2,\ B\ 2,\ Ba\ 3,\ Ca\ 50,\ Cr\ 25,\ Cu\ 500,\ Fe\ 40,\ Mg\ 1,\ Mn\ 1,\ Mo\ 15,\ Ni\ 800,\ Si\ 8.$

CO000130



Thickness	0.008mm
Sizes LT	

11110K11633		i unity.		99.970
Sizes LT			Quantity	
Web Code	Size	1pc	2pcs	5pcs
159-288-584	25 x 25 mm	USD 370.00	USD 469.00	USD 678.00
799-063-821	50 x 50 mm	USD 578.00	USD 867.00	
643-397-246	100 x 100 mm	USD 1548.00		

Durity

aa a%

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
929-267-270	4 mm	USD 468.00	USD 563.00	USD 800.00
158-411-995	6 mm	USD 528.00	USD 648.00	USD 936.00
801-495-075	8 mm	USD 588.00	USD 734.00	USD 1076.00
186-887-310	10 mm	USD 648.00	USD 821.00	USD 1332.00
360-920-117	15 mm	USD 796.00	USD 1102.00	

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000140



Quantity Sizes LT **Web Code** 421-593-159 819-644-136
 Size
 1pc
 2pcs
 5pcs

 25 x 25 mm
 USD 409.00
 USD 516.00
 USD 743.00
 50 x 50 mm USD 715.00 USD 1097.00

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
704-452-461	4 mm	USD 460.00	USD 552.00	USD 782.00
056-553-820	6 mm	USD 516.00	USD 631.00	USD 909.00
069-229-205	8 mm	USD 572.00	USD 711.00	USD 1039.00
653-654-652	10 mm	USD 628.00	USD 793.00	USD 1305.00
706-827-003	15 mm	USD 765 00	USD 1078 00	

Typical Analysis : Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.









CO000150



Thickness	 	0.01mr
MI T Cizoc		

NLI SIZES
Web Code
081-237-238
582-712-614
459-561-663
130-071-802

Sizes LT

Web Code 750-105-644

406-216-655

Purity..... 99.9%

	Quantity							
Size	1pc	2pcs	5pcs	10pcs				
25 x 25 mm	USD 353.00	USD 445.00	USD 640.00	USD 1047.00				
50 x 50 mm	USD 544.00	USD 825.00	USD 1840.00					
100 x 100 mm								
150 x 150 mm	USD 3093.00							

Sizes LT		Quantity					
Web Code	Size	1pc	2pcs	5pcs	10pcs		
154-011-350 25 x	25 mm USD	406.00 USD 5	511.00 USD 7	736.00 USD	1204.00		
090-200-785 50 x	50 mm USD	708.00 USD 10)73.00 USD 23	392.00			

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
780-796-306	4 mm	USD 459.00	USD 550.00	USD 778.00
599-539-442	6 mm	USD 513.00	USD 628.00	USD 904.00
942-430-801	8 mm	USD 568.00	USD 707.00	USD 1032.00
803-857-563	10 mm	USD 624.00	USD 787.00	USD 1284.00
482-198-573	15 mm	USD 760.00	USD 1059.00	USD 2191.00
274-817-324	25 mm	USD 1263.00		

 $Typical\ Analysis: Ag\ 1,\ Al\ 2,\ B\ 2,\ Ba\ 3,\ Ca\ 50,\ Cr\ 25,\ Cu\ 500,\ Fe\ 40,\ Mg\ 1,\ Mn\ 1,\ Mo\ 15,\ Ni\ 800,\ Si\ 8.$

CO000160



110K11C33	 •	•	٠	•	٠.	•	0.0	120111	•••
LT Sizes									
eb Code									
270 004									

NLT Sizes		
Web Code	Size	
003-770-294	50 x 50 mm	US
311-681-226	100 x 100 mm U	JSI
271-574-953	150 x 150 mm U	JSI



Purity..... 99.9%

Quantity

Discs			Quantity	
Web Code	Diameter	10 discs	20 discs	50 discs
400-892-257	4 mm	USD 441.00	USD 524.00	USD 738.00
111-526-280	6 mm	USD 486.00	USD 589.00	USD 843.00
940-779-623	8 mm	USD 532.00	USD 655.00	USD 956.00
597-461-685	10 mm	USD 579.00	USD 722.00	USD 1193.00
682-703-628	15 mm	USD 692.00	USD 979.00	USD 1990.00
337-956-581	25 mm	USD 1152.00		

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.

CO000170



Thickness								0.015mr

0.015mm	Purity 99.9%
es	Quantity

NLT Sizes			Quar	ntity		
Web Code	Size	1pc	2pcs		5pcs	10pcs
641-682-636	50 x 50 mm US				1445.00	
584-012-664	100 x 100 mm USE	ا 1148.00 (USD 2147.00			
448-462-082	150 x 150 mm USD	2382.00				

Sizes Li			Quai	ntity	
Web Code	Size	1pc	2pcs	5pcs	10pcs
535-898-976	25 x 25 mm	USD 281.00	USD 344.00	USD 520.00	USD 849.00
138-175-166	50 x 50 mm	USD 449.00	USD 734.00	USD 1589.00	

Discs			Quantity	
Web Code Dia	meter	10 discs	20 discs	50 discs
036-002-782	4 mm	USD 419.00	USD 493.00	USD 688.00
500-343-830	6 mm	USD 453.00	USD 543.00	USD 768.00
542-982-335	8 mm	USD 488.00	USD 593.00	USD 898.00
872-799-240	10 mm	USD 523.00	USD 644.00	USD 1102.00
099-911-545	15 mm	USD 609.00	USD 899.00	USD 1789.00
488-944-851	25 mm	USD 1042.00		

Typical Analysis: Ag 1, Al 2, B 2, Ba 3, Ca 50, Cr 25, Cu 500, Fe 40, Mg 1, Mn 1, Mo 15, Ni 800, Si 8.



Cobalt Co							
	Foil						
CO000180	Thickness 0.02mm		Purity.		99.9%		
Xi Xn	NLT Sizes Web Code 880-075-648 131-241-464	Size 50 x 50 mm 100 x 100 mm	1pc USD 439.00 USD 1274.00	Quantity 2pcs USD 730.00	5pcs		
	Sizes LT Web Code 049-445-393 163-505-999	Size 25 x 25 mm 50 x 50 mm	1pc USD 281.00 USD 483.00	Quantity 2pcs USD 343.00 USD 803.00	5pcs USD 559.00		
	Discs Web Code 975-883-008 985-376-206 172-030-034 503-758-863 969-855-916	8 mm 10 mm	USD 453.00 USD 487.00	USD 542.00 USD 591.00 USD 651.00	USD 767.00 USD 942.00		
	Typical Analysis : Ag 1, Al 2, B 2, Ba 3, Ca 5	50, Cr 25, Cu 500, F	Fe 40, Mg 1, Mn 1	, Mo 15, Ni 800,	Si 8.		
CO000190	Thickness 0.025mm NLT Sizes		Purity.	Quan			
Xi Xn	Web Code 286-516-195 567-545-570 037-709-950	Size 50 x 50 mm 100 x 100 mm 150 x 150 mm		2pcs USD 630.00	5pcs	10pcs	
	Sizes LT Web Code	Size	1pc	Quan 2pcs	itity 5pcs	10pcs	
	841-307-923 720-815-926	25 x 25 mm	USD 268.00 USD 428.00	USD 325.00	USD 496.00		
	Discs Web Code 297-626-467 203-307-493 413-435-663 679-456-079 932-004-207 500-527-658		USD 504.00 USD 583.00		USD 742.00		
	Typical Analysis : Ag 1, Al 2, B 2, Ba 3, Ca 5	50, Cr 25, Cu 500, F	Fe 40, Mg 1, Mn 1	, Mo 15, Ni 800,	Si 8.		
0000200	Thickness 0.05mm Temper As rolled		Purity.				
Xi Xn	NLT Sizes Web Code 178-393-342	Size 100 x 100 mm	1pc USD 939.00	Quan 2pcs USD 1691.00	5pcs	10pcs	
	Sizes LT Web Code 313-618-353 464-752-202 037-736-403		1pc USD 311.00 USD 432.00 USD 1174.00	USD 567.00	5pcs USD 473.00	10pcs USD 685.00	
	Discs Web Code 769-903-377 237-916-200 739-525-342 440-668-648 083-581-166 447-649-930	6 mm 8 mm 10 mm 15 mm	USD 497.00 USD 535.00	USD 798.00	USD 728.00 USD 815.00 USD 942.00		
	Typical Analysis : Fe 180, Ni 800, C 30, S 15	50.					



Goodfellow Cambridge Limited Ermine Business Park, Huntingdon PE29 6WR England Telephone +44 1480 424 800 : Fax +44 1480 424 900 Cobalt Co Foil Thickness 0.05mm CO000210 High Purity 99.99 + % Temper As rolled **NLT Sizes** Quantity Web Code 647-449-379 Size **Size 1pc** 100 x 100 mm USD 2226.00 2pcs 5pcs Sizes I T Quantity Web Code 768-598-928 205-093-544 Size 067-544-062 100 x 100 mm USD 2782.00 Quantity **Discs** ameter 10 discs 20 discs 50 discs 4 mm USD 599.00 USD 739.00 USD 1039.00 6 mm USD 725.00 USD 919.00 USD 1324.00 8 mm USD 852.00 USD 1099.00 USD 1611.00 10 mm USD 979.00 USD 1279.00 USD 1900.00 15 mm USD 1294.00 USD 1726.00 Web Code Diameter 697-658-907 207-366-599 920-820-120 102-515-821 814-475-549 Typical Analysis : Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1. CO000203 Purity..... 99.9% Temper As rolled **NLT Sizes** XX Quantity Web Code 265-902-821 20pcs 795-625-043 Sizes LT Quantity Size 1pc 2pcs 25 x 25 mm USD 150.00 USD 171.00 50 x 50 mm USD 170.00 USD 199.00 00 x 100 mm USD 264.00 USD 321.00 10pcs USD 226.00 USD 291.00 Web Code 714-873-111 5pcs USD 195.00 **20pcs** USD 278.00 266-732-848 710-209-650 USD 240.00 USD 414.00 USD 369.00 100 x 100 mm USD 524.00 Width 250mm Quantity Coil Length 0.5 m Web Code 050-741-183 1 Reel USD 452.00 272-573-398 1 m USD 780.00 Quantity **Discs** meter 10 discs 4 mm USD 294.00 Web Code 112-204-888 Diameter **20 discs** USD 329.00 50 discs USD 428.00 USD 337.00 USD 346.00 USD 355.00 USD 377.00 278-228-090 497-609-382 USD 300.00 USD 306.00 6 mm USD 442.00 8 mm USD 456.00 USD 312.00 USD 328.00 USD 359.00 102-591-753 10 mm USD 471.00 USD 505.00 420-224-487 448-556-799 15 mm 25 mm USD 421.00 USD 576.00 USD 438.00 308-545-834 50 mm Typical Analysis: Fe 180, Ni 800, C 30, S 150. CO000201 Thickness 0.05mm Purity..... 99.9% Temper Annealed Xi Xn **NLT Sizes** Quantity Web Code Size 5pcs 10pcs **Size 1pc 2pcs** 100 x 100 mm USD 187.00 USD 224.00 098-681-025 Sizes LT Quantity Web Code 232-259-702 769-033-195 Size 1pc 2pcs 25 x 25 mm USD 144.00 USD 162.00 50 x 50 mm USD 158.00 USD 183.00 100 x 100 mm USD 234.00 USD 280.00 USD 244.00 424-434-125

10 discs USD 385.00 USD 390.00

USD 394.00 USD 399.00

USD 410 00

USD 432.00

Diameter

4 mm 6 mm

8 mm 10 mm

15 mm

25 mm

Quantity

USD 538.00 USD 544.00

USD 550.00 USD 557.00 USD 572.00

USD 604.00

20 discs

50 discs USD 813.00 USD 823.00

USD 833.00 USD 843.00

USD 868.00

Discs Web Code

211-869-855 025-000-631

840-907-427 257-197-895

616-896-730

553-481-406

Typical Analysis : Fe 180, Ni 800, C 30, S 150.



Telephone +44 1480 424 800 : Fax +44 1480 424 900 Cobalt Co Foil Thickness 0.06mm CO000204 Purity..... 99.9% Temper As rolled **NLT Sizes** Quantity Size 1pc 2pcs 5pcs 10pcs 100 x 100 mm USD 219.00 USD 268.00 USD 349.00 USD 459.00 250 x 250 mm USD 353.00 USD 514.00 USD 1079.00 USD 359.00 **Web Code** 962-996-345 20pcs 299-376-842 Sizes LT Quantity 10pcs USD 232.00 USD 303.00 USD 551.00 Web Code 633-677-353 Size 1pc 2pcs 25 x 25 mm USD 152.00 USD 173.00 50 x 50 mm USD 174.00 USD 205.00 100 x 100 mm USD 262.00 USD 322.00 5pcs USD 199.00 USD 249.00 USD 419.00 20pcs USD 286.00 438-860-985 USD 386.00 115-539-936 Discs Quantity **10 discs** USD 295.00 USD 302.00 **50 discs** USD 431.00 USD 446.00 Web Code Diameter 20 discs 199-895-349 778-975-253 USD 330.00 USD 340.00 4 mm 6 mm 506-999-539 360-196-387 8 mm 10 mm USD 308.00 USD 315.00 USD 350.00 USD 359.00 USD 462.00 USD 477.00 486-218-105 197-665-609 USD 332.00 USD 367.00 USD 384.00 USD 432.00 15 mm USD 516.00 USD 593.00 25 mm 780-205-687 USD 453 00 Typical Analysis : Fe 180, Ni 800, C 30, S 150. Thickness ... 0.125mm Temper ... As rolled High Purity 99.99 + % CO000270 Size ×× Quantity Web Code Size 1pc 2pcs 5pcs 25 x 25 mm USD 590.00 USD 759.00 USD 1097.00 50 x 50 mm USD 997.00 USD 1325.00 882-886-995 360-862-509 100 x 100 mm USD 1977.00 107-821-219 **Discs** Quantity ### 10 discs 20 discs 50 discs 4 mm USD 591.00 USD 729.00 USD 1021.00 6 mm USD 714.00 USD 902.00 USD 1297.00 USD 836.00 USD 1076.00 USD 1574.00 USD 959.00 USD 1250.00 USD 1852.00 USD 1250.00 USD 1852.00 USD 185 Web Code Diameter 477-651-667 706-457-217 307-161-534 10 mm 398-952-736 15 mm USD 1264.00 USD 1683.00 Typical Analysis : Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1. CO000279 Thickness 0.25mm Purity......99.9% Temper As rolled ×× Size Quantity Size 1pc 2pcs 5pcs 25 x 25 mm USD 346.00 USD 433.00 USD 551.00 50 x 50 mm USD 478.00 USD 619.00 USD 1116.00 100 x 100 mm USD 902.00 USD 1622.00 Web Code 309-594-119 699-264-626 408-085-169 **Discs** Quantity 20 discs 50 discs USD 567.00 USD 751.00 USD 625.00 USD 844.00 USD 684.00 USD 939.00 USD 743.00 USD 1036.00 Diameter 4 mm USD 495.00 USD 536.00 USD 577.00 Web Code 330-911-963 363-994-373 499-289-562 10 mm USD 618.00 15 mm USD 719.00 25 mm USD 940.00 411-196-577 USD 887.00 399-567-545 Typical Analysis: Fe 180, Ni 800, C 30, S 150. CO000280 Thickness 0.25mm Temper As rolled Size Quantity Web Code 676-171-533 521-447-473 180-934-619 100 x 100 mm USD 2056.00 Quantity Discs Diameter 10 discs 20 discs 50 discs 4 mm USD 619.00 USD 749.00 USD 1027.00 6 mm USD 733.00 USD 910.00 USD 1283.00 10 mm USD 846.00 USD 1071.00 USD 1540.00 15 mm USD 1243.00 USD 1234.00 USD 1799.00 15 mm USD 1243.00 USD 1635.00 Web Code 616-830-716 103-844-005 980-504-281 563-034-562 379-323-302 415-414-769 Typical Analysis: Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1.



Goodfellow Cambridge Limited Ermine Business Park, Huntingdon PE29 6WR England Telephone +44 1480 424 800 : Fax +44 1480 424 900 Cobalt Co Foil Thickness 0.5mm CO000281 High Purity 99.99 + % Temper As rolled Size Quantity **Web Code** 855-635-353 954-412-835 301-602-915 Typical Analysis : Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1. Thickness 0.50mm Temper Annealed CO000282 Purity..... 99.9% Size Quantity Size 1pc 2pcs 5pcs 10pcs 20pcs 50 x 50 mm USD 272.00 USD 311.00 USD 388.00 USD 478.00 USD 613.00 125 x 125 mm USD 398.00 USD 490.00 USD 750.00 USD 1312.00 250 x 250 mm USD 627.00 USD 1072.00 USD 750.00 USD 1312.00 Web Code 704-004-055 906-571-646 915-649-044 Typical Analysis : Fe 180, Ni 800, C 30, S 150. CO000285 Thickness 0.7mm Purity..... 99.9% Temper Annealed Xi Xn Size Quantity Size 1pc 2pcs 5pcs 10pcs 25 x 25 mm USD 364.00 USD 439.00 USD 591.00 USD 767.00 50 x 50 mm USD 538.00 USD 684.00 USD 979.00 USD 979.00 100 x 100 mm USD 885.00 USD 1766.00 USD 979.00 USD 979.00 **Web Code** 090-356-475 294-557-241 819-662-248 Typical Analysis : Fe 180, Ni 800, C 30, S 150. CO000290 Thickness 1.0mm Purity..... 99.9% Temper As rolled

9 9	Size
Xn	Web Code
XII	418-340-118
	292-519-530

Quantity Size 1pc 2pcs 5pcs 25 x 25 mm USD 443.00 USD 551.00 USD 768.00 50 x 50 mm USD 697.00 USD 909.00 USD 1335.00 100 x 100 mm USD 1203.00 USD 1626.00 564-941-872

Typical Analysis : Fe 180, Ni 800, C 30, S 150.

I	CO000291	Thickness	1.0mm	High Purity	99.99+%
			A III		

Size ×× Web Code 348-052-689

Quantity
 Size
 1pc
 2pcs

 25 x 25 mm
 USD 756.00 USD 1043.00

 50 x 50 mm
 USD 1615.00
 506-587-345

 $Typical\ Analysis: Ag\ 2,\ Al\ 1,\ Bi\ <1,\ Ca\ 1,\ Cr\ <1,\ Cu\ 3,\ Fe\ 7,\ Mg\ 1,\ Mn\ <1,\ Ni\ 2,\ Si\ 5,\ Sn\ 1.$

CO000292 Thickness 1.0mm Purity..... 99.9%

Temper Annealed Size

Quantity
 Size
 1pc
 2pcs
 5pcs

 50 x 50 mm
 USD 327.00
 USD 405.00
 USD 507.00

 125 x 125 mm
 USD 495.00
 USD 643.00
 USD 507.00

 250 x 250 mm
 USD 995.00
 USD 643.00
 USD 643.00
 Web Code 951-074-733 993-220-941 094-124-551

Typical Analysis: Fe 180, Ni 800, C 30, S 150.

CO000295 Thickness 2.0mm Purity.......99.9% Temper As rolled

××

Size Quantity Size 1pc 2pcs 5pcs 25 x 25 mm USD 501.00 USD 634.00 USD 903.00 50 x 50 mm USD 815.00 USD 1079.00 100 x 100 mm USD 1445.00 Web Code 507-449-547 878-100-717 762-595-930

Typical Analysis: Fe 180, Ni 800, C 30, S 150.

CO000296 Thickness 2.0mm Purity..... 99.9% Temper As rolled

Size Quantity Web Code Size 1pc POA 552-551-816 150 x 150 mm

Typical Analysis: Fe 180, Ni 800, C 30, S 150.



Cobalt				
Со				
	Foil			
CO000300	Thickness 3.0mm Temper As rolled			99.9%
X	Size Web Code	Q Size	Quantity 1pc	
Xi Xn	473-778-171 279-024-824	50 x 50 mm 100 x 100 mm	POA POA	
	Typical Analysis : Fe 180, Ni 800, C 30, S 150			
CO000320	Thickness 6.0mm		Purity	99.9%
¥ X	Temper As rolled Size	C	Quantity	
Xi Xn	Web Code	Size	1pc	
	313-228-878 371-028-784	70 x 90 mm 78 x 100 mm	POA POA	
	873-581-570	79 x 158 mm	POA	
	Typical Analysis : Fe 180, Ni 800, C 30, S 150	J.		
	Sputtering Tar	get		
CO009100	Thickness 1.0mm		Purity	99.9%
	Size		Quantity	
XX	Web Code 953-898-468	Disc diam. 25 mm	1disc POA	
Xi Xn	735-795-621	25 mm 33 mm	POA	
	Typical Analysis: Fe 180, Ni 800, C 30, S 150 These targets are normally available for		ant from stock.	Other sizes are available to special order.
CO009301	Thickness 3.0mm			ity 99.99+%
44 44	Size		Quantity	,
XX	Web Code 541-762-834	Disc diam. 25.4 mm	1disc POA	
Xi Xn	716-702-475	50.8 mm	POA	
	Typical Analysis: Ag 2, Al 1, Bi < 1, Ca 1, Cr These targets are normally available for			Si 5, Sn 1. Other sizes are available to special order.
CO009300	Thickness 3.0mm		Purity	99.9%
¥ ¥.	Size Web Code		Quantity	
Xi Xn	Web Code 913-699-307	Disc diam. 25 mm	1disc POA	
74	995-741-500 851-366-657	50.8 mm 75 mm	POA POA	
	Typical Analysis : Fe 180, Ni 800, C 30, S 150	^		
			ent from stock.	Other sizes are available to special order.
CO009400	Thickness 4.0mm		Purity	99.9%
44 44	Size		Quantity	
Xi Xn	Web Code 401-386-022	Disc diam. 76 mm	1disc POA	
, .	Typical Analysis : Fe 180, Ni 800, C 30, S 150		at from stock	Other sizes are available to special order.
22000600	,	Immediate shipmo		·
CO009600	Thickness 6.0mm	Ç	Purity Quantity	
××	Web Code	Disc diam.	1disc	
Xi Xn	040-732-739 832-888-073	25 mm 50 mm	POA POA	
	111-003-394	75 mm	POA	
		_		
	Typical Analysis : Fe 180, Ni 800, C 30, S 150	ባ.		



Telephone +	·44 1480 424 800 : Fax +44 1	1480 424 900	DUUUTEIIUW
Cobalt			
Со			
	Wire		
CO005080	Diameter	Purity	99.9%
××	Length	Quantity	
Xi Xn	Web Code 744-323-923	Length 1 Reel 0.1 m USD 295.00	
	647-195-798 871-307-288	0.2 m USD 349.00 0.5 m USD 457.00	
	913-408-611 176-080-913	1 m USD 582.00 2 m USD 823.00	
	Typical Analysis : Fe 180, Ni 800, C 30, S 150.		
CO005085	Diameter0.1mm TemperHard	High Purity	99.99+%
××	Length	Quantity	
Xi Xn	Web Code 913-820-699	Length 1 Reel 0.1 m USD 227.00	
	227-579-357 447-416-064	0.2 m USD 274.00 0.5 m USD 385.00	
	927-001-767 875-215-420	1 m USD 537.00 2 m USD 818.00	
	Typical Analysis : Ag 2, Al 1, Bi < 1, Ca 1, Cr	< 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1.	
CO005090	Diameter 0.125mm	High Purity	99.99+%
V V	Temper Hard	Quantity	
Xi Xn	Length Web Code	Length 1 Reel	
	049-147-386 143-420-261	0.1 m USD 251.00 0.2 m USD 289.00	
	927-525-224 940-661-390	0.5 m USD 370.00 1 m USD 472.00	
	582-664-788	2 m USD 634.00 <1, Cu 3, Fe 7, Mg 1, Mn <1, Ni 2, Si 5, Sn 1.	
CO005100	Diameter	High Purity	99.99+%
V V	Temper Hard		
Xi Xn	Length Web Code	Quantity Length 1 Reel	
	144-365-037 045-631-877	0.05 m USD 215.00 0.1 m USD 261.00	
	703-985-027 998-126-380	0.2 m USD 333.00 0.5 m USD 444.00	
	765-798-468 724-809-661	1 m USD 558.00 2 m USD 785.00	
	Typical Analysis : Ag 2, Al 1, Bi <1, Ca 1, Cr	<1, Cu 3, Fe 7, Mg 1, Mn <1, Ni 2, Si 5, Sn 1.	
CO005110	Diameter	High Purity	99.99+%
××	Length	Quantity	
Xi Xn	Web Code 601-209-974	Length 1 Reel 0.05 m USD 225.00	
	151-240-818 905-100-948	0.1 m USD 286.00 0.2 m USD 384.00	
	137-619-183 202-390-179	0.5 m USD 532.00 1 m USD 853.00	
	Typical Analysis: Aq 2, Al 1, Bi < 1, Ca 1, Cr	< 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1.	
CO005120	Diameter 1.0mm	High Purity	99.99+%
Y Y .	Temper Hard Length	Quantity	
Xi Xn	Web Code	Length 1 Reel	
	346-403-339 300-414-802	0.05 m USD 295.00 0.1 m USD 397.00	
	551-860-500 982-563-148	0.2 m USD 567.00 0.5 m USD 1047.00	
	Typical Analysis : Ag 2, Al 1, Bi <1, Ca 1, Cr	< 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1.	
CO005130	Diameter	High Purity	99.99+%
××	Length Web Code	Quantity	
Xi Xn	Web Code 549-063-852	Length 1 Reel 0.025 m USD 317.00	
	632-981-988 122-742-534	0.05 m USD 440.00 0.1 m USD 652.00	
	342-814-808	0.2 m USD 1042.00	
	Typical Analysis : Ag 2, Al 1, Bi < 1, Ca 1, Cr	<1, Cu 3, Fe 7, Mg 1, Mn <1, Ni 2, Si 5, Sn 1.	



Telephone +	-44 1480 424 800 : Fax +44 148		M'-WA KE			
Cobalt						
Со						
	Rod					
CO007901	Diameter		High Purity			
××	Size Web Code	Longth	Quantity			
Xi Xn	377-738-165 561-742-385 711-554-691 717-614-519	50 mm 100 mm	1pc 2pcs 5pcs USD 359.00 USD 449.00 USD 692.00 USD 416.00 USD 575.00 USD 1090.00 USD 542.00 USD 893.00 USD 860.00			
	Typical Analysis: Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1.					
CO007903	Diameter		High Purity			
××	Size	l an male	Quantity 1pc 2pcs 5pcs 10pcs 20pcs			
Xi Xn	Web Code 024-929-958	Length 2 mm	1pc 2pcs 5pcs 10pcs 20pcs USD 182.00 USD 212.00 USD 281.00 USD 379.00 USD 555.00			
	Typical Analysis : Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1.					
CO007902	Diameter		High Purity			
××	Size Web Code	Length	Quantity 1pc 2pcs 5pcs			
Xi Xn	682-191-740 768-429-842	25 mm	USD 378.00 USD 475.00 USD 806.00 USD 441.00 USD 666.00 USD 1317.00			
	863-737-601 171-027-640	100 mm	USD 633.00 USD 1075.00 USD 1042.00			
Typical Analysis:Ag 2, Al 1, Bi <1, Ca 1, Cr <1, Cu 3, Fe 7, Mg 1, Mn <1, Ni 2, Si 5, Sn 1.						
CO007905	Diameter3.0mm		Purity99.9%			
××	Temper As drawn Size		Quantity			
Xi Xn	Web Code 181-377-296		1pc 2pcs 5pcs 10pcs USD 294.00 USD 363.00 USD 581.00 USD 986.00			
	646-185-447 940-230-861 935-981-612	200 mm	USD 347.00 USD 493.00 USD 969.00 USD 477.00 USD 804.00 USD 944.00			
		500 111111	50D 544.00			
CO007907	Typical Analysis : Fe 180, Ni 800, C 30, S 150. Diameter		Purity99.9%			
X X	Temper As drawn Size		Quantity			
Xi Xn	Web Code 853-745-687	Length 50 mm	1pc 2pcs USD 345.00 USD 415.00			
	832-603-024 738-231-592	100 mm	USD 399.00 USD 556.00 USD 540.00			
	Typical Analysis : Fe 180, Ni 800, C 30, S 150.					
CO007910			High Purity			
××	Size		Quantity			
Xi Xn	Web Code 454-913-627 864-210-128	Length 25 mm 50 mm	1pc 2pcs USD 678.00 USD 1166.00 USD 1132.00			
CO007915	Typical Analysis : Ag 2, Al 1, Bi <1, Ca 1, Cr <1, Cu 3, Fe 7, Mg 1, Mn <1, Ni 2, Si 5, Sn 1. 107915 Diameter					
Y Y	Temper As drawn Size		Quantity			
Xi Xn	Web Code 059-775-586	Length 25 mm	1pc 2pcs 5pcs USD 350.00 USD 425.00 USD 539.00			
	146-538-074 283-515-152	50 mm 100 mm	USD 393.00 USD 486.00 USD 453.00 USD 611.00			
	439-397-619	200 mm	USD 578.00			
0007005	Typical Analysis : Fe 180, Ni 800, C 30, S 150.					
CO007925	Diameter		Purity			
Xi Xn	Size Web Code	Length	Quantity 1pc 5pcs 5pcs HCD 442 00 HCD 5c5 00 HCD 7c6 00			
	977-447-427 368-095-231 802-708-491	50 mm	USD 442.00 USD 565.00 USD 766.00 USD 516.00 USD 670.00 USD 621.00 USD 977.00			
	334-834-613		USD 928.00			
	Typical Analysis : Fe 180, Ni 800, C 30, S 150.					



Cobalt Co Rod CO007930 Purity..... 99.9% Temper As drawn Size Quantity Length 1pc 2pcs 25 mm USD 477.00 USD 614.00 50 mm USD 566.00 USD 786.00 100 mm USD 738.00 USD 1260.00 Web Code 417-935-658 241-959-991 **2pcs 5pcs** USD 614.00 USD 943.00 200 mm USD 1212.00 656-276-799 Typical Analysis: Fe 180, Ni 800, C 30, S 150. Purity.......99.9% CO007940 Diameter..... 25mm Temper As drawn Size Quantity ×× Web Code Length 1pc 2pcs 25 mm USD 722.00 USD 1001.00 50 mm USD 953.00 USD 1637.00 461-663-513 285-637-127 100 mm USD 1589.00 697-486-442 Typical Analysis: Fe 180, Ni 800, C 30, S 150. Powder CO006050 Mean Particle size..... 0.02micron Purity..... 99.9% Quantity Weight 1 Pot 10 g USD 1091.00 20 g USD 1987.00 Web Code 510-206-484 Typical Analysis: This is a holding analysis number for those awaiting details. CO006041 Max. Particle size 7.5micron Purity..... 99.6% Quantity Weight 50 g 100 g 200 g 1 Pot USD 507.00 USD 656.00 USD 878.00 **Web Code** 596-808-629 601-075-101 134-387-513 Typical Analysis : Ca 800, Fe 800, Mn 220, Ni 3200, Si 600, C 220, H-Loss 2500, S 150. Typically 0.6-1.0 micron FSS. CO006040 Max. Particle size 45micron Purity..... 99.8% Quantity **Web Code** 063-405-970 925-747-827 Weight 1 Pot 50 g USD 485.00 100 g USD 625.00 718-485-034 200 g USD 823.00 Typical Analysis: Cu 10, Fe 130, Ni 2500. Typically 3 micron average or less. CO006012 Max. Particle size 150micron Min. Particle size 50micron Purity..... 99.9% Quantity Weight 1 Pot 50 g USD 295.00 100 g USD 347.00 200 g USD 422.00 500 g USD 626.00 1000 g USD 1082.00 Web Code 215-017-952 149-662-319 168-666-706 632-567-434 733-961-096 Typical Analysis: Cu 50, Fe 70, Ni 1500, C 800, S 300. CO006030 Max. Particle size 250micron High Purity 99.99+% Quantity Web Code Weight 5 g USD 335.00 602-521-955 $\label{eq:total conditions} Typical\ Analysis: Ag\ 2,\ Al\ 1,\ Bi\ <1,\ Ca\ 1,\ Cr\ <1,\ Cu\ 3,\ Fe\ 7,\ Mg\ 1,\ Mn\ <1,\ Ni\ 2,\ Si\ 5,\ Sn\ 1.$



Cobalt Co **Powder** Max. Particle size 840micron High Purity 99.99+% CO006035 Quantity Web Code Weight 5 g USD 314.00 10 g USD 383.00 20 g USD 530.00 255-680-621 960-081-260 010-153-003 269-131-793 USD 931.00 Typical Analysis: Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1. Lump Max. Lump size 10mm Condition. Pellets Purity..... 99.9% Quantity Web Code 10 g USD 216.00 20 g USD 252.00 50 g USD 386.00 100 g USD 645.00 758-443-566 805-437-960 679-743-281 967-901-137 Typical Analysis: Fe 180, Ni 800, C 30, S 150. Nominally 6.35mm diameter x 6.35mm length pellets. Please ask for prices for larger quantities. CO006110 Max. Lump size 10mm High Purity 99.99 + % Quantity **Web Code** 972-565-590 892-552-901 Weight 1 Pot 20 g USD 343.00 50 g USD 602.00 270-256-911 100 g USD 933.00 Typical Analysis: Ag 2, Al 1, Bi < 1, Ca 1, Cr < 1, Cu 3, Fe 7, Mg 1, Mn < 1, Ni 2, Si 5, Sn 1. Nominally 6.35mm diameter x 6.35mm length pellets. Please ask for prices for larger quantities. Max. Lump size 40mm Condition Nominal 30mm rounds CO006120 Purity..... 99.8% ×× Quantity Web Code Weight 1 Pot 100 g USD 183.00 200 g USD 214.00 500 g USD 279.00 1000 g USD 424.00 019-053-086 490-289-803 058-478-802 600-433-172 891-689-784 2000 g USD 709.00 Typical Analysis: Cu 10, Fe 130, Ni 2500. Please ask for prices for larger quantities. Single Crystal Although this crystal is normally held in stock ready for immediate shipment it is an example of crystals which may be grown to order with a delivery forecast of 4-10 weeks. When requesting a quotation please specify the material, dimensions, orientation, type and concentration of dopants, surface finish and quantity required. CO002085 Oriented (0001) Purity......99.999% Quantity Web Code 615-067-497 1pc USD POA Typical Analysis: Not applicable CO002112 Thickness 2mm Diameter.... Condition..... Polished on 1 side to 1 micron ×× Quantity Web Code 1pc USD POA 502-995-223 Typical Analysis: Not applicable Oriented (0001) CO002111 Diameter..... Condition. Unpolished Quantity Web Code 556-316-731 1pc USD POA Typical Analysis: Not applicable



obalt				
0				
	Single Crystal			
0002090	Oriented (0001) Length		Diameter	
i Xn	Web Code 293-985-516	Quantity	1pc USD POA	
	Typical Analysis : Not applicable			
0002100	Oriented (0001) Length		Diameter	
Xi Xn	Web Code 925-039-752	Quantity	1pc USD POA	
	Typical Analysis : Not applicable			



elephone +44 1480 424 800 : Fax	+44 1480 424 900	Duvui Eiluw
	INDEX	
С		
Cobalt (Co)	20	
F		
Foil, Cobalt	21	
L		
Lump, Cobalt	32	
M		
Microfoil, Cobalt	20	
Р		
Powder, Cobalt	31	
R		
Rod, Cobalt	30	
S		
Single Crystal, Cobalt	32	
Sputtering Target, Cobalt	28	
W		
Wire Cobalt	29	